

# Andrea Sorrentino

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7683037/andrea-sorrentino-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135  
papers

3,903  
citations

30  
h-index

59  
g-index

148  
ext. papers

4,452  
ext. citations

4.4  
avg, IF

5.78  
L-index

#	Paper	IF	Citations
135	Design of self-healing biodegradable polymers. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2022</b> , 1	4.1	2
134	Tribology of Self-Lubricating Polymer Nanocomposites <b>2022</b> , 147-173		
133	Layered Double Hydroxides as Hosts of Active Molecules for Food Packaging Applications. <i>Series on Chemistry, Energy and the Environment</i> , <b>2022</b> , 483-505	0.2	
132	The role of (bio)degradability on the management of petrochemical and bio-based plastic waste.. <i>Journal of Environmental Management</i> , <b>2022</b> , 310, 114769	7.9	2
131	The influence of bio-plastics for food packaging on combined anaerobic digestion and composting treatment of organic municipal waste.. <i>Waste Management</i> , <b>2022</b> , 144, 87-97	8.6	1
130	A Multidisciplinary Approach for the Designing and Realization of Customized High Performance Prostheses by Continuous Fiber Additive Manufacturing. <i>Lecture Notes in Computer Science</i> , <b>2022</b> , 379-386	0.9	0
129	Structural and Electrical Properties of Graphite Platelet Films Deposited on Low-Density Polyethylene Substrate. <i>Materials Proceedings</i> , <b>2021</b> , 4, 38	0.3	
128	Influence of the Thermomechanical Characteristics of Low-Density Polyethylene Substrates on the Thermoresistive Properties of Graphite Nanoplatelet Coatings. <i>Coatings</i> , <b>2021</b> , 11, 332	2.9	2
127	Tuning the structural and functional properties of HAVOH-based composites via ionic liquid tailoring of MWCNTs distribution. <i>Composites Science and Technology</i> , <b>2021</b> , 207, 108742	8.6	2
126	Eco-friendly polymer nanocomposites designed for self-healing applications. <i>Polymer</i> , <b>2021</b> , 223, 123718	3.9	6
125	Synthesis of high polydispersity index polylactic acid and its application as gel electrolyte towards fabrication of dye-sensitized solar cells. <i>Journal of Polymer Research</i> , <b>2021</b> , 28, 1	2.7	6
124	Effective carbon dioxide sorption by using phyllosilicate anchored poly(quaternary-ammoniumhydroxidemethyl styrene) nanocomposites. <i>Environmental Technology (United Kingdom)</i> , <b>2021</b> , 1-11	2.6	
123	Functional structural nanocomposites with integrated self-healing ability. <i>Materials Today: Proceedings</i> , <b>2021</b> , 34, 243-249	1.4	8
122	Nanoarchitected conducting polymers: Rational design and relative activity for next-generation supercapacitors <b>2021</b> , 27-58		
121	Synthesis and characterization of poly-3-(9H-carbazol-9-yl)propylmethacrylate as a gel electrolyte for dye-sensitized solar cell applications. <i>Polymer Bulletin</i> , <b>2021</b> , 1	2.4	3
120	Thermo-Rheological and Shape Memory Properties of Block and Random Copolymers of Lactide and $\epsilon$ Caprolactone. <i>Polymers</i> , <b>2021</b> , 13,	4.5	5
119	Solvent-free synthesis of halloysite-layered double hydroxide composites containing salicylate as novel, active fillers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 627, 127135	5.1	5

118	Flexible eco-friendly multilayer film heaters. <i>Composites Part B: Engineering</i> , <b>2021</b> , 224, 109208	10	4
117	Morphology-Mechanical Performance Relationship at the Micrometrical Level within Molded Polypropylene Obtained with Non-Symmetric Mold Temperature Conditioning. <i>Polymers</i> , <b>2021</b> , 13,	4.5	2
116	Synthesis of random copolymer using Zig-Zag Naphthodithiophene for bulk Heterojunction polymer solar cell applications. <i>Journal of Polymer Research</i> , <b>2020</b> , 27, 1	2.7	2
115	Synthesis of Magnetite-Based Polymers as Mercury and Anion Sensors Using Single Electron Transfer-Living Radical Polymerization. <i>ACS Omega</i> , <b>2020</b> , 5, 7201-7210	3.9	3
114	Multifunctional Bioactive Resin for Dental Restorative Materials. <i>Polymers</i> , <b>2020</b> , 12,	4.5	7
113	Multifunctionality of structural nanohybrids: the crucial role of carbon nanotube covalent and non-covalent functionalization in enabling high thermal, mechanical and self-healing performance. <i>Nanotechnology</i> , <b>2020</b> , 31, 225708	3.4	23
112	Application of Multi Materials Additive Manufacturing Technique in the Design and Manufacturing of Hand Orthoses. <i>Lecture Notes in Computer Science</i> , <b>2020</b> , 461-468	0.9	1
111	Joule Heating Induced Stabilization of a Resistive Temperature Sensor Based on a Syndiotactic Polystyrene/MWCNT Composite. <i>Lecture Notes in Electrical Engineering</i> , <b>2020</b> , 111-117	0.2	
110	Controlling Drug Release of Anti-inflammatory Molecules Through a pH-Sensitive, Bactericidal Polymer Matrix: Towards a Synergic and Combined Therapy. <i>Lecture Notes in Bioengineering</i> , <b>2020</b> , 151-163	0.8	2
109	Graphite platelet films deposited by spray technique on low density polyethylene substrates. <i>Materials Today: Proceedings</i> , <b>2020</b> , 20, 87-90	1.4	1
108	Layered double hydroxide polymer nanocomposites for food-packaging applications <b>2020</b> , 743-779		0
107	Design of Multifunctional Composites: New Strategy to Save Energy and Improve Mechanical Performance. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	6
106	Guar gum-based polymer gel electrolyte for dye-sensitized solar cell applications. <i>Solar Energy</i> , <b>2020</b> , 208, 160-165	6.8	16
105	3D printing orthopedic scoliosis braces: a test comparing FDM with thermoforming. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2020</b> , 111, 1707-1720	3.2	7
104	Enhancing the EMI shielding of natural rubber-based supercritical CO foams by exploiting their porous morphology and CNT segregated networks. <i>Nanoscale</i> , <b>2019</b> , 11, 1011-1020	7.7	96
103	Carbon-Based Aeronautical Epoxy Nanocomposites: Effectiveness of Atomic Force Microscopy (AFM) in Investigating the Dispersion of Different Carbonaceous Nanoparticles. <i>Polymers</i> , <b>2019</b> , 11,	4.5	12
102	Reversible Self-Healing Carbon-Based Nanocomposites for Structural Applications. <i>Polymers</i> , <b>2019</b> , 11,	4.5	38
101	Self-healing epoxy nanocomposites via reversible hydrogen bonding. <i>Composites Part B: Engineering</i> , <b>2019</b> , 157, 1-13	10	75

100	Fibrous nanocomposites based on EVA40 filled with Cu nanoparticles and their potential antibacterial action. <i>Materials Today Communications</i> , <b>2019</b> , 20, 100581	2.5	7
99	Thermoresistive Properties of Graphite Platelet Films Supported by Different Substrates. <i>Materials</i> , <b>2019</b> , 12,	3.5	4
98	Temperature and pressure evolution in fast heat cycle injection molding. <i>Materials and Manufacturing Processes</i> , <b>2019</b> , 34, 422-430	4.1	14
97	Nanohybrid Active Fillers in Food Contact Bio-based Materials <b>2018</b> , 71-94		5
96	Evidence of Bipolar Resistive Switching Memory in Perovskite Solar Cell. <i>IEEE Journal of the Electron Devices Society</i> , <b>2018</b> , 6, 454-463	2.3	11
95	Tribology of Self-Lubricating Polymer Nanocomposites <b>2018</b> , 105-131		1
94	Synthesis and characterization of sustainable polyurethane foams based on polyhydroxyls with different terminal groups. <i>Polymer</i> , <b>2018</b> , 149, 134-145	3.9	28
93	Hydrophobicity Tuning by the Fast Evolution of Mold Temperature during Injection Molding. <i>Polymers</i> , <b>2018</b> , 10,	4.5	10
92	Development of aeronautical epoxy nanocomposites having an integrated selfhealing ability. <i>MATEC Web of Conferences</i> , <b>2018</b> , 233, 00021	0.3	2
91	Characterization of sustainable polyhydroxyls, produced from bio-based feedstock, and polyurethane and copolymer urethane-amide foams. <i>Data in Brief</i> , <b>2018</b> , 21, 269-275	1.2	4
90	Polyethylene-like macrolactone-based polyesters: Rheological, thermal and barrier properties. <i>Materials Today Communications</i> , <b>2018</b> , 17, 380-390	2.5	8
89	Fabrication of polymer nanocomposites via ball milling: Present status and future perspectives. <i>Progress in Materials Science</i> , <b>2017</b> , 86, 75-126	42.2	113
88	Multiscale mechanical characterization of iPP injection molded samples. <i>European Polymer Journal</i> , <b>2017</b> , 90, 79-91	5.2	18
87	Thiourea incorporated poly(ethylene oxide) as transparent gel polymer electrolyte for dye sensitized solar cell applications. <i>Journal of Power Sources</i> , <b>2017</b> , 353, 245-253	8.9	26
86	Bio-based flexible polyurethane foams derived from succinic polyol: Mechanical and acoustic performances. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134, 45113	2.9	24
85	Poly(ethylene oxide) polymer matrix coupled with urea as gel electrolyte for dye sensitized solar cell applications. <i>Synthetic Metals</i> , <b>2017</b> , 226, 62-70	3.6	13
84	Light irradiation tuning of surface wettability, optical, and electric properties of graphene oxide thin films. <i>Nanotechnology</i> , <b>2017</b> , 28, 054003	3.4	15
83	Differences between graphene and graphene oxide in gelatin based systems for transient biodegradable energy storage applications. <i>Nanotechnology</i> , <b>2017</b> , 28, 054005	3.4	20

82	Controlled release mechanisms of sodium benzoate from a biodegradable polymer and halloysite nanotube composite. <i>Polymer International</i> , <b>2017</b> , 66, 690-698	3.3	14
81	Micromechanical Characterization of Complex Polypropylene Morphologies by HarmoniX AFM. <i>International Journal of Polymer Science</i> , <b>2017</b> , 2017, 1-12	2.4	9
80	Development of self-healing multifunctional materials. <i>Composites Part B: Engineering</i> , <b>2017</b> , 128, 30-38	10	48
79	Encapsulation of Lysozyme into halloysite nanotubes and dispersion in PLA: Structural and physical properties and controlled release analysis. <i>European Polymer Journal</i> , <b>2017</b> , 93, 495-506	5.2	36
78	Preparation and characterization of conductive foams based on PBS, carbon nanofibers and expanded graphite nanocomposites <b>2017</b> ,		1
77	Mechanical Properties Distribution within Polypropylene Injection Molded Samples: Effect of Mold Temperature under Uneven Thermal Conditions. <i>Polymers</i> , <b>2017</b> , 9,	4.5	36
76	The effect of matrix morphology on dynamic-mechanical properties of polypropylene/layered silicate nanocomposites. <i>Macedonian Journal of Chemistry and Chemical Engineering</i> , <b>2017</b> , 36, 251	1.1	3
75	Amniotic epithelial stem cell biocompatibility for electrospun poly(lactide-co-glycolide), poly(E-caprolactone), poly(lactic acid) scaffolds. <i>Materials Science and Engineering C</i> , <b>2016</b> , 69, 321-9	8.3	22
74	Fast cavity surface temperature evolution in injection molding: control of cooling stage and final morphology analysis. <i>RSC Advances</i> , <b>2016</b> , 6, 99274-99281	3.7	14
73	Temperature-dependent dielectric properties of a thermoplastic gelatin <b>2016</b> ,		1
72	Effect of fast mold surface temperature evolution on iPP part morphology gradients <b>2016</b> ,		2
71	Evaluation of the Mechanical Properties of Microcapsule-Based Self-Healing Composites. <i>International Journal of Aerospace Engineering</i> , <b>2016</b> , 2016, 1-10	0.9	11
70	Synergistic effect of lactic acid oligomers and laminar graphene sheets on the barrier properties of polylactide nanocomposites obtained by the in situ polymerization pre-incorporation method. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	12
69	Flexible Poly(Amide-Imide)-Carbon Black Based Microheater with High-Temperature Capability and an Extremely Low Temperature Coefficient. <i>Advanced Electronic Materials</i> , <b>2016</b> , 2, 1600126	6.4	22
68	Analysis of asymmetric morphology evolutions in iPP molded samples induced by uneven temperature field. <i>AIChE Journal</i> , <b>2016</b> , 62, 2699-2712	3.6	14
67	Bio-based polyurethane foams from renewable resources <b>2016</b> ,		5
66	Assessment of Ball Milling as a Compounding Technique to Develop Nanocomposites of Poly(3-Hydroxybutyrate-co-3-Hydroxyvalerate) and Bacterial Cellulose Nanowhiskers. <i>Journal of Polymers and the Environment</i> , <b>2016</b> , 24, 241-254	4.5	19
65	Synthesis of ruthenium catalysts functionalized graphene oxide for self-healing applications. <i>Polymer</i> , <b>2015</b> , 69, 330-342	3.9	27

64	Modulation of Biodegradation Rate of Poly(lactic acid) by Silver Nanoparticles. <i>Journal of Polymers and the Environment</i> , <b>2015</b> , 23, 316-320	4.5	16
63	Fast mold surface temperature evolution: relevance of asymmetric surface heating for morphology of iPP molded samples. <i>RSC Advances</i> , <b>2015</b> , 5, 36434-36448	3.7	25
62	Nanosheets of MoS <sub>2</sub> -oleylamine as hybrid filler for self-lubricating polymer composites: Thermal, tribological, and mechanical properties. <i>Polymer Composites</i> , <b>2015</b> , 36, 1124-1134	3	36
61	Cycle stability and dielectric properties of a new biodegradable energy storage material. <i>Nano Energy</i> , <b>2015</b> , 17, 348-355	17.1	19
60	Bio-Based and Bio-Inspired Cellular Materials <b>2015</b> , 1-37		
59	Rapid control of mold temperature during injection molding process: Effect of packing pressure <b>2015</b> ,		4
58	Preliminary investigation of polystyrene/MoS <sub>2</sub> -Oleylamine polymer composite for potential application as low-dielectric material in microelectronics <b>2015</b> ,		5
57	Rapid control of mold temperature during injection molding process <b>2015</b> ,		1
56	Foaming behavior of bio-based blends based on thermoplastic gelatin and poly(butylene succinate). <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	13
55	Electrical Characterization and Modeling of a Gelatin/Graphene System. <i>Advances in Condensed Matter Physics</i> , <b>2015</b> , 2015, 1-5	1	3
54	Mechanical milling as a technology to produce structural and functional bio-nanocomposites. <i>Green Chemistry</i> , <b>2015</b> , 17, 2610-2625	10	108
53	The Effect of Hole Fraction on Viscosity in Atactic and Syndiotactic Polystyrenes. <i>International Journal of Thermophysics</i> , <b>2015</b> , 36, 3239-3254	2.1	4
52	Functional Zein/Biloxane Bio-Hybrids. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2014</b> , 2, 254-263	8.3	25
51	Foam injection molding of poly(lactic acid) with physical blowing agents <b>2014</b> ,		7
50	Characterization of the polycaprolactone melt crystallization: complementary optical microscopy, DSC, and AFM studies. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 720157	2.2	23
49	Gelatin/graphene systems for low cost energy storage <b>2014</b> ,		6
48	Polystyrene/MoS <sub>2</sub> @oleylamine nanocomposites <b>2014</b> ,		4
47	Behavior of epoxy composite resins in environments at high moisture content. <i>Journal of Polymer Research</i> , <b>2013</b> , 20, 1	2.7	15

46	Humidity sensing of an epoxy/MWCNT composite by electrical conductivity measurements <b>2013</b> ,		3
45	Influence of crystallinity on the biodegradation rate of injection-moulded poly(lactic acid) samples in controlled composting conditions. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 1089-1096	4-7	145
44	Effect of carbide powder characteristics on the PVT behavior of powder injection molding compounds. <i>Powder Technology</i> , <b>2013</b> , 237, 627-633	5-2	4
43	Photo-oxidative stabilization of carbon nanotubes on polylactic acid. <i>Polymer Degradation and Stability</i> , <b>2013</b> , 98, 963-971	4-7	39
42	Hybrid clay mineral-carbon nanotube-PLA nanocomposite films. Preparation and photodegradation effect on their mechanical, thermal and electrical properties. <i>Applied Clay Science</i> , <b>2013</b> , 71, 49-54	5-2	67
41	Determination of the effect of pressure on viscosity of an isotactic polypropylene. <i>Polymer Bulletin</i> , <b>2013</b> , 70, 2005-2014	2-4	19
40	Process-Induced Morphology Distribution in Injection Molded Syndiotactic Polystyrene Samples. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2012</b> , 51, 10840-10847	3-9	5
39	Permeability in Clay/Polyesters Nano-Biocomposites. <i>Green Energy and Technology</i> , <b>2012</b> , 237-264	0-6	10
38	Comparison of the physical properties of epoxy-based composites filled with different types of carbon nanotubes for aeronautic applications. <i>Advances in Polymer Technology</i> , <b>2012</b> , 31, 205-218	1-9	34
37	Application of Epoxy/Carbon Nanotube Composites as Microwave Absorber at Frequencies up to 25 GHz. <i>Lecture Notes in Electrical Engineering</i> , <b>2011</b> , 455-459	0-2	2
36	Electrical Noise Characterization of Epoxy/MWCNT Composites. <i>Lecture Notes in Electrical Engineering</i> , <b>2011</b> , 49-53	0-2	2
35	Improving the predictions of injection molding simulation software. <i>Polymer Engineering and Science</i> , <b>2011</b> , 51, 2542-2551	2-3	28
34	Epoxy/MWCNT Composite as Temperature Sensor and Electrical Heating Element. <i>IEEE Nanotechnology Magazine</i> , <b>2011</b> , 10, 688-693	2-6	70
33	Effect of functionalization on the thermo-mechanical and electrical behavior of multi-wall carbon nanotube/epoxy composites. <i>Carbon</i> , <b>2011</b> , 49, 1919-1930	10-4	204
32	Structure-property relationships on uniaxially oriented carbon nanotube/polyethylene composites. <i>Polymer</i> , <b>2011</b> , 52, 1124-1132	3-9	60
31	Nanocoatings and ultra-thin films for packaging applications <b>2011</b> , 203-234		8
30	Influence of multi-walled carbon nanotubes on the $\beta$ form crystallization of syndiotactic polystyrene at low temperature. <i>EXPRESS Polymer Letters</i> , <b>2010</b> , 4, 339-345	3-4	14
29	Epoxy/MWCNT Composite Based Temperature Sensor with Linear Characteristics. <i>Lecture Notes in Electrical Engineering</i> , <b>2010</b> , 241-245	0-2	10

28	Cure behavior and physical properties of epoxy resin-filled with multiwalled carbon nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2010</b> , 10, 2686-93	1.3	44
27	Crystallization kinetics of virgin and processed poly(lactic acid). <i>Polymer Degradation and Stability</i> , <b>2010</b> , 95, 1148-1159	4.7	103
26	Crystallization of syndiotactic polystyrene under high pressure and cooling rate. <i>Macromolecular Research</i> , <b>2010</b> , 18, 1045-1052	1.9	7
25	Two-phase crystallization kinetics of syndiotactic polystyrene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2010</b> , 48, 1757-1766	2.6	7
24	Isothermal crystallization kinetics of polypropylene latex-based nanocomposites with organo-modified clay. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2010</b> , 48, 1927-1938	2.6	24
23	Cure behavior and mechanical properties of structural self-healing epoxy resins. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2010</b> , 48, 2413-2423	2.6	36
22	Pressure-dependent viscosity and free volume of atactic and syndiotactic polystyrene. <i>Rheologica Acta</i> , <b>2009</b> , 48, 467-478	2.3	33
21	Mechanical and barrier properties of epoxy resin filled with multi-walled carbon nanotubes. <i>Carbon</i> , <b>2009</b> , 47, 2419-2430	10.4	135
20	Nano clay reinforced PCL/starch blends obtained by high energy ball milling. <i>Carbohydrate Polymers</i> , <b>2009</b> , 75, 172-179	10.3	124
19	Structure, Morphology, and Crystallization Behavior of Syndiotactic Polystyrene <b>2009</b> , 155-193		3
18	Development of nanostructured thermoregulating textile materials. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2008</b> , 8, 4399-403	1.3	6
17	Melting and zero growth rate temperatures of syndiotactic polystyrene. <i>Colloid and Polymer Science</i> , <b>2008</b> , 286, 983-991	2.4	6
16	Kinetics of melting and characterization of the thermodynamic and kinetic properties of syndiotactic polystyrene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2007</b> , 45, 196-207	2.6	27
15	Polymer Crystallization Under High Cooling Rate and Pressure: A Step Towards Polymer Processing Conditions <b>2007</b> , 329-344		11
14	Potential perspectives of bio-nanocomposites for food packaging applications. <i>Trends in Food Science and Technology</i> , <b>2007</b> , 18, 84-95	15.3	777
13	Barrier properties of polymer/clay nanocomposites <b>2006</b> , 273-296		18
12	Injection molding of syndiotactic polystyrene/clay nanocomposites. <i>Polymer Engineering and Science</i> , <b>2006</b> , 46, 1768-1777	2.3	20
11	Diffusion behavior in polymer/clay nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2006</b> , 44, 265-274	2.6	98



10	Biodegradable nanocomposites obtained by ball milling of pectin and montmorillonites. <i>Carbohydrate Polymers</i> , <b>2006</b> , 64, 516-523	10.3	125
9	A novel apparatus for solidification of polymer samples under simultaneous high pressures and high cooling rates. <i>Review of Scientific Instruments</i> , <b>2005</b> , 76, 083901	1.7	5
8	Incorporation of MgAl hydrotalcite into a biodegradable Poly(Ecaprolactone) by high energy ball milling. <i>Polymer</i> , <b>2005</b> , 46, 1601-1608	3.9	102
7	Pressure Effect on Viscosity for Atactic and Syndiotactic Polystyrene. <i>Polymer Bulletin</i> , <b>2005</b> , 54, 365-376	2.4	31
6	The role of flow-induced crystallisation in melt spinning. <i>E-Polymers</i> , <b>2004</b> , 4,	2.7	5
5	Molecular orientation in injection molding: experiments and analysis. <i>Rheologica Acta</i> , <b>2004</b> , 43, 109-118	2.3	45
4	Polymorphism and Thermal Behaviour of Syndiotactic Poly(propylene)/Carbon Nanotube Composites. <i>Macromolecular Rapid Communications</i> , <b>2004</b> , 25, 1963-1967	4.8	49
3	Molecular orientation and strain in injection moulding of thermoplastics. <i>Macromolecular Symposia</i> , <b>2002</b> , 185, 293-307	0.8	27
2	Thermal and mechanical characterization of complex electrospun systems based on polycaprolactone and gelatin. <i>Journal of Thermal Analysis and Calorimetry</i> , 1	4.1	1
1	Advantages of Polymer Electrolytes Towards Dye-sensitized Solar Cells		121-167 1