

Dong Yeob Shin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7683281/dong-yeob-shin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

953

citations

16

h-index

28

g-index

72

ext. papers

1,173

ext. citations

3.5

avg, IF

4.21

L-index

#	Paper	IF	Citations
67	Effect of iodine restriction on short-term changes in thyroid function in patients with subclinical hypothyroidism. <i>Journal of Nutrition and Health</i> , 2022 , 55, 250	0.8	
66	The Use of a Light-Emitting Diode Device for Neck Rejuvenation and Its Safety on Thyroid Glands. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
65	Immune activation of Bio-Germanium in a randomized, double-blind, placebo-controlled clinical trial with 130 human subjects: Therapeutic opportunities from new insights. <i>PLoS ONE</i> , 2020 , 15, e0240358	3.7	6
64	Actual causes of death in thyroid cancer patients in Korea: A Nationwide Case Control Cohort Study. <i>European Journal of Endocrinology</i> , 2020 , 182, 103-110	6.5	3
63	Diagnosis and Treatment of Growth Hormone Deficiency: A Position Statement from Korean Endocrine Society and Korean Society of Pediatric Endocrinology. <i>Endocrinology and Metabolism</i> , 2020 , 35, 272-287	3.5	7
62	Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Candidate Biomarkers Associated with Survival: A Multicenter Study in Korea. <i>Thyroid</i> , 2020 , 30, 732-738	6.2	16
61	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0238207	3.7	5
60	Effect of Steamed Onion (ONIRO) Consumption on Body Fat and Metabolic Profiles in Overweight Subjects: A 12-Week Randomized, Double-Blind, Placebo-Controlled Clinical Trial. <i>Journal of the American College of Nutrition</i> , 2020 , 39, 206-215	3.5	4
59	Immune activation of Bio-Germanium in a randomized, double-blind, placebo-controlled clinical trial with 130 human subjects: Therapeutic opportunities from new insights 2020 , 15, e0240358		
58	Immune activation of Bio-Germanium in a randomized, double-blind, placebo-controlled clinical trial with 130 human subjects: Therapeutic opportunities from new insights 2020 , 15, e0240358		
57	Immune activation of Bio-Germanium in a randomized, double-blind, placebo-controlled clinical trial with 130 human subjects: Therapeutic opportunities from new insights 2020 , 15, e0240358		
56	Immune activation of Bio-Germanium in a randomized, double-blind, placebo-controlled clinical trial with 130 human subjects: Therapeutic opportunities from new insights 2020 , 15, e0240358		
55	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea 2020 , 15, e0238207		
54	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea 2020 , 15, e0238207		
53	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea 2020 , 15, e0238207		
52	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea 2020 , 15, e0238207		
51	Lesion-Based Evaluation Predicts Treatment Response to Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Cancer: A Korean Multicenter Retrospective Study. <i>Thyroid</i> , 2019 , 29, 1811-1819	6.2	14

50	The Prognosis of Papillary Thyroid Cancer with Initial Distant Metastasis is Strongly Associated with Extensive Extrathyroidal Extension: A Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2200-2209	3.1	13
49	Medical Treatment with Somatostatin Analogues in Acromegaly: Position Statement. <i>Endocrinology and Metabolism</i> , 2019 , 34, 53-62	3.5	5
48	The relationship of comorbidities to mortality and cause of death in patients with differentiated thyroid carcinoma. <i>Scientific Reports</i> , 2019 , 9, 11435	4.9	14
47	Association between Thyroid-Stimulating Hormone Level after Total Thyroidectomy and Hypercholesterolemia in Female Patients with Differentiated Thyroid Cancer: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	11
46	Extended Real-World Observation of Patients Treated with Sorafenib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Impact of Lenvatinib Salvage Treatment: A Korean Multicenter Study. <i>Thyroid</i> , 2019 , 29, 1804-1810	6.2	12
45	Chitosan oligosaccharide (GO2KA1) improves postprandial glycemic response in subjects with impaired glucose tolerance and impaired fasting glucose and in healthy subjects: a crossover, randomized controlled trial. <i>Nutrition and Diabetes</i> , 2019 , 9, 31	4.7	14
44	Changes in the Diagnostic Efficiency of Thyroid Fine-Needle Aspiration Biopsy during the Era of Increased Thyroid Cancer Screening in Korea. <i>Cancer Research and Treatment</i> , 2019 , 51, 1430-1436	5.2	5
43	SUN-446 Association between Prolactin Level and Tumor Size Reduction at 3 Months after Cabergoline Treatment in Patients with Macroprolactinoma. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
42	MON-548 The Relationship of Comorbidities to Mortality and Cause of Death in Patients with Differentiated Thyroid Carcinoma. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
41	Medical Treatment with Somatostatin Analogues in Acromegaly: Position Statement. <i>Korean Journal of Medicine</i> , 2019 , 94, 485-494	0.5	
40	Tertiary Care Experience of Sorafenib in the Treatment of Progressive Radioiodine-Refractory Differentiated Thyroid Carcinoma: A Korean Multicenter Study. <i>Thyroid</i> , 2018 , 28, 340-348	6.2	32
39	Effect of weight loss on circulating fatty acid profiles in overweight subjects with high visceral fat area: a 12-week randomized controlled trial. <i>Nutrition Journal</i> , 2018 , 17, 28	4.3	9
38	Comparative assessment of Graves Disease and main extrathyroidal manifestation, Graves Ophthalmopathy, by non-targeted metabolite profiling of blood and orbital tissue. <i>Scientific Reports</i> , 2018 , 8, 9262	4.9	15
37	Sex-specific genetic influence on thyroid-stimulating hormone and free thyroxine levels, and interactions between measurements: KNHANES 2013-2015. <i>PLoS ONE</i> , 2018 , 13, e0207446	3.7	6
36	Lipidomic differentiation of Graves Ophthalmopathy in plasma and urine from Graves Disease patients. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 7121-7133	4.4	6
35	Association between diffuse lymphocytic infiltration and papillary thyroid cancer aggressiveness according to the presence of thyroid peroxidase antibody and BRAF mutation. <i>Head and Neck</i> , 2018 , 40, 2271-2279	4.2	9
34	Thyroid Isthmus Length and Iodine Turnover as Predictors of Successful Radioactive Iodine Therapy in Patients with Graves Disease. <i>International Journal of Endocrinology</i> , 2017 , 2017, 7354673	2.7	1
33	Association between increased visceral fat area and alterations in plasma fatty acid profile in overweight subjects: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2017 , 16, 248	4.4	15

32	Letter: Thyroid Stimulating Hormone Reference Range and Prevalence of Thyroid Dysfunction in the Korean Population: Korea National Health and Nutrition Examination Survey 2013 to 2015 (Endocrinol Metab 2017;32:106-14, Won Gu Kim et al.). <i>Endocrinology and Metabolism</i> , 2017 , 32, 302-303	3.5	
31	Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) lncRNA with E2F Transcription Factors in Thyroid Cancer. <i>Medicine (United States)</i> , 2016 , 95, e2592	1.8	41
30	c-Met-mediated reactivation of PI3K/AKT signaling contributes to insensitivity of BRAF(V600E) mutant thyroid cancer to BRAF inhibition. <i>Molecular Carcinogenesis</i> , 2016 , 55, 1678-1687	5	38
29	KSR1 is coordinately regulated with Notch signaling and oxidative phosphorylation in thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2015 , 54, 115-24	4.5	7
28	High cut-off value of a chimeric TSH receptor (Mc4)-based bioassay may improve prediction of relapse in Graves'Disease for 12 months. <i>Endocrine</i> , 2015 , 48, 89-95	4	9
27	Aberrant expression of COT is related to recurrence of papillary thyroid cancer. <i>Medicine (United States)</i> , 2015 , 94, e548	1.8	4
26	Association Between Obesity and BRAFV600E Mutation Status in Patients with Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S683-90	3.1	19
25	GLI1 Transcription Factor Affects Tumor Aggressiveness in Patients With Papillary Thyroid Cancers. <i>Medicine (United States)</i> , 2015 , 94, e998	1.8	12
24	Follicular variant of papillary thyroid carcinoma with B-type Raf(V600E) showing higher frequency of suspicious sonographic features and multifocality. <i>Head and Neck</i> , 2015 , 37, 1590-5	4.2	6
23	Focal Lymphocytic Thyroiditis Nodules Share the Features of Papillary Thyroid Cancer on Ultrasound. <i>Yonsei Medical Journal</i> , 2015 , 56, 1338-44	3	10
22	A metabolic phenotype based on mitochondrial ribosomal protein expression as a predictor of lymph node metastasis in papillary thyroid carcinoma. <i>Medicine (United States)</i> , 2015 , 94, e380	1.8	17
21	BRAF mutation in fine-needle aspiration specimens as a potential predictor for persistence/recurrence in patients with classical papillary thyroid carcinoma larger than 10 mm at a BRAF mutation prevalent area. <i>Head and Neck</i> , 2015 , 37, 1432-8	4.2	8
20	The effects of chitosan oligosaccharide (GO2KA1) supplementation on glucose control in subjects with prediabetes. <i>Food and Function</i> , 2014 , 5, 2662-9	6.1	36
19	Low serum vitamin D is associated with anti-thyroid peroxidase antibody in autoimmune thyroiditis. <i>Yonsei Medical Journal</i> , 2014 , 55, 476-81	3	66
18	The biochemical prognostic factors of subclinical hypothyroidism. <i>Endocrinology and Metabolism</i> , 2014 , 29, 154-62	3.5	10
17	Body Mass Index Is Associated with Hypercholesterolemia following Thyroid Hormone Withdrawal in Thyroidectomized Patients. <i>International Journal of Endocrinology</i> , 2014 , 2014, 649016	2.7	5
16	Clinical characteristics of Graves'Dorbitopathy in patients showing discrepancy between levels from TBII assays and TSI bioassay. <i>Clinical Endocrinology</i> , 2014 , 80, 591-7	3.4	9
15	Thyroid cancers with benign-looking sonographic features have different lymph node metastatic risk and histologic subtypes according to nodule size. <i>Endocrine Pathology</i> , 2014 , 25, 378-84	4.2	2

14	Korean red ginseng improves glucose control in subjects with impaired fasting glucose, impaired glucose tolerance, or newly diagnosed type 2 diabetes mellitus. <i>Journal of Medicinal Food</i> , 2014 , 17, 128-34	2.8	50
13	Columnar variant of papillary carcinoma in the thyroglossal duct cyst with progression to lung metastasis. <i>Yeungnam University Journal of Medicine</i> , 2014 , 31, 103		
12	Different CXCR4 expression according to various histologic subtype of papillary thyroid carcinoma. <i>Endocrine Pathology</i> , 2013 , 24, 169-76	4.2	6
11	Treatment of upper eyelid retraction related to thyroid-associated ophthalmopathy using subconjunctival triamcinolone injections. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2013 , 251, 261-70	3.8	35
10	Ultraviolet B activated 1,25(OH)(2)D affects the level of fibroblast growth factor-23 in human. <i>Endocrine Journal</i> , 2013 , 60, 81-6	2.9	1
9	Correlation between TSH receptor antibody assays and clinical manifestations of GravesU orbitopathy. <i>Yonsei Medical Journal</i> , 2013 , 54, 1033-9	3	17
8	Analysis of 18F-fluorodeoxyglucose positron emission tomography findings in patients with pituitary lesions. <i>Korean Journal of Internal Medicine</i> , 2013 , 28, 81-8	2.5	28
7	Dietary treatment with rice containing resistant starch improves markers of endothelial function with reduction of postprandial blood glucose and oxidative stress in patients with prediabetes or newly diagnosed type 2 diabetes. <i>Atherosclerosis</i> , 2012 , 224, 457-64	3.1	76
6	Inhibition of Akt/FOXO3a signaling by constitutively active FOXO3a suppresses growth of follicular thyroid cancer cell lines. <i>Cancer Letters</i> , 2012 , 314, 34-40	9.9	15
5	Spontaneous non-traumatic stress fractures in bilateral femoral shafts in a patient treated with bisphosphonates. <i>Korean Journal of Internal Medicine</i> , 2012 , 27, 98-102	2.5	5
4	A Case of Systemic Lupus Erythematosus Manifested as Anemia and Thrombocytopenia during Antithyroid Drug Treatment. <i>Korean Journal of Medicine</i> , 2012 , 82, 232	0.5	
3	Correlation between iodine intake and thyroid function in subjects with normal thyroid function. <i>Biological Trace Element Research</i> , 2011 , 143, 1393-7	4.5	13
2	Role of ultrasonography in outcome prediction in subclinical hypothyroid patients treated with levothyroxine. <i>Endocrine Journal</i> , 2010 , 57, 15-22	2.9	24
1	A Case of GravesU Disease Presenting with Chorea. <i>Journal of Korean Endocrine Society</i> , 2008 , 23, 342		1