

Ali Ercan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7684996/publications.pdf>

Version: 2024-02-01

73
papers

664
citations

623574

14
h-index

713332

21
g-index

89
all docs

89
docs citations

89
times ranked

565
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Capabilities of deep learning models on learning physical relationships: Case of rainfall-runoff modeling with LSTM. <i>Science of the Total Environment</i> , 2022, 802, 149876. | 3.9 | 21 |
| 2 | Numerical Evaluation of Fractional Vertical Soil Water Flow Equations. <i>Water (Switzerland)</i> , 2021, 13, 511. | 1.2 | 2 |
| 3 | Space and Time Fractional Governing Equations of Unsteady Overland Flow. <i>Journal of Hydrologic Engineering - ASCE</i> , 2021, 26, . | 0.8 | 2 |
| 4 | Hybrid precipitation downscaling over coastal watersheds in Japan using WRF and CNN. <i>Journal of Hydrology: Regional Studies</i> , 2021, 37, 100921. | 1.0 | 5 |
| 5 | Trend analysis of watershed-scale annual and seasonal precipitation in Northern California based on dynamically downscaled future climate projections. <i>Journal of Water and Climate Change</i> , 2020, 11, 86-105. | 1.2 | 4 |
| 6 | Probabilistic solution to two-dimensional stochastic solute transport model by the Fokker-Planck equation approach. <i>Journal of Hydrology</i> , 2020, 580, 124250. | 2.3 | 3 |
| 7 | Assessment of atmospheric conditions over the Hong Thai Binh river watershed by means of dynamically downscaled ERA-20C reanalysis data. <i>Journal of Water and Climate Change</i> , 2020, 11, 540-555. | 1.2 | 4 |
| 8 | Self-similarity in fate and transport of contaminants in groundwater. <i>Science of the Total Environment</i> , 2020, 706, 135738. | 3.9 | 3 |
| 9 | Development of high-resolution 72 h precipitation and hillslope flood maps over a tropical transboundary region by physically based numerical atmospheric hydrologic modeling. <i>Journal of Water and Climate Change</i> , 2020, 11, 387-406. | 1.2 | 8 |
| 10 | Modeling One-Dimensional Nonreactive Solute Transport in Open Channel Flows Under Uncertain Flow and Solute Loading Conditions. <i>Journal of Hydrologic Engineering - ASCE</i> , 2020, 25, 04020035. | 0.8 | 1 |
| 11 | Coupling hydroclimate-hydraulic-sedimentation models to estimate flood inundation and sediment transport during extreme flood events under a changing climate. <i>Science of the Total Environment</i> , 2020, 740, 140117. | 3.9 | 20 |
| 12 | Hourly-scale coastal sea level modeling in a changing climate using long short-term memory neural network. <i>Science of the Total Environment</i> , 2020, 720, 137613. | 3.9 | 20 |
| 13 | Fractional governing equations of transient groundwater flow in unconfined aquifers with multi-fractional dimensions in fractional time. <i>Earth System Dynamics</i> , 2020, 11, 1-12. | 2.7 | 3 |
| 14 | Impacts of Climate Change on the Hydro-Climate of Peninsular Malaysia. <i>Water (Switzerland)</i> , 2019, 11, 1798. | 1.2 | 11 |
| 15 | One-dimensional solute transport in open channel flow from a stochastic systematic perspective. <i>Stochastic Environmental Research and Risk Assessment</i> , 2019, 33, 1403-1418. | 1.9 | 5 |
| 16 | Impacts of climate change on snow accumulation and melting processes over mountainous regions in Northern California during the 21st century. <i>Science of the Total Environment</i> , 2019, 685, 104-115. | 3.9 | 13 |
| 17 | Reconstruction and evaluation of changes in hydrologic conditions over a transboundary region by a regional climate model coupled with a physically-based hydrology model: Application to Thao river watershed. <i>Science of the Total Environment</i> , 2019, 668, 768-779. | 3.9 | 6 |
| 18 | Time-space fractional governing equations of transient groundwater flow in confined aquifers: Numerical investigation. <i>Hydrological Processes</i> , 2018, 32, 1406-1419. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Integrating global land-cover and soil datasets to update saturated hydraulic conductivity parameterization in hydrologic modeling. <i>Science of the Total Environment</i> , 2018, 631-632, 279-288. | 3.9 | 22 |
| 20 | Evaluating the Applicability of a Two-dimensional Flow Model of a Highly Heterogeneous Domain to Flow and Environmental Management. <i>Journal of the American Water Resources Association</i> , 2018, 54, 184-197. | 1.0 | 5 |
| 21 | Analysis of future climate change impacts on snow distribution over mountainous watersheds in Northern California by means of a physically-based snow distribution model. <i>Science of the Total Environment</i> , 2018, 645, 1065-1082. | 3.9 | 13 |
| 22 | BÄ°R BOYUTLU TAAŽINIM SÄœREÄŁLERÄ°NDE ÄŁŁEKLEME ANALÄ°ZÄ° VE KENDÄ°NE BENZEÄŽÄ°M. <i>UludaÄ° University Journal of the Faculty of Engineering</i> , 2018, 23, 235-246. | 0.2 | 1 |
| 23 | Assessment of 21st century drought conditions at Shasta Dam based on dynamically projected water supply conditions by a regional climate model coupled with a physically-based hydrology model. <i>Science of the Total Environment</i> , 2017, 586, 197-205. | 3.9 | 35 |
| 24 | Dynamically Downscaled Precipitation over Northern California Based on CMIP5 Future Climate Projections. , 2017, , . | | 0 |
| 25 | Time-space fractional governing equations of one-dimensional unsteady open channel flow process: Numerical solution and exploration. <i>Hydrological Processes</i> , 2017, 31, 2961-2971. | 1.1 | 7 |
| 26 | Trend analysis of watershed-scale precipitation over Northern California by means of dynamically-downscaled CMIP5 future climate projections. <i>Science of the Total Environment</i> , 2017, 592, 12-24. | 3.9 | 30 |
| 27 | Hydraulics Near Unscreened Diversion Pipes in Open Channels: Large Flume Experiments. <i>Journal of the American Water Resources Association</i> , 2017, 53, 431-441. | 1.0 | 1 |
| 28 | Assessment of the effects of multiple extreme floods on flow and transport processes under competing flood protection and environmental management strategies. <i>Science of the Total Environment</i> , 2017, 607-608, 613-622. | 3.9 | 15 |
| 29 | Scaling Relations and Self-Similarity of 3-Dimensional Reynolds-Averaged Navier-Stokes Equations. <i>Scientific Reports</i> , 2017, 7, 6416. | 1.6 | 5 |
| 30 | Closure to Time-Space Fractional Governing Equations of Unsteady Open Channel Flow by M. L. Kavvas and A. Ercan. <i>Journal of Hydrologic Engineering - ASCE</i> , 2017, 22, 07017012. | 0.8 | 0 |
| 31 | Time-Space Fractional Governing Equations of Unsteady Open Channel Flow. <i>Journal of Hydrologic Engineering - ASCE</i> , 2017, 22, . | 0.8 | 6 |
| 32 | Future climate change impact assessment of watershed scale hydrologic processes in Peninsular Malaysia by a regional climate model coupled with a physically-based hydrology model. <i>Science of the Total Environment</i> , 2017, 575, 12-22. | 3.9 | 67 |
| 33 | Current issues in and an emerging method for flood frequency analysis under changing climate. <i>Hydrological Research Letters</i> , 2017, 11, 1-5. | 0.3 | 11 |
| 34 | Fractal scaling analysis of groundwater dynamics in confined aquifers. <i>Earth System Dynamics</i> , 2017, 8, 931-949. | 2.7 | 13 |
| 35 | Assessment Study of 21st Century Drought Conditions at Shasta Dam Based on Dynamically Projected Water Supply and Water Demand. , 2017, , . | | 0 |
| 36 | Fractional governing equations of transient groundwater flow in confined aquifers with multi-fractional dimensions in fractional time. <i>Earth System Dynamics</i> , 2017, 8, 921-929. | 2.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Two-Dimensional Sediment Transport Modeling under Extreme Flood at Lower Cache Creek, California. , 2017, , . | | 1 |
| 38 | Governing equations of transient soil water flow and soil water flux in multi-dimensional fractional anisotropic media and fractional time. Hydrology and Earth System Sciences, 2017, 21, 1547-1557. | 1.9 | 21 |
| 39 | Assessment of 21st century drought conditions at Shasta Dam based on dynamically projected water supply conditions by a regional climate model coupled with a physically-based hydrology model. , 2017, 586, 197-197. | | 1 |
| 40 | Investigations of Self-Similarity and Scale Invariance of One-Dimensional Unsteady Bedload Transport. , 2016, , . | | 0 |
| 41 | Atmospheric Model Component of an Atmospheric-Hydrological Model-Based Real-Time Flood Forecasting System for the KÄ±zÄ±rmak River Basin in Turkey. , 2016, , . | | 0 |
| 42 | Hydrologic Model Component of an Atmospheric-Hydrologic Model-Based Real-Time Flood Forecasting System for the KÄ±zÄ±rmak River Basin in Turkey. , 2016, , . | | 0 |
| 43 | Fractional Random Walk and Fractional Differential Equation Models of Transport by Time-Space Nonstationary Stochastic Fractional Flow. , 2016, , . | | 0 |
| 44 | Investigation of the groundwater modelling component of the Integrated Water Flow Model (IWFm). Hydrological Sciences Journal, 2016, 61, 2834-2848. | 1.2 | 1 |
| 45 | Modified Water Diversion Structures Can Behaviorally Deter Juvenile Chinook Salmon from Entrainment. Transactions of the American Fisheries Society, 2015, 144, 1070-1080. | 0.6 | 7 |
| 46 | Two-Dimensional Sediment Transport Modeling in Cache Creek Settling Basin, California. , 2015, , . | | 0 |
| 47 | Historical Climatic and Hydrologic Modeling over a Watershed at Peninsular Malaysia. , 2015, , . | | 0 |
| 48 | Self-similarity in incompressible Navier-Stokes equations. Chaos, 2015, 25, 123126. | 1.0 | 9 |
| 49 | Fractional Ensemble Average Governing Equations of Transport by Time-Space Nonstationary Stochastic Fractional Advective Velocity and Fractional Dispersion. II: Numerical Investigation. Journal of Hydrologic Engineering - ASCE, 2015, 20, . | 0.8 | 10 |
| 50 | Fractional Ensemble Average Governing Equations of Transport by Time-Space Nonstationary Stochastic Fractional Advective Velocity and Fractional Dispersion. I: Theory. Journal of Hydrologic Engineering - ASCE, 2015, 20, . | 0.8 | 10 |
| 51 | Fish-protection devices at unscreened water diversions can reduce entrainment: evidence from behavioural laboratory investigations. , 2015, 3, cov040. | | 13 |
| 52 | Fractional Governing Equations of Diffusion Wave and Kinematic Wave Open-Channel Flow in Fractional Time-Space. II. Numerical Simulations. Journal of Hydrologic Engineering - ASCE, 2015, 20, . | 0.8 | 5 |
| 53 | Scaling and Self-Similarity of One-Dimensional Unsteady Suspended Sediment Transport with Emphasis on Unscaled Sediment Material Properties. Journal of Hydraulic Engineering, 2015, 141, . | 0.7 | 15 |
| 54 | Fractional Governing Equations of Diffusion Wave and Kinematic Wave Open-Channel Flow in Fractional Time-Space. I. Development of the Equations. Journal of Hydrologic Engineering - ASCE, 2015, 20, . | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Two-Dimensional Unsteady Flow Modeling of Flood Inundation in a Leveed Basin. , 2015, , . | | 1 |
| 56 | Scaling and self-similarity in two-dimensional hydrodynamics. Chaos, 2015, 25, 075404. | 1.0 | 11 |
| 57 | Unscreened Water-Diversion Pipes Pose an Entrainment Risk to the Threatened Green Sturgeon, <i>Acipenser medirostris</i> . PLoS ONE, 2014, 9, e86321. | 1.1 | 26 |
| 58 | Can behavioral fish-guidance devices protect juvenile Chinook salmon (<i>Oncorhynchus tshawytscha</i>)? Fisheries and Aquatic Sciences, 2014, 71, 1209-1219. | 0.7 | 15 |
| 59 | Scaling and Self-Similarity of One-Dimensional Suspended Sediment Transport Equations. , 2014, , . | | 0 |
| 60 | Efficacy of a sensory deterrent and pipe modifications in decreasing entrainment of juvenile green sturgeon (<i>Acipenser medirostris</i>) at unscreened water diversions. , 2014, 2, cou056-cou056. | | 8 |
| 61 | Scaling and self-similarity in one-dimensional unsteady open channel flow. Hydrological Processes, 2014, 28, 2721-2737. | 1.1 | 19 |
| 62 | The impact of climate change on sea level rise at Peninsular Malaysia and Sabah-Sarawak. Hydrological Processes, 2013, 27, 367-377. | 1.1 | 21 |
| 63 | Assessing Juvenile Chinook Salmon Behavior and Entrainment Risk near Unscreened Water Diversions: Large Flume Simulations. Transactions of the American Fisheries Society, 2013, 142, 130-142. | 0.6 | 18 |
| 64 | Case Study II: Sea Level Change at Peninsular Malaysia and Sabah-Sarawak. SpringerBriefs in Statistics, 2013, , 39-48. | 0.3 | 0 |
| 65 | Ensemble Modeling of Hydrologic and Hydraulic Processes at One Shot: Application to Kinematic Open-Channel Flow under Uncertain Channel Properties and Uncertain Lateral Flow Conditions by the Stochastic Method of Characteristics. Journal of Hydrologic Engineering - ASCE, 2012, 17, 414-423. | 0.8 | 9 |
| 66 | Ensemble Modeling of Hydrologic and Hydraulic Processes at One Shot: Application to Kinematic Open-Channel Flow under Uncertain Channel Properties by the Stochastic Method of Characteristics. Journal of Hydrologic Engineering - ASCE, 2012, 17, 168-181. | 0.8 | 14 |
| 67 | Ensemble Modeling of Kinematic Open Channel Flow under Uncertain Channel Properties. , 2012, , . | | 0 |
| 68 | Sea Level Changes along the Peninsular Malaysia and Sabah and Sarawak Coastlines for the 21st Century. , 2011, , . | | 1 |
| 69 | Hydraulic and Sediment Transport Modeling for Cache Creek Settling Basin, Woodland California. , 2010, , . | | 0 |
| 70 | Prediction of Bank Erosion in a Reach of the Sacramento River and its Mitigation with Groynes. Water Resources Management, 2009, 23, 3121-3147. | 1.9 | 19 |
| 71 | Uncertainties in the prediction of flow in a long reach of the Sacramento River. Water and Environment Journal, 2009, 23, 272-285. | 1.0 | 2 |
| 72 | Prediction of Flow and Bank Erosion in the Sacramento River. , 2006, , 1. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Multi-time-scale input approaches for hourly-scale rainfall-runoff modeling based on recurrent neural networks. Journal of Hydroinformatics, 0, , . | 1.1 | 2 |