

# Alexander Y Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7686944/publications.pdf>

Version: 2024-02-01

19  
papers

151  
citations

1307594

7  
h-index

1199594

12  
g-index

19  
all docs

19  
docs citations

19  
times ranked

279  
citing authors

#	ARTICLE	IF	CITATIONS
1	Current State of Combination of Locoregional Therapies with Immune Checkpoint Inhibition. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 1740-1744.e9.	0.5	5
2	Suitability of the woodchuck HCC as a preclinical model for evaluation of intra-arterial therapies. <i>Animal Models and Experimental Medicine</i> , 2020, 3, 98-102.	3.3	7
3	Trans-Radial Embolization of Bleeding Renal Angiomyolipoma in Pregnant 30-Year-Old Female - A Case Report. <i>Journal of Radiology Case Reports</i> , 2019, 13, 34-42.	0.4	6
4	Bridging Hepatocellular Carcinoma to Transplant: Transarterial Chemoembolization Response, Tumor Biology, and Recurrence after Transplantation in a 12-Year Transplant Cohort. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 995-1003.	0.5	17
5	Radioembolization with Yttrium-90 Microspheres for the Treatment of Liver Metastases of Pancreatic Adenocarcinoma: A Multicenter Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 298-304.e2.	0.5	19
6	Extrahepatic Vascular Parasitization by a Hepatocellular Carcinoma. <i>Cureus</i> , 2019, 11, e5807.	0.5	0
7	Utility of MR Angiography in the Identification of Prostatic Artery Origin Prior to Prostatic Artery Embolization. <i>Journal of Vascular and Interventional Radiology</i> , 2018, 29, 307-310.e1.	0.5	20
8	Technology of irreversible electroporation and review of its clinical data on liver cancers. <i>Expert Review of Medical Devices</i> , 2018, 15, 99-106.	2.8	15
9	Comparison of Cone-Beam Tomography and Cross-Sectional Imaging for Volumetric and Dosimetric Calculations in Resin Yttrium-90 Radioembolization. <i>CardioVascular and Interventional Radiology</i> , 2018, 41, 1857-1866.	2.0	13
10	Radioembolization with yttrium-90 resin microspheres for liver metastases of pancreatic adenocarcinoma: A retrospective multicenter analysis.. <i>Journal of Clinical Oncology</i> , 2017, 35, e15745-e15745.	1.6	2
11	Short-term imaging response after drug-eluting embolic trans-arterial chemoembolization delivered with the Surefire Infusion System <sup>®</sup> for the treatment of hepatocellular carcinoma. <i>PLoS ONE</i> , 2017, 12, e0183861.	2.5	6
12	Evaluation of Surefire <sup>™</sup> s precision direct-to-tumor embolization device to augment therapeutic response to intra-arterial, liver-directed therapies for patients with primary and secondary liver cancers. <i>Expert Review of Medical Devices</i> , 2016, 13, 435-443.	2.8	5
13	Incorporating Yttrium-90 trans-arterial radioembolization (TARE) in the treatment of metastatic pancreatic adenocarcinoma: a single center experience. <i>BMC Cancer</i> , 2016, 16, 492.	2.6	24
14	Regorafenib in metastatic colorectal cancer: An exploratory biomarker trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS773-TPS773.	1.6	1
15	The impact of the multiple types of treatments on OS and the decline of liver function in patients with advanced stage of HCC.. <i>Journal of Clinical Oncology</i> , 2016, 34, 461-461.	1.6	1
16	Incorporating trans-arterial radioembolization (TARE) in the treatment of metastatic pancreatic adenocarcinoma: A single center experience.. <i>Journal of Clinical Oncology</i> , 2016, 34, 346-346.	1.6	0
17	Diverse clinical outcome and predictors for clinical outcome in patients with HCC treated with TACE.. <i>Journal of Clinical Oncology</i> , 2016, 34, 442-442.	1.6	0
18	Outcomes and Predictors of Toxicity after Selective Internal Radiation Therapy Using Yttrium-90 Resin Microspheres for Unresectable Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , 2015, 5, 292.	2.8	10

#	ARTICLE	IF	CITATIONS
19	Assessing the feasibility and safety of serial core needle biopsies in multiple early-phase clinical trials.. Journal of Clinical Oncology, 2014, 32, e22100-e22100.	1.6	0