

Toshiya Muranaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7687766/toshiya-muranaka-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137 papers	4,396 citations	36 h-index	62 g-index
145 ext. papers	5,229 ext. citations	4.4 avg, IF	5.24 L-index

#	Paper	IF	Citations
137	Expression of Two Key Enzymes of Artemisinin Biosynthesis FPS and ADS genes in <i>Saccharomyces cerevisiae</i> . <i>Advanced Pharmaceutical Bulletin</i> , 2021 , 11, 181-187	4.5	2
136	Expression of Two Key Enzymes of Artemisinin Biosynthesis FPS and ADS genes in. <i>Advanced Pharmaceutical Bulletin</i> , 2021 , 11, 181-187	4.5	
135	Tomato E8 Encodes a C-27 Hydroxylase in Metabolic Detoxification of β -Tomatine during Fruit Ripening. <i>Plant and Cell Physiology</i> , 2021 , 62, 775-783	4.9	3
134	Characterization of UDP-glucose dehydrogenase isoforms in the medicinal legume. <i>Plant Biotechnology</i> , 2021 , 38, 205-218	1.3	0
133	Allylic Hydroxylation Activity Is a Source of Saponin Chemodiversity in the Genus <i>Glycyrrhiza</i> . <i>Plant and Cell Physiology</i> , 2021 , 62, 262-271	4.9	1
132	The biosynthetic pathway of potato solanidanes diverged from that of spirosolanes due to evolution of a dioxygenase. <i>Nature Communications</i> , 2021 , 12, 1300	17.4	10
131	Insights into the diversification of subclade IVa bHLH transcription factors in Fabaceae. <i>BMC Plant Biology</i> , 2021 , 21, 109	5.3	0
130	Characterization of C-26 aminotransferase, indispensable for steroidal glycoalkaloid biosynthesis. <i>Plant Journal</i> , 2021 , 108, 81-92	6.9	0
129	Comparative Analysis of NADPH-Cytochrome P450 Reductases From Legumes for Heterologous Production of Triterpenoids in Transgenic .. <i>Frontiers in Plant Science</i> , 2021 , 12, 762546	6.2	0
128	Production of the bioactive plant-derived triterpenoid morolic acid in engineered <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , 2020 , 117, 2198-2208	4.9	3
127	The effect of nojirimycin on the transcriptome of germinating seeds. <i>Journal of Pesticide Sciences</i> , 2020 , 45, 230-237	2.7	1
126	Targeted genome editing in tetraploid potato through transient TALEN expression by infection. <i>Plant Biotechnology</i> , 2020 , 37, 205-211	1.3	9
125	Preface to the special issue "Technology in tissue culture toward horizon of plant biotechnology". <i>Plant Biotechnology</i> , 2020 , 37, 117-120	1.3	1
124	Identification of β -Tomatine 23-Hydroxylase Involved in the Detoxification of a Bitter Glycoalkaloid. <i>Plant and Cell Physiology</i> , 2020 , 61, 21-28	4.9	10
123	A cellulose synthase-derived enzyme catalyses 3-O-glucuronosylation in saponin biosynthesis. <i>Nature Communications</i> , 2020 , 11, 5664	17.4	18
122	Identification of oxidosqualene cyclases from the medicinal legume tree <i>Bauhinia forficata</i> : a step toward discovering preponderant β -myrin-producing activity. <i>New Phytologist</i> , 2019 , 224, 352-366	9.8	7
121	Identification and characterization of (+)- β -isabolol and 7-epi-silphiperfol-5-ene synthases from <i>Artemisia abrotanum</i> . <i>Phytochemistry</i> , 2019 , 164, 144-153	4	8

120	Functional specialization of UDP-glycosyltransferase 73P12 in licorice to produce a sweet triterpenoid saponin, glycyrrhizin. <i>Plant Journal</i> , 2019 , 99, 1127-1143	6.9	29
119	Identification of a 3 β -Hydroxysteroid Dehydrogenase/ 3-Ketosteroid Reductase Involved in Δ^7 -Tomatine Biosynthesis in Tomato. <i>Plant and Cell Physiology</i> , 2019 , 60, 1304-1315	4.9	16
118	Atrazine exposed phytoplankton causes the production of non-viable offspring on <i>Daphnia magna</i> . <i>Marine Environmental Research</i> , 2019 , 145, 177-183	3.3	4
117	Lotus japonicus Triterpenoid Profile and Characterization of the CYP716A51 and LjCYP93E1 Genes Involved in Their Biosynthesis In Planta. <i>Plant and Cell Physiology</i> , 2019 , 60, 2496-2509	4.9	12
116	Molecular Basis of C-30 Product Regioselectivity of Legume Oxidases Involved in High-Value Triterpenoid Biosynthesis. <i>Frontiers in Plant Science</i> , 2019 , 10, 1520	6.2	7
115	Efficient genome engineering using Platinum TALEN in potato. <i>Plant Biotechnology</i> , 2019 , 36, 167-173	1.3	22
114	Characterization of steroid 5 β -reductase involved in Δ^7 -tomatine biosynthesis in tomatoes. <i>Plant Biotechnology</i> , 2019 , 36, 253-263	1.3	9
113	Structure-Activity Relationships of Pentacyclic Triterpenoids as Inhibitors of Cyclooxygenase and Lipoxygenase Enzymes. <i>Journal of Natural Products</i> , 2019 , 82, 3311-3320	4.9	8
112	Isolation of membrane-bound di-prenyltransferase for phenylpropanoids and redesign of artepillin C in yeast. <i>Communications Biology</i> , 2019 , 2, 384	6.7	10
111	The Basic Helix-Loop-Helix Transcription Factor GubHLH3 Positively Regulates Soyasaponin Biosynthetic Genes in <i>Glycyrrhiza uralensis</i> . <i>Plant and Cell Physiology</i> , 2018 , 59, 778-791	4.9	27
110	Isolation and Characterization of the Soybean Sg-3 Gene that is Involved in Genetic Variation in Sugar Chain Composition at the C-3 Position in Soyasaponins. <i>Plant and Cell Physiology</i> , 2018 , 59, 792-805	4.9	16
109	Dark conditions enhance aluminum tolerance in several rice cultivars via multiple modulations of membrane sterols. <i>Journal of Experimental Botany</i> , 2018 , 69, 567-577	7	4
108	Generation of β -alanine-free hairy roots of potato by CRISPR/Cas9 mediated genome editing of the St16DOX gene. <i>Plant Physiology and Biochemistry</i> , 2018 , 131, 70-77	5.4	86
107	Plant-derived isoprenoid sweeteners: recent progress in biosynthetic gene discovery and perspectives on microbial production. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018 , 82, 927-934	2.1	10
106	Transcriptome sequencing and identification of cytochrome P450 monooxygenases involved in the biosynthesis of maslinic acid and corosolic acid in. <i>Plant Biotechnology</i> , 2018 , 35, 341-348	1.3	4
105	?????,???????????. <i>Kagaku To Seibutsu</i> , 2018 , 56, 566-572	0	
104	Evidence that the 3-hydroxy-3-methylglutaryl-CoA reductase 1 is phosphorylated at Ser577. <i>Plant Biotechnology</i> , 2018 , 35, 1-7	1.3	3
103	The mevalonate pathway but not the methylerythritol phosphate pathway is critical for elaioplast and pollen coat development in. <i>Plant Biotechnology</i> , 2018 , 35, 381-385	1.3	5

102	Genetic and functional characterization of Sg-4 glycosyltransferase involved in the formation of sugar chain structure at the C-3 position of soybean saponins. <i>Phytochemistry</i> , 2018 , 156, 96-105	4	9
101	Establishment of a modified CRISPR/Cas9 system with increased mutagenesis frequency using the translational enhancer dMac3 and multiple guide RNAs in potato. <i>Scientific Reports</i> , 2018 , 8, 13753	4.9	37
100	Comparative analysis of CYP716A subfamily enzymes for the heterologous production of C-28 oxidized triterpenoids in transgenic yeast. <i>Plant Biotechnology</i> , 2018 , 35, 131-139	1.3	11
99	Identification and characterization of a novel sesquiterpene synthase, 4-amorphen-11-ol synthase, from. <i>Plant Biotechnology</i> , 2018 , 35, 113-121	1.3	3
98	CYP716A179 functions as a triterpene C-28 oxidase in tissue-cultured stolons of <i>Glycyrrhiza uralensis</i> . <i>Plant Cell Reports</i> , 2017 , 36, 437-445	5.1	27
97	AKIN10, a representative Arabidopsis SNF1-related protein kinase 1 (SnRK1), phosphorylates and downregulates plant HMG-CoA reductase. <i>FEBS Letters</i> , 2017 , 591, 1159-1166	3.8	24
96	Cytochrome P450 Monooxygenase CYP716A141 is a Unique Δ Myrin C-16 Δ Oxidase Involved in Triterpenoid Saponin Biosynthesis in <i>Platycodon grandiflorus</i> . <i>Plant and Cell Physiology</i> , 2017 , 58, 874-884	4.9	21
95	A Dioxygenase Catalyzes Steroid 16 β -Hydroxylation in Steroidal Glycoalkaloid Biosynthesis. <i>Plant Physiology</i> , 2017 , 175, 120-133	6.6	37
94	Draft genome assembly and annotation of <i>Glycyrrhiza uralensis</i> , a medicinal legume. <i>Plant Journal</i> , 2017 , 89, 181-194	6.9	94
93	Structure and hemolytic activity relationships of triterpenoid saponins and sapogenins. <i>Journal of Natural Medicines</i> , 2017 , 71, 50-58	3.3	43
92	Functional Characterization of CYP716 Family P450 Enzymes in Triterpenoid Biosynthesis in Tomato. <i>Frontiers in Plant Science</i> , 2017 , 8, 21	6.2	19
91	Current status and future of genome editing technologies for breeding of agricultural products. <i>Ikushugaku Kenkyu</i> , 2017 , 19, 14-20	0.1	1
90	Platform for "Chemical Metabolic Switching" to Increase Sesquiterpene Content in Plants. <i>Plant Biotechnology</i> , 2017 , 34, 65-69	1.3	3
89	Artemisinin-based antimalarial research: application of biotechnology to the production of artemisinin, its mode of action, and the mechanism of resistance of <i>Plasmodium</i> parasites. <i>Journal of Natural Medicines</i> , 2016 , 70, 318-34	3.3	30
88	Two Cytochrome P450 Monooxygenases Catalyze Early Hydroxylation Steps in the Potato Steroid Glycoalkaloid Biosynthetic Pathway. <i>Plant Physiology</i> , 2016 , 171, 2458-67	6.6	49
87	Functional Analysis of Amorpha-4,11-Diene Synthase (ADS) Homologs from Non-Artemisinin-Producing <i>Artemisia</i> Species: The Discovery of Novel Koidzumiol and (+)- β Bisabolol Synthases. <i>Plant and Cell Physiology</i> , 2016 , 57, 1678-88	4.9	12
86	Ajuga Δ 4-Sterol Reductase Catalyzes the Direct Reductive Conversion of 24-Methylenecholesterol to Campesterol. <i>Journal of Biological Chemistry</i> , 2016 , 291, 8189-98	5.4	13
85	Glycyrrhizin production in hairy root cultures of <i>Glycyrrhiza uralensis</i> induced triterpenoid biosynthetic gene. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	

84	Novel triterpene oxidizing activity of Arabidopsis thaliana CYP716A subfamily enzymes. <i>FEBS Letters</i> , 2016 , 590, 533-40	3.8	32
83	Functional characterization of CYP71D443, a cytochrome P450 catalyzing C-22 hydroxylation in the 20-hydroxyecdysone biosynthesis of Ajuga hairy roots. <i>Phytochemistry</i> , 2016 , 127, 23-8	4	15
82	Planteose as a storage carbohydrate required for early stage of germination of Orobanche minor and its metabolism as a possible target for selective control. <i>Journal of Experimental Botany</i> , 2015 , 66, 3085-97	7	17
81	P450s and UGTs: Key Players in the Structural Diversity of Triterpenoid Saponins. <i>Plant and Cell Physiology</i> , 2015 , 56, 1463-71	4.9	130
80	Identification and genome organization of saponin pathway genes from a wild crucifer, and their use for transient production of saponins in Nicotiana benthamiana. <i>Plant Journal</i> , 2015 , 84, 478-90	6.9	58
79	Identification of furostanol glycoside 26-O- β -glucosidase involved in steroidal saponin biosynthesis from Dioscorea esculenta. <i>Plant Biotechnology</i> , 2015 , 32, 299-308	1.3	8
78	Successful expression of a novel bacterial gene for pinoresinol reductase and its effect on lignan biosynthesis in transgenic Arabidopsis thaliana. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 8165-77	5.7	8
77	Sterol side chain reductase 2 is a key enzyme in the biosynthesis of cholesterol, the common precursor of toxic steroidal glycoalkaloids in potato. <i>Plant Cell</i> , 2014 , 26, 3763-74	11.6	155
76	The role of Arabidopsis ABCG9 and ABCG31 ATP binding cassette transporters in pollen fitness and the deposition of steryl glycosides on the pollen coat. <i>Plant Cell</i> , 2014 , 26, 310-24	11.6	73
75	Glucosyltransferase activity of Arabidopsis UGT71C1 towards pinoresinol and lariciresinol. <i>Plant Biotechnology</i> , 2014 , 31, 561-566	1.3	7
74	Functional analysis of orthologous artemisinic aldehyde Δ^9 11(13)-reductase reveals potential artemisinin-producing activity in non-artemisinin-producing Artemisia absinthium. <i>Plant Biotechnology</i> , 2014 , 31, 483-491	1.3	9
73	Heterologous expression of triterpene biosynthetic genes in yeast and subsequent metabolite identification through GC-MS. <i>Methods in Molecular Biology</i> , 2014 , 1153, 235-43	1.4	2
72	Plant Cytochrome P450s in Triterpenoid Biosynthesis: Diversity and Application to Combinatorial Biosynthesis 2014 , 125-133		2
71	Development of Capsicum EST-SSR markers for species identification and in silico mapping onto the tomato genome sequence. <i>Molecular Breeding</i> , 2013 , 31, 101-110	3.4	45
70	Comparative functional analysis of CYP71AV1 natural variants reveals an important residue for the successive oxidation of amorpha-4,11-diene. <i>FEBS Letters</i> , 2013 , 587, 278-84	3.8	19
69	Multi-Gene Transformation for Pathway Engineering of Secondary Metabolites 2013 , 227-244		
68	Combinatorial biosynthesis of legume natural and rare triterpenoids in engineered yeast. <i>Plant and Cell Physiology</i> , 2013 , 54, 740-9	4.9	97
67	Glycyrrhiza uralensis transcriptome landscape and study of phytochemicals. <i>Plant and Cell Physiology</i> , 2013 , 54, 697-710	4.9	62

66	Differences in plant growth and leaf sesamin content of the lignan-rich sesame variety ^ ^#8216;Gomazou^ ^#8217; under continuous light of different wavelengths. <i>Plant Biotechnology</i> , 2013 , 30, 1-8	1.3	21
65	ÄAmyrin oxidation by oat CYP51H10 expressed heterologously in yeast cells: the first example of CYP51-dependent metabolism other than the 14-demethylation of sterol precursors. <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 801-4	2.3	23
64	Photobiocatalyzed asymmetric reduction of ketones using <i>Chlorella</i> sp. MK201. <i>Biotechnology Letters</i> , 2012 , 34, 2083-6	3	6
63	Green leaf volatiles enhance methyl jasmonate response in <i>Arabidopsis</i> . <i>Journal of Bioscience and Bioengineering</i> , 2012 , 114, 540-5	3.3	31
62	Phosphoproteome exploration reveals a reformatting of cellular processes in response to low sterol biosynthetic capacity in <i>Arabidopsis</i> . <i>Journal of Proteome Research</i> , 2012 , 11, 1228-39	5.6	10
61	Identification of marneral synthase, which is critical for growth and development in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012 , 72, 791-804	6.9	24
60	Functional Analysis of HMG-CoA Reductase and Oxidosqualene Cyclases in <i>Arabidopsis</i> 2012 , 465-474		
59	Plant gateway vectors for RNAi as a tool for functional genomic studies. <i>Methods in Molecular Biology</i> , 2011 , 744, 27-35	1.4	1
58	Application of Continuous Light in a Plant Factory System 3. Moderation of Injuries Induced by Continuous Light and Relative Tolerance to Continuous Light. <i>Shokubutsu Kankyo Kogaku</i> , 2011 , 23, 137-143	9.1	2
57	Triterpene functional genomics in licorice for identification of CYP72A154 involved in the biosynthesis of glycyrrhizin. <i>Plant Cell</i> , 2011 , 23, 4112-23	11.6	211
56	CYP716A subfamily members are multifunctional oxidases in triterpenoid biosynthesis. <i>Plant and Cell Physiology</i> , 2011 , 52, 2050-61	4.9	190
55	A new insight into application for barley chromosome addition lines of common wheat: achievement of stigmasterol accumulation. <i>Plant Physiology</i> , 2011 , 157, 1555-67	6.6	8
54	Application of Continuous Light in a Plant Factory System 1. Growth Habit and Occurrence of Injury in Solanaceae and Cucurbitaceae Crops Grown Under Continuous Light. <i>Shokubutsu Kankyo Kogaku</i> , 2011 , 23, 93-100	0.1	1
53	Application of Continuous Light in a Plant Factory System2. Growth Habit and Occurrence of Injury in Asteraceae and Other Crops Grown Under Continuous Light. <i>Shokubutsu Kankyo Kogaku</i> , 2011 , 23, 127-136	0.1	1
52	The mitochondrial PPR protein LOVASTATIN INSENSITIVE 1 plays regulatory roles in cytosolic and plastidial isoprenoid biosynthesis through RNA editing. <i>Plant Journal</i> , 2010 , 61, 456-66	6.9	60
51	Triterpenoid levels are reduced during <i>Euphorbia tirucalli</i> L. callus formation. <i>Plant Biotechnology</i> , 2010 , 27, 105-109	1.3	8
50	In vitro proliferation and triterpenoid characteristics of licorice (<i>Glycyrrhiza uralensis</i> Fischer, Leguminosae) stolons. <i>Plant Biotechnology</i> , 2010 , 27, 59-66	1.3	21
49	The AMI1 gene family: indole-3-acetamide hydrolase functions in auxin biosynthesis in plants. <i>Journal of Experimental Botany</i> , 2010 , 61, 25-32	7	35

48	Production of Pharmaceuticals by Plant Tissue Cultures 2010 , 615-628		6
47	The molecular cloning of dihydroartemisinic aldehyde reductase and its implication in artemisinin biosynthesis in <i>Artemisia annua</i> . <i>Planta Medica</i> , 2010 , 76, 1778-83	3.1	36
46	Agrobacterium-mediated transformation of <i>Euphorbia tirucalli</i> callus. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010 , 74, 851-3	2.1	0
45	Upregulation of phytosterol and triterpene biosynthesis in <i>Centella asiatica</i> hairy roots overexpressed ginseng farnesyl diphosphate synthase. <i>Plant Cell Reports</i> , 2010 , 29, 403-11	5.1	86
44	????????????????????? ??????????????????. <i>Kagaku To Seibutsu</i> , 2009 , 47, 84-86	0	2
43	Growth and Cell Wall Properties in Hypocotyls of <i>Arabidopsis tua6</i> Mutant under Microgravity Conditions in Space. <i>Uchu Seibutsu Kagaku</i> , 2009 , 23, 71-76	1	13
42	Dual biosynthetic pathways to phytosterol via cycloartenol and lanosterol in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 725-30	11.5	148
41	Complete blockage of the mevalonate pathway results in male gametophyte lethality. <i>Journal of Experimental Botany</i> , 2009 , 60, 2055-64	7	56
40	Function of the aux and rol genes of the Ri plasmid in plant cell division in vitro. <i>Plant Signaling and Behavior</i> , 2009 , 4, 1145-7	2.5	21
39	The NtAMI1 gene functions in cell division of tobacco BY-2 cells in the presence of indole-3-acetamide. <i>FEBS Letters</i> , 2009 , 583, 487-92	3.8	34
38	Cloning and characterization of a squalene synthase gene from a petroleum plant, <i>Euphorbia tirucalli</i> L. <i>Planta</i> , 2009 , 229, 1243-52	4.7	47
37	The aux1 gene of the Ri plasmid is sufficient to confer auxin autotrophy in tobacco BY-2 cells. <i>Journal of Plant Physiology</i> , 2009 , 166, 729-38	3.6	12
36	Isolation and identification of a novel chlorophenol from a cell suspension culture of <i>Helichrysum aureonitens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 1282-3	1.9	5
35	Expressed sequence tags from rhizomes of <i>Glycyrrhiza uralensis</i> . <i>Plant Biotechnology</i> , 2009 , 26, 105-107	1.3	21
34	???????IPP?????????????????????. <i>Plant Morphology</i> , 2009 , 21, 47-53	0	
33	Albinism and cell viability in cycloartenol synthase deficient <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2008 , 3, 978-80	2.5	11
32	Licorice beta-amyrin 11-oxidase, a cytochrome P450 with a key role in the biosynthesis of the triterpene sweetener glycyrrhizin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 14204-9	11.5	280
31	Allelic mutant series reveal distinct functions for <i>Arabidopsis</i> cycloartenol synthase 1 in cell viability and plastid biogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3163-8	11.5	80

30	Dolichol biosynthesis and its effects on the unfolded protein response and abiotic stress resistance in Arabidopsis. <i>Plant Cell</i> , 2008 , 20, 1879-98	11.6	77
29	Enhanced secretory activity of <i>Atropa belladonna</i> hairy root culture over-expressing ADP-ribosylation factor gene. <i>Biological and Pharmaceutical Bulletin</i> , 2008 , 31, 1465-8	2.3	6
28	Medicinal Plants 2008 , 141-156		
27	Novel root culture system using a recessive mutant with a rooty phenotype. <i>Plant Biotechnology</i> , 2008 , 25, 197-200	1.3	5
26	The "all-in-one" rol-type binary vectors as a tool for functional genomic studies using hairy roots. <i>Plant Biotechnology</i> , 2008 , 25, 347-355	1.3	10
25	Characterization and engineering of glycosyltransferases responsible for steroid saponin biosynthesis in Solanaceous plants. <i>Phytochemistry</i> , 2007 , 68, 478-86	4	23
24	Molecular genetics of plant sterol backbone synthesis. <i>Lipids</i> , 2007 , 42, 47-54	1.6	55
23	Lovastatin insensitive 1, a Novel pentatricopeptide repeat protein, is a potential regulatory factor of isoprenoid biosynthesis in Arabidopsis. <i>Plant and Cell Physiology</i> , 2007 , 48, 322-31	4.9	71
22	Plants utilize isoprene emission as a thermotolerance mechanism. <i>Plant and Cell Physiology</i> , 2007 , 48, 1254-62	4.9	94
21	Chemical phenotypes of the hmg1 and hmg2 mutants of Arabidopsis demonstrate the in-planta role of HMG-CoA reductase in triterpene biosynthesis. <i>Chemical and Pharmaceutical Bulletin</i> , 2007 , 55, 1518-21	1.9	53
20	Lanosterol synthase in dicotyledonous plants. <i>Plant and Cell Physiology</i> , 2006 , 47, 565-71	4.9	87
19	DNA polymorphisms in the tetrahydrocannabinolic acid (THCA) synthase gene in "drug-type" and "fiber-type" <i>Cannabis sativa</i> L. <i>Forensic Science International</i> , 2006 , 159, 132-40	2.6	74
18	Exogenous plant H6H but not bacterial HCHL gene is expressed in <i>Duboisia leichhardtii</i> hairy roots and affects tropane alkaloid production. <i>Enzyme and Microbial Technology</i> , 2006 , 39, 1183-1189	3.8	11
17	A novel glucosyltransferase involved in steroid saponin biosynthesis in <i>Solanum aculeatissimum</i> . <i>Plant Molecular Biology</i> , 2005 , 57, 225-39	4.6	55
16	Hairy root-activation tagging: a high-throughput system for activation tagging in transformed hairy roots. <i>Plant Molecular Biology</i> , 2005 , 59, 793-807	4.6	35
15	Loss of function of 3-hydroxy-3-methylglutaryl coenzyme A reductase 1 (HMG1) in Arabidopsis leads to dwarfing, early senescence and male sterility, and reduced sterol levels. <i>Plant Journal</i> , 2004 , 37, 750-61	6.9	148
14	Mevalonic acid partially restores chloroplast and etioplast development in Arabidopsis lacking the non-mevalonate pathway. <i>Planta</i> , 2002 , 216, 345-50	4.7	84
13	Amyloplast formation in cultured tobacco BY-2 cells requires a high cytokinin content. <i>Plant and Cell Physiology</i> , 2002 , 43, 1534-41	4.9	32

12	Determination of aculeatisides based on immunoassay using a polyclonal antibody against aculeatiside A. <i>Analyst, The</i> , 2002 , 127, 1328-32	5	17
11	A novel orfB-related gene of carrot mitochondrial genomes that is associated with homeotic cytoplasmic male sterility (CMS). <i>Plant Molecular Biology</i> , 2001 , 46, 99-107	4.6	28
10	Regulatory interaction of PRL1 WD protein with Arabidopsis SNF1-like protein kinases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 5322-7	11.5	165
9	Genetic variation of petaloid male-sterile cytoplasm of carrots revealed by sequence-tagged sites (STSS). <i>Theoretical and Applied Genetics</i> , 1999 , 99, 837-843	6	14
8	Fungal and bacterial disease resistance in transgenic plants expressing human lysozyme. <i>Plant Cell Reports</i> , 1997 , 16, 674-679	5.1	63
7	Growth and steroidal saponin production in hairy root cultures of <i>Solanum aculeatissimum</i> . <i>Plant Cell Reports</i> , 1995 , 14, 413-7	5.1	29
6	Organ-specific and auxin-inducible expression of two tobacco par A-related genes in transgenic plants. <i>DNA Research</i> , 1994 , 1, 213-21	4.5	8
5	A model for a bioconversion system with the promoter of the parAt gene, which confers a high level of expression of a transgene in hairy roots. <i>Applied Microbiology and Biotechnology</i> , 1994 , 40, 841-845	5.7	4
4	Continuous production of scopolamine by a culture of <i>Duboisia leichhardtii</i> hairy root clone in a bioreactor system. <i>Applied Microbiology and Biotechnology</i> , 1993 , 40, 219	5.7	23
3	Characteristics of Scopolamine-releasing Hairy Root Clones of <i>Duboisia leichhardtii</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 1993 , 57, 1398-1399	2.1	9
2	Scopolamine release into media by <i>Duboisia leichhardtii</i> hairy root clones. <i>Applied Microbiology and Biotechnology</i> , 1992 , 37, 554	5.7	22
1	Organization and characterization of the virCD genes from <i>Agrobacterium rhizogenes</i> . <i>Molecular Genetics and Genomics</i> , 1988 , 213, 229-37		37