
Bekir S Kocazeybek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7694511/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Waning immunity to inactive SARS-CoV-2 vaccine in healthcare workers: booster required. Irish Journal of Medical Science, 2023, 192, 19-25.	0.8	10
2	Antibody responses to the <scp>SARSâ€CoV</scp> â€2 vaccines in hemodialysis patients: Is inactivated vaccine effective?. Therapeutic Apheresis and Dialysis, 2022, 26, 769-774.	0.4	8
3	Inactive SARS-CoV-2 vaccine generates high antibody responses in healthcare workers with and without prior infection. Vaccine, 2022, 40, 52-58.	1.7	33
4	Antibody responses to inactivated SARS oVâ€2 vaccine in peritoneal dialysis patients. Seminars in Dialysis, 2022, , .	0.7	1
5	Asymptomatic SARS-CoV-2 seropositivity: patients with childhood-onset rheumatic diseases versus healthy children. Clinical Rheumatology, 2022, , 1.	1.0	8
6	Antibody responses to inactivated and mRNA SARS-CoV-2 vaccines in familial Mediterranean fever patients treated with interleukin-1 inhibitors. Rheumatology, 2022, 61, SI194-SI196.	0.9	4
7	Anti-SARS-CoV-2 IgG and Neutralizing Antibody Levels in Patients with Past COVID-19 Infection: A Longitudinal Study. Balkan Medical Journal, 2022, , .	0.3	6
8	Waning of SARS-CoV-2 Vaccine-Induced Immune Response over 6 Months in Peritoneal Dialysis Patients and the Role of a Booster Dose in Maintaining Seropositivity. Nephron, 2022, 146, 559-563.	0.9	5
9	SARS-CoV-2 IgG Antibody Levels After Inactivated Vaccine (CoronaVac) among Elderly. Infectious Diseases and Clinical Microbiology, 2022, 4, 129-132.	0.1	1
10	Similar bacterial signatures in the gut microbiota of type 1 and type 2 diabetes patients and its association with G protein-coupled receptor 41 and 43 gene expression. Journal of Diabetes and Metabolic Disorders, 2022, 21, 1359-1368.	0.8	2
11	Serological and Molecular Tests Performed Pre-Transplantation on Post-Mortem Cornea Donors: Retrospective Evaluation of 5-Years. Klimik Dergisi, 2022, 35, 103-108.	0.1	0
12	Heterologous booster COVID-19 vaccination elicited potent immune responses in HCWs. Diagnostic Microbiology and Infectious Disease, 2022, 104, 115758.	0.8	7
13	The Relationship between Pre-Pandemic Interferon Gamma Release Assay Test Results and COVID-19 Infection: Potential Prognostic Value of Indeterminate IFN-Î ³ Release Assay Results. Canadian Journal of Infectious Diseases and Medical Microbiology, 2021, 2021, 1-9.	0.7	4
14	Presence of Antibodies to SARS-CoV-2 in Domestic Cats in Istanbul, Turkey, Before and After COVID-19 Pandemic. Frontiers in Veterinary Science, 2021, 8, 707368.	0.9	13
15	The role of <i>Helicobacter cinaedi</i> in the development of atherosclerosis. Postepy Higieny I Medycyny Doswiadczalnej, 2021, 75, 529-536.	0.1	0
16	Effects of hypertonic alkaline nasal irrigation on COVIDâ€19. Laryngoscope Investigative Otolaryngology, 2021, 6, 1240-1247.	0.6	8
17	Clostridium difficile Colonization Before and After Hospitalization in Children. , 2021, 56, 585-590.		1
18	The Distribution of Aerobic and Anaerobic Bacteria in the Etiology of Granulomatous Mastitis and Their Resistance to Antimicrobial Agents. Klimik Dergisi, 2021, 34, 211-218.	0.1	0

#	Article	IF	CITATIONS
19	Epstein-Barr Virus and Helicobacter pylori co-infection in patients with gastric cancer and duodenale ulcer New Microbiologica, 2021, 44, .	0.1	Ο
20	Bacteroidetes and Firmicutes levels in gut microbiota and effects of hosts TLR2/TLR4 gene expression levels in adult type 1 diabetes patients in Istanbul, Turkey. Journal of Diabetes and Its Complications, 2020, 34, 107449.	1.2	46
21	Investigation of Vector-Borne Viruses in Ticks, Mosquitos, and Ruminants in the Thrace District of Turkey. Vector-Borne and Zoonotic Diseases, 2020, 20, 670-679.	0.6	1
22	Resuscitation of the Helicobacter pylori Coccoid Forms by Resuscitation Promoter Factor Obtained from Micrococcus Luteus. Current Microbiology, 2020, 77, 2093-2103.	1.0	7
23	Association between polymorphisms in HLA-A, HLA-B, HLA-DR, and DQ genes from gastric cancer and duodenal ulcer patients and cagL among cagA-positive Helicobacter pylori strains: The first study in a Turkish population. Infection, Genetics and Evolution, 2020, 82, 104288.	1.0	7
24	Evaluating the effectiveness of anti-tuberculosis treatment by detecting Mycobacterium tuberculosis 85B messenger RNA expression in sputum. Journal of Infection and Public Health, 2020, 13, 1490-1494.	1.9	2
25	Relationship between fecal calprotectin level and disease activity in patients with hidradenitis suppurativa. Dermatologic Therapy, 2020, 33, e13232.	0.8	8
26	Association between human leukocyte antigen gene polymorphisms and multiple EPIYA-C repeats in gastrointestinal disorders. World Journal of Gastroenterology, 2020, 26, 4817-4832.	1.4	6
27	The Frequency and Results of QuantiFERON-TB Gold Test in Parallel with the Place of the Clinical Usage in the CerrahpaÅŸa Medical Faculty Clinics: A 2-year Retrospective Evaluation. Journal of Ankara University Faculty of Medicine, 2020, 73, 203-207.	0.0	Ο
28	Serological Evidence of Tick-Borne Encephalitis and West Nile Virus Infections Among Children with Arthritis in Turkey. Vector-Borne and Zoonotic Diseases, 2019, 19, 446-449.	0.6	10
29	Reduced Akkermansia muciniphila and Faecalibacterium prausnitzii levels in the gut microbiota of children with allergic asthma. Allergologia Et Immunopathologia, 2019, 47, 365-371.	1.0	80
30	Hepatitis A virus vaccination in childhood-onset systemic lupus erythematosus. Lupus, 2019, 28, 234-240.	0.8	10
31	Comparison of new and classical point mutations associated with clarithromycin resistance in Helicobacter pylori strains isolated from dyspeptic patients and their effects on phenotypic clarithromycin resistance. Journal of Medical Microbiology, 2019, 68, 566-573.	0.7	15
32	Role of alvarado score and biological indicators of c-reaktif protein, procalicitonin and neopterin in diagnosis of acute appendicitis. Ulusal Travma Ve Acil Cerrahi Dergisi, 2019, 25, 229-237.	0.1	9
33	Salmonella Spp. and Shigella Spp. detection via multiplex real-time PCR and discrimination via MALDI-TOF MS in different animal raw milk samples. Nigerian Journal of Clinical Practice, 2019, 22, 1083.	0.2	4
34	Helicobacter pylori-miRNA interaction in gastric cancer tissues: First prospective study from Turkey. New Microbiologica, 2019, 42, 210-220.	0.1	4
35	Evaluation of the possible involvement of Ad-36-induced adipogenesis and coronary artery disease development in mediastinal adipose tissue samples. Infezioni in Medicina, 2019, 27, 290-298.	0.7	0
36	Diagnostic performance of the RT-qPCR method targeting 85B mRNA in the diagnosis of pulmonary Mycobacterium tuberculosis infection. Journal of Infection and Public Health, 2018, 11, 662-666.	1.9	9

#	Article	IF	CITATIONS
37	Investigation of hepatitis A and E viruses in mussels collected from the Bosphorus, in Istanbul, Turkey - short communication. Czech Journal of Food Sciences, 2018, 36, 215-220.	0.6	2
38	Problems encountered in conventional HIV 1/2 Algorithms: lack of necessity for immunoblot assays to confirm repeated ELISA reactive results. African Health Sciences, 2018, 18, 407-416.	0.3	2
39	A Retrospective Analysis of Anaerobic Bacteria Isolated in 236 Cases of Pleural Empyema and their Prevalance of Antimicrobial Resistance in Turkey. Clinical Laboratory, 2018, 64, 1269-1277.	0.2	Ο
40	Stability of Toxoplasma gondii : Antibody levels in schizophrenia. Schizophrenia Research, 2017, 189, 221-222.	1.1	3
41	Evaluation of Adenovirus-36 (Ad-36) antibody seropositivity and adipokine levels in obese children. Microbial Pathogenesis, 2017, 108, 27-31.	1.3	17
42	Neopterin and soluble CD14 (sCD14) levels as immunoactivation markers in aHBc-only cases. Future Virology, 2017, 12, 409-419.	0.9	0
43	The relationship of Chlamydophila pneumoniae with schizophrenia: The role of brain-derived neurotrophic factor (BDNF) and neurotrophin-3 (NT-3) in this relationship. Revista Argentina De Microbiologia, 2017, 49, 39-49.	0.4	2
44	The protective role of Helicobacter pylori neutrophil-activating protein in childhood asthma. Allergologia Et Immunopathologia, 2017, 45, 521-527.	1.0	9
45	The Prevalence of Cyclospora cayetanensis and Cryptosporidium spp. in Turkish patients infected with HIV-1. Acta Parasitologica, 2017, 62, 557-564.	0.4	8
46	Genotypes of hepatitis a virus in Turkey: first report and clinical profile of children infected with sub-genotypes IA and IIIA. BMC Infectious Diseases, 2017, 17, 561.	1.3	7
47	A Case of Neuro-AIDS Presenting with Rapidly Progressive Dementia and Parkinsonism with Rapid Response to Treatment. Turk Noroloji Dergisi = Turkish Journal of Neurology, 2017, 23, 81-83.	0.1	0
48	Neopterin and Soluble CD14 Levels as Indicators of Immune Activation in Cases with Indeterminate Pattern and True Positive HIV-1 Infection. PLoS ONE, 2016, 11, e0152258.	1.1	7
49	Prevalence of Primary Antimicrobial Resistance of <i>H. pylori</i> in Turkey: A Systematic Review. Helicobacter, 2016, 21, 251-260.	1.6	37
50	Serum Neopterin and Procalcitonin Levels in Relationship with Pediatric Burn Wound Infections. Acta Microbiologica Et Immunologica Hungarica, 2016, 63, 47-56.	0.4	2
51	Travel-associated infections caused by unusual serogroups of Legionella pneumophila identified using Legionella BIOCHIP slides in Turkey and Iraq. Travel Medicine and Infectious Disease, 2016, 14, 248-254.	1.5	3
52	A contribution to the Torrey et al.'s "cat ownershipinchildhood is a significant risk factor for laterdeveloping schizophrenia―study. Schizophrenia Research, 2016, 172, 226.	1.1	1
53	Isolation and diagnosis ofHelicobacter pyloriby a new method: Microcapillary culture. World Journal of Gastroenterology, 2015, 21, 2622.	1.4	13
54	Antimicrobial resistance of Helicobacter pylori strains to five antibiotics, including levofloxacin, in Northwestern Turkey. Revista Da Sociedade Brasileira De Medicina Tropical, 2015, 48, 278-284.	0.4	49

#	Article	IF	CITATIONS
55	The role of adenovirus 36 as a risk factor in obesity: The first clinical study made in the fatty tissues of adults in Turkey. Microbial Pathogenesis, 2015, 80, 57-62.	1.3	17
56	The role of Ad-36 as a risk factor in males with gynecomastia. Medical Hypotheses, 2015, 85, 992-996.	0.8	3
57	Tetanus and diphtheria immunity among term and preterm infant-mother pairs in Turkey, a country where maternal and neonatal tetanus have recently been eliminated. European Journal of Pediatrics, 2015, 174, 339-344.	1.3	5
58	Patterns of EPIYA motifs among cagA-positive Helicobacter pylori strains: a case–control study in a Turkish population with Eurasian geographical features. Journal of Medical Microbiology, 2015, 64, 1117-1123.	0.7	10
59	The cytokine response in THP-1 (monocyte) and HL-60 (neutrophil-differentiated) cells infected with different genotypes of Helicobacter pylori strains. Turkish Journal of Gastroenterology, 2015, 26, 297-303.	0.4	10
60	The relationship between bifidobacteria and allergic asthma and/or allergic dermatitis: A prospective study of 0–3 years-old children in Turkey. Anaerobe, 2014, 28, 98-103.	1.0	43
61	Microorganisms in Respiratory Tract of Patients Diagnosed with Atypical Pneumonia: Results of a Research Based on the Use of Reverse Transcription Polymerase Chain Reaction (RT-PCR) DNA. Clinical Laboratory, 2014, 60, 1027-34.	0.2	7
62	The Role of Porphyromonas gingivalis in the Development of Atherosclerosis and its Relationship with fim A Genotype. Clinical Laboratory, 2014, 60, 1225-32.	0.2	1
63	Prevalence and Antimicrobial Susceptibilities of Anaerobic Bacteria Isolated from Perforated Corneal Ulcers by Culture and Multiplex PCR: An Evaluation in. Clinical Laboratory, 2014, 60, 1879-86.	0.2	4
64	Diagnosis of Epstein-Barr Virus Infection with EBV IgM/IgG and Monospot Test Evaluation. Klimik Dergisi, 2014, 25, 107-110.	0.1	0
65	Utility of the microculture method for Leishmania detection in non-invasive samples obtained from a blood bank. Acta Tropica, 2013, 128, 54-60.	0.9	14
66	Entamoeba histolytica Lectin Antigen from Stool Specimens by ELISA Method: 3-Year Data. Klimik Dergisi, 2012, 24, 150-153.	0.1	2
67	The importance of transmission time in HIV infections and an epidemiological prospective follow-up study for 1year in the Marmara Region of Turkey. Transfusion and Apheresis Science, 2012, 47, 3-7.	0.5	1
68	The detection of occult HBV infection in patients with HBsAg negative pattern by real-time PCR method. Transfusion and Apheresis Science, 2012, 47, 283-287.	0.5	10
69	Investigation of schizophrenic patients from Istanbul, Turkey for the presence of West Nile virus. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 173-177.	1.8	6
70	Frequency and phylogeny of norovirus in diarrheic children in Istanbul, Turkey. Journal of Clinical Virology, 2011, 51, 160-164.	1.6	17
71	New approaches to in vitro diagnosis of hepatitis C infection a reason for post transfusion hepatitis: Diagnostic value of determination of hepatitis C virus core antigen. Transfusion and Apheresis Science, 2011, 45, 247-250.	0.5	10
72	Do infections trigger juvenile idiopathic arthritis?. Rheumatology International, 2011, 31, 215-220.	1.5	33

#	Article	IF	CITATIONS
73	Evaluation of Rotavirus Antigen Positivity in Childhood Gastroenteritis. Klimik Dergisi, 2011, 24, 48-51.	0.1	2
74	The diagnostic value of Western blot method in patients with cystic echinococcosis. New Microbiologica, 2011, 34, 173-7.	0.1	11
75	Real-Time PCR Detection of Norovirus in Mussels Collected from the Bosphorus in Istanbul, Turkey. Food and Environmental Virology, 2010, 2, 64-68.	1.5	10
76	Confirmatory Test Results in Anti-HIV-Positive Patients: Evaluation of Five-Year Data. Klimik Dergisi, 2010, 23, 51-54.	0.1	1
77	Avidity Tests in the Diagnosis of Toxoplasma gondii, Cytomegalovirus and Rubella Infections: Evaluation of Results between January 2008-December 2009. Klimik Dergisi, 2010, 23, 105-109.	0.1	2
78	Are isolated anti-HBc blood donors in high risk group? The detection of HBV DNA in isolated anti-HBc cases with nucleic acid amplification test (NAT) based on transcription-mediated amplification (TMA) and HBV discrimination. Transfusion and Apheresis Science, 2010, 43, 265-268.	0.5	20
79	Can the nucleic acid amplification test (NAT) be an alternative to the serologic tests? A prospective study, the results of 18,200 blood donors from the Turkish Red Crescent. Transfusion and Apheresis Science, 2010, 43, 269-272.	0.5	11
80	The role of latent toxoplasmosis in the aetiopathogenesis of schizophrenia - the risk factor or an indication of a contact with cat?. Folia Parasitologica, 2010, 57, 121-128.	0.7	36
81	Aneurysm and Helicobacter pylori relationship: the seropositivity of CagA, VacA and other antigens of Helicobacter pylori in abdominal and ascending aortic aneurysms. New Microbiologica, 2010, 33, 233-42.	0.1	4
82	Higher prevalence of toxoplasmosis in victims of traffic accidents suggest increased risk of traffic accident in Toxoplasma-infected inhabitants of Istanbul and its suburbs. Forensic Science International, 2009, 187, 103-108.	1.3	72
83	Role of host interleukin 1β gene (IL-1B) and interleukin 1 receptor antagonist gene (IL-1RN) polymorphisms in clinical outcomes in Helicobacter pylori-positive Turkish patients with dyspepsia. Journal of Gastroenterology, 2008, 43, 705-710.	2.3	27
84	<i>Haemophilus influenzae </i> type b antibodies in vaccinated and nonâ€vaccinated children. Pediatrics International, 2008, 50, 469-473.	0.2	8
85	Pharyngeal Carriage and Antimicrobial Resistance of <i>Haemophilus influenzae</i> in Non-Type-b-Vaccinated Healthy Children Attending Day Care Centers in Turkey. Chemotherapy, 2007, 53, 114-117.	0.8	6
86	Investigation of the relationship between the duration of postoperative mechanical ventilation and complication incidence following coronary artery bypass graft. Medical Science Monitor, 2007, 13, CR105-10.	0.5	2
87	Abiotrophia defectiva: A rare cause of infective endocarditis. Scandinavian Journal of Infectious Diseases, 2006, 38, 939-941.	1.5	15
88	Prevalence of Helicobacter pylori vacA, cagA, cagE, iceA, babA2 Genotypes and Correlation with Clinical Outcome in Turkish Patients with Dyspepsia. Helicobacter, 2006, 11, 574-580.	1.6	102
89	Analysis of serum antibody profile against <i>H pylori</i> VacA and CagA antigens in Turkish patients with duodenal ulcer. World Journal of Gastroenterology, 2006, 12, 6869.	1.4	9
90	The relationship between arthritis and human parvovirus B19 infection. Rheumatology International, 2005, 26, 7-11.	1.5	23

#	Article	IF	CITATIONS
91	Antimicrobial Resistance and \hat{l}^2 -Lactamase Production of Clinical Isolates of <i>Prevotella </i> and <i>Porphyromonas</i> Species. Chemotherapy, 2005, 51, 9-14.	0.8	29
92	Evaluation of two enzyme immunoassays for detecting Helicobacter pylori in stool specimens of dyspeptic patients after eradication therapy. Journal of Medical Microbiology, 2005, 54, 863-866.	0.7	24
93	Malaria problem in Afghanistan: Malaria scanning results of the Turkish medical aid group after the war. Transfusion and Apheresis Science, 2005, 32, 133-137.	0.5	1
94	Mobiluncus species in gynaecological and obstetric infections: antimicrobial resistance and prevalence in a Turkish population. International Journal of Antimicrobial Agents, 2005, 25, 268-271.	1.1	20
95	Two heterogeneously vancomycin-intermediate clinical isolates of methicillin-sensitive and methicillin-resistant Staphylococcus aureus in a Turkish university hospital: brief report of a surveillance study. International Journal of Antimicrobial Agents, 2005, 26, 508-510.	1.1	6
96	Do procalcitonin and C-reactive protein levels have a place in the diagnosis and follow-up of Helicobacter pylori infections?. Journal of Medical Microbiology, 2004, 53, 639-644.	0.7	16
97	A Research on Asymptomatic Bacteriuria in 14- to 17-Year-Old Female Students. Urologia Internationalis, 2004, 73, 325-328.	0.6	3
98	Is there any relationship between Chlamydophila pneumoniae infection and juvenile idiopathic arthritis?. Journal of Medical Microbiology, 2004, 53, 787-790.	0.7	14
99	Diagnostic accuracy of anti-cyclic citrullinated peptide antibodies in juvenile idiopathic arthritis. Annals of the Rheumatic Diseases, 2004, 63, 1687-1689.	0.5	54
100	Comparison of two Different Stool Antigen Tests for the Primary Diagnosis of Helicobacter pylori Infection in Turkish Patients with Dyspepsia. Helicobacter, 2004, 9, 657-662.	1.6	25
101	Detection of Plasmodium vivax and Plasmodium falciparum in blood donors: comparison of new method to the conventional one. Transfusion and Apheresis Science, 2004, 30, 3-7.	0.5	2
102	Assessment of Antibiotic Susceptibility of <i>Ureaplasma urealyticum</i> from Prostitutes and Outpatient Clinic Patients Using the E-Test and Agar Dilution Method. Chemotherapy, 2003, 49, 39-43.	0.8	9
103	Chronic Chlamydophila pneumoniae infection in lung cancer, a risk factor: a case–control study. Journal of Medical Microbiology, 2003, 52, 721-726.	0.7	84
104	Procalcitonin and C-Reactive Protein in Infective Endocarditis: Correlation with Etiology and Prognosis. Chemotherapy, 2003, 49, 76-84.	0.8	65
105	Investigation of Various Antibiotic Combinations Using the E-Test Method in Multiresistant <i>Pseudomonas aeruginosa</i> Strains. Chemotherapy, 2002, 48, 31-35.	0.8	6
106	Report of a Case with Polymicrobial Endocarditis Related to Multiresistant Strains. Chemotherapy, 2002, 48, 316-319.	0.8	21
107	Use of Etests with carbapenems for Gram-negative rods producing β-lactamases. International Journal of Antimicrobial Agents, 2002, 19, 159-162.	1.1	0
108	Prospective evaluation of platelets prepared by single and random methods during 5 days of storage: aspects related to quality and quantity. Transfusion and Apheresis Science, 2002, 26, 29-34.	0.5	14

#	Article	IF	CITATIONS
109	Investigation of transfusion transmitted viruses in cases clinically suspected of posttransfusion hepatitis with undetermined ethiology. Transfusion and Apheresis Science, 2002, 26, 157-165.	0.5	Ο
110	Comparison of the BBL-Mycobacteria Growth Indicator Tube Method with Culture in the Diagnosis of Tuberculosis and Evaluation of the Resistance Patterns of Isolated Strains to Four Major Drugs. Chemotherapy, 2002, 48, 64-70.	0.8	4
111	The evaluation of microbial contamination in platelet concentrates prepared by two different methods. Transfusion and Apheresis Science, 2001, 25, 107-112.	0.5	2
112	Antimicrobial Resistance Surveillance of Gram-Negative Bacteria Isolated from Intensive Care Units of Four Different Hospitals in Turkey. Chemotherapy, 2001, 47, 396-408.	0.8	9
113	Clinical importance of extended-spectrum β-lactamase (PER-1-type)-producing Acinetobacter spp. and Pseudomonas aeruginosa strains. Journal of Medical Microbiology, 2001, 50, 642-645.	0.7	56