

Harry J G M Crijns

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7695057/harry-j-g-m-crijns-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

20,551
citations

44
h-index

143
g-index

162
ext. papers

26,581
ext. citations

8
avg, IF

6.46
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 148 | Adherence and Persistence with Once-Daily vs Twice-Daily Direct Oral Anticoagulants Among Patients with Atrial Fibrillation: Real-World Analyses from the Netherlands, Italy and Germany.. <i>Drugs - Real World Outcomes</i> , 2022 , 1 | 2.2 | 2 |
| 147 | The year in cardiovascular medicine 2021: arrhythmias.. <i>European Heart Journal</i> , 2022 , | 9.5 | 1 |
| 146 | Open-Label, Multicenter Study of Flecainide Acetate Oral Inhalation Solution for Acute Conversion of Recent-Onset, Symptomatic Atrial Fibrillation to Sinus Rhythm.. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2022 , CIRCEP121010204 | 6.4 | 1 |
| 145 | Cost Analysis From a Randomized Comparison of Immediate Versus Delayed Angiography After Cardiac Arrest.. <i>Journal of the American Heart Association</i> , 2022 , 11, e022238 | 6 | |
| 144 | The Increasing Role of Rhythm Control in Patients With Atrial Fibrillation: JACC State-of-the-Art Review.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1932-1948 | 15.1 | 5 |
| 143 | Association between comorbidities and left and right atrial dysfunction in patients with paroxysmal atrial fibrillation: Analysis of AF-RISK. <i>International Journal of Cardiology</i> , 2022 , 360, 29-35 | 3.2 | 0 |
| 142 | Long-term outcome of targeted therapy of underlying conditions in patients with early persistent atrial fibrillation and heart failure: data of the RACE 3 trial. <i>Europace</i> , 2021 , | 3.9 | 1 |
| 141 | Atrial function in paroxysmal AF patients with and without heart failure with preserved ejection fraction: Data from the AF-RISK study. <i>American Heart Journal</i> , 2021 , 244, 36-41 | 4.9 | |
| 140 | Dynamic risk assessment to improve quality of care in patients with atrial fibrillation: the 7th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2021 , 23, 329-344 | 3.9 | 14 |
| 139 | Cardiovascular magnetic resonance accurately detects obstructive coronary artery disease in suspected non-ST elevation myocardial infarction: a sub-analysis of the CARMENTA Trial. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 40 | 6.9 | 0 |
| 138 | Risk Factors for Atrial Fibrillation Progression. <i>Cardiac Electrophysiology Clinics</i> , 2021 , 13, 201-209 | 1.4 | 3 |
| 137 | Both beat-to-beat changes in RR-interval and left ventricular filling time determine ventricular function during atrial fibrillation. <i>Europace</i> , 2021 , 23, i21-i28 | 3.9 | 4 |
| 136 | The year in cardiovascular medicine 2020: arrhythmias. <i>Cardiologia Croatica</i> , 2021 , 16, 107-116 | 0 | 3 |
| 135 | Antiarrhythmic drugs in patients with early persistent atrial fibrillation and heart failure: results of the RACE 3 study. <i>Europace</i> , 2021 , 23, 1359-1368 | 3.9 | 5 |
| 134 | The European TeleCheck-AF project on remote app-based management of atrial fibrillation during the COVID-19 pandemic: centre and patient experiences. <i>Europace</i> , 2021 , 23, 1003-1015 | 3.9 | 16 |
| 133 | Computational models of atrial fibrillation: achievements, challenges, and perspectives for improving clinical care. <i>Cardiovascular Research</i> , 2021 , 117, 1682-1699 | 9.9 | 11 |
| 132 | Does pulmonary vein isolation prolong QT-interval?- AuthorsReply. <i>Europace</i> , 2021 , 23, 2046-2047 | 3.9 | |

| | | | |
|-----|---|------|------|
| 131 | Understanding the effects of heart beat irregularity on ventricular function in human atrial fibrillation: simulation models may help to untie the knot-AuthorsQreply. <i>Europace</i> , 2021 , 23, 1869 | 3.9 | |
| 130 | Corrected QT interval prolongation after ganglionated plexus ablation: myth or reality?-AuthorsQreply. <i>Europace</i> , 2021 , 23, 2047-2048 | 3.9 | |
| 129 | Clinical and electrophysiological predictors of device-detected new-onset atrial fibrillation during 3 years after cardiac surgery. <i>Europace</i> , 2021 , 23, 1922-1930 | 3.9 | 2 |
| 128 | Atrial remodeling and atrial fibrillation recurrence after catheter ablation : Past, present, and future developments. <i>Herz</i> , 2021 , 46, 312-317 | 2.6 | 1 |
| 127 | Adenosine usage during AF ablation in Europe and selected long-term findings from the ESC-EHRA EORP Atrial Fibrillation Ablation Long-Term registry. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 60, 395-406 | 2.4 | 1 |
| 126 | Left atrial activation and asymmetric anatomical remodeling in patients with atrial fibrillation: The relation between anatomy and function. <i>Clinical Cardiology</i> , 2021 , 44, 116-122 | 3.3 | 3 |
| 125 | Chronic obstructive pulmonary disease and atrial fibrillation: an interdisciplinary perspective. <i>European Heart Journal</i> , 2021 , 42, 532-540 | 9.5 | 13 |
| 124 | 2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC) Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the | 9.5 | 1676 |
| 123 | Implementation of an on-demand app-based heart rate and rhythm monitoring infrastructure for the management of atrial fibrillation through teleconsultation: TeleCheck-AF. <i>Europace</i> , 2021 , 23, 345-352 | 3.9 | 25 |
| 122 | Characteristics of patients with atrial fibrillation prescribed edoxaban in Belgium and The Netherlands: insights from the ETNA-AF-Europe study. <i>Acta Cardiologica</i> , 2021 , 76, 431-439 | 0.9 | |
| 121 | Pulmonary vein isolation in a real-world population does not influence QTc interval. <i>Europace</i> , 2021 , 23, i48-i54 | 3.9 | 4 |
| 120 | Rate control drugs differ in the prevention of progression of atrial fibrillation. <i>Europace</i> , 2021 , | 3.9 | 1 |
| 119 | Systematic, early rhythm control strategy for atrial fibrillation in patients with or without symptoms: the EAST-AFNET 4 trial. <i>European Heart Journal</i> , 2021 , | 9.5 | 10 |
| 118 | Early Rhythm Control Therapy in Patients With Atrial Fibrillation and Heart Failure. <i>Circulation</i> , 2021 , 144, 845-858 | 16.7 | 14 |
| 117 | Clinical utility of rhythm control by electrical cardioversion to assess the association between self-reported symptoms and rhythm status in patients with persistent atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2021 , 36, 100870 | 2.4 | 0 |
| 116 | Research Priorities in Atrial Fibrillation Screening: A Report From a National Heart, Lung, and Blood Institute Virtual Workshop. <i>Circulation</i> , 2021 , 143, 372-388 | 16.7 | 22 |
| 115 | The year in cardiovascular medicine 2020: arrhythmias. <i>European Heart Journal</i> , 2021 , 42, 499-507 | 9.5 | 2 |
| 114 | Nurse-led vs. usual-care for atrial fibrillation. <i>European Heart Journal</i> , 2020 , 41, 634-641 | 9.5 | 30 |

| | | | |
|-----|---|------|-----|
| 113 | A novel framework for noninvasive analysis of short-term atrial activity dynamics during persistent atrial fibrillation. <i>Medical and Biological Engineering and Computing</i> , 2020 , 58, 1933-1945 | 3.1 | 3 |
| 112 | Both Prediabetes and Type 2 Diabetes Are Associated With Lower Heart Rate Variability: The Maastricht Study. <i>Diabetes Care</i> , 2020 , 43, 1126-1133 | 14.6 | 14 |
| 111 | Temporal patterns and short-term progression of paroxysmal atrial fibrillation: data from RACE V. <i>Europace</i> , 2020 , 22, 1162-1172 | 3.9 | 14 |
| 110 | Cardioversion of atrial fibrillation and atrial flutter revisited: current evidence and practical guidance for a common procedure. <i>Europace</i> , 2020 , 22, 1149-1161 | 3.9 | 19 |
| 109 | Review: Contrast-enhanced magnetic resonance in the diagnosis and management of cardiac sarcoidosis. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 271-307 | 8.5 | 3 |
| 108 | Stabilization patterns and variability of hs-CRP, NT-proBNP and ST2 during 1 year after acute coronary syndrome admission: results of the BIOMArCS study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 2099-2106 | 5.9 | 6 |
| 107 | Atrial fibrillation progression risk factors and associated cardiovascular outcome in well-phenotyped patients: data from the AF-RISK study. <i>Europace</i> , 2020 , 22, 352-360 | 3.9 | 23 |
| 106 | Sex-related differences in risk factors, outcome, and quality of life in patients with permanent atrial fibrillation: results from the RACE II study. <i>Europace</i> , 2020 , 22, 1619-1627 | 3.9 | 7 |
| 105 | Cardiac Inflammation Impedes Response to Cardiac Resynchronization Therapy in Patients With Idiopathic Dilated Cardiomyopathy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008727 | 6.4 | 3 |
| 104 | Electrical cardioversion of atrial fibrillation and atrial flutter: manoeuvres and tips to increase its effectiveness-Authors Reply. <i>Europace</i> , 2020 , 22, 1602 | 3.9 | |
| 103 | Differentiating the effects of β -adrenergic stimulation and stretch on calcium and force dynamics using a novel electromechanical cardiomyocyte model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 319, H519-H530 | 5.2 | 3 |
| 102 | Design and rationale of DUTCH-AF: a prospective nationwide registry programme and observational study on long-term oral antithrombotic treatment in patients with atrial fibrillation. <i>BMJ Open</i> , 2020 , 10, e036220 | 3 | 2 |
| 101 | Coronary Angiography After Cardiac Arrest Without ST Segment Elevation: One-Year Outcomes of the COACT Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 1358-1365 | 16.2 | 14 |
| 100 | Coordination of a remote mHealth infrastructure for atrial fibrillation management during COVID-19 and beyond: TeleCheck-AF. <i>International Journal of Care Coordination</i> , 2020 , 23, 65-70 | 0.9 | 4 |
| 99 | Emergency department cardioversion of acute atrial fibrillation. <i>Lancet, The</i> , 2020 , 396, 884-885 | 4.0 | |
| 98 | Early Rhythm-Control Therapy in Patients with Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2020 , 383, 1305-1316 | 59.2 | 337 |
| 97 | Clinical assessment of aortic valve stenosis: Comparison between 4D flow MRI and transthoracic echocardiography. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 51, 472-480 | 5.6 | 19 |
| 96 | Targeted therapy of underlying conditions improves quality of life in patients with persistent atrial fibrillation: results of the RACE 3 study. <i>Europace</i> , 2019 , 21, 563-571 | 3.9 | 14 |

| | | | |
|----|--|------|-----|
| 95 | Long-term outcomes of cryoballoon-based left atrial appendage isolation in addition to pulmonary vein isolation in persistent atrial fibrillation. <i>Europace</i> , 2019 , 21, 1653-1662 | 3.9 | 13 |
| 94 | Maastricht antiarrhythmic drug evaluator (MANTA): A computational tool for better understanding of antiarrhythmic drugs. <i>Pharmacological Research</i> , 2019 , 148, 104444 | 10.2 | 9 |
| 93 | Hybrid versus catheter ablation in patients with persistent and longstanding persistent atrial fibrillation: a systematic review and meta-analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 56, 433-443 | 3 | 22 |
| 92 | Letter by Maesen et al Regarding Article, "Randomized Controlled Trial of Surgical Versus Catheter Ablation for Paroxysmal and Early Persistent Atrial Fibrillation". <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019 , 12, e007088 | 6.4 | |
| 91 | Early or Delayed Cardioversion in Recent-Onset Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2019 , 380, 1499-1508 | 59.2 | 68 |
| 90 | Undersensing, asynchronous pacing, and ventricular fibrillation. <i>Europace</i> , 2019 , 21, 1078 | 3.9 | 1 |
| 89 | 2018 Joint European consensus document on the management of antithrombotic therapy in atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous cardiovascular interventions: a joint consensus document of the European Heart Rhythm Association (EHRA), European Society of Cardiology Working Group on Thrombosis, European | 3.9 | 155 |
| 88 | Integrated specialized atrial fibrillation clinics reduce all-cause mortality: post-hoc analysis of a randomized clinical trial. <i>Europace</i> , 2019 , 21, 1785-1792. <i>Im So. Europace</i> , 2019 , 21, 192-193 | 3.9 | 16 |
| 87 | Rising prevalence of atrial fibrillation in the elderly population: new challenges of geriatric cardiology. <i>Europace</i> , 2019 , 21, 1451-1453 | 3.9 | 5 |
| 86 | Initial Imaging-Guided Strategy Versus Routine Care in Patients With Non-ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2466-2477 | 15.1 | 30 |
| 85 | Quantification of epicardial adipose tissue in patients undergoing hybrid ablation for atrial fibrillation. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 56, 79-86 | 3 | 6 |
| 84 | EHRA White Paper: knowledge gaps in arrhythmia management-status 2019. <i>Europace</i> , 2019 , 21, 993-994. | 3.9 | 23 |
| 83 | Nightly sleep apnea severity in patients with atrial fibrillation: Potential applications of long-term sleep apnea monitoring. <i>IJC Heart and Vasculature</i> , 2019 , 24, 100424 | 2.4 | 15 |
| 82 | Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2019 , 140, 1834-1850 | 16.7 | 93 |
| 81 | Cardioversion of persistent atrial fibrillation is associated with a 24-hour relapse gap: Observations from prolonged postcardioversion rhythm monitoring. <i>Clinical Cardiology</i> , 2018 , 41, 366-371 | 3.3 | 3 |
| 80 | Management and prognosis of atrial fibrillation in diabetic patients: an EORP-AF General Pilot Registry report. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018 , 4, 172-179 | 6.4 | 24 |
| 79 | Targeted therapy of underlying conditions improves sinus rhythm maintenance in patients with persistent atrial fibrillation: results of the RACE 3 trial. <i>European Heart Journal</i> , 2018 , 39, 2987-2996 | 9.5 | 124 |
| 78 | Opportunities and challenges of large-scale screening for atrial fibrillation. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2018 , 29, 57-61 | 0.8 | 3 |

| | | | |
|----|---|-----|-----|
| 77 | The influence of progression of atrial fibrillation on quality of life: a report from the Euro Heart Survey. <i>Europace</i> , 2018 , 20, 929-934 | 3.9 | 15 |
| 76 | The role of standard non-ECG gated chest CT in cardiac assessment: design and rationale of the (CaPaCT) study. <i>European Radiology Experimental</i> , 2018 , 2, 9 | 4.5 | 3 |
| 75 | Aortic elongation part I: the normal aortic ageing process. <i>Heart</i> , 2018 , 104, 1772-1777 | 5.1 | 39 |
| 74 | The electrocardiogram as a predictor of successful pharmacological cardioversion and progression of atrial fibrillation. <i>Europace</i> , 2018 , 20, e96-e104 | 3.9 | 7 |
| 73 | Right ventricular involvement and the extent of left ventricular enhancement with magnetic resonance predict adverse outcome in pulmonary sarcoidosis. <i>ESC Heart Failure</i> , 2018 , 5, 157-171 | 3.7 | 32 |
| 72 | Bicuspid Aortic Valve Stenosis and the Effect of Vitamin K2 on Calcification Using F-Sodium Fluoride Positron Emission Tomography/Magnetic Resonance: The BASIK2 Rationale and Trial Design. <i>Nutrients</i> , 2018 , 10, | 6.7 | 15 |
| 71 | The Biomarkers NT-proBNP and CA-125 are Elevated in Patients with Idiopathic Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2018 , 11, 2058 | 0.8 | 10 |
| 70 | Personalization of injection protocols to the individual patient's blood volume and automated tube voltage selection (ATVS) in coronary CTA. <i>PLoS ONE</i> , 2018 , 13, e0203682 | 3.7 | 5 |
| 69 | QRS Area Is a Strong Determinant of Outcome in Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e006497 | 6.4 | 37 |
| 68 | Risk stratification and role for additional diagnostic testing in patients with acute chest pain and normal high-sensitivity cardiac troponin levels. <i>PLoS ONE</i> , 2018 , 13, e0203506 | 3.7 | 1 |
| 67 | Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. <i>European Heart Journal</i> , 2017 , 38, 1339-1344 | 9.5 | 282 |
| 66 | Right ventricular involvement in cardiac sarcoidosis demonstrated with cardiac magnetic resonance. <i>ESC Heart Failure</i> , 2017 , 4, 535-544 | 3.7 | 18 |
| 65 | Symptomatic atrial fibrillation and risk of cardiovascular events: data from the Euro Heart Survey. <i>Europace</i> , 2017 , 19, 1922-1929 | 3.9 | 20 |
| 64 | Acute cardioversion vs a wait-and-see approach for recent-onset symptomatic atrial fibrillation in the emergency department: Rationale and design of the randomized ACWAS trial. <i>American Heart Journal</i> , 2017 , 183, 49-53 | 4.9 | 8 |
| 63 | Contrast-enhanced cardiac Magnetic Resonance: distinction between cardiac sarcoidosis and infarction scar. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2017 , 34, 307-314 | 1.1 | 1 |
| 62 | Rate control in atrial fibrillation. <i>Lancet, The</i> , 2016 , 388, 818-28 | 4.0 | 88 |
| 61 | Poor anticoagulation relates to extended access times for cardioversion and is associated with long-term major cardiac and cerebrovascular events. <i>International Journal of Cardiology</i> , 2016 , 225, 337-341 | 3.2 | 1 |
| 60 | Contact forces during hybrid atrial fibrillation ablation: an in vitro evaluation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016 , 45, 189-97 | 2.4 | 2 |

| | | | |
|----|---|------|----|
| 59 | Factor Xla and Thrombin Generation Are Elevated in Patients with Acute Coronary Syndrome and Predict Recurrent Cardiovascular Events. <i>PLoS ONE</i> , 2016 , 11, e0158355 | 3.7 | 23 |
| 58 | The ABLA-BOX: An in Vitro Module of Hybrid Atrial Fibrillation Ablation. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016 , 11, 201-209 | 1.5 | 1 |
| 57 | Glomerular filtration rate in patients with atrial fibrillation and 1-year outcomes. <i>Scientific Reports</i> , 2016 , 6, 30271 | 4.9 | 35 |
| 56 | Indices of bipolar complex fractionated atrial electrograms correlate poorly with each other and atrial fibrillation substrate complexity. <i>Heart Rhythm</i> , 2015 , 12, 1415-23 | 6.7 | 38 |
| 55 | Heart failure in patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Pilot survey on Atrial Fibrillation. <i>European Journal of Heart Failure</i> , 2015 , 17, 570-82 | 12.3 | 54 |
| 54 | Gradual increase in thrombogenicity of juvenile platelets formed upon offset of prasugrel medication. <i>Haematologica</i> , 2015 , 100, 1131-8 | 6.6 | 13 |
| 53 | Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , 2015 , 17, 194-206 | 3.9 | 30 |
| 52 | Integrated Chronic Care Management For Patients With Atrial Fibrillation - A Rationale For Redesigning Atrial Fibrillation Care. <i>Journal of Atrial Fibrillation</i> , 2015 , 7, 1177 | 0.8 | 6 |
| 51 | Clinical correlates of echocardiographic tissue velocity imaging abnormalities of the left atrial wall during atrial fibrillation. <i>Europace</i> , 2014 , 16, 1546-53 | 3.9 | 10 |
| 50 | Tissue velocity imaging of the left atrium predicts response to flecainide in patients with acute atrial fibrillation. <i>Heart Rhythm</i> , 2014 , 11, 478-84 | 6.7 | 6 |
| 49 | Contemporary real life cardioversion of atrial fibrillation: Results from the multinational RHYTHM-AF study. <i>International Journal of Cardiology</i> , 2014 , 172, 588-94 | 3.2 | 63 |
| 48 | The ECG as a tool to determine atrial fibrillation complexity. <i>Heart</i> , 2014 , 100, 1077-84 | 5.1 | 26 |
| 47 | Symptom severity is associated with cardiovascular outcome in patients with permanent atrial fibrillation in the RACE II study. <i>Europace</i> , 2014 , 16, 1417-25 | 3.9 | 16 |
| 46 | The atrial fibrillation knowledge scale: development, validation and results. <i>International Journal of Cardiology</i> , 2013 , 168, 1422-8 | 3.2 | 45 |
| 45 | The role of cardiovascular magnetic resonance imaging and computed tomography angiography in suspected non-ST-elevation myocardial infarction patients: design and rationale of the CARDiovascular Magnetic rEsoNance imaging and computed Tomography Angiography (CARMENTA) trial. <i>American Heart Journal</i> , 2013 , 166, 968-75 | 4.9 | 9 |
| 44 | Lenient vs. strict rate control in patients with atrial fibrillation and heart failure: a post-hoc analysis of the RACE II study. <i>European Journal of Heart Failure</i> , 2013 , 15, 1311-8 | 12.3 | 66 |
| 43 | Effect of nebivolol on outcome in elderly patients with heart failure and atrial fibrillation: insights from SENIORS. <i>European Journal of Heart Failure</i> , 2012 , 14, 1171-8 | 12.3 | 42 |
| 42 | RHYTHM-AF: design of an international registry on cardioversion of atrial fibrillation and characteristics of participating centers. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 85 | 2.3 | 15 |

| | | | |
|----|---|------|------|
| 41 | Tailored telemonitoring in patients with heart failure: results of a multicentre randomized controlled trial. <i>European Journal of Heart Failure</i> , 2012 , 14, 791-801 | 12.3 | 73 |
| 40 | Nurse-led care vs. usual care for patients with atrial fibrillation: results of a randomized trial of integrated chronic care vs. routine clinical care in ambulatory patients with atrial fibrillation. <i>European Heart Journal</i> , 2012 , 33, 2692-9 | 9.5 | 230 |
| 39 | Idiopathic atrial fibrillation revisited in a large longitudinal clinical cohort. <i>Europace</i> , 2012 , 14, 184-90 | 3.9 | 32 |
| 38 | Clinical correlates of immediate success and outcome at 1-year follow-up of real-world cardioversion of atrial fibrillation: the Euro Heart Survey. <i>Europace</i> , 2012 , 14, 666-74 | 3.9 | 79 |
| 37 | Real-life observations of clinical outcomes with rhythm- and rate-control therapies for atrial fibrillation RECORDAF (Registry on Cardiac Rhythm Disorders Assessing the Control of Atrial Fibrillation). <i>Journal of the American College of Cardiology</i> , 2011 , 58, 493-501 | 15.1 | 124 |
| 36 | Comparison of a non-invasive arterial pulse contour technique and echo Doppler aorta velocity-time integral on stroke volume changes in optimization of cardiac resynchronization therapy. <i>Europace</i> , 2011 , 13, 87-95 | 3.9 | 39 |
| 35 | Letter by van Kimmenade et al regarding article, "urinary N-terminal prohormone brain natriuretic peptide excretion in patients with chronic heart failure". <i>Circulation</i> , 2010 , 121, e242; author reply e243 | 16.7 | |
| 34 | Effect of continuous versus episodic amiodarone treatment on quality of life in persistent atrial fibrillation. <i>Europace</i> , 2010 , 12, 785-91 | 3.9 | 10 |
| 33 | Lenient versus strict rate control in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2010 , 362, 1363-73 | 59.2 | 623 |
| 32 | Progression from paroxysmal to persistent atrial fibrillation clinical correlates and prognosis. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 725-31 | 15.1 | 416 |
| 31 | A novel user-friendly score (HAS-BLED) to assess 1-year risk of major bleeding in patients with atrial fibrillation: the Euro Heart Survey. <i>Chest</i> , 2010 , 138, 1093-100 | 5.3 | 2947 |
| 30 | Guidelines for the management of atrial fibrillation: the Task Force for the Management of Atrial Fibrillation of the European Society of Cardiology (ESC). <i>Europace</i> , 2010 , 12, 1360-420 | 3.9 | 1120 |
| 29 | Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor-based approach: the euro heart survey on atrial fibrillation. <i>Chest</i> , 2010 , 137, 263-72 | 5.3 | 4353 |
| 28 | Effect of dronedarone on cardiovascular events in atrial fibrillation. <i>New England Journal of Medicine</i> , 2009 , 360, 668-78 | 59.2 | 764 |
| 27 | Analysis of stroke in ATHENA: a placebo-controlled, double-blind, parallel-arm trial to assess the efficacy of dronedarone 400 mg BID for the prevention of cardiovascular hospitalization or death from any cause in patients with atrial fibrillation/atrial flutter. <i>Circulation</i> , 2009 , 120, 1174-80 | 16.7 | 169 |
| 26 | Primary prevention of atrial fibrillation by statins: still unresolved?. <i>European Heart Journal</i> , 2009 , 30, 2302-3 | 9.5 | 2 |
| 25 | Atrial fibrillatory wall motion and degree of atrial remodeling in patients with atrial fibrillation: a tissue velocity imaging study. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 1374-81 | 2.7 | 9 |
| 24 | Atrial fibrillation and heart failure in cardiology practice: reciprocal impact and combined management from the perspective of atrial fibrillation: results of the Euro Heart Survey on atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1690-8 | 15.1 | 79 |

| | | | |
|----|--|------|-----|
| 23 | Early and comprehensive management of atrial fibrillation: executive summary of the proceedings from the 2nd AFNET-EHRA consensus conference. Research perspectives in AFQ. <i>European Heart Journal</i> , 2009 , 30, 2969-77c | 9.5 | 136 |
| 22 | Prognosis, disease progression, and treatment of atrial fibrillation patients during 1 year: follow-up of the Euro Heart Survey on atrial fibrillation. <i>European Heart Journal</i> , 2008 , 29, 1181-9 | 9.5 | 201 |
| 21 | Continuous vs episodic prophylactic treatment with amiodarone for the prevention of atrial fibrillation: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1784-92 | 27.4 | 55 |
| 20 | Dronedronarone for maintenance of sinus rhythm in atrial fibrillation or flutter. <i>New England Journal of Medicine</i> , 2007 , 357, 987-99 | 59.2 | 480 |
| 19 | Rate control versus rhythm control for patients with persistent atrial fibrillation with mild to moderate heart failure: results from the RAte Control versus Electrical cardioversion (RACE) study. <i>American Heart Journal</i> , 2005 , 149, 1106-11 | 4.9 | 132 |
| 18 | Evaluation of the accuracy of gadolinium-enhanced cardiovascular magnetic resonance in the diagnosis of cardiac sarcoidosis. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1683-90 | 15.1 | 441 |
| 17 | The additional value of gadolinium-enhanced MRI to standard assessment for cardiac involvement in patients with pulmonary sarcoidosis. <i>Chest</i> , 2005 , 128, 1629-37 | 5.3 | 94 |
| 16 | Atrial fibrillation management: a prospective survey in ESC member countries: the Euro Heart Survey on Atrial Fibrillation. <i>European Heart Journal</i> , 2005 , 26, 2422-34 | 9.5 | 613 |
| 15 | Cardiac involvement in patients with pulmonary sarcoidosis assessed at two university medical centers in the Netherlands. <i>Chest</i> , 2005 , 128, 30-5 | 5.3 | 113 |
| 14 | Thrombospondin-2 is essential for myocardial matrix integrity: increased expression identifies failure-prone cardiac hypertrophy. <i>Circulation Research</i> , 2004 , 95, 515-22 | 15.7 | 155 |
| 13 | Catheter-based cryoablation permanently cures patients with common atrial flutter. <i>Circulation</i> , 2004 , 109, 1636-9 | 16.7 | 73 |
| 12 | Effect of rate or rhythm control on quality of life in persistent atrial fibrillation. Results from the Rate Control Versus Electrical Cardioversion (RACE) Study. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 241-7 | 15.1 | 357 |
| 11 | Idiopathic left bundle-branch block-shaped ventricular tachycardia may originate above the pulmonary valve. <i>Circulation</i> , 2003 , 108, 1960-7 | 16.7 | 110 |
| 10 | Dronedronarone for prevention of atrial fibrillation: a dose-ranging study. <i>European Heart Journal</i> , 2003 , 24, 1481-7 | 9.5 | 247 |
| 9 | Recent advances in drug therapy for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2003 , 14, S40-7 | 2.7 | 19 |
| 8 | Randomized study comparing radiofrequency ablation with cryoablation for the treatment of atrial flutter with emphasis on pain perception. <i>Circulation</i> , 2003 , 107, 1250-2 | 16.7 | 94 |
| 7 | Radiofrequency catheter ablation of idiopathic ventricular tachycardia originating in the main stem of the pulmonary artery. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 281-4 | 2.7 | 47 |
| 6 | Acute results of transvenous cryoablation of supraventricular tachycardia (atrial fibrillation, atrial flutter, Wolff-Parkinson-White syndrome, atrioventricular nodal reentry tachycardia). <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 1082-9 | 2.7 | 106 |

| | | | |
|---|--|------|------|
| 5 | A comparison of rate control and rhythm control in patients with recurrent persistent atrial fibrillation. <i>New England Journal of Medicine</i> , 2002 , 347, 1834-40 | 59.2 | 1718 |
| 4 | Abnormalities in myocardial contractility, metabolism and perfusion reserve in non-stenotic coronary segments in heart failure patients. <i>Cardiovascular Research</i> , 2002 , 55, 97-103 | 9.9 | 14 |
| 3 | Electrical remodeling and atrial dilation during atrial tachycardia are influenced by ventricular rate: role of developing tachycardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 1404-10 | 2.7 | 26 |
| 2 | Pharmacologic versus direct-current electrical cardioversion of atrial flutter and fibrillation. <i>American Journal of Cardiology</i> , 1999 , 84, 147R-151R | 3 | 90 |
| 1 | Efficacy, safety, and determinants of conversion of atrial fibrillation and flutter with oral amiodarone. <i>American Journal of Cardiology</i> , 1997 , 79, 53-7 | 3 | 92 |