

Corrado Barbui

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7695262/corrado-barbui-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

415
papers

14,662
citations

54
h-index

110
g-index

458
ext. papers

17,559
ext. citations

6.3
avg, IF

6.59
L-index

#	Paper	IF	Citations
415	Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2013 , 382, 951-62	4.0	1665
414	Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2009 , 373, 746-58	4.0	1217
413	Imputing missing standard deviations in meta-analyses can provide accurate results. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 7-10	5.7	937
412	Non-alcoholic fatty liver disease and risk of incident cardiovascular disease: A meta-analysis. <i>Journal of Hepatology</i> , 2016 , 65, 589-600	13.4	640
411	Mental health and psychosocial support in humanitarian settings: linking practice and research. <i>Lancet, The</i> , 2011 , 378, 1581-91	4.0	381
410	Comparative efficacy and tolerability of medications for attention-deficit hyperactivity disorder in children, adolescents, and adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2018 , 5, 727-738	23.3	378
409	Efficacy of Psychotherapies for Borderline Personality Disorder: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2017 , 74, 319-328	14.5	301
408	How often do patients with psychosis fail to adhere to treatment programmes? A systematic review. <i>Psychological Medicine</i> , 2003 , 33, 1149-60	6.9	252
407	Pharmacotherapy for post-traumatic stress disorder: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2015 , 206, 93-100	5.4	223
406	Evidence-based guidelines for mental, neurological, and substance use disorders in low- and middle-income countries: summary of WHO recommendations. <i>PLoS Medicine</i> , 2011 , 8, e1001122	11.6	199
405	Imputing response rates from means and standard deviations in meta-analyses. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 49-52	2.2	199
404	Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. <i>Journal of Affective Disorders</i> , 2015 , 180, 179-84	6.6	178
403	Selective serotonin reuptake inhibitors and risk of suicide: a systematic review of observational studies. <i>Cmaj</i> , 2009 , 180, 291-7	3.5	169
402	Common mental disorders in asylum seekers and refugees: umbrella review of prevalence and intervention studies. <i>International Journal of Mental Health Systems</i> , 2017 , 11, 51	3.6	162
401	Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2011 , 198, 11-6, sup 1	5.4	155
400	Amitriptyline v. the rest: still the leading antidepressant after 40 years of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2001 , 178, 129-44	5.4	152
399	Does the addition of a second antipsychotic drug improve clozapine treatment?. <i>Schizophrenia Bulletin</i> , 2009 , 35, 458-68	1.3	127

398	Clinical interventions for treatment non-adherence in psychosis: meta-analysis. <i>British Journal of Psychiatry</i> , 2003 , 183, 197-206	5.4	127
397	Psychosocial interventions for post-traumatic stress disorder in refugees and asylum seekers resettled in high-income countries: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171030	3.7	123
396	WHO Mental Health Gap Action Programme (mhGAP) Intervention Guide: a systematic review of evidence from low and middle-income countries. <i>Evidence-Based Mental Health</i> , 2018 , 21, 30-34	11.1	120
395	Side-effect profile of fluoxetine in comparison with other SSRIs, tricyclic and newer antidepressants: a meta-analysis of clinical trial data. <i>Pharmacopsychiatry</i> , 2005 , 38, 69-77	2	114
394	Meta-analysis of effects and side effects of low dosage tricyclic antidepressants in depression: systematic review. <i>BMJ, The</i> , 2002 , 325, 991	5.9	111
393	Fluoxetine versus other types of pharmacotherapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD004185		103
392	Drug-induced depression: a systematic review to inform clinical practice. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 207-15	9.4	101
391	Challenges in developing evidence-based recommendations using the GRADE approach: the case of mental, neurological, and substance use disorders. <i>PLoS Medicine</i> , 2010 , 7, e1000322	11.6	91
390	Pharmacological prevention of post-traumatic stress disorder and acute stress disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry, the</i> , 2015 , 2, 413-421	23.3	84
389	Escitalopram versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006532	5.2	81
388	Mirtazapine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2011 , CD006528	5.2	80
387	Management of acute stress, PTSD, and bereavement: WHO recommendations. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 477-8	27.4	78
386	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> ,	5.2	78
385	Determinants of subjective quality of life in patients attending community-based mental health services. The South-Verona Outcome Project 5. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 131-40	6.5	77
384	Antidepressant drug use in Italy since the introduction of SSRIs: national trends, regional differences and impact on suicide rates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 152-6	4.5	77
383	Effectiveness of paroxetine in the treatment of acute major depression in adults: a systematic re-examination of published and unpublished data from randomized trials. <i>Cmaj</i> , 2008 , 178, 296-305	3.5	76
382	Focused psychosocial interventions for children in low-resource humanitarian settings: a systematic review and individual participant data meta-analysis. <i>The Lancet Global Health</i> , 2018 , 6, e390-e400	13.6	74
381	Efficacy and acceptability of psychosocial interventions in asylum seekers and refugees: systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 376-388	5.1	71

380	Agomelatine efficacy and acceptability revisited: systematic review and meta-analysis of published and unpublished randomised trials. <i>British Journal of Psychiatry</i> , 2013 , 203, 179-87	5.4	71
379	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003262	11.6	71
378	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 355-62	2.2	70
377	Response to the Novel Corona Virus (COVID-19) Pandemic Across Africa: Successes, Challenges, and Implications for the Future. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1205	5.6	68
376	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. <i>Lancet Psychiatry</i> , 2020 , 7, 162-172	23.3	65
375	Non-specialist psychosocial interventions for children and adolescents with intellectual disability or lower-functioning autism spectrum disorders: a systematic review. <i>PLoS Medicine</i> , 2013 , 10, e1001572; discussion e1001572	11.6	64
374	Psychological interventions to reduce positive symptoms in schizophrenia: systematic review and network meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 316-329	14.4	64
373	Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005 , 79, 201-10	3.6	63
372	Psychological therapies for the treatment of mental disorders in low- and middle-income countries affected by humanitarian crises. <i>The Cochrane Library</i> , 2018 , 7, CD011849	5.2	63
371	Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis. <i>CNS Drugs</i> , 2010 , 24, 35-53	6.7	62
370	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 287-90	2.2	62
369	Are we going to increase the use of antidepressants up to that of benzodiazepines?. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 629-34	2.8	62
368	Antidepressant drug consumption and public health indicators in Italy, 1955 to 2000. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 750-5	4.6	61
367	Mortality and cause of death among psychiatric patients: a 20-year case-register study in an area with a community-based system of care. <i>Psychological Medicine</i> , 2009 , 39, 1875-84	6.9	60
366	Antipsychotic drug exposure and risk of venous thromboembolism: a systematic review and meta-analysis of observational studies. <i>Drug Safety</i> , 2014 , 37, 79-90	5.1	58
365	Monitoring community psychiatric services in Italy: differences between patients who leave care and those who stay in treatment. <i>British Journal of Psychiatry</i> , 2002 , 180, 254-9	5.4	57
364	Sertraline versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006117	5.2	56
363	Determinants of antipsychotic polypharmacy in psychiatric inpatients: a prospective study. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 305-9	2.2	55

362	Sertraline versus other antidepressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006117		54
361	Psychotherapies for depression in low- and middle-income countries: a meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 90-101	14.4	52
360	Antidepressant drugs: prevalence, incidence and indication of use in general practice of Southern Italy during the years 2003-2004. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 552-9	2.6	52
359	Efficacy of pharmacotherapy against core traits of borderline personality disorder: meta-analysis of randomized controlled trials. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 345-53	2.2	51
358	Sex differences in the subjective tolerability of antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 521-6	1.7	51
357	Does formulation matter? A systematic review and meta-analysis of oral versus long-acting antipsychotic studies. <i>Schizophrenia Research</i> , 2017 , 183, 10-21	3.6	48
356	World Health organization guidelines for management of acute stress, PTSD, and bereavement: key challenges on the road ahead. <i>PLoS Medicine</i> , 2014 , 11, e1001769	11.6	48
355	Violence in psychiatric units: a 7-year Italian study of persistently assaultive patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 698-703	4.5	48
354	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006324		47
353	"Wish bias" in antidepressant drug trials?. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 126-30	1.7	46
352	Efficacy of interventions to reduce coercive treatment in mental health services: umbrella review of randomised evidence. <i>British Journal of Psychiatry</i> , 2020 , 1-11	5.4	45
351	Choice of data extraction tools for systematic reviews depends on resources and review complexity. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 506-10	5.7	44
350	Antidepressant drug use in Lombardy, Italy: a population-based study. <i>Journal of Affective Disorders</i> , 2004 , 83, 169-75	6.6	44
349	Fluoxetine versus other types of pharmacotherapy for depression. <i>The Cochrane Library</i> , 2013 , CD004185.2		43
348	Duloxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , 10, CD006533.2		43
347	Antidepressant drug prescribing among elderly subjects: a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 113-8	3.9	42
346	Selective serotonin reuptake inhibitors versus tricyclic and heterocyclic antidepressants: comparison of drug adherence. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002791		42
345	Antipsychotic drug exposure and risk of pneumonia: a systematic review and meta-analysis of observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 812-20	2.6	41

344	Assessment of medication adherence in patients with schizophrenia: the Achilles heel of adherence research. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 274-81	1.8	41
343	Cortical white-matter microstructure in schizophrenia. Diffusion imaging study. <i>British Journal of Psychiatry</i> , 2007 , 191, 113-9	5.4	41
342	Are all antidepressants really the same? The case of fluoxetine: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 850-64	4.6	41
341	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. <i>PLoS ONE</i> , 2016 , 11, e0148212	3.7	40
340	Torsadogenic risk of antipsychotics: combining adverse event reports with drug utilization data across Europe. <i>PLoS ONE</i> , 2013 , 8, e81208	3.7	39
339	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2018 , 4, CD011006	5.2	37
338	Citalopram versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , CD006534	5.2	37
337	Second-generation antipsychotics and risk of cerebrovascular accidents in the elderly. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 468-70	1.7	37
336	Antipsychotic use and risk of life-threatening medical events: umbrella review of observational studies. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 227-243	6.5	36
335	Imaging of the dopamine transporter predicts pattern of disease progression and response to levodopa in patients with schizophrenia and parkinsonism: a 2-year follow-up multicenter study. <i>Schizophrenia Research</i> , 2014 , 152, 344-9	3.6	36
334	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2015 , CD011006	5.2	36
333	Avoidable mortality of psychiatric patients in an area with a community-based system of mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 320-5	6.5	36
332	Off-label and non-classical prescriptions of antipsychotic agents in ordinary in-patient practice. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 275-8	6.5	35
331	Benzodiazepine use in the real world of psychiatric practice: low-dose, long-term drug taking and low rates of treatment discontinuation. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 867-73	2.8	34
330	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 532-540	5.1	34
329	A systematic review of cognitive effects of exercise in depression. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 285-295	6.5	33
328	The evidence-practice gap in specialist mental healthcare: systematic review and meta-analysis of guideline implementation studies. <i>British Journal of Psychiatry</i> , 2017 , 210, 24-30	5.4	33
327	Amitriptyline for inpatients and SSRIs for outpatients with depression? Systematic review and meta-regression analysis. <i>Pharmacopsychiatry</i> , 2004 , 37, 93-7	2	31

326	Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 3-11	5.1	30
325	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. <i>BMC Medicine</i> , 2020 , 18, 215	11.4	30
324	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. <i>PLoS ONE</i> , 2018 , 13, e0201371	3.7	29
323	Milnacipran versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006529	5.2	29
322	Efficacy of selective serotonin reuptake inhibitors and adverse events: meta-regression and mediation analysis of placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2016 , 208, 114-9	5.4	28
321	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia in routine clinical care: a randomized, controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 266-73	1.7	28
320	What are evidence-based treatment recommendations?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 29-31	5.1	28
319	Can authorities appreciably enhance the prescribing of oral generic risperidone to conserve resources? Findings from across Europe and their implications. <i>BMC Medicine</i> , 2014 , 12, 98	11.4	27
318	[111]FP-CIT single photon emission computed tomography findings in drug-induced Parkinsonism. <i>Schizophrenia Research</i> , 2012 , 139, 40-5	3.6	27
317	Factors associated with antipsychotic dosing in psychiatric inpatients: a prospective study. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 221-5	2.2	27
316	Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006 , 36, 711-20	6.9	27
315	Effect of second-generation antipsychotics on employment and productivity in individuals with schizophrenia: an economic perspective. <i>Pharmacoeconomics</i> , 2004 , 22, 701-18	4.4	27
314	Validity of the impact factor of journals as a measure of randomized controlled trial quality. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 37-40	4.6	27
313	Post-Marketing Safety Concerns with Esketamine: A Disproportionality Analysis of Spontaneous Reports Submitted to the FDA Adverse Event Reporting System. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 41-48	9.4	27
312	Efficacy and acceptability of antidepressants on the continuum of depressive experiences in patients with cancer: Systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2015 , 41, 714-24	14.4	26
311	State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , 2012 , 24, 314-20	3.6	26
310	Fluvoxamine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006114	5.2	26
309	Amitriptyline versus other types of pharmacotherapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 2003 , CD004186		26

308	Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2021 , 8, 969-980	23.3	26
307	Combinations of QTc-prolonging drugs: towards disentangling pharmacokinetic and pharmacodynamic effects in their potentially additive nature. <i>Therapeutic Advances in Psychopharmacology</i> , 2017 , 7, 251-264	4.9	25
306	Prescribing second-generation antipsychotics and the evolving standard of care in Italy. <i>Pharmacopsychiatry</i> , 2002 , 35, 239-43	2	25
305	Assessment of cerebral blood volume in schizophrenia: A magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 502-10	5.2	24
304	Antidepressant drug prescribing in Italy, 2000: analysis of a general practice database. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 605-9	2.8	24
303	Psychological and Psychosomatic Symptoms of Second Victims of Adverse Events: a Systematic Review and Meta-Analysis. <i>Journal of Patient Safety</i> , 2020 , 16, e61-e74	1.9	24
302	Paroxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2014 , CD006531	5.2	23
301	Predicting costs of mental health care: a critical literature review. <i>Psychological Medicine</i> , 2007 , 37, 467-479		23
300	Prevalence, incidence and persistence of antipsychotic drug prescribing in the Italian general population: retrospective database analysis, 1999-2002. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 412-20	2.6	23
299	Comparison of patient and clinician perspectives in the assessment of antipsychotic medication adherence. <i>Psychopathology</i> , 2009 , 42, 311-7	3.4	22
298	Generic olanzapine: health authority opportunity or nightmare?. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2008 , 8, 549-55	2.2	22
297	Maintenance Treatment With Long-Acting Injectable Antipsychotics for People With Nonaffective Psychoses: A Network Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021 , 178, 424-436	11.9	22
296	Efficacy and safety of anti-epileptic drugs in patients with active convulsive seizures when no IV access is available: Systematic review and meta-analysis. <i>Epilepsy Research</i> , 2016 , 122, 47-55	3	21
295	Implementation of treatment guidelines for specialist mental health care. <i>Cochrane Database of Systematic Reviews</i> , 2014 , CD009780		21
294	Efficacy and tolerability of milnacipran in the treatment of major depression in comparison with other antidepressants : a systematic review and meta-analysis. <i>CNS Drugs</i> , 2008 , 22, 587-602	6.7	21
293	Update of suicide trends in Italy from 1986 to 1996. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 267-70	4.5	21
292	Varying and "atypical" indications for atypical antipsychotics. <i>Psychopharmacology</i> , 2003 , 169, 205-6	4.7	21
291	Comparative efficacy and tolerability of pharmacological interventions for attention-deficit/hyperactivity disorder in children, adolescents and adults: protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013967	3	20

290	Forty years without mental hospitals in Italy. <i>International Journal of Mental Health Systems</i> , 2018 , 12, 43	3.6	20
289	Changes in the utilization of venlafaxine after the introduction of generics in Sweden. <i>Applied Health Economics and Health Policy</i> , 2013 , 11, 383-93	3.4	20
288	Antipsychotic drug exposure and risk of pulmonary embolism: a population-based, nested case-control study. <i>BMC Psychiatry</i> , 2015 , 15, 92	4.2	20
287	Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis. <i>Journal of Psychopharmacology</i> , 2009 , 23, 539-50	4.6	20
286	Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009 , 10, 31	2.8	20
285	A simple approach to manage dosages in drug-epidemiology research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 186-7		20
284	Psychotropic drug use in Italy, 1984-99: the impact of a change in reimbursement status. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 227-33	2.2	20
283	Implementation of treatment guidelines for specialist mental health care. <i>The Cochrane Library</i> , 2016 , 12, CD009780	5.2	20
282	Pharmacotherapeutic interventions for bipolar disorder type II: addressing multiple symptoms and approaches with a particular emphasis on strategies in lower and middle-income countries. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 2237-2255	4	20
281	Vortioxetine for depression in adults. <i>The Cochrane Library</i> , 2017 , 7, CD011520	5.2	19
280	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia: a 12-month, randomized, naturalistic trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 533-7	1.7	19
279	EMA must improve the quality of its clinical trial reports. <i>BMJ, The</i> , 2011 , 342, d2291	5.9	19
278	Influence of patient co-payments on atypical antipsychotic choice in Poland: implications once generic atypicals are available. <i>Applied Health Economics and Health Policy</i> , 2011 , 9, 101-10	3.4	19
277	Antidepressant drug prescription and risk of abnormal bleeding: a case-control study. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 33-8	1.7	19
276	Antidepressant agents: from tricyclics to serotonin uptake inhibitors. <i>Psychological Medicine</i> , 1998 , 28, 1169-78	6.9	19
275	Low-dose neuroleptic therapy and relapse in schizophrenia: meta-analysis of randomized controlled trials. <i>European Psychiatry</i> , 1996 , 11, 306-13	6	19
274	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e030259	3	18
273	Patterns of benzodiazepine use in a Canadian population sample. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 248-254		18

272	Frequency and adequacy of depression treatment in a Canadian population sample. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 780-9	4.8	18
271	Fluoxetine dose and outcome in antidepressant drug trials. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 379-86	2.8	18
270	Forty years of antidepressant drug trials. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 92-5	6.5	18
269	First-generation antipsychotics and QTc: any role for mediating variables?. <i>Human Psychopharmacology</i> , 2016 , 31, 313-8	2.3	18
268	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. <i>Psychological Medicine</i> , 2020 , 50, 2498-2513	6.9	17
267	Persistence with pharmacological treatment in the specialist mental healthcare of patients with severe mental disorders. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1647-55	2.8	17
266	A cross-sectional audit of benzodiazepine use among general practice patients. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 97, 153-6	6.5	17
265	Direct costs of schizophrenia and related disorders in Italian community mental health services: a multicenter, prospective 1-year followup study. <i>Schizophrenia Bulletin</i> , 2004 , 30, 295-302	1.3	17
264	Impact of regulatory changes on first- and second-generation antipsychotic drug consumption and expenditure in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 72-7	4.5	17
263	Esketamine for treatment resistant depression: a trick of smoke and mirrors?. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e79	5.1	16
262	Psychological and social interventions for the prevention of mental disorders in people living in low- and middle-income countries affected by humanitarian crises. <i>The Cochrane Library</i> , 2020 , 9, CD012417	5.2	16
261	Global mental health: how are we doing?. <i>World Psychiatry</i> , 2018 , 17, 367-368	14.4	16
260	Costs in the Treatment of Schizophrenia in Adults Receiving Atypical Antipsychotics: An 11-Year Cohort in Brazil. <i>Applied Health Economics and Health Policy</i> , 2018 , 16, 697-709	3.4	15
259	Adverse effects of antipsychotic drugs: survey of doctors versus patients perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 157-64	4.5	15
258	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: results and lessons of an underpowered randomised clinical trial. <i>BMC Research Notes</i> , 2014 , 7, 731	2.3	15
257	Clinical and regulatory implications of active run-in phases in long-term studies for bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 328-42	6.5	15
256	Guideline implementation strategies for specialist mental healthcare. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 369-75	4.9	15
255	Why it is important to include unpublished data in systematic reviews. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 133-5	5.1	15

254	Antipsychotic drug prescribing in the elderly is cause for concern. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 347-50	2.2	15
253	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 683-697H	8.2	15
252	Adherence to generic v. brand antidepressant treatment and the key role of health system factors. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 23-6	5.1	14
251	Rigour of development of clinical practice guidelines for the pharmacological treatment of bipolar disorder: systematic review. <i>Journal of Affective Disorders</i> , 2015 , 174, 45-50	6.6	14
250	Prevalence and Correlates of Psychological Distress and Psychiatric Disorders in Asylum Seekers and Refugees Resettled in an Italian Catchment Area. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 263-270	2.2	14
249	Discussion of the updated WHO recommendations for mental, neurological, and substance use disorders. <i>Lancet Psychiatry</i> , 2016 , 3, 1008-1012	23.3	14
248	Antipsychotic drugs and cerebrovascular events in elderly patients with dementia: a systematic review. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008 , 8, 776-83	3.2	14
247	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 276-283	5.1	14
246	Head-to-head comparison of the costs of atypical antipsychotics: a systematic review. <i>CNS Drugs</i> , 2005 , 19, 935-50	6.7	14
245	Cross-sectional database analysis of antidepressant prescribing in Italy. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 31-4	1.7	14
244	Past use of selective serotonin reuptake inhibitors and the risk of cerebrovascular events in the elderly. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 169-71	2.2	14
243	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. <i>The Cochrane Library</i> , 2020 , 9, CD013458	5.2	14
242	Antipsychotic drug exposure and risk of fracture: a systematic review and meta-analysis of observational studies. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 181-196	2.2	14
241	New EMA report on paliperidone 3-month injections: taking clinical and policy decisions without an adequate evidence base. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 231-233	5.1	13
240	Duloxetine versus other anti-depressive agents for depression 2007 ,		13
239	Epidemiology of first- and second-generation antipsychotic agents in Lombardy, Italy. <i>Pharmacopsychiatry</i> , 2005 , 38, 128-31	2	13
238	Cost and outcome implications of using typical and atypical antipsychotics in ordinary practice in Italy. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1293-9	4.6	13
237	Pharmacological treatment of hyperactive delirium in people with COVID-19: rethinking conventional approaches. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320942703	4.9	13

236	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 403-414	9.4	13
235	Response rates in patients with schizophrenia and positive symptoms receiving cognitive behavioural therapy: a systematic review and single-group meta-analysis. <i>BMC Psychiatry</i> , 2018 , 18, 380	4.2	13
234	Are specific initiatives required to enhance prescribing of generic atypical antipsychotics in Scotland?: International implications. <i>International Journal of Clinical Practice</i> , 2013 , 67, 170-80	2.9	12
233	A new approach to psychiatric drug approval in Europe. <i>PLoS Medicine</i> , 2013 , 10, e1001530	11.6	12
232	Benzodiazepines and risk of dementia: true association or reverse causation?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 307-8	5.1	12
231	Potential to enhance the prescribing of generic drugs in patients with mental health problems in Austria; implications for the future. <i>Frontiers in Pharmacology</i> , 2012 , 3, 198	5.6	12
230	Relationship between quality of reports of antidepressant randomized controlled trials and treatment estimates: systematic review, meta-analysis, and meta-regression analysis. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 352-6	1.7	12
229	Reducing stigma and discrimination associated with COVID-19: early stage pandemic rapid review and practical recommendations. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e15	5.1	12
228	Cochrane for global mental health. <i>Lancet Psychiatry</i> , 2017 , 4, e6	23.3	11
227	Ongoing initiatives within the Scottish National Health Service to affect the prescribing of selective serotonin reuptake inhibitors and their influence. <i>Journal of Comparative Effectiveness Research</i> , 2019 , 8, 535-547	2.1	11
226	Decisions on WHO's essential medicines need more scrutiny. <i>BMJ, The</i> , 2014 , 349, g4798	5.9	11
225	Generic atypical antipsychotic drugs in Belgium: their influence and implications. <i>Journal of Comparative Effectiveness Research</i> , 2013 , 2, 551-61	2.1	11
224	Ranking antidepressants [Authors'Reply]. <i>Lancet, The</i> , 2009 , 373, 1761-1762	4.0	11
223	What is a risk ratio?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 20-21		11
222	Validity of indirect comparisons in meta-analysis. <i>Lancet, The</i> , 2007 , 369, 270-1; author reply 271	4.0	11
221	Trends in the use of the Italian Mental Health Act, 1979–1997. <i>European Psychiatry</i> , 2004 , 19, 444-5	6	11
220	Clozapine-treated subjects with treatment-resistant schizophrenia: a systematic review of experimental and observational studies. <i>International Clinical Psychopharmacology</i> , 2002 , 17, 189-95	2.2	11
219	Does placebo help establish equivalence in trials of new antidepressants?. <i>European Psychiatry</i> , 2000 , 15, 268-73	6	11

218	Implementing a data sharing culture. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 289-90	5.1	11
217	A Systematic Review of the Use of Telepsychiatry in Depression. <i>Community Mental Health Journal</i> , 2021 , 57, 93-100	2.1	11
216	Recent approaches to provision of mental healthcare in refugee populations. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 368-372	4.9	10
215	Use of antipsychotic drugs and mood stabilizers in women of childbearing age with schizophrenia and bipolar disorder: epidemiological survey. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 355-61	5.1	10
214	What is a Cochrane review?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 231-3	5.1	10
213	Health status, resource consumption, and costs of dysthymia. A multi-center two-year longitudinal study. <i>Journal of Affective Disorders</i> , 2006 , 90, 181-6	6.6	10
212	Mirtazapine versus other anti-depressive agents for depression 2007 ,		10
211	Citalopram versus other anti-depressive agents for depression 2007 ,		10
210	Worrying patterns of out-patient psychotropic drug prescribing in children and adolescents. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 189-90	9.4	10
209	Economic evaluation of antidepressive agents: a systematic critique of experimental and observational studies. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 145-54	1.7	10
208	Drug treatment modalities in psychiatric inpatient practice: a 20-year comparison. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 136-42	5.1	10
207	Efficacy and acceptability of antidepressants in patients with ischemic heart disease: systematic review and meta-analysis. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 65-75	2.2	10
206	Access to mental health services and psychotropic drug use in refugees and asylum seekers hosted in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 379-81	5.1	9
205	Implementation of treatment guidelines for specialist mental health care. <i>Schizophrenia Bulletin</i> , 2014 , 40, 737-9	1.3	9
204	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-103		9
203	Relationship between self-reported and observer-reported ratings for psychopathology in psychiatric inpatients. <i>Psychopathology</i> , 2007 , 40, 418-23	3.4	9
202	Explanatory and pragmatic trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 124-5		9
201	Epidemiological impact of antidepressant and antipsychotic drugs on the general population. <i>Current Opinion in Psychiatry</i> , 2006 , 19, 405-10	4.9	9

200	Antidepressant pharmacoepidemiology in a general population sample. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 285-7	1.7	9
199	The Qualyop Project. 1: Monitoring the dismantlement of Italian public psychiatric hospitals. Characteristics of patients scheduled for discharge. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 79-92	8.5	9
198	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 276-83		9
197	Mapping actions to improve access to medicines for mental disorders in low and middle income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 481-490	5.1	8
196	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0222891	3.7	8
195	Impact of maternal mental health interventions on child-related outcomes in low- and middle-income countries: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e174	5.1	8
194	Dealing With Adverse Events: A Meta-analysis on Second Victims' Coping Strategies. <i>Journal of Patient Safety</i> , 2020 , 16, e51-e60	1.9	8
193	Psychosocial interventions for children exposed to traumatic events in low- and middle-income countries: study protocol of an individual patient data meta-analysis. <i>Systematic Reviews</i> , 2014 , 3, 34	3	8
192	Making the use of psychotropic drugs more rational through the development of GRADE recommendations in specialist mental healthcare. <i>International Journal of Mental Health Systems</i> , 2013 , 7, 14	3.6	8
191	Using GRADE to update WHO recommendations for MNS. <i>Lancet Psychiatry</i> , 2015 , 2, 1054-6	23.3	8
190	Dichotomizing rating scale scores in psychiatry: a bad idea?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 17-9	5.1	8
189	Randomized trials published in Chinese or Western journals: comparative empirical analysis. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 354-61	1.7	8
188	Thirtieth birthday of the Italian psychiatric reform: research for identifying its active ingredients is urgently needed. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 1021	5.1	8
187	Antidepressants and suicide symptoms: compelling new insights from the FDA's analysis of individual patient level data. <i>Evidence-Based Mental Health</i> , 2008 , 11, 34-5	11.1	8
186	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 73-9	2.2	8
185	Effectiveness of a WHO self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial. <i>World Psychiatry</i> , 2022 , 21, 88-95	14.4	8
184	Reasons for initiating long-acting antipsychotics in psychiatric practice: findings from the STAR Network Depot Study. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320978102	4.9	8
183	If you could only choose five psychotropic medicines: updating the interagency emergency health kit. <i>PLoS Medicine</i> , 2011 , 8, e1001030	11.6	8

182	Colchicine allows prolonged survival of highly reactive renal allograft in the rat. <i>Journal of the American Society of Nephrology: JASN</i> , 1993 , 4, 1294-9	12.7	8
181	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2011 , 2011,		8
180	Discontinuing benzodiazepines: best practices. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 214-6	5.1	8
179	Beyond pain: can antidepressants improve depressive symptoms and quality of life in patients with neuropathic pain? A systematic review and meta-analysis. <i>Pain</i> , 2019 , 160, 2186-2198	8	8
178	Clinical correlates of paliperidone palmitate and aripiprazole monohydrate prescription for subjects with schizophrenia-spectrum disorders: findings from the STAR Network Depot Study. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 214-220	2.2	7
177	Parent skills training for parents of children or adults with developmental disorders: systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2014 , 4, e005799	3	7
176	Schizophrenia trials conducted in African countries: a drop of evidence in the ocean of morbidity?. <i>International Journal of Mental Health Systems</i> , 2012 , 6, 9	3.6	7
175	Assessing risk of bias in randomized controlled trials. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 296-297	5.1	7
174	Superiority, equivalence or non-inferiority?. <i>Epidemiology and Psychiatric Sciences</i> , 2009 , 18, 311-3	5.1	7
173	Agomelatine and the brave old world of narrative-based medicine. <i>Evidence-Based Mental Health</i> , 2012 , 15, 2-3	11.1	7
172	Milnacipran versus other anti-depressive agents for depression 2007 ,		7
171	CNS drugs approved by the centralised European procedure: true innovation or dangerous stagnation?. <i>Psychopharmacology</i> , 2007 , 190, 265-8	4.7	7
170	Antidepressant and antipsychotic drug prescribing in Lombardy. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 59-70		7
169	Mild depression in general practice: is the automatism of antidepressant prescribing an evidence-based approach?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 449-51	6.5	7
168	Clinical databases of patients receiving antidepressants. The missing link between research and practice?. <i>Journal of Affective Disorders</i> , 2002 , 70, 191-6	6.6	7
167	Development of a registry for monitoring psychotropic drug prescriptions: aims, methods and implications for ordinary practice and research. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 151-7	4.3	7
166	Psychotropic drug epidemiology: the road travelled, the road ahead. <i>International Review of Psychiatry</i> , 2005 , 17, 143-51	3.6	7
165	Can systematic reviews contribute to regulatory decisions?. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 507-509	2.8	6

164	Reviews and Meta-analyses of Psychotherapy Efficacy for Borderline Personality Disorder-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 854-855	14.5	6
163	Celebrating the 40th anniversary of the Italian Mental Health reform. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 311-313	5.1	6
162	Psychological interventions for positive symptoms in schizophrenia: protocol for a network meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2018 , 8, e019280	3	6
161	Regulatory science in Europe: the case of schizophrenia trials. <i>Lancet, The</i> , 2013 , 382, 1234-5	40	6
160	What is the European Medicines Agency?. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 245-7	5.1	6
159	Mental disorders and conditions specifically related to stress. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 195-6	5.1	6
158	Can authorities take advantage of the availability of generic atypical antipsychotic drugs? Findings from Sweden and potential implications. <i>Journal of Pharmaceutical Health Services Research</i> , 2013 , 4, 139-150	1	6
157	Suicide prevention strategies and mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 169-171		6
156	What is the WHO essential medicines list?. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 343-5	5.1	6
155	Sertraline versus other antidepressive agents for depression 2010 ,		6
154	Intramuscular haloperidol plus promethazine is more effective and safer than haloperidol alone for rapid tranquillisation of agitated mentally ill patients. <i>Evidence-Based Mental Health</i> , 2008 , 11, 86-7	11.1	6
153	Paroxetine versus other anti-depressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2007 ,		6
152	Venlafaxine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2007 ,	5.2	6
151	Fluvoxamine versus other anti-depressive agents for depression 2006 ,		6
150	Mediators of focused psychosocial support interventions for children in low-resource humanitarian settings: analysis from an Individual Participant Dataset with 3,143 participants. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 584-593	7.9	6
149	On the need for epidemiology in psychiatric sciences. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e1	5.1	6
148	Behavioural activation therapy for depression in adults with non-communicable diseases. <i>The Cochrane Library</i> , 2020 , 8, CD013461	5.2	6
147	Comparing Long-Acting Antipsychotic Discontinuation Rates Under Ordinary Clinical Circumstances: A Survival Analysis from an Observational, Pragmatic Study. <i>CNS Drugs</i> , 2021 , 35, 655-665	6.7	6

146	Comparative effectiveness of long-acting antipsychotics: issues and challenges from a pragmatic randomised study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 21-3	5.1	6
145	Improving access to medicines for mental disorders in low-resource settings: some achievements but still a long road ahead. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 1-3	5.1	6
144	Introduction and methods of the evidence-based guidelines for the diagnosis and management of autism spectrum disorder by the Italian National Institute of Health. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 81	3	5
143	Do antidepressants prolong the QT interval?. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 19-20	5.1	5
142	Antidepressant dose and the risk of deliberate self-harm. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 329-31	5.1	5
141	SSRI plus supportive care more effective than supportive care alone for mild to moderate depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 109	11.1	5
140	Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 236-41		5
139	Generating psychotropic drug exposure data from computer-based medical records. <i>Computer Methods and Programs in Biomedicine</i> , 2006 , 83, 120-4	6.9	5
138	What is a systematic review?. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 174-5		5
137	Patient opinions on the benefits of treatment programs in residential psychiatric care. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 613-20	4.8	5
136	Routine outcome monitoring in clinical practice: service and non-service costs of psychiatric patients attending a Community Mental Health Centre in Italy. <i>European Psychiatry</i> , 2004 , 19, 469-77	6	5
135	Drug epidemiology in Italy: methods and ethical issues. The example of psychiatry. <i>Pharmacoepidemiology and Drug Safety</i> , 2001 , 10, 647-52	2.6	5
134	The BPRS-E as predictor of length of stay in a residential facility. <i>Psychiatric Services</i> , 2005 , 56, 755-6	3.3	5
133	A network meta-analysis of psychosocial interventions for refugees and asylum seekers with PTSD. <i>BMJ Global Health</i> , 2021 , 6,	6.6	5
132	Access to psychotropic medicines in low-resource settings. <i>Lancet Psychiatry</i> , 2016 , 3, 913-915	23.3	5
131	Antipsychotic drug exposure and risk of myocardial infarction. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 18-21	5.1	4
130	Parkinsonian axial signs in schizophrenia. <i>Parkinsonism and Related Disorders</i> , 2017 , 36, 89-92	3.6	4
129	Cochrane reviews impact on mental health policy and practice. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 211-4	5.1	4

128	Stressful life events and social health factors in women using anxiolytics and antidepressants: an Italian observational study in community pharmacies. <i>Gender Medicine</i> , 2011 , 8, 80-92		4
127	Using the needs of WHO to prioritise Cochrane reviews: The case of antipsychotic drugs. <i>International Journal of Mental Health Systems</i> , 2011 , 5, 25	3.6	4
126	Making the best use of available evidence: the case of new generation antidepressants: a response to: are all antidepressants equal?. <i>Evidence-Based Mental Health</i> , 2009 , 12, 101-4	11.1	4
125	Reboxetine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 ,	5.2	4
124	Evidence-based psychopharmacology: an agenda for the future. <i>Evidence-Based Mental Health</i> , 2007 , 10, 4-6	11.1	4
123	The prevalence of antidepressant and antipsychotic drug prescribing in Lombardy, Italy. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 92-4	1.7	4
122	QUALYOP project 2: monitoring the dismantling of Italian psychiatric hospitals. Psychotropic drug use in 1072 inpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8, 331-7	2.6	4
121	Clinical trials of new antipsychotics: a critical appraisal. <i>International Clinical Psychopharmacology</i> , 1999 , 14, 133-7	2.2	4
120	Aripiprazole in Addition to Clozapine in Partially Responsive Patients with Schizophrenia: A Critical Review of Case Series. <i>Clinical Schizophrenia and Related Psychoses</i> , 2008 , 1, 341-347	1.6	4
119	Global mental health: good news, bad news and responsibilities for the future. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e76	5.1	4
118	Prevention and management of physical health conditions in adults with severe mental disorders: WHO recommendations. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 22	3.6	4
117	Meta-analysis of virtual reality exposure therapy for social anxiety disorder. <i>Psychological Medicine</i> , 2021 , 1-3	6.9	4
116	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-3		4
115	Attention-deficit/hyperactivity disorder (ADHD): from randomised controlled trials to evidence-based clinical services. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 445-447	5.1	3
114	Drug dose as mediator of treatment effect in antidepressant drug trials: the case of fluoxetine. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 408-16	6.5	3
113	Do Cochrane systematic reviews meet WHO needs?. <i>Addiction</i> , 2015 , 110, 899-900	4.6	3
112	Association of traumatic events with levels of psychological distress and depressive symptoms in male asylum seekers and refugees resettled in Italy. <i>BMC Psychiatry</i> , 2020 , 20, 576	4.2	3
111	Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1301-1310	2.8	3

110	Esketamine clinical trials: reply to Maju. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e122	5.1	3
109	Prevalence and treatment of neurological and psychiatric disorders among tertiary hospitals in Pakistan; findings and implications. <i>Hospital Practice (1995)</i> , 2020 , 48, 145-160	2.2	3
108	Trends in the prescribing of antipsychotic medicines in Pakistan: implications for the future. <i>Current Medical Research and Opinion</i> , 2019 , 35, 51-61	2.5	3
107	Antidepressants for the treatment of depression in patients with cancer 2014 ,		3
106	Access and use of psychotropic medicines in low-resource settings. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 206-9	5.1	3
105	Regulatory meta-analyses for the evaluation of psychotropic medicines. <i>Lancet Psychiatry</i> , 2017 , 4, 660-661	23.3	3
104	Autism spectrum disorders: weighing the risk of SSRI exposure in pregnancy. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 231-3	5.1	3
103	Geneva calling: WHO resolution on mental disorders. <i>International Journal of Mental Health Systems</i> , 2012 , 6, 6	3.6	3
102	Treatment choices in women with bipolar disorder seeking pregnancy: a clinical case illustration. <i>Case Reports in Psychiatry</i> , 2013 , 2013, 630732	0.6	3
101	What is a factorial trial?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 213-5	5.1	3
100	What is a clinical trial protocol?. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 116-117		3
99	Outcome reporting bias in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 17-18		3
98	What is an individual patient data meta-analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 203-204		3
97	Health status, resource consumption, and costs of dysthymic patients in Italian primary care. <i>Epidemiologia E Psichiatria Sociale</i> , 2004 , 13, 120-5		3
96	International dosage differences in fluoxetine clinical trials. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 31-8	4.8	3
95	Costi diretti della schizofrenia nei dipartimenti di salute mentale italiani. <i>Pharmacoeconomics Italian Research Articles</i> , 2002 , 4, 81-89		3
94	Risk factors of postpartum depression and depressive symptoms: umbrella review of current evidence from systematic reviews and meta-analyses of observational studies.. <i>British Journal of Psychiatry</i> , 2022 , 1-12	5.4	3
93	Early pharmacological interventions for universal prevention of post-traumatic stress disorder (PTSD).. <i>The Cochrane Library</i> , 2022 , 2, CD013443	5.2	3

92	Studies of privileged sites and organ transplantation. <i>Experimental Nephrology</i> , 1993 , 1, 120-7		3
91	Does mental health staffing level affect antipsychotic prescribing? Analysis of Italian national statistics. <i>PLoS ONE</i> , 2018 , 13, e0193216	3.7	3
90	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. <i>Health Technology Assessment</i> , 2020 , 24, 1-312	4.4	3
89	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2007 , 2007,		3
88	Trajectories of psychological symptoms and resilience in conflict-affected children in low- and middle-income countries. <i>Clinical Psychology Review</i> , 2020 , 82, 101935	10.8	3
87	AuthorsReply. <i>British Journal of Psychiatry</i> , 2015 , 207, 177	5.4	2
86	Public health psychopharmacology: a new research discipline comes of age?. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 24-28	5.1	2
85	Stopping antidepressants following depression. <i>BMJ, The</i> , 2016 , 352, i220	5.9	2
84	Mapping the evidence on pharmacological interventions for non-affective psychosis in humanitarian non-specialised settings: a UNHCR clinical guidance. <i>BMC Medicine</i> , 2017 , 15, 197	11.4	2
83	Review: maintenance antidepressants reduce risk of relapse but effect is not as great in recurrent depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 79	11.1	2
82	Implementation of treatment guidelines for specialist mental health care 2012 ,		2
81	Allocation concealment and blinding in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 115-116		2
80	What is a forest plot?. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 258-259	5.1	2
79	Escitalopram versus other anti-depressive agents for depression 2007 ,		2
78	Fluoxetine versus other types of pharmacotherapy for depression 2003 ,		2
77	The Role of Attitudes Toward Medication and Treatment Adherence in the Clinical Response to LAIs: Findings From the STAR Network Depot Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 784366	5	2
76	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. <i>Focus (American Psychiatric Publishing)</i> , 2020 , 18, 466-481	1.1	2
75	Effectiveness of self-help plus (SH+) in reducing anxiety and post-traumatic symptomatology among care home workers during the COVID-19 pandemic: a randomized controlled trial. <i>Royal Society Open Science</i> , 2021 , 8, 210219	3.3	2

74	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. <i>BMJ Open</i> , 2020 , 10, e038909	3	2
73	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <i>Trials</i> , 2020 , 21, 695	2.8	2
72	Primary-level and community worker interventions for the prevention of mental disorders and the promotion of well-being in low- and middle-income countries. <i>The Cochrane Library</i> ,	5.2	2
71	Psychosocial treatments for relapse prevention in schizophrenia: study protocol for a systematic review and network meta-analysis of randomised evidence. <i>BMJ Open</i> , 2020 , 10, e035073	3	2
70	Regulatory requirements for psychological interventions. <i>Lancet Psychiatry</i> , 2021 , 8, 174-176	23.3	2
69	Assessing risk of bias in randomized controlled trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 296-7		2
68	Oral and long-acting antipsychotics for relapse prevention in schizophrenia-spectrum disorders: a network meta-analysis of 92 randomized trials including 22,645 participants.. <i>World Psychiatry</i> , 2022 , 21, 295-307	14.4	2
67	Gaps and challenges: WHO treatment recommendations for tobacco cessation and management of substance use disorders in people with severe mental illness. <i>BMC Psychiatry</i> , 2020 , 20, 237	4.2	1
66	From the 16th to the 21st Century: how we approach mental health problems and where do we go next?. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 365-7	5.1	1
65	Clinical use of the diagnostic criteria for major depressive disorder. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 464-5	5.1	1
64	Evidence, knowledge, implementation: glossary of terminology. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 1-2	5.1	1
63	AuthorsReply to Magrini and colleagues. <i>BMJ, The</i> , 2014 , 349, g5705	5.9	1
62	Comparative Efficacy and Tolerability of 15 Antipsychotic Drugs in Schizophrenia: A Multiple-Treatments Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 192-204	1.1	1
61	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2014 ,	5.2	1
60	Comparative efficacy of anti-manic drugs in acute mania - AuthorsReply. <i>Lancet, The</i> , 2012 , 379, 894	40	1
59	Review: is aripiprazole as effective as risperidone in people with schizophrenia?. <i>Evidence-Based Mental Health</i> , 2010 , 13, 51	11.1	1
58	What is an intention to treat analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 26-27		1
57	The attitude of patients with mental disorders towards pharmacological and non-pharmacological treatments: emerging implications for clinical practice, service organization and research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 171-3		1

56	Review: antidepressant plus antipsychotic increases clinical response rates in psychotic depression. <i>Evidence-Based Mental Health</i> , 2007 , 10, 10	11.1	1
55	Effect of Antipsychotic Drugs on Cerebrovascular Morbidity and Mortality: A Systematic Review. <i>Current Drug Therapy</i> , 2006 , 1, 241-248	0.7	1
54	Decision models in the evaluation of psychotropic drugs : useful tool or useless toy?. <i>European Journal of Health Economics</i> , 2006 , 7, 173-5	3.6	1
53	The changing pattern of inpatient antipsychotic drug use in Italy. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 559-61	1.7	1
52	Low-dose neuroleptic therapy and extrapyramidal side effects in schizophrenia: An effect size analysis. <i>European Psychiatry</i> , 1996 , 11, 412-5	6	1
51	Reducing the Risk of Cognitive Decline and Dementia: WHO Recommendations.. <i>Frontiers in Neurology</i> , 2021 , 12, 765584	4.1	1
50	Comparing 1-year effectiveness and acceptability of once-monthly paliperidone palmitate and aripiprazole monohydrate for schizophrenia spectrum disorders: Findings from the STAR Network Depot Study.. <i>Psychiatry Research</i> , 2022 , 309, 114405	9.9	1
49	Expanding access to long-acting antipsychotics in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2021 , 8, 1034-1035	23.3	1
48	Polycystic ovary syndrome and postpartum depression: A systematic review and meta-analysis of observational studies.. <i>Journal of Affective Disorders</i> , 2021 , 299, 463-469	6.6	1
47	Psychosocial interventions for Post-Traumatic Stress Disorder in refugees and asylum seekers. <i>Rivista Sperimentale Di Freniatria</i> , 2017 , 51-66	0	1
46	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials.. <i>British Journal of Psychiatry</i> , 2021 , 1-13	5.4	1
45	How does context influence the delivery of mental health interventions for asylum seekers and refugees in low- and middle-income countries? A qualitative systematic review. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 80	3.6	1
44	Efficacy of physical activity interventions on psychological outcomes in refugee, asylum seeker and migrant populations: A systematic review and meta-analysis. <i>Psychology of Sport and Exercise</i> , 2021 , 54, 101901	4.2	1
43	Global mental health: achievements, concerns and (unanswered) questions. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 493-494	5.1	1
42	Social and environmental adversities, neurobiological processes and mental disorders. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 93-4	5.1	1
41	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. <i>The Cochrane Library</i> , 2019 ,	5.2	1
40	Self-help plus for refugees and asylum seekers; study protocol for a series of individual participant data meta-analyses. <i>Högre Utbildning</i> , 2021 , 12, 1930690	5	1
39	Access to and Use of Psychiatric Services by Migrants Resettled in Northern Italy. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 1309-1316	2.2	1

38	Review: antipsychotic plus mood stabiliser co-therapy is more effective than mood stabiliser mono-therapy at reducing acute bipolar mania. <i>Evidence-Based Mental Health</i> , 2007 , 10, 83	11.1	1
37	Mapping the selection, availability, price and affordability of essential medicines for mental health conditions at a global level.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e22	5.1	1
36	Preventing the mental health consequences of war in refugee populations.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e24	5.1	1
35	Community-based interventions for improving mental health in refugee children and adolescents in high-income countries.. <i>The Cochrane Library</i> , 2022 , 5, CD013657	5.2	1
34	Poor implementation of the EU clinical trial regulation is a major threat for pragmatic trials in European countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e126	5.1	0
33	Safety of psychotropic medicines: looking beyond randomised evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 529-530	5.1	0
32	Medicine-based evidence: the case of antidepressants in patients with coronary artery disease. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 18-20	5.1	0
31	Evaluation of dehospitalization policies of the former psychiatric hospitals of Regione Lombardia. QUALYOP study results. I: Structural resources, organizational procedures and activities. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 59-71		0
30	Preventing relapse in schizophrenia needs better evidence.. <i>Lancet, The</i> , 2022 , 399, 773-775	4.0	0
29	Development of a core outcome set for multimorbidity trials in low/middle-income countries (COSMOS): study protocol.. <i>BMJ Open</i> , 2022 , 12, e051810	3	0
28	Reply to the Comments by Doherty et al. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 140-141	9.4	0
27	Calling for policy actions to increase access to long-acting antipsychotics in low-income and middle-income countries.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e34	5.1	0
26	Cost-effectiveness of the Self-Help Plus Intervention for Adult Syrian Refugees Hosted in Turkey.. <i>JAMA Network Open</i> , 2022 , 5, e2211489	10.4	0
25	Role of Co-occurring Alcohol and Substances Abuse on QTc Interval Prolongation Among Psychiatric Patients: A Cross-sectional National Survey. <i>European Psychiatry</i> , 2017 , 41, S201-S202	6	
24	Beneficial and harmful consequences of prepartum and postpartum antidepressant exposure. <i>Evidence-Based Mental Health</i> , 2014 , 17, 69-71	11.1	
23	Review: Short-term benefit of escitalopram versus citalopram for depression uncertain, but big difference in French health insurance costs. <i>Evidence-Based Mental Health</i> , 2013 , 16, 51	11.1	
22	Getting through the quicksand of the relationship between drugs and suicide. <i>Drug Safety</i> , 2011 , 34, 397-401	5.1	
21	Cognitive improvements with antipsychotics: real or practice effect?. <i>Evidence-Based Mental Health</i> , 2008 , 11, 42	11.1	

- 20 Adding aripiprazole improves major depressive disorder following incomplete response to antidepressants alone. *Evidence-Based Mental Health*, **2008**, 11, 15 11.1
- 19 Haloperidol, risperidone and olanzapine are similarly effective for first-episode non-affective psychosis but have differing side effects. *Evidence-Based Mental Health*, **2007**, 10, 74 11.1
- 18 La ricerca farmaco-economica italiana su riviste internazionali. *Pharmacoeconomics Italian Research Articles*, **2004**, 6, 115-120
- 17 Review: multiple daily doses of antidepressants are not more effective than single daily doses. *Evidence-Based Mental Health*, **2002**, 5, 57 11.1
- 16 Italy's mad law. *Acta Psychiatrica Scandinavica*, **2000**, 102, 396 6.5
- 15 When important steps for a reliable meta-analysis are missing: the bevacizumab versus ranibizumab case. *International Journal of Ophthalmology*, **2015**, 8, 204-5 1.4
- 14 Is the efficacy of antidepressants in panic disorder mediated by adverse events? A mediational analysis. *PLoS ONE*, **2017**, 12, e0178617 3.7
- 13 Psychotropic drug epidemiology and systematic reviews of randomised clinical trials 317-339
- 12 Sharing (all) clinical data. *European Journal of Internal Medicine*, **2016**, 33, e27 3.9
- 11 Outcome reporting bias in clinical trials. *Epidemiologia E Psichiatria Sociale*, **2009**, 18, 17-8
- 10 Safety of psychotropic medications in people with COVID-19. *European Psychiatry*, **2021**, 64, S93-S93 6
- 9 Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis **2020**, 17, e1003262
- 8 Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis **2020**, 17, e1003262
- 7 Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis **2020**, 17, e1003262
- 6 Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis **2020**, 17, e1003262
- 5 Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis **2020**, 17, e1003262
- 4 Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review **2019**, 14, e0222891
- 3 Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review **2019**, 14, e0222891

- 2 Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review **2019**, 14, e0222891
- 1 Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review **2019**, 14, e0222891