

Corrado Barbui

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7695262/corrado-barbui-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

415
papers

14,662
citations

54
h-index

110
g-index

458
ext. papers

17,559
ext. citations

6.3
avg, IF

6.59
L-index

#	Paper	IF	Citations
415	Risk factors of postpartum depression and depressive symptoms: umbrella review of current evidence from systematic reviews and meta-analyses of observational studies.. <i>British Journal of Psychiatry</i> , 2022 , 1-12	5.4	3
414	Effectiveness of a WHO self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial.. <i>World Psychiatry</i> , 2022 , 21, 88-95	14.4	8
413	Comparing 1-year effectiveness and acceptability of once-monthly paliperidone palmitate and aripiprazole monohydrate for schizophrenia spectrum disorders: Findings from the STAR Network Depot Study.. <i>Psychiatry Research</i> , 2022 , 309, 114405	9.9	1
412	Early pharmacological interventions for universal prevention of post-traumatic stress disorder (PTSD).. <i>The Cochrane Library</i> , 2022 , 2, CD013443	5.2	3
411	Preventing relapse in schizophrenia needs better evidence.. <i>Lancet, The</i> , 2022 , 399, 773-775	4.0	0
410	Development of a core outcome set for multimorbidity trials in low/middle-income countries (COSMOS): study protocol.. <i>BMJ Open</i> , 2022 , 12, e051810	3	0
409	Mapping the selection, availability, price and affordability of essential medicines for mental health conditions at a global level.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e22	5.1	1
408	Preventing the mental health consequences of war in refugee populations.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e24	5.1	1
407	Calling for policy actions to increase access to long-acting antipsychotics in low-income and middle-income countries.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e34	5.1	0
406	Community-based interventions for improving mental health in refugee children and adolescents in high-income countries.. <i>The Cochrane Library</i> , 2022 , 5, CD013657	5.2	1
405	Oral and long-acting antipsychotics for relapse prevention in schizophrenia-spectrum disorders: a network meta-analysis of 92 randomized trials including 22,645 participants.. <i>World Psychiatry</i> , 2022 , 21, 295-307	14.4	2
404	Cost-effectiveness of the Self-Help Plus Intervention for Adult Syrian Refugees Hosted in Turkey.. <i>JAMA Network Open</i> , 2022 , 5, e2211489	10.4	0
403	Reducing the Risk of Cognitive Decline and Dementia: WHO Recommendations.. <i>Frontiers in Neurology</i> , 2021 , 12, 765584	4.1	1
402	The Role of Attitudes Toward Medication and Treatment Adherence in the Clinical Response to LAIs: Findings From the STAR Network Depot Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 784366	5	2
401	Effectiveness of self-help plus (SH+) in reducing anxiety and post-traumatic symptomatology among care home workers during the COVID-19 pandemic: a randomized controlled trial. <i>Royal Society Open Science</i> , 2021 , 8, 210219	3.3	2
400	Expanding access to long-acting antipsychotics in low-income and middle-income countries. <i>Lancet Psychiatry,the</i> , 2021 , 8, 1034-1035	23.3	1
399	Polycystic ovary syndrome and postpartum depression: A systematic review and meta-analysis of observational studies.. <i>Journal of Affective Disorders</i> , 2021 , 299, 463-469	6.6	1

398	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials.. <i>British Journal of Psychiatry</i> , 2021 , 1-13	5.4	1
397	How does context influence the delivery of mental health interventions for asylum seekers and refugees in low- and middle-income countries? A qualitative systematic review. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 80	3.6	1
396	Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2021 , 8, 969-980	23.3	26
395	Prevention and management of physical health conditions in adults with severe mental disorders: WHO recommendations. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 22	3.6	4
394	Comparing Long-Acting Antipsychotic Discontinuation Rates Under Ordinary Clinical Circumstances: A Survival Analysis from an Observational, Pragmatic Study. <i>CNS Drugs</i> , 2021 , 35, 655-665	6.7	6
393	Efficacy of physical activity interventions on psychological outcomes in refugee, asylum seeker and migrant populations: A systematic review and meta-analysis. <i>Psychology of Sport and Exercise</i> , 2021 , 54, 101901	4.2	1
392	Maintenance Treatment With Long-Acting Injectable Antipsychotics for People With Nonaffective Psychoses: A Network Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021 , 178, 424-436	11.9	22
391	Meta-analysis of virtual reality exposure therapy for social anxiety disorder. <i>Psychological Medicine</i> , 2021 , 1-3	6.9	4
390	A network meta-analysis of psychosocial interventions for refugees and asylum seekers with PTSD. <i>BMJ Global Health</i> , 2021 , 6,	6.6	5
389	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 403-414	9.4	13
388	Regulatory requirements for psychological interventions. <i>Lancet Psychiatry</i> , 2021 , 8, 174-176	23.3	2
387	A Systematic Review of the Use of Telepsychiatry in Depression. <i>Community Mental Health Journal</i> , 2021 , 57, 93-100	2.1	11
386	Post-Marketing Safety Concerns with Esketamine: A Disproportionality Analysis of Spontaneous Reports Submitted to the FDA Adverse Event Reporting System. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 41-48	9.4	27
385	Reducing stigma and discrimination associated with COVID-19: early stage pandemic rapid review and practical recommendations. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e15	5.1	12
384	Self-help plus for refugees and asylum seekers; study protocol for a series of individual participant data meta-analyses. <i>Högre Utbildning</i> , 2021 , 12, 1930690	5	1
383	Safety of psychotropic medications in people with COVID-19. <i>European Psychiatry</i> , 2021 , 64, S93-S93	6	
382	Reply to the Comments by Doherty et al. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 140-141	9.4	0
381	Association of traumatic events with levels of psychological distress and depressive symptoms in male asylum seekers and refugees resettled in Italy. <i>BMC Psychiatry</i> , 2020 , 20, 576	4.2	3

380	Poor implementation of the EU clinical trial regulation is a major threat for pragmatic trials in European countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e126	5.1	0
379	Impact of maternal mental health interventions on child-related outcomes in low- and middle-income countries: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e174	5.1	8
378	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. <i>Psychological Medicine</i> , 2020 , 50, 2498-2513	6.9	17
377	Dealing With Adverse Events: A Meta-analysis on Second Victims' Coping Strategies. <i>Journal of Patient Safety</i> , 2020 , 16, e51-e60	1.9	8
376	Gaps and challenges: WHO treatment recommendations for tobacco cessation and management of substance use disorders in people with severe mental illness. <i>BMC Psychiatry</i> , 2020 , 20, 237	4.2	1
375	Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1301-1310	2.8	3
374	Clinical correlates of paliperidone palmitate and aripiprazole monohydrate prescription for subjects with schizophrenia-spectrum disorders: findings from the STAR Network Depot Study. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 214-220	2.2	7
373	Esketamine clinical trials: reply to Maju. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e122	5.1	3
372	Prevalence and treatment of neurological and psychiatric disorders among tertiary hospitals in Pakistan; findings and implications. <i>Hospital Practice (1995)</i> , 2020 , 48, 145-160	2.2	3
371	Introduction and methods of the evidence-based guidelines for the diagnosis and management of autism spectrum disorder by the Italian National Institute of Health. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 81	3	5
370	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. <i>Focus (American Psychiatric Publishing)</i> , 2020 , 18, 466-481	1.1	2
369	Reasons for initiating long-acting antipsychotics in psychiatric practice: findings from the STAR Network Depot Study. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320978102	4.9	8
368	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. <i>Health Technology Assessment</i> , 2020 , 24, 1-312	4.4	3
367	Development and implementation of guidelines for the management of depression: a systematic review. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 683-697H	8.2	15
366	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. <i>BMJ Open</i> , 2020 , 10, e038909	3	2
365	Mediators of focused psychosocial support interventions for children in low-resource humanitarian settings: analysis from an Individual Participant Dataset with 3,143 participants. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 584-593	7.9	6
364	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. <i>Lancet Psychiatry</i> , 2020 , 7, 162-172	23.3	65
363	Psychological and Psychosomatic Symptoms of Second Victims of Adverse Events: a Systematic Review and Meta-Analysis. <i>Journal of Patient Safety</i> , 2020 , 16, e61-e74	1.9	24

362	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. <i>BMC Medicine</i> , 2020 , 18, 215	11.4	30
361	Tolerability and efficacy of vortioxetine versus SSRIs in elderly with major depression. Study protocol of the VESPA study: a pragmatic, multicentre, open-label, parallel-group, superiority, randomized trial. <i>Trials</i> , 2020 , 21, 695	2.8	2
360	Pharmacological treatment of hyperactive delirium in people with COVID-19: rethinking conventional approaches. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320942703	4.9	13
359	Trajectories of psychological symptoms and resilience in conflict-affected children in low- and middle-income countries. <i>Clinical Psychology Review</i> , 2020 , 82, 101935	10.8	3
358	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. <i>The Cochrane Library</i> , 2020 , 9, CD013458	5.2	14
357	Behavioural activation therapy for depression in adults with non-communicable diseases. <i>The Cochrane Library</i> , 2020 , 8, CD013461	5.2	6
356	Psychological and social interventions for the prevention of mental disorders in people living in low- and middle-income countries affected by humanitarian crises. <i>The Cochrane Library</i> , 2020 , 9, CD012417	5.2	16
355	Response to the Novel Corona Virus (COVID-19) Pandemic Across Africa: Successes, Challenges, and Implications for the Future. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1205	5.6	68
354	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003262	11.6	71
353	Psychosocial treatments for relapse prevention in schizophrenia: study protocol for a systematic review and network meta-analysis of randomised evidence. <i>BMJ Open</i> , 2020 , 10, e035073	3	2
352	Efficacy of interventions to reduce coercive treatment in mental health services: umbrella review of randomised evidence. <i>British Journal of Psychiatry</i> , 2020 , 1-11	5.4	45
351	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262		
350	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262		
349	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262		
348	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262		
347	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262		
346	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review. <i>PLoS ONE</i> , 2019 , 14, e0222891	3.7	8
345	Efficacy and acceptability of psychosocial interventions in asylum seekers and refugees: systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 376-388	5.1	71

344	Medicine-based evidence: the case of antidepressants in patients with coronary artery disease. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 18-20	5.1	0
343	Trends in the prescribing of antipsychotic medicines in Pakistan: implications for the future. <i>Current Medical Research and Opinion</i> , 2019 , 35, 51-61	2.5	3
342	Ongoing initiatives within the Scottish National Health Service to affect the prescribing of selective serotonin reuptake inhibitors and their influence. <i>Journal of Comparative Effectiveness Research</i> , 2019 , 8, 535-547	2.1	11
341	Antipsychotic use and risk of life-threatening medical events: umbrella review of observational studies. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 227-243	6.5	36
340	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e030259	3	18
339	On the need for epidemiology in psychiatric sciences. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e1	5.1	6
338	Global mental health: good news, bad news and responsibilities for the future. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e76	5.1	4
337	Esketamine for treatment resistant depression: a trick of smoke and mirrors?. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e79	5.1	16
336	An overview of systematic reviews on mental health promotion, prevention, and treatment of common mental disorders for refugees, asylum seekers, and internally displaced persons. <i>The Cochrane Library</i> , 2019 ,	5.2	1
335	Pharmacotherapeutic interventions for bipolar disorder type II: addressing multiple symptoms and approaches with a particular emphasis on strategies in lower and middle-income countries. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 2237-2255	4	20
334	Beyond pain: can antidepressants improve depressive symptoms and quality of life in patients with neuropathic pain? A systematic review and meta-analysis. <i>Pain</i> , 2019 , 160, 2186-2198	8	8
333	Efficacy and acceptability of antidepressants in patients with ischemic heart disease: systematic review and meta-analysis. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 65-75	2.2	10
332	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
331	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
330	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
329	Are trials of psychological and psychosocial interventions for schizophrenia and psychosis included in the NICE guidelines pragmatic? A systematic review 2019 , 14, e0222891		
328	Celebrating the 40th anniversary of the Italian Mental Health reform. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 311-313	5.1	6
327	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2018 , 4, CD011006	5.2	37

326	Public health psychopharmacology: a new research discipline comes of age?. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 24-28	5.1	2
325	Psychotherapies for depression in low- and middle-income countries: a meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 90-101	14.4	52
324	Recent approaches to provision of mental healthcare in refugee populations. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 368-372	4.9	10
323	Psychological interventions for positive symptoms in schizophrenia: protocol for a network meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2018 , 8, e019280	3	6
322	Focused psychosocial interventions for children in low-resource humanitarian settings: a systematic review and individual participant data meta-analysis. <i>The Lancet Global Health</i> , 2018 , 6, e390-e400	13.6	74
321	Prevalence and Correlates of Psychological Distress and Psychiatric Disorders in Asylum Seekers and Refugees Resettled in an Italian Catchment Area. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 263-270	2.2	14
320	WHO Mental Health Gap Action Programme (mhGAP) Intervention Guide: a systematic review of evidence from low and middle-income countries. <i>Evidence-Based Mental Health</i> , 2018 , 21, 30-34	11.1	120
319	Comparative efficacy and tolerability of medications for attention-deficit hyperactivity disorder in children, adolescents, and adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2018 , 5, 727-738	23.3	378
318	Forty years without mental hospitals in Italy. <i>International Journal of Mental Health Systems</i> , 2018 , 12, 43	3.6	20
317	Costs in the Treatment of Schizophrenia in Adults Receiving Atypical Antipsychotics: An 11-Year Cohort in Brazil. <i>Applied Health Economics and Health Policy</i> , 2018 , 16, 697-709	3.4	15
316	Safety of psychotropic medicines: looking beyond randomised evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 529-530	5.1	0
315	Factors associated with first- versus second-generation long-acting antipsychotics prescribed under ordinary clinical practice in Italy. <i>PLoS ONE</i> , 2018 , 13, e0201371	3.7	29
314	Does mental health staffing level affect antipsychotic prescribing? Analysis of Italian national statistics. <i>PLoS ONE</i> , 2018 , 13, e0193216	3.7	3
313	Antipsychotic drug exposure and risk of fracture: a systematic review and meta-analysis of observational studies. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 181-196	2.2	14
312	Response rates in patients with schizophrenia and positive symptoms receiving cognitive behavioural therapy: a systematic review and single-group meta-analysis. <i>BMC Psychiatry</i> , 2018 , 18, 380	4.2	13
311	Global mental health: how are we doing?. <i>World Psychiatry</i> , 2018 , 17, 367-368	14.4	16
310	Psychological interventions to reduce positive symptoms in schizophrenia: systematic review and network meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 316-329	14.4	64
309	Access to and Use of Psychiatric Services by Migrants Resettled in Northern Italy. <i>Journal of Immigrant and Minority Health</i> , 2018 , 20, 1309-1316	2.2	1

308	Psychological therapies for the treatment of mental disorders in low- and middle-income countries affected by humanitarian crises. <i>The Cochrane Library</i> , 2018 , 7, CD011849	5.2	63
307	Can systematic reviews contribute to regulatory decisions?. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 507-509	2.8	6
306	Comparative efficacy and tolerability of pharmacological interventions for attention-deficit/hyperactivity disorder in children, adolescents and adults: protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013967	3	20
305	Attention-deficit/hyperactivity disorder (ADHD): from randomised controlled trials to evidence-based clinical services. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 445-447	5.1	3
304	A systematic review of cognitive effects of exercise in depression. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 285-295	6.5	33
303	Efficacy of Psychotherapies for Borderline Personality Disorder: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2017 , 74, 319-328	14.5	301
302	New EMA report on paliperidone 3-month injections: taking clinical and policy decisions without an adequate evidence base. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 231-233	5.1	13
301	Reviews and Meta-analyses of Psychotherapy Efficacy for Borderline Personality Disorder-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 854-855	14.5	6
300	Mapping actions to improve access to medicines for mental disorders in low and middle income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 481-490	5.1	8
299	Cochrane for global mental health. <i>Lancet Psychiatry</i> , 2017 , 4, e6	23.3	11
298	Antipsychotic drug exposure and risk of myocardial infarction. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 18-21	5.1	4
297	Parkinsonian axial signs in schizophrenia. <i>Parkinsonism and Related Disorders</i> , 2017 , 36, 89-92	3.6	4
296	The evidence-practice gap in specialist mental healthcare: systematic review and meta-analysis of guideline implementation studies. <i>British Journal of Psychiatry</i> , 2017 , 210, 24-30	5.4	33
295	Psychosocial interventions for post-traumatic stress disorder in refugees and asylum seekers resettled in high-income countries: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171030	3.7	123
294	Common mental disorders in asylum seekers and refugees: umbrella review of prevalence and intervention studies. <i>International Journal of Mental Health Systems</i> , 2017 , 11, 51	3.6	162
293	Combinations of QTc-prolonging drugs: towards disentangling pharmacokinetic and pharmacodynamic effects in their potentially additive nature. <i>Therapeutic Advances in Psychopharmacology</i> , 2017 , 7, 251-264	4.9	25
292	Regulatory meta-analyses for the evaluation of psychotropic medicines. <i>Lancet Psychiatry</i> , 2017 , 4, 660-661	23.3	3
291	Vortioxetine for depression in adults. <i>The Cochrane Library</i> , 2017 , 7, CD011520	5.2	19

290	Role of Co-occurring Alcohol and Substances Abuse on QTc Interval Prolongation Among Psychiatric Patients: A Cross-sectional National Survey. <i>European Psychiatry</i> , 2017 , 41, S201-S202	6	
289	Evidence, knowledge, implementation: glossary of terminology. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 1-2	5.1	1
288	Does formulation matter? A systematic review and meta-analysis of oral versus long-acting antipsychotic studies. <i>Schizophrenia Research</i> , 2017 , 183, 10-21	3.6	48
287	Mapping the evidence on pharmacological interventions for non-affective psychosis in humanitarian non-specialised settings: a UNHCR clinical guidance. <i>BMC Medicine</i> , 2017 , 15, 197	11.4	2
286	Psychosocial interventions for Post-Traumatic Stress Disorder in refugees and asylum seekers. <i>Rivista Sperimentale Di Freniatria</i> , 2017 , 51-66	0	1
285	Is the efficacy of antidepressants in panic disorder mediated by adverse events? A mediational analysis. <i>PLoS ONE</i> , 2017 , 12, e0178617	3.7	
284	Discussion of the updated WHO recommendations for mental, neurological, and substance use disorders. <i>Lancet Psychiatry</i> , 2016 , 3, 1008-1012	23.3	14
283	Stopping antidepressants following depression. <i>BMJ, The</i> , 2016 , 352, i220	5.9	2
282	Efficacy and safety of anti-epileptic drugs in patients with active convulsive seizures when no IV access is available: Systematic review and meta-analysis. <i>Epilepsy Research</i> , 2016 , 122, 47-55	3	21
281	Efficacy of selective serotonin reuptake inhibitors and adverse events: meta-regression and mediation analysis of placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2016 , 208, 114-9	5.4	28
280	Antipsychotic Dose Mediates the Association between Polypharmacy and Corrected QT Interval. <i>PLoS ONE</i> , 2016 , 11, e0148212	3.7	40
279	Implementing a data sharing culture. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 289-90	5.1	11
278	Prevalence and correlates of QTc prolongation in Italian psychiatric care: cross-sectional multicentre study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 532-540	5.1	34
277	First-generation antipsychotics and QTc: any role for mediating variables?. <i>Human Psychopharmacology</i> , 2016 , 31, 313-8	2.3	18
276	Sharing (all) clinical data. <i>European Journal of Internal Medicine</i> , 2016 , 33, e27	3.9	
275	Global mental health: achievements, concerns and (unanswered) questions. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 493-494	5.1	1
274	Implementation of treatment guidelines for specialist mental health care. <i>The Cochrane Library</i> , 2016 , 12, CD009780	5.2	20
273	Comparative effectiveness of long-acting antipsychotics: issues and challenges from a pragmatic randomised study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 21-3	5.1	6

272	Improving access to medicines for mental disorders in low-resource settings: some achievements but still a long road ahead. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 1-3	5.1	6
271	Non-alcoholic fatty liver disease and risk of incident cardiovascular disease: A meta-analysis. <i>Journal of Hepatology</i> , 2016 , 65, 589-600	13.4	640
270	Social and environmental adversities, neurobiological processes and mental disorders. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 93-4	5.1	1
269	Discontinuing benzodiazepines: best practices. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 214-6	5.1	8
268	Access to psychotropic medicines in low-resource settings. <i>Lancet Psychiatry</i> , 2016 , 3, 913-915	23.3	5
267	Efficacy and acceptability of antidepressants on the continuum of depressive experiences in patients with cancer: Systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2015 , 41, 714-24	14.4	26
266	Pharmacological prevention of post-traumatic stress disorder and acute stress disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015 , 2, 413-421	23.3	84
265	Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. <i>Journal of Affective Disorders</i> , 2015 , 180, 179-84	6.6	178
264	Adherence to generic v. brand antidepressant treatment and the key role of health system factors. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 23-6	5.1	14
263	AuthorsReply. <i>British Journal of Psychiatry</i> , 2015 , 207, 177	5.4	2
262	Drug dose as mediator of treatment effect in antidepressant drug trials: the case of fluoxetine. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 408-16	6.5	3
261	Do Cochrane systematic reviews meet WHO needs?. <i>Addiction</i> , 2015 , 110, 899-900	4.6	3
260	Rigour of development of clinical practice guidelines for the pharmacological treatment of bipolar disorder: systematic review. <i>Journal of Affective Disorders</i> , 2015 , 174, 45-50	6.6	14
259	Access to mental health services and psychotropic drug use in refugees and asylum seekers hosted in high-income countries. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 379-81	5.1	9
258	Access and use of psychotropic medicines in low-resource settings. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 206-9	5.1	3
257	From the 16th to the 21st Century: how we approach mental health problems and where do we go next?. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 365-7	5.1	1
256	Clinical use of the diagnostic criteria for major depressive disorder. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 464-5	5.1	1
255	Antidepressants for the treatment of depression in people with cancer. <i>The Cochrane Library</i> , 2015 , CD011006	3.6	36

254	Antipsychotic drug exposure and risk of pneumonia: a systematic review and meta-analysis of observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 812-20	2.6	41
253	Antipsychotic drug exposure and risk of pulmonary embolism: a population-based, nested case-control study. <i>BMC Psychiatry</i> , 2015 , 15, 92	4.2	20
252	Using GRADE to update WHO recommendations for MNS. <i>Lancet Psychiatry</i> , 2015 , 2, 1054-6	23.3	8
251	Pharmacotherapy for post-traumatic stress disorder: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2015 , 206, 93-100	5.4	223
250	When important steps for a reliable meta-analysis are missing: the bevacizumab versus ranibizumab case. <i>International Journal of Ophthalmology</i> , 2015 , 8, 204-5	1.4	
249	Antipsychotic drug exposure and risk of venous thromboembolism: a systematic review and meta-analysis of observational studies. <i>Drug Safety</i> , 2014 , 37, 79-90	5.1	58
248	Antidepressants for the treatment of depression in patients with cancer 2014 ,		3
247	Decisions on WHO's essential medicines need more scrutiny. <i>BMJ, The</i> , 2014 , 349, g4798	5.9	11
246	Psychosocial interventions for children exposed to traumatic events in low- and middle-income countries: study protocol of an individual patient data meta-analysis. <i>Systematic Reviews</i> , 2014 , 3, 34	3	8
245	Imaging of the dopamine transporter predicts pattern of disease progression and response to levodopa in patients with schizophrenia and parkinsonism: a 2-year follow-up multicenter study. <i>Schizophrenia Research</i> , 2014 , 152, 344-9	3.6	36
244	Authors' reply to Magrini and colleagues. <i>BMJ, The</i> , 2014 , 349, g5705	5.9	1
243	Beneficial and harmful consequences of prepartum and postpartum antidepressant exposure. <i>Evidence-Based Mental Health</i> , 2014 , 17, 69-71	11.1	
242	Implementation of treatment guidelines for specialist mental health care. <i>Cochrane Database of Systematic Reviews</i> , 2014 , CD009780		21
241	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: results and lessons of an underpowered randomised clinical trial. <i>BMC Research Notes</i> , 2014 , 7, 731	2.3	15
240	Implementation of treatment guidelines for specialist mental health care. <i>Schizophrenia Bulletin</i> , 2014 , 40, 737-9	1.3	9
239	World Health organization guidelines for management of acute stress, PTSD, and bereavement: key challenges on the road ahead. <i>PLoS Medicine</i> , 2014 , 11, e1001769	11.6	48
238	Parent skills training for parents of children or adults with developmental disorders: systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2014 , 4, e005799	3	7
237	Comparative Efficacy and Tolerability of 15 Antipsychotic Drugs in Schizophrenia: A Multiple-Treatments Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 192-204	1.1	1

236	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2014 ,	5.2	1
235	Clinical and regulatory implications of active run-in phases in long-term studies for bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 328-42	6.5	15
234	Can authorities appreciably enhance the prescribing of oral generic risperidone to conserve resources? Findings from across Europe and their implications. <i>BMC Medicine</i> , 2014 , 12, 98	11.4	27
233	Do antidepressants prolong the QT interval?. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 19-20	5.1	5
232	Autism spectrum disorders: weighing the risk of SSRI exposure in pregnancy. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 231-3	5.1	3
231	Antidepressant dose and the risk of deliberate self-harm. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 329-31	5.1	5
230	Paroxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2014 , CD006531	5.2	23
229	Making the use of psychotropic drugs more rational through the development of GRADE recommendations in specialist mental healthcare. <i>International Journal of Mental Health Systems</i> , 2013 , 7, 14	3.6	8
228	Management of acute stress, PTSD, and bereavement: WHO recommendations. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 477-8	27.4	78
227	Fluoxetine versus other types of pharmacotherapy for depression. <i>The Cochrane Library</i> , 2013 , CD004185	5.2	43
226	Changes in the utilization of venlafaxine after the introduction of generics in Sweden. <i>Applied Health Economics and Health Policy</i> , 2013 , 11, 383-93	3.4	20
225	Agomelatine efficacy and acceptability revisited: systematic review and meta-analysis of published and unpublished randomised trials. <i>British Journal of Psychiatry</i> , 2013 , 203, 179-87	5.4	71
224	Regulatory science in Europe: the case of schizophrenia trials. <i>Lancet, The</i> , 2013 , 382, 1234-5	4.0	6
223	Are specific initiatives required to enhance prescribing of generic atypical antipsychotics in Scotland?: International implications. <i>International Journal of Clinical Practice</i> , 2013 , 67, 170-80	2.9	12
222	Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2013 , 382, 951-62	4.0	1665
221	Mental disorders and conditions specifically related to stress. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 195-6	5.1	6
220	Generic atypical antipsychotic drugs in Belgium: their influence and implications. <i>Journal of Comparative Effectiveness Research</i> , 2013 , 2, 551-61	2.1	11
219	Review: Short-term benefit of escitalopram versus citalopram for depression uncertain, but big difference in French health insurance costs. <i>Evidence-Based Mental Health</i> , 2013 , 16, 51	11.1	

218	Non-specialist psychosocial interventions for children and adolescents with intellectual disability or lower-functioning autism spectrum disorders: a systematic review. <i>PLoS Medicine</i> , 2013 , 10, e1001572; discussion e1001572	11.6	64
217	A new approach to psychiatric drug approval in Europe. <i>PLoS Medicine</i> , 2013 , 10, e1001530	11.6	12
216	Benzodiazepines and risk of dementia: true association or reverse causation?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 307-8	5.1	12
215	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia: a 12-month, randomized, naturalistic trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 533-7	1.7	19
214	Guideline implementation strategies for specialist mental healthcare. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 369-75	4.9	15
213	Dichotomizing rating scale scores in psychiatry: a bad idea?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 17-9	5.1	8
212	Treatment choices in women with bipolar disorder seeking pregnancy: a clinical case illustration. <i>Case Reports in Psychiatry</i> , 2013 , 2013, 630732	0.6	3
211	Can authorities take advantage of the availability of generic atypical antipsychotic drugs? Findings from Sweden and potential implications. <i>Journal of Pharmaceutical Health Services Research</i> , 2013 , 4, 139-150	1	6
210	Use of antipsychotic drugs and mood stabilizers in women of childbearing age with schizophrenia and bipolar disorder: epidemiological survey. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 355-61	5.1	10
209	What is a factorial trial?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 213-5	5.1	3
208	Torsadogenic risk of antipsychotics: combining adverse event reports with drug utilization data across Europe. <i>PLoS ONE</i> , 2013 , 8, e81208	3.7	39
207	Adverse effects of antipsychotic drugs: survey of doctors versus patients perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 157-64	4.5	15
206	Comparative efficacy of anti-manic drugs in acute mania - Authors Reply. <i>Lancet, The</i> , 2012 , 379, 894	4.0	1
205	What is the European Medicines Agency?. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 245-7	5.1	6
204	Citalopram versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , CD006534	5.2	37
203	Geneva calling: WHO resolution on mental disorders. <i>International Journal of Mental Health Systems</i> , 2012 , 6, 6	3.6	3
202	Schizophrenia trials conducted in African countries: a drop of evidence in the ocean of morbidity?. <i>International Journal of Mental Health Systems</i> , 2012 , 6, 9	3.6	7
201	State of psychiatry in Italy 35 years after psychiatric reform. A critical appraisal of national and local data. <i>International Review of Psychiatry</i> , 2012 , 24, 314-20	3.6	26

200	[]FP-CIT single photon emission computed tomography findings in drug-induced Parkinsonism. <i>Schizophrenia Research</i> , 2012 , 139, 40-5	3.6	27
199	Duloxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , 10, CD006533	3.2	43
198	Persistence with pharmacological treatment in the specialist mental healthcare of patients with severe mental disorders. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1647-55	2.8	17
197	Potential to enhance the prescribing of generic drugs in patients with mental health problems in Austria; implications for the future. <i>Frontiers in Pharmacology</i> , 2012 , 3, 198	5.6	12
196	Agomelatine and the brave old world of narrative-based medicine. <i>Evidence-Based Mental Health</i> , 2012 , 15, 2-3	11.1	7
195	Randomized trials published in Chinese or Western journals: comparative empirical analysis. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 354-61	1.7	8
194	What is the WHO essential medicines list?. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 343-5	5.1	6
193	Implementation of treatment guidelines for specialist mental health care 2012 ,		2
192	Getting through the quicksand of the relationship between drugs and suicide. <i>Drug Safety</i> , 2011 , 34, 397-401	5.1	
191	Mirtazapine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2011 , CD006528	5.2	80
190	What is a Cochrane review?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 231-3	5.1	10
189	Mental health and psychosocial support in humanitarian settings: linking practice and research. <i>Lancet, The</i> , 2011 , 378, 1581-91	40	381
188	EMA must improve the quality of its clinical trial reports. <i>BMJ, The</i> , 2011 , 342, d2291	5.9	19
187	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia in routine clinical care: a randomized, controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 266-73	1.7	28
186	Cochrane reviews impact on mental health policy and practice. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 211-4	5.1	4
185	Stressful life events and social health factors in women using anxiolytics and antidepressants: an Italian observational study in community pharmacies. <i>Gender Medicine</i> , 2011 , 8, 80-92		4
184	Using the needs of WHO to prioritise Cochrane reviews: The case of antipsychotic drugs. <i>International Journal of Mental Health Systems</i> , 2011 , 5, 25	3.6	4
183	Influence of patient co-payments on atypical antipsychotic choice in Poland: implications once generic atypicals are available. <i>Applied Health Economics and Health Policy</i> , 2011 , 9, 101-10	3.4	19

182	Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2011 , 198, 11-6, sup 1	5.4	155
181	What are evidence-based treatment recommendations?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 29-31	5.1	28
180	Why it is important to include unpublished data in systematic reviews. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 133-5	5.1	15
179	Evidence-based guidelines for mental, neurological, and substance use disorders in low- and middle-income countries: summary of WHO recommendations. <i>PLoS Medicine</i> , 2011 , 8, e1001122	11.6	199
178	If you could only choose five psychotropic medicines: updating the interagency emergency health kit. <i>PLoS Medicine</i> , 2011 , 8, e1001030	11.6	8
177	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2011 , 2011,		8
176	Assessing risk of bias in randomized controlled trials. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 296-297	5.1	7
175	Fluvoxamine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006114	5.2	26
174	What is a clinical trial protocol?. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 116-117		3
173	Review: is aripiprazole as effective as risperidone in people with schizophrenia?. <i>Evidence-Based Mental Health</i> , 2010 , 13, 51	11.1	1
172	Challenges in developing evidence-based recommendations using the GRADE approach: the case of mental, neurological, and substance use disorders. <i>PLoS Medicine</i> , 2010 , 7, e1000322	11.6	91
171	Sertraline versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006117	5.2	56
170	Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis. <i>CNS Drugs</i> , 2010 , 24, 35-53	6.7	62
169	Sertraline versus other antidepressive agents for depression 2010 ,		6
168	Assessing risk of bias in randomized controlled trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 296-7		2
167	Patterns of benzodiazepine use in a Canadian population sample. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 248-254		18
166	Comparison of patient and clinician perspectives in the assessment of antipsychotic medication adherence. <i>Psychopathology</i> , 2009 , 42, 311-7	3.4	22
165	Selective serotonin reuptake inhibitors and risk of suicide: a systematic review of observational studies. <i>Cmaj</i> , 2009 , 180, 291-7	3.5	169

164	Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis. <i>Journal of Psychopharmacology</i> , 2009 , 23, 539-50	4.6	20
163	Does the addition of a second antipsychotic drug improve clozapine treatment?. <i>Schizophrenia Bulletin</i> , 2009 , 35, 458-68	1.3	127
162	Outcome reporting bias in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 17-18		3
161	Suicide prevention strategies and mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 169-171		6
160	Review: maintenance antidepressants reduce risk of relapse but effect is not as great in recurrent depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 79	11.1	2
159	Making the best use of available evidence: the case of new generation antidepressants: a response to: are all antidepressants equal?. <i>Evidence-Based Mental Health</i> , 2009 , 12, 101-4	11.1	4
158	Superiority, equivalence or non-inferiority?. <i>Epidemiology and Psychiatric Sciences</i> , 2009 , 18, 311-3	5.1	7
157	SSRI plus supportive care more effective than supportive care alone for mild to moderate depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 109	11.1	5
156	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-103		9
155	Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009 , 10, 31	2.8	20
154	Choice of data extraction tools for systematic reviews depends on resources and review complexity. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 506-10	5.7	44
153	Mortality and cause of death among psychiatric patients: a 20-year case-register study in an area with a community-based system of care. <i>Psychological Medicine</i> , 2009 , 39, 1875-84	6.9	60
152	Escitalopram versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006532	5.2	81
151	Milnacipran versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006529	5.2	29
150	Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2009 , 373, 746-58	4.0	1217
149	Ranking antidepressants [AuthorsReply]. <i>Lancet, The</i> , 2009 , 373, 1761-1762	4.0	11
148	Antidepressant drug prescription and risk of abnormal bleeding: a case-control study. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 33-8	1.7	19
147	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006324		47

146	Reboxetine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 ,	5.2	4
145	Sertraline versus other antidepressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006117		54
144	Outcome reporting bias in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 17-8		
143	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-3		4
142	Efficacy and tolerability of milnacipran in the treatment of major depression in comparison with other antidepressants : a systematic review and meta-analysis. <i>CNS Drugs</i> , 2008 , 22, 587-602	6.7	21
141	Thirtieth birthday of the Italian psychiatric reform: research for identifying its active ingredients is urgently needed. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 1021	5.1	8
140	Cognitive improvements with antipsychotics: real or practice effect?. <i>Evidence-Based Mental Health</i> , 2008 , 11, 42	11.1	
139	Antidepressants and suicide symptoms: compelling new insights from the FDA's analysis of individual patient level data. <i>Evidence-Based Mental Health</i> , 2008 , 11, 34-5	11.1	8
138	Adding aripiprazole improves major depressive disorder following incomplete response to antidepressants alone. <i>Evidence-Based Mental Health</i> , 2008 , 11, 15	11.1	
137	Intramuscular haloperidol plus promethazine is more effective and safer than haloperidol alone for rapid tranquillisation of agitated mentally ill patients. <i>Evidence-Based Mental Health</i> , 2008 , 11, 86-7	11.1	6
136	Allocation concealment and blinding in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 115-116		2
135	A simple approach to manage dosages in drug-epidemiology research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 186-7		20
134	Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 236-41		5
133	What is an intention to treat analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 26-27		1
132	Generic olanzapine: health authority opportunity or nightmare?. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2008 , 8, 549-55	2.2	22
131	Antipsychotic drugs and cerebrovascular events in elderly patients with dementia: a systematic review. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008 , 8, 776-83	3.2	14
130	The attitude of patients with mental disorders towards pharmacological and non-pharmacological treatments: emerging implications for clinical practice, service organization and research. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 171-3		1
129	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 287-90	2.2	62

128	Assessment of medication adherence in patients with schizophrenia: the Achilles heel of adherence research. <i>Journal of Nervous and Mental Disease</i> , 2008 , 196, 274-81	1.8	41
127	Effectiveness of paroxetine in the treatment of acute major depression in adults: a systematic re-examination of published and unpublished data from randomized trials. <i>Cmaj</i> , 2008 , 178, 296-305	3.5	76
126	Aripiprazole in Addition to Clozapine in Partially Responsive Patients with Schizophrenia: A Critical Review of Case Series. <i>Clinical Schizophrenia and Related Psychoses</i> , 2008 , 1, 341-347	1.6	4
125	Milnacipran versus other anti-depressive agents for depression 2007 ,		7
124	Cortical white-matter microstructure in schizophrenia. Diffusion imaging study. <i>British Journal of Psychiatry</i> , 2007 , 191, 113-9	5.4	41
123	Antidepressant drugs: prevalence, incidence and indication of use in general practice of Southern Italy during the years 2003-2004. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 552-9	2.6	52
122	Avoidable mortality of psychiatric patients in an area with a community-based system of mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 320-5	6.5	36
121	Assessment of cerebral blood volume in schizophrenia: A magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 502-10	5.2	24
120	Benzodiazepine use in the real world of psychiatric practice: low-dose, long-term drug taking and low rates of treatment discontinuation. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 867-73	2.8	34
119	Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 3-11	5.1	30
118	CNS drugs approved by the centralised European procedure: true innovation or dangerous stagnation?. <i>Psychopharmacology</i> , 2007 , 190, 265-8	4.7	7
117	Haloperidol, risperidone and olanzapine are similarly effective for first-episode non-affective psychosis but have differing side effects. <i>Evidence-Based Mental Health</i> , 2007 , 10, 74	11.1	
116	Paroxetine versus other anti-depressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2007 ,		6
115	Relationship between self-reported and observer-reported ratings for psychopathology in psychiatric inpatients. <i>Psychopathology</i> , 2007 , 40, 418-23	3.4	9
114	What is an individual patient data meta-analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 203-204		3
113	Venlafaxine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2007 ,	5.2	6
112	Evidence-based psychopharmacology: an agenda for the future. <i>Evidence-Based Mental Health</i> , 2007 , 10, 4-6	11.1	4
111	What is a risk ratio?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 20-21		11

110	Explanatory and pragmatic trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 124-5		9
109	Mirtazapine versus other anti-depressive agents for depression 2007 ,		10
108	Escitalopram versus other anti-depressive agents for depression 2007 ,		2
107	Duloxetine versus other anti-depressive agents for depression 2007 ,		13
106	Citalopram versus other anti-depressive agents for depression 2007 ,		10
105	Frequency and adequacy of depression treatment in a Canadian population sample. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 780-9	4.8	18
104	Factors associated with antipsychotic dosing in psychiatric inpatients: a prospective study. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 221-5	2.2	27
103	Relationship between quality of reports of antidepressant randomized controlled trials and treatment estimates: systematic review, meta-analysis, and meta-regression analysis. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 352-6	1.7	12
102	Predicting costs of mental health care: a critical literature review. <i>Psychological Medicine</i> , 2007 , 37, 467-79		23
101	Review: antidepressant plus antipsychotic increases clinical response rates in psychotic depression. <i>Evidence-Based Mental Health</i> , 2007 , 10, 10	11.1	1
100	Validity of indirect comparisons in meta-analysis. <i>Lancet, The</i> , 2007 , 369, 270-1; author reply 271	40	11
99	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2007 , 2007,		3
98	Review: antipsychotic plus mood stabiliser co-therapy is more effective than mood stabiliser mono-therapy at reducing acute bipolar mania. <i>Evidence-Based Mental Health</i> , 2007 , 10, 83	11.1	1
97	Health status, resource consumption, and costs of dysthymia. A multi-center two-year longitudinal study. <i>Journal of Affective Disorders</i> , 2006 , 90, 181-6	6.6	10
96	Generating psychotropic drug exposure data from computer-based medical records. <i>Computer Methods and Programs in Biomedicine</i> , 2006 , 83, 120-4	6.9	5
95	What is a systematic review?. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 174-5		5
94	What is a forest plot?. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 258-259	5.1	2
93	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 276-283	5.1	14

92	Antidepressant and antipsychotic drug prescribing in Lombardy. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 59-70		7
91	Imputing missing standard deviations in meta-analyses can provide accurate results. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 7-10	5.7	937
90	Fluvoxamine versus other anti-depressive agents for depression 2006 ,		6
89	Effect of Antipsychotic Drugs on Cerebrovascular Morbidity and Mortality: A Systematic Review. <i>Current Drug Therapy</i> , 2006 , 1, 241-248	0.7	1
88	Epidemiological impact of antidepressant and antipsychotic drugs on the general population. <i>Current Opinion in Psychiatry</i> , 2006 , 19, 405-10	4.9	9
87	Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006 , 36, 711-20	6.9	27
86	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 355-62	2.2	70
85	Efficacy of pharmacotherapy against core traits of borderline personality disorder: meta-analysis of randomized controlled trials. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 345-53	2.2	51
84	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 73-9	2.2	8
83	Prevalence, incidence and persistence of antipsychotic drug prescribing in the Italian general population: retrospective database analysis, 1999-2002. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 412-20	2.6	23
82	Mild depression in general practice: is the automatism of antidepressant prescribing an evidence-based approach?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 449-51	6.5	7
81	Decision models in the evaluation of psychotropic drugs : useful tool or useless toy?. <i>European Journal of Health Economics</i> , 2006 , 7, 173-5	3.6	1
80	Violence in psychiatric units: a 7-year Italian study of persistently assaultive patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 698-703	4.5	48
79	Validity of the impact factor of journals as a measure of randomized controlled trial quality. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 37-40	4.6	27
78	Are all antidepressants really the same? The case of fluoxetine: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 850-64	4.6	41
77	Identification and management of depression in primary care settings. A meta-review of evidence. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 276-83		9
76	Worrying patterns of out-patient psychotropic drug prescribing in children and adolescents. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 189-90	9.4	10
75	Head-to-head comparison of the costs of atypical antipsychotics: a systematic review. <i>CNS Drugs</i> , 2005 , 19, 935-50	6.7	14

74	Fluoxetine versus other types of pharmacotherapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD004185		103
73	Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005 , 79, 201-10	3.6	63
72	International dosage differences in fluoxetine clinical trials. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 31-8	4.8	3
71	Sex differences in the subjective tolerability of antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 521-6	1.7	51
70	Imputing response rates from means and standard deviations in meta-analyses. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 49-52	2.2	199
69	Second-generation antipsychotics and risk of cerebrovascular accidents in the elderly. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 468-70	1.7	37
68	Antidepressant pharmacoepidemiology in a general population sample. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 285-7	1.7	9
67	The prevalence of antidepressant and antipsychotic drug prescribing in Lombardy, Italy. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 92-4	1.7	4
66	Determinants of antipsychotic polypharmacy in psychiatric inpatients: a prospective study. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 305-9	2.2	55
65	Past use of selective serotonin reuptake inhibitors and the risk of cerebrovascular events in the elderly. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 169-71	2.2	14
64	Antidepressant drug prescribing among elderly subjects: a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 113-8	3.9	42
63	Development of a registry for monitoring psychotropic drug prescriptions: aims, methods and implications for ordinary practice and research. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 151-7	4.3	7
62	Impact of regulatory changes on first- and second-generation antipsychotic drug consumption and expenditure in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 72-7	4.5	17
61	Drug treatment modalities in psychiatric inpatient practice: a 20-year comparison. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 136-42	5.1	10
60	Psychotropic drug epidemiology: the road travelled, the road ahead. <i>International Review of Psychiatry</i> , 2005 , 17, 143-51	3.6	7
59	Side-effect profile of fluoxetine in comparison with other SSRIs, tricyclic and newer antidepressants: a meta-analysis of clinical trial data. <i>Pharmacopsychiatry</i> , 2005 , 38, 69-77	2	114
58	Epidemiology of first- and second-generation antipsychotic agents in Lombardy, Italy. <i>Pharmacopsychiatry</i> , 2005 , 38, 128-31	2	13
57	The BPRS-E as predictor of length of stay in a residential facility. <i>Psychiatric Services</i> , 2005 , 56, 755-6	3.3	5

56	Antidepressant drug consumption and public health indicators in Italy, 1955 to 2000. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 750-5	4.6	61
55	Patient opinions on the benefits of treatment programs in residential psychiatric care. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 613-20	4.8	5
54	Amitriptyline for inpatients and SSRIs for outpatients with depression? Systematic review and meta-regression analysis. <i>Pharmacopsychiatry</i> , 2004 , 37, 93-7	2	31
53	Health status, resource consumption, and costs of dysthymic patients in Italian primary care. <i>Epidemiologia E Psichiatria Sociale</i> , 2004 , 13, 120-5		3
52	Direct costs of schizophrenia and related disorders in Italian community mental health services: a multicenter, prospective 1-year followup study. <i>Schizophrenia Bulletin</i> , 2004 , 30, 295-302	1.3	17
51	Off-label and non-classical prescriptions of antipsychotic agents in ordinary in-patient practice. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 275-8	6.5	35
50	Antidepressant drug use in Lombardy, Italy: a population-based study. <i>Journal of Affective Disorders</i> , 2004 , 83, 169-75	6.6	44
49	Are we going to increase the use of antidepressants up to that of benzodiazepines?. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 629-34	2.8	62
48	La ricerca farmaco-economica italiana su riviste internazionali. <i>Pharmacoeconomics Italian Research Articles</i> , 2004 , 6, 115-120		
47	Effect of second-generation antipsychotics on employment and productivity in individuals with schizophrenia: an economic perspective. <i>Pharmacoeconomics</i> , 2004 , 22, 701-18	4.4	27
46	Drug-induced depression: a systematic review to inform clinical practice. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 207-15	9.4	101
45	Routine outcome monitoring in clinical practice: service and non-service costs of psychiatric patients attending a Community Mental Health Centre in Italy. <i>European Psychiatry</i> , 2004 , 19, 469-77	6	5
44	Trends in the use of the Italian Mental Health Act, 1979--1997. <i>European Psychiatry</i> , 2004 , 19, 444-5	6	11
43	"Wish bias" in antidepressant drug trials?. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 126-30	1.7	46
42	The changing pattern of inpatient antipsychotic drug use in Italy. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 559-61	1.7	1
41	Antipsychotic drug prescribing in the elderly is cause for concern. <i>International Clinical Psychopharmacology</i> , 2004 , 19, 347-50	2.2	15
40	Economic evaluation of antidepressive agents: a systematic critique of experimental and observational studies. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 145-54	1.7	10
39	Cross-sectional database analysis of antidepressant prescribing in Italy. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 31-4	1.7	14

38	Fluoxetine versus other types of pharmacotherapy for depression 2003 ,		2
37	Amitriptyline versus other types of pharmacotherapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 2003 , CD004186		26
36	Clinical interventions for treatment non-adherence in psychosis: meta-analysis. <i>British Journal of Psychiatry</i> , 2003 , 183, 197-206	5.4	127
35	Varying and "atypical" indications for atypical antipsychotics. <i>Psychopharmacology</i> , 2003 , 169, 205-6	4.7	21
34	How often do patients with psychosis fail to adhere to treatment programmes? A systematic review. <i>Psychological Medicine</i> , 2003 , 33, 1149-60	6.9	252
33	Cost and outcome implications of using typical and atypical antipsychotics in ordinary practice in Italy. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 1293-9	4.6	13
32	Clinical databases of patients receiving antidepressants. The missing link between research and practice?. <i>Journal of Affective Disorders</i> , 2002 , 70, 191-6	6.6	7
31	Update of suicide trends in Italy from 1986 to 1996. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 267-70	4.5	21
30	Fluoxetine dose and outcome in antidepressant drug trials. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 379-86	2.8	18
29	Determinants of subjective quality of life in patients attending community-based mental health services. The South-Verona Outcome Project 5. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 131-40	6.5	77
28	Meta-analysis of effects and side effects of low dosage tricyclic antidepressants in depression: systematic review. <i>BMJ, The</i> , 2002 , 325, 991	5.9	111
27	Prescribing second-generation antipsychotics and the evolving standard of care in Italy. <i>Pharmacopsychiatry</i> , 2002 , 35, 239-43	2	25
26	Review: multiple daily doses of antidepressants are not more effective than single daily doses. <i>Evidence-Based Mental Health</i> , 2002 , 5, 57	11.1	
25	Monitoring community psychiatric services in Italy: differences between patients who leave care and those who stay in treatment. <i>British Journal of Psychiatry</i> , 2002 , 180, 254-9	5.4	57
24	Clozapine-treated subjects with treatment-resistant schizophrenia: a systematic review of experimental and observational studies. <i>International Clinical Psychopharmacology</i> , 2002 , 17, 189-95	2.2	11
23	Costi diretti della schizofrenia nei dipartimenti di salute mentale italiani. <i>Pharmacoeconomics Italian Research Articles</i> , 2002 , 4, 81-89		3
22	Forty years of antidepressant drug trials. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 92-5	6.5	18
21	Drug epidemiology in Italy: methods and ethical issues. The example of psychiatry. <i>Pharmacoeconomics and Drug Safety</i> , 2001 , 10, 647-52	2.6	5

20	Antidepressant drug prescribing in Italy, 2000: analysis of a general practice database. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 605-9	2.8	24
19	Amitriptyline v. the rest: still the leading antidepressant after 40 years of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2001 , 178, 129-44	5.4	152
18	Psychotropic drug use in Italy, 1984-99: the impact of a change in reimbursement status. <i>International Clinical Psychopharmacology</i> , 2001 , 16, 227-33	2.2	20
17	Selective serotonin reuptake inhibitors versus tricyclic and heterocyclic antidepressants: comparison of drug adherence. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002791		42
16	Italy's mad law. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 396	6.5	
15	Does placebo help establish equivalence in trials of new antidepressants?. <i>European Psychiatry</i> , 2000 , 15, 268-73	6	11
14	The QALYOP Project. 1: Monitoring the dismantlement of Italian public psychiatric hospitals. Characteristics of patients scheduled for discharge. <i>International Journal of Social Psychiatry</i> , 1999 , 45, 79-92	8.5	9
13	Antidepressant drug use in Italy since the introduction of SSRIs: national trends, regional differences and impact on suicide rates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 152-6	4.5	77
12	QUALYOP project 2: monitoring the dismantling of Italian psychiatric hospitals. Psychotropic drug use in 1072 inpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8, 331-7	2.6	4
11	Clinical trials of new antipsychotics: a critical appraisal. <i>International Clinical Psychopharmacology</i> , 1999 , 14, 133-7	2.2	4
10	A cross-sectional audit of benzodiazepine use among general practice patients. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 97, 153-6	6.5	17
9	Antidepressant agents: from tricyclics to serotonin uptake inhibitors. <i>Psychological Medicine</i> , 1998 , 28, 1169-78	6.9	19
8	Low-dose neuroleptic therapy and relapse in schizophrenia: meta-analysis of randomized controlled trials. <i>European Psychiatry</i> , 1996 , 11, 306-13	6	19
7	Low-dose neuroleptic therapy and extrapyramidal side effects in schizophrenia: An effect size analysis. <i>European Psychiatry</i> , 1996 , 11, 412-5	6	1
6	Evaluation of dehospitalization policies of the former psychiatric hospitals of Regione Lombardia. QUALYOP study results. I: Structural resources, organizational procedures and activities. <i>Epidemiologia E Psichiatria Sociale</i> , 1996 , 5, 59-71		0
5	Studies of privileged sites and organ transplantation. <i>Experimental Nephrology</i> , 1993 , 1, 120-7		3
4	Colchicine allows prolonged survival of highly reactive renal allograft in the rat. <i>Journal of the American Society of Nephrology: JASN</i> , 1993 , 4, 1294-9	12.7	8
3	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> ,	5.2	78

2 Psychotropic drug epidemiology and systematic reviews of randomised clinical trials 317-339

1 Primary-level and community worker interventions for the prevention of mental disorders and the promotion of well-being in low- and middle-income countries. *The Cochrane Library*,

5.2 2