

# Ji-Yong Zou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7695423/publications.pdf>

Version: 2024-02-01

35  
papers

990  
citations

471509

17  
h-index

434195

31  
g-index

35  
all docs

35  
docs citations

35  
times ranked

826  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive detection of the antibiotic pollutants by a solvent-stable luminescent sensor based on a europium(III) metal-organic framework. <i>Journal of Solid State Chemistry</i> , 2022, 305, 122668.	2.9	14
2	Mn <sub>2</sub> Cl <sub>4</sub> Cluster Based Two-Dimensional Coordination Polymer for Dichromate Sensing Property. <i>Journal of Cluster Science</i> , 2021, 32, 235-241.	3.3	0
3	Synthesis and Anti-Tobacco Mosaic Virus/Fungicidal/Insecticidal/Antitumor Bioactivities of Natural Product Hemigossypol and Its Derivatives. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 1224-1233.	5.2	18
4	Preparation and Anti-Tobacco Mosaic Virus Activities of Crocetin Diesters. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 13637-13643.	5.2	6
5	Assembly of Five Coordination Polymers Based on Furan-2,5-dicarboxylic acid and 4,4'-Azobispyridine: Synthesis, Structures and Luminescence Properties. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020, 30, 410-416.	3.7	3
6	A CuBr Metal-Organic Framework: From Two Dimensional Net to Quasi-Three Dimensional Frame Through Encapsulated Cu <sub>2</sub> Br <sub>2</sub> Cluster. <i>Journal of Cluster Science</i> , 2020, 31, 1207-1212.	3.3	1
7	A dual luminescent chemosensor derived from a europium(III) metal-organic framework for quantitative detection of phosphate anions and acetylacetone in aqueous solution. <i>Dyes and Pigments</i> , 2020, 173, 108004.	3.7	44
8	A luminescent zinc(II) coordination polymer as a highly selective and sensitive chemosensor for Fe(III) cation and Cr(VI) anions detection in aqueous solution. <i>Inorganica Chimica Acta</i> , 2020, 513, 119940.	2.4	6
9	A luminescent pillar-layer Zn(II) metal-organic framework for the ultrasensitive detection of nitroaniline. <i>Inorganica Chimica Acta</i> , 2020, 509, 119703.	2.4	10
10	A zinc(II) triazolate framework with luminescence response toward dichromate anion in aqueous solution. <i>Inorganica Chimica Acta</i> , 2019, 498, 119126.	2.4	8
11	Natural Product Cerbinal and Its Analogues Cyclopenta[c]pyridines: Synthesis and Discovery as Novel Pest Control Agents. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10498-10504.	5.2	12
12	A Solvent-Stable Zinc(II)-Gadolinium(III) Metal-Organic Framework Assembled with Furan-2,5-Dicarboxylic Acid: Synthesis, Crystal Structure and Magnetic Property. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019, 29, 359-364.	3.7	4
13	Assembly of a new (3,6)-connected cobalt(II) metal-organic framework via a mixed ligands approach. <i>Polyhedron</i> , 2018, 141, 262-266.	2.2	7
14	Hydrothermal synthesis of BiVO <sub>4</sub> /TiO <sub>2</sub> composites and their application for degradation of gaseous benzene under visible light irradiation. <i>Applied Surface Science</i> , 2018, 436, 319-326.	6.1	53
15	Anti-TMV and Insecticidal Potential of Four Iridoid Glycosides from <i>Gardenia Jasminoides</i> Fruit. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 697-699.	2.6	6
16	Two luminescent lanthanide(III) metal-organic frameworks as chemosensors for high-efficiency recognition of Cr(VI) anions in aqueous solution. <i>Dalton Transactions</i> , 2018, 47, 15694-15702.	3.3	92
17	A Zinc(II) Metal-Organic Framework as a Highly Selective Luminescence Probe for Acetylacetone Detection and Its Postsynthetic Cation Exchange. <i>Crystal Growth and Design</i> , 2018, 18, 3997-4003.	3.0	75
18	Sensitive luminescent probes of aniline, benzaldehyde and Cr(VI) based on a zinc(II) metal-organic framework and its lanthanide(III) post-functionalizations. <i>Dyes and Pigments</i> , 2018, 159, 429-438.	3.7	63

#	ARTICLE	IF	CITATIONS
19	Structures, luminescence properties, magnetocaloric effect and slow magnetic relaxation of three Ln (III) complexes based on 8-hydroxyquinoline Schiff-base ligand. <i>Polyhedron</i> , 2017, 133, 119-124.	2.2	30
20	Modulating the single-molecule magnet behaviour in phenoxo-O bridged Dy <sub>2</sub> systems via subtle structural variations. <i>Journal of Solid State Chemistry</i> , 2017, 253, 154-160.	2.9	30
21	Tuning the luminescence of two 3d-4f metal-organic frameworks for the fast response and highly selective detection of aniline. <i>Dalton Transactions</i> , 2017, 46, 16432-16438.	3.3	60
22	Two cobalt complexes derived from 1 H-1,2,3-triazole-4,5-dicarboxylic acid: Syntheses, structures and magnetic properties. <i>Inorganic Chemistry Communication</i> , 2016, 65, 59-62.	3.9	7
23	Modulating dynamic magnetic behaviors of two Tb(III) dinuclear complexes by using two different $\beta^2$ -diketonate coligands. <i>Inorganica Chimica Acta</i> , 2016, 442, 172-177.	2.4	7
24	Modulating single-molecule magnet behaviour of phenoxo-O bridged lanthanide( $\text{III}$ ) dinuclear complexes by using different $\beta^2$ -diketonate coligands. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 133-141.	6.0	139
25	Single-molecule magnet behavior of a dinuclear dysprosium compound constructed by 8-hydroxyquinoline Schiff base and $\beta^2$ -diketonate ligands. <i>Inorganica Chimica Acta</i> , 2016, 439, 106-110.	2.4	17
26	A fluorescence chemosensor for benzonitrile derived from in-situ synthesis of azolate-carboxylic acid and zinc(II) ions. <i>Inorganic Chemistry Communication</i> , 2015, 60, 111-114.	3.9	5
27	Cobalt(II)-Lanthanide(III) Heterometallic Metal-Organic Frameworks with Unique (6,6)-Connected <i>Nia</i> Topologies with 1H-1,2,3-Triazole-4,5-dicarboxylic Acid: Syntheses, Structures and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 407-412.	2.0	24
28	An unusual water-bridged homospin CoII single-chain magnet. <i>Chemical Communications</i> , 2014, 50, 6340-6342.	4.1	42
29	Two Three-Dimensional Lanthanide Frameworks Exhibiting Luminescence Increases upon Dehydration and Novel Water Layer Involving in Situ Decarboxylation. <i>Inorganic Chemistry</i> , 2014, 53, 7092-7100.	4.0	35
30	Alkaline cation directed structural diversity of cubic-cage-based cobalt(II) metal-organic frameworks: from pcu to bct net. <i>CrystEngComm</i> , 2014, 16, 7133.	2.6	16
31	Spin canting and metamagnetism in 3D pillared-layer homospin cobalt(II) molecular magnetic materials constructed via a mixed ligands approach. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 242.	6.0	34
32	A homospin cobalt(II) topological ferrimagnet. <i>Chemical Communications</i> , 2013, 49, 8226.	4.1	40
33	A new family of 3d-4f heterometallic coordination polymers assembled with 1H-1,2,3-triazole-4,5-dicarboxylic acid: syntheses, structures and magnetic properties. <i>RSC Advances</i> , 2013, 3, 21511.	3.6	20
34	Auxiliary ligand-assisted structural diversities of three metal-organic frameworks with potassium 1H-1,2,3-triazole-4,5-dicarboxylic acid: syntheses, crystal structures and luminescence properties. <i>CrystEngComm</i> , 2013, 15, 2682.	2.6	41
35	Crystal structures and luminescent properties of zinc(II) and cadmium(II) compounds constructed from 5-sulfoisophthalic acid and flexible bis-triazole ligands. <i>Inorganica Chimica Acta</i> , 2011, 370, 230-235.	2.4	21