

Masaki Shimizu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7697103/publications.pdf>

Version: 2024-02-01

182
papers

3,174
citations

185998

28
h-index

205818

48
g-index

192
all docs

192
docs citations

192
times ranked

3184
citing authors

#	ARTICLE	IF	CITATIONS
1	Infliximab treatment for refractory COVID-19-associated multisystem inflammatory syndrome in a Japanese child. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 814-818.	0.8	12
2	Hirayama disease. <i>Joint Bone Spine</i> , 2022, , 105354.	0.8	0
3	Microgeodic disease with multiple skin ulcers. <i>Pediatrics International</i> , 2022, 64, e15013.	0.2	0
4	An efficient diagnosis: A patient with X-linked inhibitor of apoptosis protein (XIAP) deficiency in the setting of infantile hemophagocytic lymphohistiocytosis was diagnosed using high serum interleukin-18 combined with common laboratory parameters. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29606.	0.8	3
5	Septic arthritis of the pubic symphysis in a patient with SLE. <i>Pediatrics International</i> , 2022, 64, .	0.2	0
6	Mycophenolate Mofetil after Rituximab for Childhood-Onset Complicated Frequently-Relapsing or Steroid-Dependent Nephrotic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 401-419.	3.0	24
7	A girl with hearing loss, dizziness, hypertension, and pyelonephritis with ureteral edema: Questions. <i>Pediatric Nephrology</i> , 2022, , .	0.9	0
8	A girl with hearing loss, dizziness, hypertension, and pyelonephritis with ureteral edema: Answers. <i>Pediatric Nephrology</i> , 2022, , .	0.9	0
9	An adult case of suspected A20 haploinsufficiency mimicking polyarteritis nodosa. <i>Rheumatology</i> , 2022, 61, e337-e340.	0.9	3
10	Ankylosing spondylitis, Crohn's disease, and myelodysplasia in an adolescent. <i>Pediatrics International</i> , 2022, 64, .	0.2	0
11	Apoptosis inhibitor of macrophage as a biomarker for disease activity in Japanese children with IgA nephropathy and Henoch-Schönlein purpura nephritis. <i>Pediatric Research</i> , 2021, 89, 667-672.	1.1	7
12	Efficacy and safety of canakinumab in systemic juvenile idiopathic arthritis: 48-week results from an open-label phase III study in Japanese patients. <i>Modern Rheumatology</i> , 2021, 31, 226-234.	0.9	15
13	Comparison of serum cytokine profiles in macrophage activation syndrome complicating different background rheumatic diseases in children. <i>Rheumatology</i> , 2021, 60, 231-238.	0.9	18
14	Clinical significance of interleukin-18 for the diagnosis and prediction of disease course in systemic juvenile idiopathic arthritis. <i>Rheumatology</i> , 2021, 60, 2421-2426.	0.9	21
15	Successful treatment of spondyloenchondrodysplasia with baricitinib. <i>Rheumatology</i> , 2021, 60, e44-e46.	0.9	2
16	Serum insulin-like growth factor-binding protein 2 levels as an indicator for disease severity in enterohemorrhagic <i>Escherichia coli</i> induced hemolytic uremic syndrome. <i>Renal Failure</i> , 2021, 43, 382-387.	0.8	2
17	Childhood-onset systemic lupus erythematosus with trisomy X and the increased risk for bone complications: a case report. <i>Pediatric Rheumatology</i> , 2021, 19, 20.	0.9	3
18	Hemophagocytic lymphohistiocytosis associated with primary cutaneous gamma-delta T-cell lymphoma presenting with subcutaneous panniculitis in a 12-year-old girl. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29035.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Immunological Medicine</i> , 2021, 44, 237-245.	1.4	18
20	Giant iliopsoas Bursitis in Systemic Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 1328-1328.	2.9	0
21	Successful treatment of joint and fascial chronic graft-versus-host disease with baricitinib. <i>Rheumatology</i> , 2021, , .	0.9	2
22	Concurrent lupus enteritis and cystitis. <i>Pediatrics International</i> , 2021, 63, 1142-1143.	0.2	1
23	Mechanisms and management of edema. <i>Japanese Journal of Pediatric Nephrology</i> , 2021, 34, 1-5.	0.0	0
24	Tacrolimus as an alternative treatment for patients with juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2021, , .	0.9	0
25	Concurrent Treatment With Rituximab and Plasma Exchange for Rapidly Progressive Interstitial Lung Disease Complicating Anti-MDA5 Antibody-Positive Juvenile Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2021, 27, S798-S799.	0.5	5
26	A 15-Month-old Boy With Kawasaki Disease-like Symptoms. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 173-174.	1.1	3
27	Periorbital Edema as the Initial Sign of Juvenile Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2020, 26, e61-e61.	0.5	3
28	Clinical usefulness of longitudinal IL-6 monitoring in a patient with Takayasu aortitis receiving tocilizumab. <i>Rheumatology</i> , 2020, 59, 252-254.	0.9	5
29	Tocilizumab modifies clinical and laboratory features of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2020, 18, 2.	0.9	36
30	Pathogenic functions and diagnostic utility of cytokines/chemokines in EHEC/HUS. <i>Pediatrics International</i> , 2020, 62, 308-315.	0.2	11
31	Kawasaki Disease with an Initial Manifestation Mimicking Bacterial Inguinal Cellulitis. <i>Case Reports in Pediatrics</i> , 2020, 2020, 1-6.	0.2	0
32	Clinical Significance of Serum Soluble TNF Receptor I/II Ratio for the Differential Diagnosis of Tumor Necrosis Factor Receptor-Associated Periodic Syndrome From Other Autoinflammatory Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 576152.	2.2	3
33	Development and initial validation of a composite disease activity score for systemic juvenile idiopathic arthritis. <i>Rheumatology</i> , 2020, 59, 3505-3514.	0.9	39
34	Chronic recurrent multifocal osteomyelitis with myositis: A case report and review of the literature. <i>Pediatrics International</i> , 2020, 62, 644-645.	0.2	1
35	Clinical Significance of Serum Galactose-Deficient IgA1 Level in Children with IgA Nephropathy. <i>Journal of Immunology Research</i> , 2020, 2020, 1-10.	0.9	5
36	Common risk variants in NPHS1 and TNFSF15 are associated with childhood steroid-sensitive nephrotic syndrome. <i>Kidney International</i> , 2020, 98, 1308-1322.	2.6	39

#	ARTICLE	IF	CITATIONS
37	Successful treatment of tumor necrosis factor inhibitor-resistant cutaneous polyarteritis nodosa with tocilizumab. <i>Pediatrics International</i> , 2020, 62, 753-755.	0.2	5
38	Comparison of serum biomarkers for the diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis during tocilizumab therapy. <i>Pediatric Research</i> , 2020, 88, 934-939.	1.1	10
39	Cytokine Profiles in Human Parechovirus Type 3-induced Sepsis-like Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2020, 39, 137-139.	1.1	4
40	Dysregulation of angiotensin-converting enzyme 1 and angiotensin-converting enzyme 2 in an infant with fatal Clarkson disease. <i>Pediatrics International</i> , 2020, 62, 1400-1401.	0.2	3
41	Clinical practice guidance for juvenile idiopathic arthritis (JIA) 2018. <i>Modern Rheumatology</i> , 2019, 29, 41-59.	0.9	25
42	Familial focal segmental glomerulosclerosis with PLCE 1 mutation in siblings. <i>Pediatrics International</i> , 2019, 61, 726-727.	0.2	2
43	Macrophage activation syndrome in neonates born to mothers with adult-onset Still's disease: Perinatal effect of maternal IL-18. <i>Clinical Immunology</i> , 2019, 207, 36-39.	1.4	11
44	Acute generalized exanthematous pustulosis in a child with fasciitis. <i>Pediatrics International</i> , 2019, 61, 938-938.	0.2	4
45	Comparison of serum biomarkers for the diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2019, 208, 108252.	1.4	26
46	Extensive serum biomarker analysis in patients with macrophage activation syndrome associated with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 208, 108255.	1.4	11
47	Kawasaki disease shock syndrome: Case report and cytokine profiling. <i>Pediatrics International</i> , 2019, 61, 620-622.	0.2	5
48	Cytokine profile of macrophage activation syndrome associated with Kawasaki disease. <i>Cytokine</i> , 2019, 119, 52-56.	1.4	33
49	Serum Leucine-Rich Î±2-Glycoprotein as a Biomarker for Monitoring Disease Activity in Patients with Systemic Juvenile Idiopathic Arthritis. <i>Journal of Immunology Research</i> , 2019, 2019, 1-6.	0.9	13
50	Clinical features and characteristics of uveitis associated with juvenile idiopathic arthritis in Japan: first report of the pediatric rheumatology association of Japan (PRAJ). <i>Pediatric Rheumatology</i> , 2019, 17, 15.	0.9	23
51	Clinical significance of serum CXCL9 levels as a biomarker for systemic juvenile idiopathic arthritis associated macrophage activation syndrome. <i>Cytokine</i> , 2019, 119, 182-187.	1.4	31
52	Massive intestinal liquid retention in a case of severe heat stroke. <i>Journal of Paediatrics and Child Health</i> , 2019, 55, 248-249.	0.4	1
53	AB1050...TOCILIZUMAB MODIFIES CLINICAL MANIFESTATIONS AND LABORATORY FEATURES OF SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS ASSOCIATED MACROPHAGE ACTIVATION SYNDROME. , 2019, , .		0
54	FRI0535...COMPARISON OF SERUM BIOMARKERS FOR THE DIAGNOSIS OF MACROPHAGE ACTIVATION SYNDROME COMPLICATING SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS: CLINICAL SIGNIFICANCE OF SERUM NEOPTERIN LEVELS. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
55	AB1044â€¦CYTOKINE PROFILE OF MACROPHAGE ACTIVATION SYNDROME ASSOCIATED WITH KAWASAKI DISEASE. , 2019, , .		0
56	OPO328â€¦COMPARISON OF SERUM CYTOKINE PROFILE IN MACROPHAGE ACTIVATION SYNDROME AMONG DIFFERENT BACKGROUND RHEUMATIC DISEASES IN CHILDREN:. , 2019, , .		1
57	A Pilot Study of Soluble Form of LOX-1 as a Novel Biomarker for Neonatal Hypoxic-Ischemic Encephalopathy. <i>Journal of Pediatrics</i> , 2019, 206, 49-55.e3.	0.9	7
58	Interleukin-33/ST2 signaling contributes to the severity of hemolytic uremic syndrome induced by enterohemorrhagic <i>Escherichia coli</i> . <i>Clinical and Experimental Nephrology</i> , 2019, 23, 544-550.	0.7	4
59	Infrapatellar Ganglion Cyst of the Knee Fat Pad in a Child with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2019, 46, 112-112.	1.0	1
60	Risk factors for hypersensitivity reactions to tocilizumab introduction in systemic juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2019, 29, 324-327.	0.9	12
61	Clinical Features of Cytokine Storm Syndrome. , 2019, , 31-41.		52
62	Cytokine profile analysis â€œ What can we know? When should we order?â€œ. <i>Japanese Journal of Pediatric Nephrology</i> , 2019, 32, 86-94.	0.0	0
63	Classification of Uniparental Isodisomy Patterns That Cause Autosomal Recessive Disorders: Proposed Mechanisms of Different Proportions and Parental Origin in Each Pattern. <i>Cytogenetic and Genome Research</i> , 2018, 154, 137-146.	0.6	29
64	Clinical significance of serum soluble TNF receptor II level and soluble TNF receptor II/I ratio as indicators of coronary artery lesion development in Kawasaki disease. <i>Cytokine</i> , 2018, 108, 168-172.	1.4	14
65	Successful treatment of rituximabâ€¦and steroidâ€¦resistant nephrotic syndrome with leukocytapheresis. <i>Journal of Clinical Apheresis</i> , 2018, 33, 409-411.	0.7	2
66	Urinary aquaporinâ€² as a possible objective biomarker of nocturnal polyuria. <i>Pediatrics International</i> , 2018, 60, 192-194.	0.2	0
67	Early prediction for over two years efficacy of the first biologic agent for polyarticular juvenile idiopathic arthritis: A multi-institutional study in Japan. <i>Modern Rheumatology</i> , 2018, 28, 826-831.	0.9	2
68	Role of 18-fluoro-2-deoxyglucose positron emission tomography in detecting acute inflammatory lesions of non-bacterial osteitis in patients with a fever of unknown origin: A comparative study of 18-fluoro-2-deoxyglucose positron emission tomography, bone scan, and magnetic resonance imaging. <i>Modern Rheumatology</i> , 2018, 28, 1058-1062.	0.9	3
69	Effect of Biologic Therapy on Clinical and Laboratory Features of Macrophage Activation Syndrome Associated With Systemic Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2018, 70, 409-419.	1.5	96
70	Role of plasma exchange, leukocytapheresis, and plasma diafiltration in management of refractory macrophage activation syndrome. <i>Journal of Clinical Apheresis</i> , 2018, 33, 117-120.	0.7	21
71	Characteristic elevation of soluble TNF receptor II : I ratio in macrophage activation syndrome with systemic juvenile idiopathic arthritis. <i>Clinical and Experimental Immunology</i> , 2018, 191, 349-355.	1.1	35
72	Validation of Classification Criteria of Macrophage Activation Syndrome in Japanese Patients With Systemic Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2018, 70, 1412-1415.	1.5	15

#	ARTICLE	IF	CITATIONS
73	Transient natural killer cell dysfunction associated with interleukin-18 overproduction in systemic juvenile idiopathic arthritis. <i>Pediatrics International</i> , 2018, 60, 984-985.	0.2	19
74	Soluble CD163, a unique biomarker to evaluate the disease activity, exhibits macrophage activation in systemic juvenile idiopathic arthritis. <i>Cytokine</i> , 2018, 110, 459-465.	1.4	34
75	THU0599...Evaluation of efficacy and safety of canakinumab in Japanese patients with systemic juvenile idiopathic arthritis in phase III clinical trial, composed predominantly of patients with prior use of tocilizumab. , 2018, , .		1
76	Periorbital Edema as the Initial Sign of Juvenile Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2018, 26, 1.	0.5	0
77	Angiotensin-1 and -2 as markers for disease severity in hemolytic uremic syndrome induced by enterohemorrhagic <i>Escherichia coli</i> . <i>Clinical and Experimental Nephrology</i> , 2017, 21, 76-82.	0.7	7
78	Leucine-rich Î±2-glycoprotein as the acute-phase reactant to detect systemic juvenile idiopathic arthritis disease activity during anti-interleukin-6 blockade therapy: A case series. <i>Modern Rheumatology</i> , 2017, 27, 833-837.	0.9	13
79	Serum ferritin as an indicator of the development of encephalopathy in enterohemorrhagic <i>Escherichia coli</i> -induced hemolytic uremic syndrome. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 1083-1087.	0.7	5
80	^{18F}FDG-â€‹PET</sup> in macrophage activation syndrome associated with systemic juvenile idiopathic arthritis. <i>Pediatrics International</i> , 2017, 59, 509-511.	0.2	0
81	The true distribution volume and bioavailability of mizoribine in children with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 884-888.	0.7	2
82	Successful Treatment of Enterohemorrhagic ^{i>}</sup> <i>Escherichia coli</i> </sup>-induced Acute Encephalopathy and Hemolyticâ€‹Uremic Syndrome With Polymyxinâ€‹B Direct Hemoperfusion. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 419-421.	0.4	2
83	Microangiopathic antiphospholipid antibody syndrome due to antiâ€‹phosphatidylserine/prothrombin complex IgM antibody. <i>Pediatrics International</i> , 2017, 59, 378-380.	0.2	3
84	Thrombocytosisâ€‹related glomerulopathy in a patient with hyposplenism. <i>Pediatrics International</i> , 2017, 59, 842-843.	0.2	1
85	Extracranial Carotid Aneurysm in Takayasu Arteritis. <i>Journal of Clinical Rheumatology</i> , 2017, 23, 289-289.	0.5	0
86	Bicipital synovial cyst associated with systemic juvenile idiopathic arthritis: new insights obtained from unique pathological findings. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2242-2244.	0.9	2
87	Refractory cutaneous polyarteritis nodosa: Successful treatment with etanercept. <i>Pediatrics International</i> , 2017, 59, 751-752.	0.2	7
88	Interleukin-33 as a marker of disease activity in rheumatoid factor positive polyarticular juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2017, 27, 609-613.	0.9	4
89	Early Prediction for Over Two Years Efficacy of the First Biologic Agent for Polyarticular Juvenile Idiopathic Arthritis: A Multi-Institutional Study in Japan. <i>Journal of Ancient Diseases & Preventive Remedies</i> , 2017, 07, .	0.2	0
90	BK virus nephropathy without hemorrhagic cystitis after cord blood stem cell transplantation: a case report. <i>Japanese Journal of Pediatric Nephrology</i> , 2017, 30, 164-169.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Cytokine profile in adult-onset Still's disease: Comparison with systemic juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2016, 169, 8-13.	1.4	106
92	Successful treatment of exertional heat stroke using continuous plasma diafiltration. <i>Journal of Clinical Apheresis</i> , 2016, 31, 490-492.	0.7	7
93	Tubulointerstitial Nephritis and Uveitis Syndrome Associated With Human Papillomavirus Vaccine. <i>Journal of Pediatric Ophthalmology and Strabismus</i> , 2016, 53, 190-191.	0.3	11
94	Leopard skin appearance of cutaneous polyarteritis nodosa on ¹⁸ F-fluorodeoxyglucose positron emission tomography. <i>Rheumatology</i> , 2016, 55, 1090-1090.	0.9	11
95	Tumor necrosis factor- α modifies the effects of Shiga toxin on glial cells. <i>International Immunopharmacology</i> , 2016, 38, 139-143.	1.7	7
96	Clinical Usefulness of ¹⁸ F-fluorodeoxyglucose Positron Emission Tomography for Enthesitis-related Arthritis Diagnosis. <i>Journal of Rheumatology</i> , 2016, 43, 1434-1435.	1.0	1
97	Serum ferritin levels as a useful diagnostic marker for the distinction of systemic juvenile idiopathic arthritis and Kawasaki disease. <i>Modern Rheumatology</i> , 2016, 26, 929-932.	0.9	36
98	Fulminant respiratory failure due to progressive metastatic pulmonary calcification with no predisposing factors after successful renal transplantation: A case report. <i>Pediatric Transplantation</i> , 2016, 20, 1152-1156.	0.5	7
99	Population pharmacokinetics of mizoribine in pediatric patients with kidney disease. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 757-763.	0.7	5
100	Disruption of vascular endothelial homeostasis in systemic juvenile idiopathic arthritis-associated macrophage activation syndrome: The dynamic roles of angiopoietin-1 and -2. <i>Cytokine</i> , 2016, 80, 1-6.	1.4	3
101	Successful therapy of macrophage activation syndrome with dexamethasone palmitate. <i>Modern Rheumatology</i> , 2016, 26, 617-620.	0.9	21
102	An infant with nephrolithiasis and renal failure: Questions. <i>Pediatric Nephrology</i> , 2016, 31, 1081-1082.	0.9	2
103	An infant with nephrolithiasis and renal failure: Answers. <i>Pediatric Nephrology</i> , 2016, 31, 1083-1084.	0.9	2
104	The critical role of lipopolysaccharide in the upregulation of aquaporin 4 in glial cells treated with Shiga toxin. <i>Journal of Biomedical Science</i> , 2015, 22, 78.	2.6	13
105	Iodine-induced non-autoimmune hypothyroidism in a patient with steroid-resistant nephrotic syndrome. <i>Pediatrics International</i> , 2015, 57, 1055-1056.	0.2	1
106	A case with right hip pain. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 574-576.	0.9	0
107	Successful treatment with tocilizumab of a psoriasiform skin lesion induced by etanercept in a patient with juvenile idiopathic arthritis. <i>Modern Rheumatology</i> , 2015, 25, 972-973.	0.9	6
108	Uterus didelphys with obstructed hemivagina and contralateral multicystic dysplastic kidney. <i>CEN Case Reports</i> , 2015, 4, 61-64.	0.5	8

#	ARTICLE	IF	CITATIONS
109	Serum tau protein as a marker of disease activity in enterohemorrhagic <i>Escherichia coli</i> O111-induced hemolytic uremic syndrome. <i>Neurochemistry International</i> , 2015, 85-86, 24-30.	1.9	11
110	Hemolytic uremic syndrome with acute encephalopathy in a pregnant woman infected with epidemic enterohemorrhagic <i>Escherichia coli</i> : characteristic brain images and cytokine profiles. <i>International Journal of Infectious Diseases</i> , 2015, 34, 119-121.	1.5	7
111	A role for fosfomycin treatment in children for prevention of haemolytic uremic syndrome accompanying Shiga toxin-producing <i>Escherichia coli</i> infection. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 586-589.	1.1	27
112	Interleukin-18 for predicting the development of macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2015, 160, 277-281.	1.4	135
113	Serum IL-18 as a potential specific marker for differentiating systemic juvenile idiopathic arthritis from incomplete Kawasaki disease. <i>Rheumatology International</i> , 2015, 35, 81-84.	1.5	31
114	Urinary neopterin: an immune activation marker in mesangial proliferative glomerulonephritis. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 264-270.	0.7	3
115	Enterohemorrhagic <i>Escherichia coli</i> induced hemolytic uremic syndrome and cytokine. <i>Japanese Journal of Pediatric Nephrology</i> , 2015, 28, 6-11.	0.0	1
116	Treatment of refractory polyarticular juvenile idiopathic arthritis with tacrolimus. <i>Rheumatology</i> , 2014, 53, 2120-2122.	0.9	9
117	Successful multitarget therapy using mizoribine and tacrolimus for refractory Takayasu arteritis. <i>Rheumatology</i> , 2014, 53, 1530-1532.	0.9	5
118	Role of activated macrophage and inflammatory cytokines in the development of calcinosis in juvenile dermatomyositis. <i>Rheumatology</i> , 2014, 53, 766-767.	0.9	24
119	Serum Interleukin 18 as a Diagnostic Remission Criterion in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 2328-2330.	1.0	3
120	An infant with recurrent convulsive seizures of 3 weeks duration: Questions. <i>Pediatric Nephrology</i> , 2014, 29, 1951-1951.	0.9	3
121	Characterization of Enterohemorrhagic <i>Escherichia coli</i> O111 and O157 Strains Isolated from Outbreak Patients in Japan. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2757-2763.	1.8	35
122	Tolvaptan therapy for massive edema in a patient with nephrotic syndrome. <i>Pediatric Nephrology</i> , 2014, 29, 915-917.	0.9	28
123	An Infant with PELVIS (Perineal Hemangioma, External Genital Malformations, Lipomyelomeningocele,) Tj ETQq1 1 0.784314 rgBT /Over <i>Journal of Pediatrics</i> , 2014, 165, 634.	0.9	6
124	Successful Treatment of Enterohemorrhagic <i>Escherichia coli</i> O111-induced Acute Encephalopathy and Hemolytic Uremic Syndrome With Plasma Diafiltration. <i>Therapeutic Apheresis and Dialysis</i> , 2014, 18, 516-518.	0.4	5
125	Shiga toxin-2 enhances heat-shock-induced apoptotic cell death in cultured and primary glial cells. <i>Cell Biology and Toxicology</i> , 2014, 30, 289-299.	2.4	6
126	An infant with recurrent convulsive seizures of 3 weeks duration: Answers. <i>Pediatric Nephrology</i> , 2014, 29, 1953-1955.	0.9	1

#	ARTICLE	IF	CITATIONS
127	Extensive serum biomarker analysis in patients with enterohemorrhagic Escherichia coli O111-induced hemolytic-uremic syndrome. <i>Cytokine</i> , 2014, 66, 1-6.	1.4	18
128	A case of nephrotic syndrome who remitted by change of the internal use method of cyclosporine A. <i>Japanese Journal of Pediatric Nephrology</i> , 2014, 27, 137-140.	0.0	0
129	A distinct lymphocyte distribution in relapse after rituximab for steroid-dependent nephrotic syndrome. <i>CEN Case Reports</i> , 2013, 2, 1-5.	0.5	1
130	Moth-Eaten Appearance of Tubulointerstitial Nephritis and Uveitis Syndrome on 99mTechnetium Dimercaptosuccinic Acid Scintigraphy. <i>Journal of Pediatrics</i> , 2013, 162, 647.	0.9	2
131	Soluble ST2 as a marker of disease activity in systemic juvenile idiopathic arthritis. <i>Cytokine</i> , 2013, 62, 272-277.	1.4	28
132	Distinct cytokine profile in juvenile systemic lupus erythematosus-associated macrophage activation syndrome. <i>Clinical Immunology</i> , 2013, 146, 73-76.	1.4	26
133	Distinct subsets of patients with systemic juvenile idiopathic arthritis based on their cytokine profiles. <i>Cytokine</i> , 2013, 61, 345-348.	1.4	106
134	Cutaneous Calcinosis in Juvenile Dermatomyositis. <i>Journal of Pediatrics</i> , 2013, 163, 921.	0.9	2
135	Multiple Osteonecrosis in a Patient With Juvenile Systemic Lupus Erythematosus. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 160.	0.5	2
136	Accumulation of mature B cells in the inflamed muscle tissue of a patient with anti-155/140 antibody-positive juvenile dermatomyositis. <i>Modern Rheumatology</i> , 2013, 23, 167-171.	0.9	5
137	Accumulation of mature B cells in the inflamed muscle tissue of a patient with anti-155/140 antibody-positive juvenile dermatomyositis. <i>Modern Rheumatology</i> , 2013, 23, 167-171.	0.9	3
138	Relapse of Systemic Juvenile Idiopathic Arthritis after Influenza Vaccination in a Patient Receiving Tocilizumab. <i>Vaccine Journal</i> , 2012, 19, 1700-1702.	3.2	18
139	Successful Treatment of Primary Sclerosing Cholangitis with a Steroid and a Probiotic. <i>Case Reports in Gastroenterology</i> , 2012, 6, 249-253.	0.3	16
140	Tocilizumab masks the clinical symptoms of systemic juvenile idiopathic arthritis-associated macrophage activation syndrome: The diagnostic significance of interleukin-18 and interleukin-6. <i>Cytokine</i> , 2012, 58, 287-294.	1.4	112
141	Compensated inflammation in systemic juvenile idiopathic arthritis: Role of alternatively activated macrophages. <i>Cytokine</i> , 2012, 60, 226-232.	1.4	28
142	Cytokine profiles of patients with enterohemorrhagic Escherichia coli O111-induced hemolytic-uremic syndrome. <i>Cytokine</i> , 2012, 60, 694-700.	1.4	30
143	Sequentially appearing erythema nodosum, erythema multiforme and Henoch-Schönlein purpura in a patient with Mycoplasma pneumoniae infection: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 398.	0.4	14
144	Transient impairment of NK cell function in an infant born to a mother with adult-onset Still's disease: Perinatal effect of maternal IL-18. <i>Clinical Immunology</i> , 2012, 143, 273-274.	1.4	14

#	ARTICLE	IF	CITATIONS
145	Thomsen-Friedenreich antigen exposure as a cause of Streptococcus pyogenes-associated hemolytic-uremic syndrome. <i>Clinical Nephrology</i> , 2012, 78, 328-331.	0.4	9
146	Isolated congenital megacystis without intestinal obstruction: a mild variant of chronic intestinal pseudoobstruction syndrome?. <i>Journal of Pediatric Surgery</i> , 2011, 46, e29-e32.	0.8	3
147	Successful Treatment with Bosentan for Pulmonary Hypertension and Reduced Peripheral Circulation in Juvenile Systemic Sclerosis. <i>Pediatric Cardiology</i> , 2011, 32, 1040-1042.	0.6	8
148	Bicipital Synovial Cyst in Systemic-Onset Juvenile Idiopathic Arthritis. <i>Journal of Pediatrics</i> , 2010, 157, 168.	0.9	8
149	Successful treatment of recurrent focal segmental glomerulosclerosis after renal transplantation by lymphocytapheresis and rituximab. <i>Transplant International</i> , 2010, 23, no-no.	0.8	5
150	Distinct cytokine profiles of systemic-onset juvenile idiopathic arthritis-associated macrophage activation syndrome with particular emphasis on the role of interleukin-18 in its pathogenesis. <i>Rheumatology</i> , 2010, 49, 1645-1653.	0.9	208
151	Colchicine-responsive chronic recurrent multifocal osteomyelitis with MEFV mutations: a variant of familial Mediterranean fever?. <i>Rheumatology</i> , 2010, 49, 2221-2223.	0.9	33
152	Mollaret Meningitis Associated with Occipital Dermal Sinus. <i>Journal of Pediatrics</i> , 2009, 155, 757-757.e1.	0.9	4
153	Flow cytometric analysis of skin blister fluid induced by mosquito bites in a patient with chronic active Epstein-Barr virus infection. <i>International Journal of Hematology</i> , 2009, 90, 611-615.	0.7	5
154	Cytomegalovirus-associated protracted diarrhoea in an immunocompetent boy. <i>Journal of Paediatrics and Child Health</i> , 2006, 42, 259-262.	0.4	8
155	Glomerular Proteinuria Induces Heme Oxygenase-1 Gene Expression within Renal Epithelial Cells. <i>Pediatric Research</i> , 2005, 58, 666-671.	1.1	23
156	Systolic Dysfunction and Blood Pressure Responses to Supine Exercise in Patients With Hypertrophic Cardiomyopathy. <i>Japanese Circulation Journal</i> , 2001, 65, 325-329.	1.0	4
157	(10Z)- and (10E)-19-Fluoro-1-ALPHA.,25-dihydroxyvitamin D3. An Improved Synthesis via 19-Nor-10-oxo-vitamin D.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 312-317.	0.6	21
158	Cytoprotective role of heme oxygenase (HO)-1 in human kidney with various renal diseases. <i>Kidney International</i> , 2001, 60, 1858-1866.	2.6	97
159	Chromosome 13 Locus, Pbd2, Regulates Bone Density in Mice. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 1972-1982.	3.1	33
160	The use of a nondepolarizing cardioplegic solution for cardiac preservation has a beneficial effect on the left ventricular diastolic function. <i>Transplant International</i> , 2001, 14, 72-79.	0.8	4
161	Synthesis of (10Z)- and (10E)-19-Fluoro-1-ALPHA.,25-dihydroxyvitamin D3. Compounds to Probe Vitamin D Conformation in Receptor Complex by 19F-NMR.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1484-1493.	0.6	17
162	Cardiac sympathetic activity in the asymmetrically hypertrophied septum in patients with hypertension or hypertrophic cardiomyopathy. <i>Clinical Cardiology</i> , 2000, 23, 365-370.	0.7	8

#	ARTICLE	IF	CITATIONS
163	Clinicopathological features of antineutrophil cytoplasmic antibodies-associated vasculitis in Japanese patients with IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2000, 4, 251-256.	0.7	5
164	Cardiac Dysfunction and Long-Term Prognosis in Patients with Nonobstructive Hypertrophic Cardiomyopathy and Abnormal ¹²³ I-15-(<i>p</i> -iodophenyl)-3(<i>R,S</i>)-Methylpentadecanoic Acid Myocardial Scintigraphy. <i>Cardiology</i> , 2000, 93, 43-49.	0.6	11
165	Exercise-induced ST-segment depression and systolic dysfunction in patients with nonobstructive hypertrophic cardiomyopathy. <i>American Heart Journal</i> , 2000, 140, 52-60.	1.2	16
166	Identification of peak bone mass QTL in a spontaneously osteoporotic mouse strain. <i>Mammalian Genome</i> , 1999, 10, 81-87.	1.0	106
167	Fluorimetric assay of ¹ H ₂₅ -dihydroxyvitamin D ₃ in human plasma. <i>Biomedical Applications</i> , 1997, 690, 15-23.	1.7	14
168	Myocardial scintigraphic study with ¹²³ I 15-(<i>p</i> -iodophenyl)-3(<i>R,S</i>)-methylpentadecanoic acid in patients with hypertrophic cardiomyopathy. <i>International Journal of Cardiology</i> , 1996, 54, 51-59.	0.8	36
169	Determination of 25-hydroxyvitamin D ₃ in human plasma using a non-radioactive tetranorvitamin D analogue as an internal standard. <i>Biomedical Applications</i> , 1995, 672, 63-71.	1.7	14
170	The value of combined ^{99m} Tc-Sn-colloid and ^{99m} Tc-RBC scintigraphy in the evaluation of a wandering spleen. <i>Annals of Nuclear Medicine</i> , 1995, 9, 145-147.	1.2	8
171	Collagen remodelling in myocardia of patients with diabetes.. <i>Journal of Clinical Pathology</i> , 1993, 46, 32-36.	1.0	201
172	Long-term course and cardiac sympathetic nerve activity in patients with hypertrophic cardiomyopathy.. <i>Heart</i> , 1992, 67, 155-160.	1.2	32
173	Fluorometric assay of 25-hydroxyvitamin D ₃ and 24R,25-dihydroxyvitamin D ₃ in plasma. <i>Analytical Biochemistry</i> , 1992, 204, 258-264.	1.1	28
174	Usefulness of ultrasonography and Doppler color flow imaging in the diagnosis of internal jugular phlebectasia. <i>Heart and Vessels</i> , 1992, 7, 95-98.	0.5	27
175	Increase in left ventricular chamber stiffness in patients with non-insulin dependent diabetes mellitus.. <i>Japanese Circulation Journal</i> , 1991, 55, 657-664.	1.0	14
176	Synthesis of a reagent for fluorescence-labeling of vitamin D and its use in assaying vitamin D metabolites. <i>Analytical Biochemistry</i> , 1991, 194, 77-81.	1.1	54
177	Echocardiographic Features of Intrapericardial Bronchogenic Cyst. <i>Cardiology</i> , 1990, 77, 322-326.	0.6	7
178	Multiple non-B-DNA conformations of polypurine.cntdot.poly pyrimidine sequences in plasmids. <i>Biochemistry</i> , 1990, 29, 4704-4713.	1.2	47
179	Intramolecular DNA triplexes in supercoiled plasmids. I. Effect of loop size on formation and stability. <i>Journal of Biological Chemistry</i> , 1989, 264, 5944-9.	1.6	55
180	Abnormal regulation of granulopoiesis by bone marrow fibroblasts in leukemia. <i>Tokai Journal of Experimental and Clinical Medicine</i> , 1987, 12, 67-72.	0.4	0

#	ARTICLE	IF	CITATIONS
181	Onset and Progression of Diabetic Glomerulosclerosis: A Prospective Study Based on Serial Renal Biopsies. <i>Diabetes</i> , 1975, 24, 1-9.	0.3	86
182	Atrophic Autoimmune Thyroiditis Complicated with Systemic Lupus Erythematosus. <i>Modern Rheumatology Case Reports</i> , 0, , .	0.3	0