## Ning Dong


## List of Publications by Citations

Source: https://exaly.com/author-pdf/7697297/ning-dong-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.



#	Paper	IF	Citations
19	Study of 27 aqueous humor cytokines in patients with type 2 diabetes with or without retinopathy. <i>Molecular Vision</i> , <b>2013</b> , 19, 1734-46	2.3	67
18	Study of 27 Aqueous Humor Cytokines in Type 2 Diabetic Patients with or without Macular Edema. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125329	3.7	64
17	Upregulation of retinal neuronal MCP-1 in the rodent model of diabetic retinopathy and its function in vitro <b>2012</b> , 53, 7567-75		35
16	miRNA-181a inhibits the proliferation, migration, and epithelial-mesenchymal transition of lens epithelial cells. <i>Investigative Ophthalmology and Visual Science</i> , <b>2015</b> , 56, 993-1001		33
15	MiRNA-26b inhibits the proliferation, migration, and epithelial-mesenchymal transition of lens epithelial cells. <i>Molecular and Cellular Biochemistry</i> , <b>2014</b> , 396, 229-38	4.2	27
14	Macular measurements using spectral-domain optical coherence tomography in Chinese myopic children <b>2014</b> , 55, 7410-6		26
13	Retinal neuronal MCP-1 induced by AGEs stimulates TNF-Lexpression in rat microglia via p38, ERK, and NF-B pathways. <i>Molecular Vision</i> , <b>2014</b> , 20, 616-28	2.3	25
12	Aqueous cytokines as predictors of macular edema in patients with diabetes following uncomplicated phacoemulsification cataract surgery. <i>BioMed Research International</i> , <b>2015</b> , 2015, 1269.	84 <sup>3</sup>	24
11	miR-124 Regulates Amadori-Glycated Albumin-Induced Retinal Microglial Activation and Inflammation by Targeting Rac1 <b>2016</b> , 57, 2522-32		21
10	Baicalein Inhibits Amadori-Glycated Albumin-Induced MCP-1 Expression in Retinal Ganglion Cells via a MicroRNA-124-Dependent Mechanism <b>2015</b> , 56, 5844-53		17
9	MiR-30a Regulates S100A12-induced Retinal Microglial Activation and Inflammation by Targeting NLRP3. <i>Current Eye Research</i> , <b>2019</b> , 44, 1236-1243	2.9	15
8	Plasma homocysteine concentrations in the acute phase after central retinal vein occlusion in a Chinese population. <i>Current Eye Research</i> , <b>2013</b> , 38, 1153-8	2.9	13
7	Long Noncoding RNA MALAT1 Acts as a Competing Endogenous RNA to Regulate TGF-2 Induced Epithelial-Mesenchymal Transition of Lens Epithelial Cells by a MicroRNA-26a-Dependent Mechanism. <i>BioMed Research International</i> , <b>2019</b> , 2019, 1569638	3	12
6	Plasma homocysteine levels are associated with macular thickness in type 2 diabetes without diabetic macular edema. <i>International Ophthalmology</i> , <b>2018</b> , 38, 737-746	2.2	11
5	Long noncoding RNA MALAT1 acts as a competing endogenous RNA to regulate Amadori-glycated albumin-induced MCP-1 expression in retinal microglia by a microRNA-124-dependent mechanism. <i>Inflammation Research</i> , <b>2018</b> , 67, 913-925	7.2	11
4	EGF-Mediated Overexpression of Myc Attenuates miR-26b by Recruiting HDAC3 to Induce Epithelial-Mesenchymal Transition of Lens Epithelial Cells. <i>BioMed Research International</i> , <b>2018</b> , 2018, 7148023	3	9
3	Plasma homocysteine concentrations in acute and convalescent changes of central retinal vein occlusion in a Chinese population <b>2014</b> , 55, 4057-62		8

## LIST OF PUBLICATIONS

Long Noncoding RNA NEAT1 Regulates TGF-2-Induced Epithelial-Mesenchymal Transition of Lens
Epithelial Cells through the miR-34a/Snail1 and miR-204/Zeb1 Pathways. *BioMed Research International*, **2020**, 2020, 8352579

3 4

Complement Inhibitors in Age-Related Macular Degeneration: A Potential Therapeutic Option. Journal of Immunology Research, 2021, 2021, 9945725

4.5