

Ning Dong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7697297/ning-dong-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

424
citations

12
h-index

19
g-index

19
ext. papers

505
ext. citations

3.3
avg, IF

4.1
L-index

#	Paper	IF	Citations
19	Complement Inhibitors in Age-Related Macular Degeneration: A Potential Therapeutic Option. <i>Journal of Immunology Research</i> , 2021 , 2021, 9945725	4.5	2
18	Long Noncoding RNA NEAT1 Regulates TGF-2-Induced Epithelial-Mesenchymal Transition of Lens Epithelial Cells through the miR-34a/Snail1 and miR-204/Zeb1 Pathways. <i>BioMed Research International</i> , 2020 , 2020, 8352579	3	4
17	Long Noncoding RNA MALAT1 Acts as a Competing Endogenous RNA to Regulate TGF-2 Induced Epithelial-Mesenchymal Transition of Lens Epithelial Cells by a MicroRNA-26a-Dependent Mechanism. <i>BioMed Research International</i> , 2019 , 2019, 1569638	3	12
16	MiR-30a Regulates S100A12-induced Retinal Microglial Activation and Inflammation by Targeting NLRP3. <i>Current Eye Research</i> , 2019 , 44, 1236-1243	2.9	15
15	Plasma homocysteine levels are associated with macular thickness in type 2 diabetes without diabetic macular edema. <i>International Ophthalmology</i> , 2018 , 38, 737-746	2.2	11
14	EGF-Mediated Overexpression of Myc Attenuates miR-26b by Recruiting HDAC3 to Induce Epithelial-Mesenchymal Transition of Lens Epithelial Cells. <i>BioMed Research International</i> , 2018 , 2018, 7148023	3	9
13	Long noncoding RNA MALAT1 acts as a competing endogenous RNA to regulate Amadori-glycated albumin-induced MCP-1 expression in retinal microglia by a microRNA-124-dependent mechanism. <i>Inflammation Research</i> , 2018 , 67, 913-925	7.2	11
12	miR-124 Regulates Amadori-Glycated Albumin-Induced Retinal Microglial Activation and Inflammation by Targeting Rac1 2016 , 57, 2522-32		21
11	Baicalein Inhibits Amadori-Glycated Albumin-Induced MCP-1 Expression in Retinal Ganglion Cells via a MicroRNA-124-Dependent Mechanism 2015 , 56, 5844-53		17
10	Aqueous cytokines as predictors of macular edema in patients with diabetes following uncomplicated phacoemulsification cataract surgery. <i>BioMed Research International</i> , 2015 , 2015, 126984 ³		24
9	miRNA-181a inhibits the proliferation, migration, and epithelial-mesenchymal transition of lens epithelial cells. <i>Investigative Ophthalmology and Visual Science</i> , 2015 , 56, 993-1001		33
8	Study of 27 Aqueous Humor Cytokines in Type 2 Diabetic Patients with or without Macular Edema. <i>PLoS ONE</i> , 2015 , 10, e0125329	3.7	64
7	MiRNA-26b inhibits the proliferation, migration, and epithelial-mesenchymal transition of lens epithelial cells. <i>Molecular and Cellular Biochemistry</i> , 2014 , 396, 229-38	4.2	27
6	Plasma homocysteine concentrations in acute and convalescent changes of central retinal vein occlusion in a Chinese population 2014 , 55, 4057-62		8
5	Macular measurements using spectral-domain optical coherence tomography in Chinese myopic children 2014 , 55, 7410-6		26
4	Retinal neuronal MCP-1 induced by AGEs stimulates TNF- α expression in rat microglia via p38, ERK, and NF- κ B pathways. <i>Molecular Vision</i> , 2014 , 20, 616-28	2.3	25
3	Plasma homocysteine concentrations in the acute phase after central retinal vein occlusion in a Chinese population. <i>Current Eye Research</i> , 2013 , 38, 1153-8	2.9	13

2	Study of 27 aqueous humor cytokines in patients with type 2 diabetes with or without retinopathy. <i>Molecular Vision</i> , 2013 , 19, 1734-46	2.3	67
1	Upregulation of retinal neuronal MCP-1 in the rodent model of diabetic retinopathy and its function in vitro 2012 , 53, 7567-75		35