
Xiaomin Niu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7697772/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Exosomal PD-L1 predicts response with immunotherapy in NSCLC patients. Clinical and Experimental Immunology, 2022, 208, 316-322.	2.6	13
2	Homologous recombination deficiency (HRD) can predict the therapeutic outcomes of immuno-neoadjuvant therapy in NSCLC patients. Journal of Hematology and Oncology, 2022, 15, 62.	17.0	24
3	Complex renal cysts combined with hemorrhage during crizotinib treatment for ALK-rearranged lung adenocarcinoma. Cancer Treatment and Research Communications, 2021, 27, 100373.	1.7	2
4	Malignant mesothelioma without asbestos exposure diagnosed during EGFR-TKI treatment of lung adenocarcinoma: A case report. Cancer Treatment and Research Communications, 2021, 27, 100345.	1.7	2
5	Comparative Efficacy and Safety of Immunotherapy Alone and in Combination With Chemotherapy for Advanced Non-small Cell Lung Cancer. Frontiers in Oncology, 2021, 11, 611012.	2.8	16
6	Durable Response to the Combination of Atezolizumab With Platinum-Based Chemotherapy in an Untreated Non-Smoking Lung Adenocarcinoma Patient With BRAF V600E Mutation: A Case Report. Frontiers in Oncology, 2021, 11, 634920.	2.8	7
7	Durable Clinical Response of Lung Adenocarcinoma Harboring EGFR 19Del/T790M/in trans-C797S to Combination Therapy of First- and Third-Generation EGFR Tyrosine Kinase Inhibitors. Journal of Thoracic Oncology, 2019, 14, e157-e159.	1.1	24
8	The PI3K inhibitor buparlisib suppresses osteoclast formation and tumour cell growth in bone metastasis of lung cancer, as evidenced by multimodality molecular imaging. Oncology Reports, 2019, 41, 2636-2646.	2.6	10
9	Comparison of genomic landscapes of large cell neuroendocrine carcinoma, small cell lung carcinoma, and large cell carcinoma. Thoracic Cancer, 2019, 10, 839-847.	1.9	23
10	FGA isoform as an indicator of targeted therapy for EGFR mutated lung adenocarcinoma. Journal of Molecular Medicine, 2019, 97, 1657-1668.	3.9	7
11	Lengthy Progression-Free Survival and Intracranial Activity of Cabozantinib in Patients with Crizotinib and Ceritinib-Resistant ROS1-Positive Non–Small Cell Lung Cancer. Journal of Thoracic Oncology, 2019, 14, e21-e24.	1.1	23
12	The Hippo/YAP1 pathway interacts with FGFR1 signaling to maintain stemness in lung cancer. Cancer Letters, 2018, 423, 36-46.	7.2	52
13	Graphene Oxide-Facilitated Comprehensive Analysis of Cellular Nucleic Acid Binding Proteins for Lung Cancer. ACS Applied Materials & Interfaces, 2018, 10, 17756-17770.	8.0	14
14	FGFR1-ERK1/2-SOX2 axis promotes cell proliferation, epithelial–mesenchymal transition, and metastasis in FGFR1-amplified lung cancer. Oncogene, 2018, 37, 5340-5354.	5.9	123
15	Next generation sequencing reveals a novel ALK G1128A mutation resistant to crizotinib in an ALK-Rearranged NSCLC patient. Lung Cancer, 2018, 123, 83-86.	2.0	19
16	Genome-wide DNA Methylation Analysis Reveals <i>GABBR2</i> as a Novel Epigenetic Target for <i>EGFR</i> 19 Deletion Lung Adenocarcinoma with Induction Erlotinib Treatment. Clinical Cancer Research, 2017, 23, 5003-5014.	7.0	16
17	Systematic comparison of exosomal proteomes from human saliva and serum for the detection of lung cancer. Analytica Chimica Acta, 2017, 982, 84-95.	5.4	107
18	Assessment of interfering factors and clinical risk associated with discontinuation of pemetrexed maintenance therapy in advanced non-squamous non-small cell lung cancer. Lung Cancer, 2017, 111, 43-50.	2.0	2

Χιαομιν Νιυ

#	Article	IF	CITATIONS
19	Anaplastic Lymphoma Kinase Testing: IHC vs. FISH vs. NGS. Current Treatment Options in Oncology, 2017, 18, 71.	3.0	22
20	Design and implementation of a mobile system for lung cancer patient follow-up in China and initial report of the ongoing patient registry. Oncotarget, 2017, 8, 5487-5497.	1.8	11
21	A systematic review and meta-analysis of individual patient data on the impact of the BIM deletion polymorphism on treatment outcomes in epidermal growth factor receptor mutant lung cancer. Oncotarget, 2017, 8, 41474-41486.	1.8	13
22	Identification of FGF19 as a prognostic marker and potential driver gene of lung squamous cell carcinomas in Chinese smoking patients. Oncotarget, 2016, 7, 18394-18402.	1.8	38
23	Facile preparation of salivary extracellular vesicles for cancer proteomics. Scientific Reports, 2016, 6, 24669.	3.3	52
24	TERT Polymorphism rs2736100-C Is Associated with EGFR Mutation–Positive Non–Small Cell Lung Cancer. Clinical Cancer Research, 2015, 21, 5173-5180.	7.0	47
25	Maintenance Therapy Improves Survival Outcomes in Patients with Advanced Non-small Cell Lung Cancer: A Meta-analysis of 14 Studies. Lung, 2015, 193, 805-814.	3.3	13
26	A survival comparison study of Chinese patients with primary lung adenocarcinoma harboring ALK rearrangements with crizotinib treatment detected by FISH, IHC, and RT-PCR Journal of Clinical Oncology, 2015, 33, e19135-e19135.	1.6	1
27	The predictive role of pretreatment epidermal growth factor receptor T790M mutation on the progression-free survival of tyrosine-kinase inhibitor-treated non-small cell lung cancer patients: a meta-analysis. OncoTargets and Therapy, 2014, 7, 387.	2.0	24
28	The polycomb group protein EZH2 inhibits lung cancer cell growth by repressing the transcription factor Nrf2. FEBS Letters, 2014, 588, 3000-3007.	2.8	47
29	Molecular epidemiology of EGFR mutations in 7,953 non-small cell lung cancer of Chinese ethnicity Journal of Clinical Oncology, 2014, 32, e19009-e19009.	1.6	1
30	A Study of Ethnic Differences in TGFβ1 Gene Polymorphisms and Effects on the Risk of Radiation Pneumonitis in Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 1668-1675.	1.1	39
31	Association of the CHRNA3 Locus with Lung Cancer Risk and Prognosis in Chinese Han Population. Journal of Thoracic Oncology, 2010, 5, 658-666.	1.1	18