

Norito Kawakami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7698294/publications.pdf>

Version: 2024-02-01

311
papers

33,273
citations

31949

53
h-index

4223

174
g-index

347
all docs

347
docs citations

347
times ranked

42223
citing authors

#	ARTICLE	IF	CITATIONS
1	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	6.3	7,061
2	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	6.3	6,376
3	The Job Content Questionnaire (JCQ): An instrument for internationally comparative assessments of psychosocial job characteristics.. <i>Journal of Occupational Health Psychology</i> , 1998, 3, 322-355.	2.3	2,759
4	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2581.	3.8	2,696
5	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007, 6, 168-76.	4.8	1,239
6	The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 152-158.	1.1	1,058
7	Trauma and PTSD in the WHO World Mental Health Surveys. <i>HÃƒggre Utbildning</i> , 2017, 8, 1353383.	1.4	801
8	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017, 210, 119-124.	1.7	664
9	Screening performance of K6/K10 and other screening instruments for mood and anxiety disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2011, 65, 434-441.	1.0	474
10	Association of Mental Disorders With Subsequent Chronic Physical Conditions. <i>JAMA Psychiatry</i> , 2016, 73, 150.	6.0	372
11	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018, 35, 195-208.	2.0	318
12	Workaholism vs. Work Engagement: the Two Different Predictors of Future Well-being and Performance. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 18-23.	0.8	309
13	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	3.3	306
14	Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 441-452.	1.0	296
15	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. <i>Clinical Psychology Review</i> , 2018, 63, 80-92.	6.0	239
16	Assessment of job stress dimensions based on the job demands-control model of employees of telecommunication and electric power companies in japan: reliability and validity of the japanese version of the job content questionnaire. <i>International Journal of Behavioral Medicine</i> , 1995, 2, 358-375.	0.8	231
17	Lifetime prevalence, psychiatric comorbidity and demographic correlates of â€œhikikomoriâ€• in a community population in Japan. <i>Psychiatry Research</i> , 2010, 176, 69-74.	1.7	187
18	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270.	6.0	179

#	ARTICLE	IF	CITATIONS
19	Do Workaholism and Work Engagement Predict Employee Well-being and Performance in Opposite Directions?. <i>Industrial Health</i> , 2012, 50, 316-321.	0.4	176
20	Job stress, social support, and prevalence of insomnia in a population of Japanese daytime workers. <i>Social Science and Medicine</i> , 2004, 59, 1719-1730.	1.8	173
21	Population health and regional variations of disease burden in Japan, 1990–2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , 2017, 390, 1521-1538.	6.3	158
22	Workaholism and well-being among Japanese dual-earner couples: A spillover-crossover perspective. <i>Social Science and Medicine</i> , 2011, 73, 399-409.	1.8	136
23	Culture and social hierarchy: Self- and other-oriented correlates of socioeconomic status across cultures.. <i>Journal of Personality and Social Psychology</i> , 2018, 115, 427-445.	2.6	129
24	Workplace responses to COVID-19 associated with mental health and work performance of employees in Japan. <i>Journal of Occupational Health</i> , 2020, 62, e12134.	1.0	127
25	Japan-U.S. comparison of responses to depression scale items among adult workers. <i>Psychiatry Research</i> , 1995, 58, 237-245.	1.7	122
26	Participatory Intervention for Workplace Improvements on Mental Health and Job Performance Among Blue-Collar Workers: A Cluster Randomized Controlled Trial. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 554-563.	0.9	121
27	Mental Health and Related Factors after the Great East Japan Earthquake and Tsunami. <i>PLoS ONE</i> , 2014, 9, e102497.	1.1	117
28	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012, 72, 228-237.	0.7	114
29	Work engagement versus workaholism: a test of the spillover-crossover model. <i>Journal of Managerial Psychology</i> , 2013, 29, 63-80.	1.3	104
30	The Stress Check Program: a new national policy for monitoring and screening psychosocial stress in the workplace in Japan. <i>Journal of Occupational Health</i> , 2016, 58, 1-6.	1.0	102
31	Associations Between Subjective Social Status and DSM-IV Mental Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 1400.	6.0	101
32	Just How Bad Negative Affect Is for Your Health Depends on Culture. <i>Psychological Science</i> , 2014, 25, 2277-2280.	1.8	96
33	The Arabic Version of The Depression Anxiety Stress Scale-21: Cumulative scaling and discriminant-validation testing. <i>Asian Journal of Psychiatry</i> , 2017, 30, 56-58.	0.9	86
34	Effects of a Worker Participatory Program for Improving Work Environments on Job Stressors and Mental Health among Workers: A Controlled Trial. <i>Journal of Occupational Health</i> , 2008, 50, 455-470.	1.0	83
35	Development of a Short Questionnaire to Measure an Extended Set of Job Demands, Job Resources, and Positive Health Outcomes: The New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 175-189.	0.4	83
36	Association between Workaholism and Sleep Problems among Hospital Nurses. <i>Industrial Health</i> , 2010, 48, 864-871.	0.4	82

#	ARTICLE	IF	CITATIONS
37	Dietary intake of minerals in relation to depressive symptoms in Japanese employees: The Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2015, 31, 686-690.	1.1	82
38	Effects of work-related stress reduction on depressive symptoms among Japanese blue-collar workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997, 23, 54-59.	1.7	80
39	Organizational justice, psychological distress, and work engagement in Japanese workers. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 29-38.	1.1	78
40	Effects of an Internet-Based Cognitive Behavioral Therapy (iCBT) Program in Manga Format on Improving Subthreshold Depressive Symptoms among Healthy Workers: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e97167.	1.1	74
41	Dietary fiber intake and depressive symptoms in Japanese employees: The Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2016, 32, 584-589.	1.1	74
42	Trauma and posttraumatic stress disorder in Japan: Results from the World Mental Health Japan Survey. <i>Journal of Psychiatric Research</i> , 2014, 53, 157-165.	1.5	71
43	Validation of the Japanese Version of the Recovery Experience Questionnaire. <i>Journal of Occupational Health</i> , 2012, 54, 196-205.	1.0	70
44	Sustained poor mental health among healthcare workers in COVID-19 pandemic: A longitudinal analysis of the four-wave panel survey over 8 months in Japan. <i>Journal of Occupational Health</i> , 2021, 63, e12227.	1.0	70
45	Reliability and validity of the Japanese version of the Recovery Assessment Scale (RAS) for people with chronic mental illness: Scale development. <i>International Journal of Nursing Studies</i> , 2010, 47, 314-322.	2.5	69
46	Association of Occupation, Employment Contract, and Company Size with Mental Health in a National Representative Sample of Employees in Japan. <i>Journal of Occupational Health</i> , 2010, 52, 227-240.	1.0	66
47	The deterioration of mental health among healthcare workers during the COVID-19 outbreak: A population-based cohort study of workers in Japan. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 639-644.	1.7	66
48	Measuring Workplace Bullying: Reliability and Validity of the Japanese Version of the Negative Acts Questionnaire. <i>Journal of Occupational Health</i> , 2010, 52, 216-226.	1.0	65
49	Effects of web-based supervisor training on supervisor support and psychological distress among workers: a randomized controlled trial. <i>Preventive Medicine</i> , 2005, 41, 471-478.	1.6	63
50	Telephone Cognitive-Behavioral Therapy for Subthreshold Depression and Presenteeism in Workplace: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e35330.	1.1	62
51	Evaluation of an Internet-Based Self-Help Program for Better Quality of Sleep among Japanese Workers: A Randomized Controlled Trial. <i>Journal of Occupational Health</i> , 2008, 50, 387-399.	1.0	60
52	Prevalence, treatment, and the correlates of common mental disorders in the mid 2010s in Japan: The results of the world mental health Japan 2nd survey. <i>Journal of Affective Disorders</i> , 2018, 241, 554-562.	2.0	60
53	Altered DNA methylation status of human brain derived neurotrophin factor gene could be useful as biomarker of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 357-364.	1.1	59
54	Efficacy and Moderators of Internet-Based Interventions in Adults with Subthreshold Depression: An Individual Participant Data Meta-Analysis of Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 94-106.	4.0	59

#	ARTICLE	IF	CITATIONS
55	Prevalence of mental disorders and mental health service use in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 458-465.	1.0	58
56	Occupational Class and Exposure to Job Stressors among Employed Men and Women in Japan. <i>Journal of Epidemiology</i> , 2004, 14, 204-211.	1.1	56
57	Behavioral activation for late adolescents with subthreshold depression: a randomized controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1171-1182.	2.8	56
58	Socioeconomic Determinants of Bullying in the Workplace: A National Representative Sample in Japan. <i>PLoS ONE</i> , 2015, 10, e0119435.	1.1	55
59	Relationship between sickness presenteeism (WHO's HPQ) with depression and sickness absence due to mental disease in a cohort of Japanese workers. <i>Journal of Affective Disorders</i> , 2015, 180, 14-20.	2.0	55
60	A Japanese Stress Check Program screening tool predicts employee long-term sickness absence: a prospective study. <i>Journal of Occupational Health</i> , 2018, 60, 55-63.	1.0	54
61	Japanese dietary pattern consistently relates to low depressive symptoms and it is modified by job strain and worksite supports. <i>Journal of Affective Disorders</i> , 2013, 150, 490-498.	2.0	53
62	The relationship between work engagement and psychological distress of hospital nurses and the perceived communication behaviors of their nurse managers: A cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2017, 71, 115-124.	2.5	53
63	Association of childhood adversities with the first onset of mental disorders in Japan: Results from the World Mental Health Japan, 2002-2004. <i>Journal of Psychiatric Research</i> , 2011, 45, 481-487.	1.5	52
64	Crossover of work engagement among Japanese couples: Perspective taking by both partners.. <i>Journal of Occupational Health Psychology</i> , 2011, 16, 112-125.	2.3	50
65	Effects of Web-Based Supervisor Training on Job Stressors and Psychological Distress among Workers: A Workplace-Based Randomized Controlled Trial. <i>Journal of Occupational Health</i> , 2006, 48, 28-34.	1.0	49
66	The recognition of occupational diseases attributed to heavy workloads: experiences in Japan, Korea, and Taiwan. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 791-799.	1.1	49
67	Impact of mental disorders on work performance in a community sample of workers in Japan: The World Mental Health Japan Survey 2002-2005. <i>Psychiatry Research</i> , 2012, 198, 140-145.	1.7	49
68	Effects of a Supervisory Education for Positive Mental Health in the Workplace: A Quasi-Experimental Study. <i>Journal of Occupational Health</i> , 2005, 47, 226-235.	1.0	48
69	Effects of a job crafting intervention program on work engagement among Japanese employees: a pretest-posttest study. <i>BMC Psychology</i> , 2016, 4, 49.	0.9	48
70	Reliability and Validity of the Japanese Version of the Organizational Justice Questionnaire. <i>Journal of Occupational Health</i> , 2009, 51, 74-83.	1.0	47
71	Development of a Short Version of the New Brief Job Stress Questionnaire. <i>Industrial Health</i> , 2014, 52, 535-540.	0.4	47
72	The Japanese Workplace PERMA-Profiler: A validation study among Japanese workers. <i>Journal of Occupational Health</i> , 2018, 60, 383-393.	1.0	47

#	ARTICLE	IF	CITATIONS
73	Working hours and the onset of depressive disorder: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2016, 73, oemed-2016-103845.	1.3	46
74	Diagnostic accuracy of Japanese posttraumatic stress measures after a complex disaster: The Fukushima Health Management Survey. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12248.	1.2	45
75	Association of childhood family environments with the risk of social withdrawal (â€‹ <i>hikikomori</i> â€™™) in the community population in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 121-129.	1.0	44
76	Socioeconomic Status is Significantly Associated with Dietary Salt Intakes and Blood Pressure in Japanese Workers (J-HOPE Study). <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 980-993.	1.2	44
77	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. <i>Psychological Medicine</i> , 2020, 50, 2498-2513.	2.7	44
78	Exposure to media and fear and worry about <scp>COVID</scp>â€™19. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 501-502.	1.0	44
79	Effects of the Job Stress Education for Supervisors on Psychological Distress and Job Performance among Their Immediate Subordinates: A Supervisorâ€™Based Randomized Controlled Trial. <i>Journal of Occupational Health</i> , 2006, 48, 494-503.	1.0	42
80	Sleep Problems in White-Collar Male Workers in an Electric Equipment Manufacturing Company in Japan.. <i>Industrial Health</i> , 2000, 38, 62-68.	0.4	40
81	Effects of Webâ€™Based Psychoeducation on Selfâ€™Efficacy, Problem Solving Behavior, Stress Responses and Job Satisfaction among Workers: A Controlled Clinical Trial. <i>Journal of Occupational Health</i> , 2005, 47, 405-413.	1.0	40
82	Effects of a Worksite Stress Management Training Program with Six Shortâ€™hour Sessions: A Controlled Trial among Japanese Employees. <i>Journal of Occupational Health</i> , 2009, 51, 294-302.	1.0	40
83	Psychological Resources as Mediators of the Association Between Social Class and Health: Comparative Findings from Japan and the USA. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 53-65.	0.8	40
84	Detection of resting state functional connectivity using partial correlation analysis: A study using multi-distance and whole-head probe near-infrared spectroscopy. <i>NeuroImage</i> , 2016, 142, 590-601.	2.1	40
85	Optimal Cutoff Values of WHO-HPQ Presenteeism Scores by ROC Analysis for Preventing Mental Sickness Absence in Japanese Prospective Cohort. <i>PLoS ONE</i> , 2014, 9, e111191.	1.1	40
86	Suicide risk among individuals with sleep disturbances in Japan: a caseâ€™control psychological autopsy study. <i>Sleep Medicine</i> , 2014, 15, 430-435.	0.8	39
87	Differences in cancer stage, treatment and in-hospital mortality between patients with and without schizophrenia: retrospective matched-pair cohort study. <i>British Journal of Psychiatry</i> , 2016, 208, 239-244.	1.7	38
88	Organizational Justice and Psychological Distress Among Permanent and Non-permanent Employees in Japan: A Prospective Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 265-276.	0.8	37
89	Long-term psychological consequences among adolescent survivors of the Wenchuan earthquake in China: A cross-sectional survey six years after the disaster. <i>Journal of Affective Disorders</i> , 2016, 204, 255-261.	2.0	36
90	Job crafting, work engagement, and psychological distress among Japanese employees: a cross-sectional study. <i>BioPsychoSocial Medicine</i> , 2017, 11, 6.	0.9	36

#	ARTICLE	IF	CITATIONS
91	Social capital and suicide: an ecological study in Tokyo, Japan. <i>Environmental Health and Preventive Medicine</i> , 2013, 18, 306-312.	1.4	35
92	Work Engagement as a Predictor of Onset of Major Depressive Episode (MDE) among Workers, Independent of Psychological Distress: A 3-Year Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0148157.	1.1	35
93	Effects of Mailed Advice on Stress Reduction among Employees in Japan: A Randomized Controlled Trial. <i>Industrial Health</i> , 1999, 37, 237-242.	0.4	34
94	Prevalence of and risk factors for suicide-related outcomes in the World Health Organization World Mental Health Surveys Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 442-449.	1.0	34
95	Reliability and validity of the Japanese version of the Self-Identified Stage of Recovery for people with long term mental illness. <i>International Journal of Mental Health Nursing</i> , 2010, 19, 195-202.	2.1	34
96	Workaholism and Sleep Quality Among Japanese Employees: A Prospective Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 66-76.	0.8	34
97	Environmental radiation level, radiation anxiety, and psychological distress of non-evacuee residents in Fukushima five years after the Great East Japan Earthquake: Multilevel analyses. <i>SSM - Population Health</i> , 2017, 3, 740-748.	1.3	34
98	Association of Job Demands with Work Engagement of Japanese Employees: Comparison of Challenges with Hindrances (J-HOPE). <i>PLoS ONE</i> , 2014, 9, e91583.	1.1	33
99	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 623-630.	1.4	33
100	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017, 34, 315-326.	2.0	33
101	The validity and psychometric properties of the Japanese version of the Compulsive Internet Use Scale (CIUS). <i>BMC Psychiatry</i> , 2017, 17, 201.	1.1	33
102	Prevalence and correlates of illicit and non-medical use of psychotropic drugs in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 777-783.	1.6	32
103	Work-self balance: A longitudinal study on the effects of job demands and resources on personal functioning in Japanese working parents. <i>Work and Stress</i> , 2013, 27, 223-243.	2.8	32
104	Behavioral characteristics of subthreshold depression. <i>Journal of Affective Disorders</i> , 2014, 168, 472-475.	2.0	31
105	The Association of Workplace Social Capital With Work Engagement of Employees in Health Care Settings. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 265-271.	0.9	31
106	The First Pilot Genome-Wide Gene-Environment Study of Depression in the Japanese Population. <i>PLoS ONE</i> , 2016, 11, e0160823.	1.1	30
107	Construct validity and test-retest reliability of the World Mental Health Japan version of the World Health Organization Health and Work Performance Questionnaire Short Version: a preliminary study. <i>Industrial Health</i> , 2020, 58, 375-387.	0.4	30
108	Validation of Nepalese Version of Utrecht Work Engagement Scale. <i>Journal of Occupational Health</i> , 2014, 56, 421-429.	1.0	29

#	ARTICLE	IF	CITATIONS
109	Barriers to mental health care in Japan: Results from the World Mental Health Japan Survey. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 523-533.	1.0	29
110	Effects of an Internet-Based Cognitive Behavioral Therapy Intervention on Improving Work Engagement and Other Work-Related Outcomes. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, 578-584.	0.9	29
111	Detailed course of depressive symptoms and risk for developing depression in late adolescents with subthreshold depression: a cohort study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 25-33.	1.0	29
112	Workload and psychological distress, physical complaints, and work performance among adult workers: a retrospective cohort study. <i>Scientific Reports</i> , 2017, 7, 10758.	1.6	29
113	What Kind of Intervention Is Effective for Improving Subjective Well-Being Among Workers? A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Psychology</i> , 2020, 11, 528656.	1.1	29
114	Work-family Spillover among Japanese Dual-Earner Couples: A Large Community-Based Study. <i>Journal of Occupational Health</i> , 2010, 52, 335-343.	1.0	28
115	The psychological impact of a dual-disaster caused by earthquakes and radioactive contamination in Ichnoseki after the Great East Japan Earthquake. <i>BMC Research Notes</i> , 2014, 7, 307.	0.6	27
116	Dietary patterns derived by reduced rank regression (RRR) and depressive symptoms in Japanese employees: The Furukawa nutrition and health study. <i>Psychiatry Research</i> , 2015, 229, 214-219.	1.7	27
117	Workplace incivility in Japan: Reliability and validity of the Japanese version of the modified Work Incivility Scale. <i>Journal of Occupational Health</i> , 2017, 59, 237-246.	1.0	27
118	Workplace Bullying and Psychological Distress. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 1067-1072.	0.9	27
119	The Effects of Downloading a Government-Issued COVID-19 Contact Tracing App on Psychological Distress During the Pandemic Among Employed Adults: Prospective Study. <i>JMIR Mental Health</i> , 2021, 8, e23699.	1.7	27
120	Effects of web-based stress and depression literacy intervention on improving symptoms and knowledge of depression among workers: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2016, 203, 30-37.	2.0	26
121	Workaholism, Work Engagement and Child Well-Being: A Test of the Spillover-Crossover Model. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6213.	1.2	26
122	Antenatal psychological intervention for universal prevention of antenatal and postnatal depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 273, 231-239.	2.0	26
123	Childhood Adversity and Adulthood Subjective Well-Being: Evidence from Japan. <i>Journal of Happiness Studies</i> , 2013, 14, 843-860.	1.9	25
124	Occupational stress and the risk of turnover: a large prospective cohort study of employees in Japan. <i>BMC Public Health</i> , 2020, 20, 174.	1.2	25
125	Psychometric Evaluation of the Japanese Version of the Posttraumatic Stress Disorder Checklist in Community Dwellers Following the Fukushima Daiichi Nuclear Power Plant Incident. <i>SAGE Open</i> , 2016, 6, 215824401665244.	0.8	24
126	Multifactor leadership styles and new exposure to workplace bullying: a six-month prospective study. <i>Industrial Health</i> , 2015, 53, 139-151.	0.4	23

#	ARTICLE	IF	CITATIONS
127	Workplace social capital and the onset of major depressive episode among workers in Japan: a 3-year prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 606-612.	2.0	23
128	Organizational Justice and Major Depressive Episodes in Japanese Employees: A Cross-sectional Study. <i>Journal of Occupational Health</i> , 2013, 55, 47-55.	1.0	22
129	Psychological Detachment from Work during Off-job Time: Predictive Role of Work and Non-work Factors in Japanese Employees. <i>Industrial Health</i> , 2014, 52, 141-146.	0.4	22
130	Breakfast consumption and the risk of depressive symptoms: The Furukawa Nutrition and Health Study. <i>Psychiatry Research</i> , 2019, 273, 551-558.	1.7	22
131	Long working hours and depressive symptoms: moderating effects of gender, socioeconomic status, and job resources. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 661-672.	1.1	22
132	A comparison of <i>DSM-5</i> and <i>DSM-IV</i> agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019, 36, 499-510.	2.0	22
133	Work engagement and high-sensitivity C-reactive protein levels among Japanese workers: a 1-year prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 651-658.	1.1	21
134	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	2.7	21
135	Epidemiological aspects of intermittent explosive disorder in Japan; prevalence and psychosocial comorbidity: Findings from the World Mental Health Japan Survey 2002-2006. <i>Psychiatry Research</i> , 2011, 186, 384-389.	1.7	20
136	Buffering effects of job resources on the association of overtime work hours with psychological distress in Japanese white-collar workers. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 631-640.	1.1	20
137	Effects of two types of smartphone-based stress management programmes on depressive and anxiety symptoms among hospital nurses in Vietnam: a protocol for three-arm randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e025138.	0.8	20
138	Effects of a Job Crafting Intervention Program on Work Engagement Among Japanese Employees: A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2020, 11, 235.	1.1	20
139	Web-Based Cognitive Behavioral Relapse Prevention Program With Tailored Feedback for People With Methamphetamine and Other Drug Use Problems: Development and Usability Study. <i>JMIR Mental Health</i> , 2016, 3, e1.	1.7	20
140	Sociodemographic determinants of attitudinal barriers in the use of mental health services in Japan: Findings from the World Mental Health Survey 2002-2006. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 101-109.	1.0	19
141	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.	1.6	19
142	Effect of the National Stress Check Program on mental health among workers in Japan: A 1-year retrospective cohort study. <i>Journal of Occupational Health</i> , 2018, 60, 298-306.	1.0	19
143	Reliability and validity of the Japanese version of the Survey Work-Home Interaction Nijmegen, the SWING (SWING-J). <i>Community, Work and Family</i> , 2019, 22, 267-283.	1.5	19
144	Care difficulties and burden during COVID-19 pandemic lockdowns among caregivers of people with schizophrenia: A cross-sectional study. <i>Neuropsychopharmacology Reports</i> , 2021, 41, 242-247.	1.1	19

#	ARTICLE	IF	CITATIONS
145	Workplace responses to COVID-19 and their association with company size and industry in an early stage of the epidemic in Japan. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.3	19
146	Effects of web-based stress and depression literacy intervention on improving work engagement among workers with low work engagement: An analysis of secondary outcome of a randomized controlled trial. <i>Journal of Occupational Health</i> , 2017, 59, 46-54.	1.0	18
147	Impact of childhood abuse on suicide-related behavior: Analysis using marginal structural models. <i>Journal of Affective Disorders</i> , 2018, 234, 224-230.	2.0	18
148	Longitudinal adherence to a dietary pattern and risk of depressive symptoms: the Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2018, 48, 48-54.	1.1	18
149	Validation of the Job Content Questionnaire among hospital nurses in Vietnam. <i>Journal of Occupational Health</i> , 2020, 62, e12086.	1.0	18
150	Culture, inequality, and health: evidence from the MIDUS and MIDJA comparison. <i>Culture and Brain</i> , 2015, 3, 1-20.	0.3	17
151	Residence-related factors and psychological distress among evacuees after the Fukushima Daiichi nuclear power plant accident: a cross-sectional study. <i>BMC Psychiatry</i> , 2016, 16, 420.	1.1	16
152	Prevalence and correlates of substance use among health care students in Nepal: a cross sectional study. <i>BMC Public Health</i> , 2017, 17, 950.	1.2	16
153	Effects of a Newly Developed Gratitude Intervention Program on Work Engagement Among Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e378-e383.	0.9	16
154	Effects of Smartphone-Based Stress Management on Improving Work Engagement Among Nurses in Vietnam: Secondary Analysis of a Three-Arm Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e20445.	2.1	16
155	Internet-based cognitive-behavioural therapy for prevention of depression during pregnancy and in the post partum (iPDP): a protocol for a large-scale randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e036482.	0.8	16
156	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam. <i>PLoS ONE</i> , 2020, 15, e0233119.	1.1	16
157	Effects of gratitude intervention on mental health and well-being among workers: A systematic review. <i>Journal of Occupational Health</i> , 2021, 63, e12290.	1.0	16
158	Workplace Bullying and Patient Aggression Related to COVID-19 and its Association with Psychological Distress among Health Care Professionals during the COVID-19 Pandemic in Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2021, 255, 283-289.	0.5	16
159	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
160	Job Stress and Mental Health among Workers in Asia and the World. <i>Journal of Occupational Health</i> , 2010, 52, 1-3.	1.0	15
161	Interaction effect of job insecurity and role ambiguity on psychological distress in Japanese employees: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 391-402.	1.1	15
162	Psychological distress with and without a history of depression: Results from the World Mental Health Japan 2nd Survey (WMHJ2). <i>Journal of Affective Disorders</i> , 2020, 265, 545-551.	2.0	15

#	ARTICLE	IF	CITATIONS
163	Development and Evaluation of a Gatekeeper Training Program Regarding Anxiety about Radiation Health Effects Following a Nuclear Power Plant Accident: A Single-Arm Intervention Pilot Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4594.	1.2	15
164	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster. <i>Social Science and Medicine</i> , 2020, 258, 113108.	1.8	15
165	Association of response rate and prevalence estimates of common mental disorders across 129 areas in a nationally representative survey of adults in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1373-1382.	1.6	15
166	Implementation Outcome Scales for Digital Mental Health (iOSDMH): Scale Development and Cross-sectional Study. <i>JMIR Formative Research</i> , 2021, 5, e24332.	0.7	15
167	Quantitative relationship between recovery and benefitâ€finding among persons with chronic mental illness in Japan. <i>Australian Journal of Cancer Nursing</i> , 2011, 13, 126-132.	0.8	14
168	Crossâ€cultural measurement equivalence of the Japanese version of the Revised Conflict Tactics Scales Short Form among Japanese men and women. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 804-811.	1.0	14
169	Buffering effect of workplace social capital on the association of job insecurity with psychological distress in Japanese employees: a crossâ€sectional study. <i>Journal of Occupational Health</i> , 2016, 58, 460-469.	1.0	14
170	Associations among workplace environment, self-regulation, and domain-specific physical activities among white-collar workers: a multilevel longitudinal study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 47.	2.0	14
171	Association between personal values in adolescence and mental health and well-being in adulthood: a cross-cultural study of working populations in Japan and the United States. <i>Annals of General Psychiatry</i> , 2020, 19, 7.	1.2	14
172	Deterioration in Mental Health Under Repeated COVID-19 Outbreaks Greatest in the Less Educated: A Cohort Study of Japanese Employees. <i>Journal of Epidemiology</i> , 2021, 31, 93-96.	1.1	14
173	Psychometric properties of the Japanese version of the Recovery Attitudes Questionnaire (RAQ) among mental health providers: a questionnaire survey. <i>BMC Psychiatry</i> , 2016, 16, 32.	1.1	13
174	Cumulative incidence of suicidal ideation and associated factors among adults living in temporary housing during the three years after the Great East Japan Earthquake. <i>Journal of Affective Disorders</i> , 2018, 232, 1-8.	2.0	13
175	Enduring effects of a five-week behavioral activation program for subthreshold depression among late adolescents: an exploratory randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 2633-2641.	1.0	13
176	Personal values in adolescence and suicidality: a cross-sectional study based on a retrospective recall. <i>BMC Psychiatry</i> , 2019, 19, 214.	1.1	13
177	Effect of a web-based relapse prevention program on abstinence among Japanese drug users: A pilot randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2020, 111, 37-46.	1.5	13
178	Socioeconomic Status Is Significantly Associated with the Dietary Intakes of Folate and Depression Scales in Japanese Workers (J-HOPE Study). <i>Nutrients</i> , 2013, 5, 565-578.	1.7	12
179	Sourceâ€specific workplace social support and highâ€sensitivity C-reactive protein levels among Japanese workers: A 1â€year prospective cohort study. <i>American Journal of Industrial Medicine</i> , 2016, 59, 676-684.	1.0	12
180	The effect of a behavioral activation program on improving mental and physical health complaints associated with radiation stress among mothers in Fukushima: a randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1144.	1.2	12

#	ARTICLE	IF	CITATIONS
181	The property of the Japanese version of the Recovery Knowledge Inventory (RKI) among mental health service providers: a cross sectional study. <i>International Journal of Mental Health Systems</i> , 2017, 11, 71.	1.1	12
182	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall. <i>PLoS ONE</i> , 2019, 14, e0225454.	1.1	12
183	Association between energy drink consumption and substance use in adolescence: A systematic review of prospective cohort studies. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108470.	1.6	12
184	Effects of a Stress Management Program for Hospital Staffs on Their Coping Strategies and Interpersonal Behaviors. <i>Industrial Health</i> , 2012, 50, 487-498.	0.4	11
185	Effectiveness of a program to facilitate recovery for people with long-term mental illness in Japan. <i>Australian Journal of Cancer Nursing</i> , 2014, 16, 277-283.	0.8	11
186	Depression and Dementia in Old-Old Population: History of Depression May Be Associated with Dementia Onset. The Tome Project. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 335.	1.7	11
187	Longitudinal associations of radiation risk perceptions and mental health among non- evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster. <i>SSM - Population Health</i> , 2020, 10, 100523.	1.3	11
188	Japanese version of the 42-item psychological well-being scale (PWBS-42): a validation study. <i>BMC Psychology</i> , 2020, 8, 75.	0.9	11
189	Development and validation of the Japanese version of the team job crafting scale for nurses. <i>Research in Nursing and Health</i> , 2021, 44, 329-343.	0.8	11
190	Changes in fears and worries related to COVID-19 during the pandemic among current employees in Japan: a 5-month longitudinal study. <i>Public Health</i> , 2021, 198, 69-74.	1.4	11
191	Culture and the Promotion of Well-being in East and West: Understanding Varieties of Attunement to the Surrounding Context. <i>Cross-cultural Advancements in Positive Psychology</i> , 2014, , 1-19.	0.1	11
192	Psychoeducational interventions focused on maternal or infant sleep for pregnant women to prevent the onset of antenatal and postnatal depression: A systematic review. <i>Neuropsychopharmacology Reports</i> , 2021, 41, 2-13.	1.1	11
193	Job Stressor-Mental Health Associations in a Sample of Japanese Working Adults: Artifacts of Positive and Negative Questions?. <i>Industrial Health</i> , 1999, 37, 263-270.	0.4	10
194	One-year test-retest reliability of a Japanese web-based version of the WHO Composite International Diagnostic Interview (CIDI) for major depression in a working population. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 204-212.	1.1	10
195	Organizational Justice and Physiological Coronary Heart Disease Risk Factors in Japanese Employees: a Cross-Sectional Study. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 775-785.	0.8	10
196	Strengthening community mental health services in Japan. <i>Lancet Psychiatry</i> , 2017, 4, 268-270.	3.7	10
197	Urbanization and Internet addiction in a nationally representative sample of adult community residents in Japan: A cross-sectional, multilevel study. <i>Psychiatry Research</i> , 2019, 273, 699-705.	1.7	10
198	Measuring eudemonic well-being at work: a validation study for the 24-item the University of Tokyo Occupational Mental Health (TOMH) well-being scale among Japanese workers. <i>Industrial Health</i> , 2020, 58, 107-131.	0.4	10

#	ARTICLE	IF	CITATIONS
199	A cross-sectional study on associations of physical symptoms, health self-efficacy, and suicidal ideation among Chinese hospitalized cancer patients. <i>BMC Psychiatry</i> , 2020, 20, 544.	1.1	10
200	COVID-19 measurements at the workplace in various industries and company sizes: a 2-month follow-up cohort study of full-time employees in Japan. <i>Environmental and Occupational Health Practice</i> , 2021, 3, n/a.	0.3	10
201	Work-related psychosocial factors and onset of metabolic syndrome among workers: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2017, 7, e016716.	0.8	9
202	Psychosocial factors at work and inflammatory markers: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2018, 8, e022612.	0.8	9
203	Effects of a Multi-Component Workplace Intervention Program with Environmental Changes on Physical Activity among Japanese White-Collar Employees: a Cluster-Randomized Controlled Trial. <i>International Journal of Behavioral Medicine</i> , 2018, 25, 637-648.	0.8	9
204	Effects of an internet-based cognitive behavioral therapy (iCBT) intervention on improving depressive symptoms and work-related outcomes among nurses in Japan: a protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 245.	1.1	9
205	Psychosocial Work Environment Explains the Association of Job Dissatisfaction With Long-term Sickness Absence: A One-Year Prospect Study of Japanese Employees. <i>Journal of Epidemiology</i> , 2020, 30, 390-395.	1.1	9
206	Reliability and validity of the Vietnamese version of the 9-item Utrecht Work Engagement Scale. <i>Journal of Occupational Health</i> , 2020, 62, e12157.	1.0	9
207	Validation of the Nepalese version of Recovery Experience Questionnaire. <i>Heliyon</i> , 2020, 6, e03645.	1.4	9
208	Relationship Between Use of Media and Radiation Anxiety Among the Residents of Fukushima 5.5 Years After the Nuclear Power Plant Accident. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 42-49.	0.7	9
209	Effect of smartphone-based stress management programs on depression and anxiety of hospital nurses in Vietnam: a three-arm randomized controlled trial. <i>Scientific Reports</i> , 2021, 11, 11353.	1.6	9
210	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
211	Job-stress and medical consultation rates for physical illness among blue collar workers of an electrical factory in Japan: A four-year prospective follow-up study.. <i>Industrial Health</i> , 1990, 28, 1-7.	0.4	9
212	Effect Modification by Coping Strategies on the Association of Organizational Justice with Psychological Distress in Japanese Workers. <i>Journal of Occupational Health</i> , 2014, 56, 111-123.	1.0	8
213	Mediating Role of Psychological Resources on the Association Between Childhood Socioeconomic Status and Current Health in the Community Adult Population of Japan. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 764-774.	0.8	8
214	Web-based cognitive behavioral relapse prevention program with tailored feedback for people with methamphetamine and other drug use problems: protocol for a multicenter randomized controlled trial in Japan. <i>BMC Psychiatry</i> , 2016, 16, 87.	1.1	8
215	Development of a scale to assess motivation for competitive employment among persons with severe mental illness. <i>PLoS ONE</i> , 2018, 13, e0204809.	1.1	8
216	Psychological intervention for universal prevention of antenatal and postnatal depression among pregnant women: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 297.	2.5	8

#	ARTICLE	IF	CITATIONS
217	The effects of training managers on management competencies to improve their management practices and work engagement of their subordinates: A single group pre- and post-test study. <i>Journal of Occupational Health</i> , 2020, 62, e12085.	1.0	8
218	The association between shift work and possible obstructive sleep apnea: a systematic review and meta-analysis. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1763-1772.	1.1	8
219	Reliability and validity of the Japanese version of the Gratitude at Work Scale (GAWS). <i>Journal of Occupational Health</i> , 2020, 62, e12185.	1.0	8
220	The impact of work-related physical assaults on mental health among Japanese employees with different socioeconomic status: The Japan Work Stress and Health Cohort Study (JSTRESS). <i>SSM - Population Health</i> , 2016, 2, 572-579.	1.3	7
221	Associations of non-standard employment with cardiovascular risk factors: findings from nationwide cross-sectional studies in Japan. <i>Industrial Health</i> , 2018, 56, 336-345.	0.4	7
222	Workplace social capital and refraining from seeking medical care in Japanese employees: a 1-year prospective cohort study. <i>BMJ Open</i> , 2020, 10, e036910.	0.8	7
223	Changes in COVID-19 measures in the workplace: 8-month follow-up in a cohort study of full-time employees in Japan. <i>Journal of Occupational Health</i> , 2021, 63, e12273.	1.0	7
224	Effectiveness of an Internet-Based Machine-Guided Stress Management Program Based on Cognitive Behavioral Therapy for Improving Depression Among Workers: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e30305.	0.5	7
225	Psychotic Experiences and Hikikomori in a Nationally Representative Sample of Adult Community Residents in Japan: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 602678.	1.3	7
226	Increased suicidal ideation in the COVID-19 pandemic: an employee cohort in Japan. <i>BJPsych Open</i> , 2021, 7, e199.	0.3	7
227	COVID-19 vaccination did not improve employee mental health: A prospective study in an early phase of vaccination in Japan. <i>Neuropsychopharmacology Reports</i> , 2022, 42, 230-232.	1.1	7
228	Effects of an internet-based cognitive behavioural therapy intervention on preventing major depressive episodes among workers: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e007590-e007590.	0.8	6
229	Implementation and effectiveness of the Stress Check Program, a national program to monitor and control workplace psychosocial factors in Japan: a systematic review. Translated secondary publication. <i>International Journal of Workplace Health Management</i> , 2020, 13, 649-670.	0.8	6
230	Effects of brief family psychoeducation for caregivers of people with schizophrenia in Japan provided by visiting nurses: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034425.	0.8	6
231	Onset and remission of common mental disorders among adults living in temporary housing for three years after the triple disaster in Northeast Japan: comparisons with the general population. <i>BMC Public Health</i> , 2020, 20, 1271.	1.2	6
232	Increased COVID-19-related workplace bullying during its outbreak: a 2-month prospective cohort study of full-time employees in Japan. <i>Environmental and Occupational Health Practice</i> , 2021, 3, n/a.	0.3	6
233	Internet-based behavioural activation to improve depressive symptoms and prevent child abuse in postnatal women (SmartMama): a protocol for a pragmatic randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 314.	0.9	6
234	The Effects of the Civility, Respect, and Engagement in the Workplace (CREW) Program on Social Climate and Work Engagement in a Psychiatric Ward in Japan: A Pilot Study. <i>Nursing Reports</i> , 2021, 11, 320-330.	0.8	6

#	ARTICLE	IF	CITATIONS
235	Associations between work-related stressors and QALY in a general working population in Japan: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1375-1383.	1.1	6
236	The Effect of Perceived Gratitude From Others on Work Engagement. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e592-e595.	0.9	6
237	The impact of job and family demands on partner's fatigue: A study of Japanese dual-earner parents. <i>PLoS ONE</i> , 2017, 12, e0172291.	1.1	6
238	Differences in the Effect of Internet-Based Cognitive Behavioral Therapy for Improving Nonclinical Depressive Symptoms Among Workers by Time Preference: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10231.	2.1	6
239	National Status of Psychosocial Factors at Work in Japan, Korea, Australia, and China. , 2014, , 27-52.		6
240	Utility of self-reported sleep disturbances as a marker for major depressive disorder (MDD): Findings from the World Mental Health Japan Survey 2002-2006. <i>Psychiatry Research</i> , 2012, 198, 146-153.	1.7	5
241	Assessing Psychological Violence and Harassment at Work: Reliability and Validity of the Japanese Version of the Inventory of Violence and Psychological Harassment (IVAPT) Comparing NAQ and LIPT. <i>Journal of Occupational Health</i> , 2013, 55, 108-119.	1.0	5
242	Development of screening inventories for bipolar disorder at workplace: A diagnostic accuracy study. <i>Journal of Affective Disorders</i> , 2015, 178, 32-38.	2.0	5
243	A Study of Therapeutic Attitudes Towards Working With Drug Abusers: Reliability and Validity of the Japanese Version of the Drug and Drug Problems Perception Questionnaire. <i>Archives of Psychiatric Nursing</i> , 2015, 29, 302-308.	0.7	5
244	Improvement of the Work Environment and Work-Related Stress. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 295-303.	0.9	5
245	Effect of socioeconomic conditions on health care utilization in marital violence: a cross-sectional investigation from the Japanese Study on Stratification, Health, Income, and Neighborhood. <i>International Journal for Equity in Health</i> , 2017, 16, 41.	1.5	5
246	The impact of being bullied at school on psychological distress and work engagement in a community sample of adult workers in Japan. <i>PLoS ONE</i> , 2018, 13, e0197168.	1.1	5
247	Organizational Justice and Refraining from Seeking Medical Care Among Japanese Employees: A 1-Year Prospective Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2019, 26, 76-84.	0.8	5
248	Reliability and validity of the Japanese version of the INSPIRE measure of staff support for personal recovery in community mental health service users in Japan. <i>BMC Psychiatry</i> , 2020, 20, 51.	1.1	5
249	Distrust in government and its relationship with mental health after the Fukushima nuclear power plant accident. <i>International Journal of Social Psychiatry</i> , 2021, 67, 680-686.	1.6	5
250	Reliability and validity of the Chinese version of the New Brief Job Stress Questionnaire (New BJSQ) among workers in China. <i>Industrial Health</i> , 2021, 60, 407-419.	0.4	5
251	CLINICAL COMMENTS. <i>Clinical Gerontologist</i> , 1991, 10, 73-88.	1.2	4
252	Association between Parental Workaholism and Body Mass Index of Offspring: A Prospective Study among Japanese Dual Workers. <i>Frontiers in Public Health</i> , 2016, 4, 41.	1.3	4

#	ARTICLE	IF	CITATIONS
253	Modifying effect of cigarette smoking on the association of organizational justice with serious psychological distress in Japanese employees: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 901-910.	1.1	4
254	The Relationship Between Functional Independence and Psychological Distress in Elderly Adults Following the Fukushima Daiichi Nuclear Power Plant Accident. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 120S-130S.	0.4	4
255	Association between psychosocial factors at work and health outcomes after retirement: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e030773.	0.8	4
256	Association between personal values in adolescence and impaired bonding relationship with children. <i>BMC Psychology</i> , 2020, 8, 98.	0.9	4
257	Time preference and personal value: a population-based cross-sectional study in Japan. <i>BMC Psychology</i> , 2020, 8, 85.	0.9	4
258	The Association Between Unit-Level Workplace Social Capital and Intention to Leave Among Employees in Health Care Settings: A Cross-Sectional Multilevel Study. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e186-e191.	0.9	4
259	Internet-based acceptance and commitment therapy programme "Happiness Mom"™ for well-being: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e042167.	0.8	4
260	Associations Between Personal Values and Work Engagement. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e335-e340.	0.9	4
261	Personal values in adolescence and sense of coherence in adulthood: A cross-sectional study based on a retrospective recall. <i>Neuropsychopharmacology Reports</i> , 2020, 40, 262-267.	1.1	4
262	The effects of workplace psychosocial factors on whether Japanese dual-earner couples with preschool children have additional children: a prospective study. <i>Industrial Health</i> , 2016, 54, 498-504.	0.4	3
263	Factor structure and diagnostic efficiency of the Myanmar version BDI-II among substance users. <i>Annals of General Psychiatry</i> , 2019, 18, 12.	1.2	3
264	Reliability and validity of the Japanese version of the Mental Health Self-management Questionnaire among people with mental illness living in the community. <i>BMC Psychology</i> , 2019, 7, 30.	0.9	3
265	Abnormality of Resting-State Functional Connectivity in Major Depressive Disorder: A Study With Whole-Head Near-Infrared Spectroscopy. <i>Frontiers in Psychiatry</i> , 2021, 12, 664859.	1.3	3
266	Effects of a multicomponent workplace intervention programme with environmental changes on physical activity among Japanese white collar employees: a protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e017688.	0.8	3
267	Psychosocial Mechanisms of Psychological Health Disparity in Japanese Workers. <i>Industrial Health</i> , 2013, 51, 472-481.	0.4	3
268	Association between sitting time at work and the onset of major depressive episode: a 1-year prospective cohort study using the Bayesian regression. <i>BMC Public Health</i> , 2021, 21, 1960.	1.2	3
269	Walking the tightrope between work and home: the role of job/home resources in the relation between job/home demands and employee health and well-being. <i>Industrial Health</i> , 2022, 61, 24-39.	0.4	3
270	The Associations Between Job Strain, Workplace PERMA Profiler, and Work Engagement. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 409-415.	0.9	3

#	ARTICLE	IF	CITATIONS
271	Assessing workplace civility: Validity and 1-year test-retest reliability of a Japanese version of the CREW Civility Scale. <i>Journal of Occupational Health</i> , 2022, 64, e12332.	1.0	3
272	Reflections on the Proposed Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 18-20.	0.8	2
273	Personal values in adolescence and their associations with metabolic biomarkers in adulthood: a Japanese population-based study. <i>BioPsychoSocial Medicine</i> , 2020, 14, 26.	0.9	2
274	Longitudinal association between adolescent work values and mental health and well-being in adulthood: a 23-year prospective cohort study. <i>Scientific Reports</i> , 2020, 10, 13547.	1.6	2
275	Servant Leadership in Japan: A Validation Study of the Japanese Version of the Servant Leadership Survey (SLS-J). <i>Frontiers in Psychology</i> , 2020, 11, 1711.	1.1	2
276	Effects of a Transdiagnostic Preventive Intervention on Anxiety and Depression Among Workers in Japan. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e52-e58.	0.9	2
277	Effects of a gratitude intervention program on work engagement among Japanese workers: a protocol for a cluster randomized controlled trial. <i>BMC Psychology</i> , 2021, 9, 35.	0.9	2
278	Adolescent Work Values and Drug Use in Adulthood: A Longitudinal Prospective Cohort Study. <i>Substance Use and Misuse</i> , 2021, 56, 1483-1492.	0.7	2
279	Association between Urban Upbringing and Compulsive Internet Use in Japan: A Cross-Sectional, Multilevel Study with Retrospective Recall. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9890.	1.2	2
280	The ongoing activities of livelihood support counselors following nuclear disaster under the COVID-19 restrictions: A preliminary survey. <i>Public Health in Practice</i> , 2021, 2, 100107.	0.7	2
281	The Effect of the Imacoco Care Psychoeducation Website on Improving Psychological Distress Among Workers During the COVID-19 Pandemic: Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2022, 6, e33883.	0.7	2
282	Effectiveness of an Online Peer Gatekeeper Training Program for Postsecondary Students on Suicide Prevention in Japan: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e34832.	0.5	2
283	Development of the New Brief Job Stress Questionnaire. , 2016, , 225-247.		1
284	Twelve-month use of herbal medicines as a remedy for mental health problems in Japan: A cross-national analysis of World Mental Health Survey data. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12285.	1.2	1
285	Comparison of hospital admission rates for psychiatric patients cared for by multidisciplinary outreach teams with and without peer specialist: a retrospective cohort study of Japanese Outreach Model Project 2011-2014. <i>BMJ Open</i> , 2018, 8, e019090.	0.8	1
286	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	1
287	Prevention of Depression and Suicide among Workers: International Trends and Future Challenges in Japan. <i>Trends in the Sciences</i> , 2010, 15, 28-31.	0.0	1
288	Association between secondhand smoke and peripheral arterial disease: a meta-analysis of cross-sectional studies. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1091-1101.	1.1	1

#	ARTICLE	IF	CITATIONS
289	Effects of workplace measures against COVID-19 on psychological distress of full-time employees: A 12-month prospective study in the COVID-19 pandemic. <i>Scandinavian Journal of Work, Environment and Health</i> , 2022, , .	1.7	1
290	Effects of a web-based relapse prevention program on abstinence: Secondary subgroup analysis of a pilot randomized controlled trial. <i>Neuropsychopharmacology Reports</i> , 0, , .	1.1	1
291	1681â€¦Cross-disciplinary approaches to mental health in the workplace. , 2018, , .		0
292	Cumulative visits for care of minor injuries are associated with traumatic brain injury in young children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2775-2782.	0.7	0
293	Mediating Effects of Work Eudemonic Well-being for the Association Between Psychosocial Work Environment and Overall Eudemonic Well-being Among Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2021, Publish Ahead of Print, e542-e548.	0.9	0
294	Effects of internet-based cognitive behavioral therapy on depressive symptoms among new graduate nurses: a pilot study. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.3	0
295	Age-Related Trends in the Prevalence of Type 2 Diabetes among Japanese and White and Black American Adults. , 2020, 4, .		0
296	Combined effect of high stress and job dissatisfaction on long-term sickness absence: a 1-year prospective study of Japanese employees. <i>Environmental and Occupational Health Practice</i> , 2020, 2, n/a.	0.3	0
297	Preconception menstrual cycle disorder and antenatal depression: a cross-sectional study with prerecorded information. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2021, , 1-8.	1.1	0
298	Effects of workplace measures against COVID-19 and employees' worry about them on the onset of major depressive episodes: A 13-month prospective study of full-time employees. <i>Journal of Affective Disorders</i> , 2022, , .	2.0	0
299	Title is missing!. , 2019, 14, e0225454.		0
300	Title is missing!. , 2019, 14, e0225454.		0
301	Title is missing!. , 2019, 14, e0225454.		0
302	Title is missing!. , 2019, 14, e0225454.		0
303	Title is missing!. , 2020, 15, e0233119.		0
304	Title is missing!. , 2020, 15, e0233119.		0
305	Title is missing!. , 2020, 15, e0233119.		0
306	Title is missing!. , 2020, 15, e0233119.		0

#	ARTICLE	IF	CITATIONS
307	Title is missing!. , 2020, 15, e0233119.		0
308	Title is missing!. , 2020, 15, e0233119.		0
309	Author's Reply to COMMENTARY ON "Adolescent Work Values and Drug Use in Adulthood: A Longitudinal Prospective Cohort Study". Substance Use and Misuse, 2022, 57, 1154-1155.	0.7	0
310	Personalized values in life as point of interaction with the world: Developmental/neurobehavioral basis and implications for psychiatry. , 2022, 1, .		0
311	Early menarche and adult major depressive disorder among Japanese women: The role of childhood traumatic experience and socioeconomic conditions in young adulthood. , 2022, 1, .		0