

Norito Kawakami

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7698294/norito-kawakami-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

293
papers

24,758
citations

47
h-index

155
g-index

347
ext. papers

29,153
ext. citations

4.4
avg, IF

6.22
L-index

#	Paper	IF	Citations
293	Association between secondhand smoke and peripheral arterial disease: a meta-analysis of cross-sectional studies.. <i>International Archives of Occupational and Environmental Health</i> , 2022 , 1	3.2	
292	Assessing workplace civility: Validity and 1-year test-retest reliability of a Japanese version of the CREW Civility Scale.. <i>Journal of Occupational Health</i> , 2022 , 64, e12332	2.3	
291	Author@ Reply to COMMENTARY ON "Adolescent Work Values and Drug Use in Adulthood: A Longitudinal Prospective Cohort Study" .. <i>Substance Use and Misuse</i> , 2022 , 1-2	2.2	
290	Effectiveness of an Online Peer Gatekeeper Training Program for Postsecondary Students on Suicide Prevention in Japan: Protocol for a Randomized Controlled Trial.. <i>JMIR Research Protocols</i> , 2022 , 11, e34832	2	
289	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
288	Efficacy and Moderators of Internet-Based Interventions in Adults with Subthreshold Depression: An Individual Participant Data Meta-Analysis of Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 94-106	9.4	21
287	Preconception menstrual cycle disorder and antenatal depression: a cross-sectional study with prerecorded information. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2021 , 1-8	3.6	
286	Effects of gratitude intervention on mental health and well-being among workers: A systematic review. <i>Journal of Occupational Health</i> , 2021 , 63, e12290	2.3	2
285	Implementation Outcome Scales for Digital Mental Health (iOSDMH): Scale Development and Cross-sectional Study. <i>JMIR Formative Research</i> , 2021 , 5, e24332	2.5	2
284	Workplace Bullying and Patient Aggression Related to COVID-19 and its Association with Psychological Distress among Health Care Professionals during the COVID-19 Pandemic in Japan.. <i>Tohoku Journal of Experimental Medicine</i> , 2021 , 255, 283-289	2.4	3
283	Increased suicidal ideation in the COVID-19 pandemic: an employee cohort in Japan. <i>BJPsych Open</i> , 2021 , 7, e199	5	1
282	Association between sitting time at work and the onset of major depressive episode: a 1-year prospective cohort study using the Bayesian regression. <i>BMC Public Health</i> , 2021 , 21, 1960	4.1	1
281	Psycho-educational interventions focused on maternal or infant sleep for pregnant women to prevent the onset of antenatal and postnatal depression: A systematic review. <i>Neuropsychopharmacology Reports</i> , 2021 , 41, 2-13	2.2	4
280	The association between shift work and possible obstructive sleep apnea: a systematic review and meta-analysis. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 1763-1772	3.2	1
279	Care difficulties and burden during COVID-19 pandemic lockdowns among caregivers of people with schizophrenia: A cross-sectional study. <i>Neuropsychopharmacology Reports</i> , 2021 , 41, 242-247	2.2	6
278	Abnormality of Resting-State Functional Connectivity in Major Depressive Disorder: A Study With Whole-Head Near-Infrared Spectroscopy. <i>Frontiers in Psychiatry</i> , 2021 , 12, 664859	5	1
277	Internet-based behavioural activation to improve depressive symptoms and prevent child abuse in postnatal women (SmartMama): a protocol for a pragmatic randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 314	3.2	0

276	The Effects of the Civility, Respect, and Engagement in the Workplace (CREW) Program on Social Climate and Work Engagement in a Psychiatric Ward in Japan: A Pilot Study.. <i>Nursing Reports</i> , 2021 , 11, 320-330	0.8	1
275	Associations between work-related stressors and QALY in a general working population in Japan: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 1375-1383	3.2	2
274	Associations Between Personal Values and Work Engagement: A Cross-Sectional Study Using A Representative Community Sample. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, e335-e340	2	0
273	Mediating Effects of Work Eudemonic Well-being for the Association Between Psychosocial Work Environment and Overall Eudemonic Well-being Among Japanese Workers: A Cross-sectional Study. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, e542-e548	2	
272	Effect of smartphone-based stress management programs on depression and anxiety of hospital nurses in Vietnam: a three-arm randomized controlled trial. <i>Scientific Reports</i> , 2021 , 11, 11353	4.9	1
271	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
270	The Effect of Perceived Gratitude From Others on Work Engagement: A Cross-Sectional Study. <i>Journal of Occupational and Environmental Medicine</i> , 2021 , 63, e592-e595	2	2
269	Adolescent Work Values and Drug Use in Adulthood: A Longitudinal Prospective Cohort Study. <i>Substance Use and Misuse</i> , 2021 , 56, 1483-1492	2.2	1
268	Relationship Between Use of Media and Radiation Anxiety Among the Residents of Fukushima 5.5 Years After the Nuclear Power Plant Accident. <i>Disaster Medicine and Public Health Preparedness</i> , 2021 , 15, 42-49	2.8	4
267	Changes in COVID-19 measures in the workplace: 8-month follow-up in a cohort study of full-time employees in Japan. <i>Journal of Occupational Health</i> , 2021 , 63, e12273	2.3	2
266	Sustained poor mental health among healthcare workers in COVID-19 pandemic: A longitudinal analysis of the four-wave panel survey over 8 months in Japan. <i>Journal of Occupational Health</i> , 2021 , 63, e12227	2.3	16
265	Development and validation of the Japanese version of the team job crafting scale for nurses. <i>Research in Nursing and Health</i> , 2021 , 44, 329-343	2	2
264	Effects of Smartphone-Based Stress Management on Improving Work Engagement Among Nurses in Vietnam: Secondary Analysis of a Three-Arm Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20445	7.6	1
263	Internet-based acceptance and commitment therapy programme for happiness and well-being: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e042167	3	1
262	Effects of a gratitude intervention program on work engagement among Japanese workers: a protocol for a cluster randomized controlled trial. <i>BMC Psychology</i> , 2021 , 9, 35	2.8	2
261	Association between energy drink consumption and substance use in adolescence: A systematic review of prospective cohort studies. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108470	4.9	5
260	Effectiveness of an Internet-Based Machine-Guided Stress Management Program Based on Cognitive Behavioral Therapy for Improving Depression Among Workers: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e30305	2	1
259	Changes in fears and worries related to COVID-19 during the pandemic among current employees in Japan: a 5-month longitudinal study. <i>Public Health</i> , 2021 , 198, 69-74	4	3

258	The ongoing activities of livelihood support counselors following nuclear disaster under the COVID-19 restrictions: A preliminary survey. <i>Public Health in Practice</i> , 2021 , 2, 100107	2.6	0
257	Deterioration in Mental Health Under Repeated COVID-19 Outbreaks Greatest in the Less Educated: A Cohort Study of Japanese Employees. <i>Journal of Epidemiology</i> , 2021 , 31, 93-96	3.4	7
256	The Effects of Downloading a Government-Issued COVID-19 Contact Tracing App on Psychological Distress During the Pandemic Among Employed Adults: Prospective Study. <i>JMIR Mental Health</i> , 2021 , 8, e23699	6	12
255	What Kind of Intervention Is Effective for Improving Subjective Well-Being Among Workers? A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Psychology</i> , 2020 , 11, 528656	3.4	7
254	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. <i>Psychological Medicine</i> , 2020 , 50, 2498-2513	6.9	17
253	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization@ World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
252	Antenatal psychological intervention for universal prevention of antenatal and postnatal depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2020 , 273, 231-239	6.6	9
251	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster. <i>Social Science and Medicine</i> , 2020 , 258, 113108	5.1	8
250	Workplace responses to COVID-19 associated with mental health and work performance of employees in Japan. <i>Journal of Occupational Health</i> , 2020 , 62, e12134	2.3	65
249	Construct validity and test-retest reliability of the World Mental Health Japan version of the World Health Organization Health and Work Performance Questionnaire Short Version: a preliminary study. <i>Industrial Health</i> , 2020 , 58, 375-387	2.5	6
248	The Association Between Unit-Level Workplace Social Capital and Intention to Leave Among Employees in Health Care Settings: A Cross-Sectional Multilevel Study. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, e186-e191	2	2
247	Effects of a Job Crafting Intervention Program on Work Engagement Among Japanese Employees: A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2020 , 11, 235	3.4	3
246	Effects of a Transdiagnostic Preventive Intervention on Anxiety and Depression Among Workers in Japan: A Pre- and Posttest Study. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, e52-e58 ²		1
245	Exposure to media and fear and worry about COVID-19. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 501-502	6.2	19
244	Reliability and validity of the Japanese version of the INSPIRE measure of staff support for personal recovery in community mental health service users in Japan. <i>BMC Psychiatry</i> , 2020 , 20, 51	4.2	2
243	Association between personal values in adolescence and mental health and well-being in adulthood: a cross-cultural study of working populations in Japan and the United States. <i>Annals of General Psychiatry</i> , 2020 , 19, 7	3.4	6
242	Association of response rate and prevalence estimates of common mental disorders across 129 areas in a nationally representative survey of adults in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1373-1382	4.5	8
241	Occupational stress and the risk of turnover: a large prospective cohort study of employees in Japan. <i>BMC Public Health</i> , 2020 , 20, 174	4.1	8

240	Internet-based cognitive-behavioural therapy for prevention of depression during pregnancy and in the post partum (iPDP): a protocol for a large-scale randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e036482	3	6
239	Distrust in government and its relationship with mental health after the Fukushima nuclear power plant accident. <i>International Journal of Social Psychiatry</i> , 2020 , 20764020968129	8.5	0
238	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam. <i>PLoS ONE</i> , 2020 , 15, e0233119	3.7	5
237	Workplace responses to COVID-19 and their association with company size and industry in an early stage of the epidemic in Japan. <i>Environmental and Occupational Health Practice</i> , 2020 , 2, n/a	0.7	7
236	The deterioration of mental health among healthcare workers during the COVID-19 outbreak: A population-based cohort study of workers in Japan. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 639-644	4.3	29
235	Personal values in adolescence and sense of coherence in adulthood: A cross-sectional study based on a retrospective recall. <i>Neuropsychopharmacology Reports</i> , 2020 , 40, 262-267	2.2	2
234	Psychological distress with and without a history of depression: Results from the World Mental Health Japan 2nd Survey (WMHJ2). <i>Journal of Affective Disorders</i> , 2020 , 265, 545-551	6.6	6
233	Longitudinal associations of radiation risk perceptions and mental health among non-evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster. <i>SSM - Population Health</i> , 2020 , 10, 100523	3.8	7
232	Validation of the Job Content Questionnaire among hospital nurses in Vietnam. <i>Journal of Occupational Health</i> , 2020 , 62, e12086	2.3	7
231	Effect of a web-based relapse prevention program on abstinence among Japanese drug users: A pilot randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2020 , 111, 37-46	4.2	4
230	Association between personal values in adolescence and impaired bonding relationship with children. <i>BMC Psychology</i> , 2020 , 8, 98	2.8	0
229	Implementation and effectiveness of the Stress Check Program, a national program to monitor and control workplace psychosocial factors in Japan: a systematic review. Translated secondary publication. <i>International Journal of Workplace Health Management</i> , 2020 , 13, 649-670	1.3	0
228	Personal values in adolescence and their associations with metabolic biomarkers in adulthood: a Japanese population-based study. <i>BioPsychoSocial Medicine</i> , 2020 , 14, 26	2.8	0
227	Effects of brief family psychoeducation for caregivers of people with schizophrenia in Japan provided by visiting nurses: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034425	2.25	1
226	A cross-sectional study on associations of physical symptoms, health self-efficacy, and suicidal ideation among Chinese hospitalized cancer patients. <i>BMC Psychiatry</i> , 2020 , 20, 544	4.2	1
225	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
224	Japanese version of the 42-item psychological well-being scale (PWBS-42): a validation study. <i>BMC Psychology</i> , 2020 , 8, 75	2.8	4
223	Development and Evaluation of a Gatekeeper Training Program Regarding Anxiety about Radiation Health Effects Following a Nuclear Power Plant Accident: A Single-Arm Intervention Pilot Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7

222	Workplace social capital and refraining from seeking medical care in Japanese employees: a 1-year prospective cohort study. <i>BMJ Open</i> , 2020 , 10, e036910	3	2
221	Longitudinal association between adolescent work values and mental health and well-being in adulthood: a 23-year prospective cohort study. <i>Scientific Reports</i> , 2020 , 10, 13547	4.9	1
220	Time preference and personal value: a population-based cross-sectional study in Japan. <i>BMC Psychology</i> , 2020 , 8, 85	2.8	1
219	Workaholism, Work Engagement and Child Well-Being: A Test of the Spillover-Crossover Model. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
218	Reliability and validity of the Vietnamese version of the 9-item Utrecht Work Engagement Scale. <i>Journal of Occupational Health</i> , 2020 , 62, e12157	2.3	3
217	Servant Leadership in Japan: A Validation Study of the Japanese Version of the Servant Leadership Survey (SLS-J). <i>Frontiers in Psychology</i> , 2020 , 11, 1711	3.4	0
216	Onset and remission of common mental disorders among adults living in temporary housing for three years after the triple disaster in Northeast Japan: comparisons with the general population. <i>BMC Public Health</i> , 2020 , 20, 1271	4.1	2
215	The effects of training managers on management competencies to improve their management practices and work engagement of their subordinates: A single group pre- and post-test study. <i>Journal of Occupational Health</i> , 2020 , 62, e12085	2.3	3
214	Psychosocial Work Environment Explains the Association of Job Dissatisfaction With Long-term Sickness Absence: A One-Year Prospect Study of Japanese Employees. <i>Journal of Epidemiology</i> , 2020 , 30, 390-395	3.4	3
213	Measuring eudemonic well-being at work: a validation study for the 24-item the University of Tokyo Occupational Mental Health (TOMH) well-being scale among Japanese workers. <i>Industrial Health</i> , 2020 , 58, 107-131	2.5	5
212	Cumulative visits for care of minor injuries are associated with traumatic brain injury in young children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 2775-2782	3.1	
211	Validation of the Nepalese version of Recovery Experience Questionnaire. <i>Heliyon</i> , 2020 , 6, e03645	3.6	4
210	Psychotic Experiences and Hikikomori in a Nationally Representative Sample of Adult Community Residents in Japan: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 602678	5	1
209	Reliability and validity of the Japanese version of the Gratitude at Work Scale (GAWS). <i>Journal of Occupational Health</i> , 2020 , 62, e12185	2.3	5
208	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		
207	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		
206	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		
205	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		

204	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		
203	Internal consistency reliability, construct validity, and item response characteristics of the Kessler 6 scale among hospital nurses in Vietnam 2020 , 15, e0233119		
202	Breakfast consumption and the risk of depressive symptoms: The Furukawa Nutrition and Health Study. <i>Psychiatry Research</i> , 2019 , 273, 551-558	9.9	13
201	Reliability and validity of the Japanese version of the Mental Health Self-management Questionnaire among people with mental illness living in the community. <i>BMC Psychology</i> , 2019 , 7, 30	2.8	1
200	Prevalence of mental disorders and mental health service use in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 458-465	6.2	27
199	Effects of two types of smartphone-based stress management programmes on depressive and anxiety symptoms among hospital nurses in Vietnam: a protocol for three-arm randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e025138	3	14
198	Long working hours and depressive symptoms: moderating effects of gender, socioeconomic status, and job resources. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 661-672	3.2	10
197	Urbanization and Internet addiction in a nationally representative sample of adult community residents in Japan: A cross-sectional, multilevel study. <i>Psychiatry Research</i> , 2019 , 273, 699-705	9.9	7
196	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
195	Reliability and validity of the Japanese version of the Survey Work-Balance Interaction [NijmeGen, the SWING (SWING-J)]. <i>Community, Work and Family</i> , 2019 , 22, 267-283	1.4	11
194	Effects of an internet-based cognitive behavioral therapy (iCBT) intervention on improving depressive symptoms and work-related outcomes among nurses in Japan: a protocol for a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 245	4.2	3
193	Personal values in adolescence and suicidality: a cross-sectional study based on a retrospective recall. <i>BMC Psychiatry</i> , 2019 , 19, 214	4.2	7
192	Factor structure and diagnostic efficiency of the Myanmar version BDI-II among substance users. <i>Annals of General Psychiatry</i> , 2019 , 18, 12	3.4	2
191	Association between psychosocial factors at work and health outcomes after retirement: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2019 , 9, e030773	3	0
190	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall. <i>PLoS ONE</i> , 2019 , 14, e0225454	3.7	7
189	Effects of a Newly Developed Gratitude Intervention Program on Work Engagement Among Japanese Workers: A Pre- and Posttest Study. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, e378-e383	2	8
188	Psychological intervention for universal prevention of antenatal and postnatal depression among pregnant women: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019 , 8, 297	3	5
187	Organizational Justice and Refraining from Seeking Medical Care Among Japanese Employees: A 1-Year Prospective Cohort Study. <i>International Journal of Behavioral Medicine</i> , 2019 , 26, 76-84	2.6	2

186	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall 2019 , 14, e0225454		
185	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall 2019 , 14, e0225454		
184	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall 2019 , 14, e0225454		
183	Personal values in adolescence and psychological distress in adults: A cross-sectional study based on a retrospective recall 2019 , 14, e0225454		
182	Cumulative incidence of suicidal ideation and associated factors among adults living in temporary housing during the three years after the Great East Japan Earthquake. <i>Journal of Affective Disorders</i> , 2018 , 232, 1-8	6.6	8
181	Impact of childhood abuse on suicide-related behavior: Analysis using marginal structural models. <i>Journal of Affective Disorders</i> , 2018 , 234, 224-230	6.6	11
180	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
179	Interaction effect of job insecurity and role ambiguity on psychological distress in Japanese employees: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2018 , 91, 391-402	3.2	9
178	Longitudinal adherence to a dietary pattern and risk of depressive symptoms: the Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2018 , 48, 48-54	4.8	12
177	A Japanese Stress Check Program screening tool predicts employee long-term sickness absence: a prospective study. <i>Journal of Occupational Health</i> , 2018 , 60, 55-63	2.3	29
176	Associations among workplace environment, self-regulation, and domain-specific physical activities among white-collar workers: a multilevel longitudinal study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 47	8.4	10
175	Prevalence, treatment, and the correlates of common mental disorders in the mid 2010s in Japan: The results of the world mental health Japan 2nd survey. <i>Journal of Affective Disorders</i> , 2018 , 241, 554-562	6.6	36
174	The impact of being bullied at school on psychological distress and work engagement in a community sample of adult workers in Japan. <i>PLoS ONE</i> , 2018 , 13, e0197168	3.7	3
173	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. <i>Clinical Psychology Review</i> , 2018 , 63, 80-92	10.8	136
172	Differences in the Effect of Internet-Based Cognitive Behavioral Therapy for Improving Nonclinical Depressive Symptoms Among Workers by Time Preference: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10231	7.6	2
171	Culture and social hierarchy: Self- and other-oriented correlates of socioeconomic status across cultures. <i>Journal of Personality and Social Psychology</i> , 2018 , 115, 427-445	6.5	82
170	Effect of the National Stress Check Program on mental health among workers in Japan: A 1-year retrospective cohort study. <i>Journal of Occupational Health</i> , 2018 , 60, 298-306	2.3	9
169	Workplace Bullying and Psychological Distress: A Longitudinal Multilevel Analysis Among Japanese Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 1067-1072	2	13

168	Comparison of hospital admission rates for psychiatric patients cared for by multidisciplinary outreach teams with and without peer specialist: a retrospective cohort study of Japanese Outreach Model Project 2011-2014. <i>BMJ Open</i> , 2018 , 8, e019090	3	
167	Psychosocial factors at work and inflammatory markers: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e022612	3	4
166	Associations of non-standard employment with cardiovascular risk factors: findings from nationwide cross-sectional studies in Japan. <i>Industrial Health</i> , 2018 , 56, 336-345	2.5	3
165	Development of a scale to assess motivation for competitive employment among persons with severe mental illness. <i>PLoS ONE</i> , 2018 , 13, e0204809	3.7	4
164	Enduring effects of a 5-week behavioral activation program for subthreshold depression among late adolescents: an exploratory randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2633-2641	3.1	7
163	The Japanese Workplace PERMA-Profiler: A validation study among Japanese workers. <i>Journal of Occupational Health</i> , 2018 , 60, 383-393	2.3	18
162	Effects of a Multi-Component Workplace Intervention Program with Environmental Changes on Physical Activity among Japanese White-Collar Employees: a Cluster-Randomized Controlled Trial. <i>International Journal of Behavioral Medicine</i> , 2018 , 25, 637-648	2.6	2
161	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281	14.5	120
160	Workplace social capital and the onset of major depressive episode among workers in Japan: a 3-year prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 606-612	5.1	19
159	Job crafting, work engagement, and psychological distress among Japanese employees: a cross-sectional study. <i>BioPsychoSocial Medicine</i> , 2017 , 11, 6	2.8	22
158	Twelve-month use of herbal medicines as a remedy for mental health problems in Japan: A cross-national analysis of World Mental Health Survey data. <i>Asia-Pacific Psychiatry</i> , 2017 , 9, e12285	3.2	1
157	Improvement of the Work Environment and Work-Related Stress: A Cross-Sectional Multilevel Study of a Nationally Representative Sample of Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, 295-303	2	4
156	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , 2017 , 171, 573-592	8.3	216
155	Strengthening community mental health services in Japan. <i>Lancet Psychiatry</i> , 2017 , 4, 268-270	23.3	8
154	The relationship between work engagement and psychological distress of hospital nurses and the perceived communication behaviors of their nurse managers: A cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2017 , 71, 115-124	5.8	30
153	Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017 , 210, 119-124	5.4	397
152	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017 , 34, 315-326	8.4	23
151	The property of the Japanese version of the Recovery Knowledge Inventory (RKI) among mental health service providers: a cross sectional study. <i>International Journal of Mental Health Systems</i> , 2017 , 11, 71	3.6	5

150	Workplace incivility in Japan: Reliability and validity of the Japanese version of the modified Work Incivility Scale. <i>Journal of Occupational Health</i> , 2017 , 59, 237-246	2.3	10
149	Pokhron GO and psychological distress, physical complaints, and work performance among adult workers: a retrospective cohort study. <i>Scientific Reports</i> , 2017 , 7, 10758	4.9	19
148	Population health and regional variations of disease burden in Japan, 1990-2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 1521-1538	4.0	101
147	The Arabic Version of The Depression Anxiety Stress Scale-21: Cumulative scaling and discriminant-validation testing. <i>Asian Journal of Psychiatry</i> , 2017 , 30, 56-58	6.7	50
146	Trauma and PTSD in the WHO World Mental Health Surveys. <i>Högre Utbildning</i> , 2017 , 8, 1353383	5	446
145	The Relationship Between Functional Independence and Psychological Distress in Elderly Adults Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Asia-Pacific Journal of Public Health</i> , 2017 , 29, 120S-130S	2	4
144	Environmental radiation level, radiation anxiety, and psychological distress of non-evacuee residents in Fukushima five years after the Great East Japan Earthquake: Multilevel analyses. <i>SSM - Population Health</i> , 2017 , 3, 740-748	3.8	27
143	Work-related psychosocial factors and onset of metabolic syndrome among workers: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2017 , 7, e016716	3	6
142	The validity and psychometric properties of the Japanese version of the Compulsive Internet Use Scale (CIUS). <i>BMC Psychiatry</i> , 2017 , 17, 201	4.2	21
141	Reflections on the Proposed Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 18-20	2.6	2
140	Effect of socioeconomic conditions on health care utilization in marital violence: a cross-sectional investigation from the Japanese Study on Stratification, Health, Income, and Neighborhood. <i>International Journal for Equity in Health</i> , 2017 , 16, 41	4.6	4
139	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367	4.5	14
138	Diagnostic accuracy of Japanese posttraumatic stress measures after a complex disaster: The Fukushima Health Management Survey. <i>Asia-Pacific Psychiatry</i> , 2017 , 9, e12248	3.2	25
137	Effects of web-based stress and depression literacy intervention on improving work engagement among workers with low work engagement: An analysis of secondary outcome of a randomized controlled trial. <i>Journal of Occupational Health</i> , 2017 , 59, 46-54	2.3	10
136	Prevalence and correlates of substance use among health care students in Nepal: a cross sectional study. <i>BMC Public Health</i> , 2017 , 17, 950	4.1	10
135	Depression and Dementia in Old-Old Population: History of Depression May Be Associated with Dementia Onset. The Tome Project. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 335	5.3	10
134	Effects of a multicomponent workplace intervention programme with environmental changes on physical activity among Japanese white collar employees: a protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e017688	3	3
133	The impact of job and family demands on partner's fatigue: A study of Japanese dual-earner parents. <i>PLoS ONE</i> , 2017 , 12, e0172291	3.7	4

132	Detailed course of depressive symptoms and risk for developing depression in late adolescents with subthreshold depression: a cohort study. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 25-33	3.1	20
131	The impact of work-related physical assaults on mental health among Japanese employees with different socioeconomic status: The Japan Work Stress and Health Cohort Study (JSTRESS). <i>SSM - Population Health</i> , 2016 , 2, 572-579	3.8	3
130	Effects of a job crafting intervention program on work engagement among Japanese employees: a pretest-posttest study. <i>BMC Psychology</i> , 2016 , 4, 49	2.8	27
129	The Stress Check Program: a new national policy for monitoring and screening psychosocial stress in the workplace in Japan. <i>Journal of Occupational Health</i> , 2016 , 58, 1-6	2.3	61
128	Buffering effect of workplace social capital on the association of job insecurity with psychological distress in Japanese employees: a cross-sectional study. <i>Journal of Occupational Health</i> , 2016 , 58, 460-469	2.3	11
127	Residence-related factors and psychological distress among evacuees after the Fukushima Daiichi nuclear power plant accident: a cross-sectional study. <i>BMC Psychiatry</i> , 2016 , 16, 420	4.2	11
126	The effect of a behavioral activation program on improving mental and physical health complaints associated with radiation stress among mothers in Fukushima: a randomized controlled trial. <i>BMC Public Health</i> , 2016 , 16, 1144	4.1	9
125	Psychometric properties of the Japanese version of the Recovery Attitudes Questionnaire (RAQ) among mental health providers: a questionnaire survey. <i>BMC Psychiatry</i> , 2016 , 16, 32	4.2	6
124	Web-based cognitive behavioral relapse prevention program with tailored feedback for people with methamphetamine and other drug use problems: protocol for a multicenter randomized controlled trial in Japan. <i>BMC Psychiatry</i> , 2016 , 16, 87	4.2	5
123	Psychometric Evaluation of the Japanese Version of the Posttraumatic Stress Disorder Checklist in Community Dwellers Following the Fukushima Daiichi Nuclear Power Plant Incident: The Fukushima Health Management Survey. <i>SAGE Open</i> , 2016 , 6, 215824401665244	1.5	16
122	Differences in cancer stage, treatment and in-hospital mortality between patients with and without schizophrenia: retrospective matched-pair cohort study. <i>British Journal of Psychiatry</i> , 2016 , 208, 239-44	5.4	25
121	Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , 2016 , 73, 150-8	14.5	246
120	Web-Based Cognitive Behavioral Relapse Prevention Program With Tailored Feedback for People With Methamphetamine and Other Drug Use Problems: Development and Usability Study. <i>JMIR Mental Health</i> , 2016 , 3, e1	6	10
119	The effects of workplace psychosocial factors on whether Japanese dual-earner couples with preschool children have additional children: a prospective study. <i>Industrial Health</i> , 2016 , 54, 498-504	2.5	1
118	Work Engagement as a Predictor of Onset of Major Depressive Episode (MDE) among Workers, Independent of Psychological Distress: A 3-Year Prospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0148157	3.7	23
117	The First Pilot Genome-Wide Gene-Environment Study of Depression in the Japanese Population. <i>PLoS ONE</i> , 2016 , 11, e0160823	3.7	22
116	Association between Parental Workaholism and Body Mass Index of Offspring: A Prospective Study among Japanese Dual Workers. <i>Frontiers in Public Health</i> , 2016 , 4, 41	6	3
115	The Association of Workplace Social Capital With Work Engagement of Employees in Health Care Settings: A Multilevel Cross-Sectional Analysis. <i>Journal of Occupational and Environmental Medicine</i> , 2016 , 58, 265-71	2	24

114	Source-specific workplace social support and high-sensitivity C-reactive protein levels among Japanese workers: A 1-year prospective cohort study. <i>American Journal of Industrial Medicine</i> , 2016 , 59, 676-84	2.7	7
113	Working hours and the onset of depressive disorder: a systematic review and meta-analysis. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 877-884	2.1	37
112	Dietary fiber intake and depressive symptoms in Japanese employees: The Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2016 , 32, 584-9	4.8	57
111	Modifying effect of cigarette smoking on the association of organizational justice with serious psychological distress in Japanese employees: a cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 901-10	3.2	2
110	Behavioral activation for late adolescents with subthreshold depression: a randomized controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1171-1182	5.5	33
109	Long-term psychological consequences among adolescent survivors of the Wenchuan earthquake in China: A cross-sectional survey six years after the disaster. <i>Journal of Affective Disorders</i> , 2016 , 204, 255-61	6.6	27
108	Development of the New Brief Job Stress Questionnaire 2016 , 225-247		
107	Effects of web-based stress and depression literacy intervention on improving symptoms and knowledge of depression among workers: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2016 , 203, 30-37	6.6	14
106	Detection of resting state functional connectivity using partial correlation analysis: A study using multi-distance and whole-head probe near-infrared spectroscopy. <i>NeuroImage</i> , 2016 , 142, 590-601	7.9	30
105	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 623-30	3.7	23
104	Buffering effects of job resources on the association of overtime work hours with psychological distress in Japanese white-collar workers. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 631-40	3.2	14
103	Dietary patterns derived by reduced rank regression (RRR) and depressive symptoms in Japanese employees: The Furukawa nutrition and health study. <i>Psychiatry Research</i> , 2015 , 229, 214-9	9.9	21
102	Relationship between sickness presenteeism (WHO-HPQ) with depression and sickness absence due to mental disease in a cohort of Japanese workers. <i>Journal of Affective Disorders</i> , 2015 , 180, 14-20	6.6	38
101	Development of screening inventories for bipolar disorder at workplace: a diagnostic accuracy study. <i>Journal of Affective Disorders</i> , 2015 , 178, 32-8	6.6	3
100	Mediating Role of Psychological Resources on the Association Between Childhood Socioeconomic Status and Current Health in the Community Adult Population of Japan. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 764-74	2.6	6
99	Culture, inequality, and health: evidence from the MIDUS and MIDJA comparison. <i>Culture and Brain</i> , 2015 , 3, 1-20	1.1	15
98	Organizational Justice and Physiological Coronary Heart Disease Risk Factors in Japanese Employees: a Cross-Sectional Study. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 775-85	2.6	7
97	Work engagement and high-sensitivity C-reactive protein levels among Japanese workers: a 1-year prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2015 , 88, 651-38 ²	3.2	19

96	A Study of Therapeutic Attitudes Towards Working With Drug Abusers: Reliability and Validity of the Japanese Version of the Drug and Drug Problems Perception Questionnaire. <i>Archives of Psychiatric Nursing</i> , 2015 , 29, 302-8	2.1	3
95	Effects of an internet-based cognitive behavioural therapy intervention on preventing major depressive episodes among workers: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e007590	3	5
94	One-year test-retest reliability of a Japanese web-based version of the WHO Composite International Diagnostic Interview (CIDI) for major depression in a working population. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 204-12	4.3	9
93	Barriers to mental health care in Japan: Results from the World Mental Health Japan Survey. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 523-33	6.2	20
92	Effects of an internet-based cognitive behavioral therapy intervention on improving work engagement and other work-related outcomes: an analysis of secondary outcomes of a randomized controlled trial. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 578-84	2	20
91	Multifactor leadership styles and new exposure to workplace bullying: a six-month prospective study. <i>Industrial Health</i> , 2015 , 53, 139-51	2.5	18
90	Socioeconomic determinants of bullying in the workplace: a national representative sample in Japan. <i>PLoS ONE</i> , 2015 , 10, e0119435	3.7	38
89	Dietary intake of minerals in relation to depressive symptoms in Japanese employees: the Furukawa Nutrition and Health Study. <i>Nutrition</i> , 2015 , 31, 686-90	4.8	58
88	Workaholism vs. work engagement: the two different predictors of future well-being and performance. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 18-23	2.6	209
87	The psychological impact of a dual-disaster caused by earthquakes and radioactive contamination in Ichinoseki after the Great East Japan Earthquake. <i>BMC Research Notes</i> , 2014 , 7, 307	2.3	18
86	Suicide risk among individuals with sleep disturbances in Japan: a case-control psychological autopsy study. <i>Sleep Medicine</i> , 2014 , 15, 430-5	4.6	29
85	Development of a short version of the new brief job stress questionnaire. <i>Industrial Health</i> , 2014 , 52, 535-40	2.5	30
84	Effect modification by coping strategies on the association of organizational justice with psychological distress in Japanese workers. <i>Journal of Occupational Health</i> , 2014 , 56, 111-23	2.3	2
83	Validation of Nepalese version of Utrecht Work Engagement Scale. <i>Journal of Occupational Health</i> , 2014 , 56, 421-9	2.3	16
82	Development of a short questionnaire to measure an extended set of job demands, job resources, and positive health outcomes: the new brief job stress questionnaire. <i>Industrial Health</i> , 2014 , 52, 175-89	2.5	56
81	Association of job demands with work engagement of Japanese employees: comparison of challenges with hindrances (J-HOPE). <i>PLoS ONE</i> , 2014 , 9, e91583	3.7	22
80	Effects of an Internet-based cognitive behavioral therapy (iCBT) program in Manga format on improving subthreshold depressive symptoms among healthy workers: a randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e97167	3.7	55
79	Mental health and related factors after the Great East Japan earthquake and tsunami. <i>PLoS ONE</i> , 2014 , 9, e102497	3.7	89

78	Psychological detachment from work during off-job time: predictive role of work and non-work factors in Japanese employees. <i>Industrial Health</i> , 2014 , 52, 141-6	2.5	19
77	Just how bad negative affect is for your health depends on culture. <i>Psychological Science</i> , 2014 , 25, 2277-80	7.0	71
76	Behavioral characteristics of subthreshold depression. <i>Journal of Affective Disorders</i> , 2014 , 168, 472-5	6.6	15
75	Altered DNA methylation status of human brain derived neurotrophin factor gene could be useful as biomarker of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 357-64	3.5	42
74	Effectiveness of a program to facilitate recovery for people with long-term mental illness in Japan. <i>Australian Journal of Cancer Nursing</i> , 2014 , 16, 277-83	1.9	8
73	Cross-cultural measurement equivalence of the Japanese version of Revised Conflict Tactics Scales Short Form among Japanese men and women. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 804-11	6.2	11
72	Associations between subjective social status and DSM-IV mental disorders: results from the World Mental Health surveys. <i>JAMA Psychiatry</i> , 2014 , 71, 1400-8	14.5	75
71	Trauma and posttraumatic stress disorder in Japan: results from the World Mental Health Japan Survey. <i>Journal of Psychiatric Research</i> , 2014 , 53, 157-65	5.2	58
70	Psychological resources as mediators of the association between social class and health: comparative findings from Japan and the USA. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 53-65	2.6	30
69	Workaholism and sleep quality among Japanese employees: a prospective cohort study. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 66-76	2.6	26
68	Optimal cutoff values of WHO-HPQ presenteeism scores by ROC analysis for preventing mental sickness absence in Japanese prospective cohort. <i>PLoS ONE</i> , 2014 , 9, e111191	3.7	22
67	Culture and the Promotion of Well-being in East and West: Understanding Varieties of Attunement to the Surrounding Context. <i>Cross-cultural Advancements in Positive Psychology</i> , 2014 , 1-19		9
66	National Status of Psychosocial Factors at Work in Japan, Korea, Australia, and China 2014 , 27-52		3
65	Childhood Adversity and Adulthood Subjective Well-Being: Evidence from Japan. <i>Journal of Happiness Studies</i> , 2013 , 14, 843-860	3.7	19
64	Organizational justice and psychological distress among permanent and non-permanent employees in Japan: a prospective cohort study. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 265-76	2.6	33
63	Social capital and suicide: an ecological study in Tokyo, Japan. <i>Environmental Health and Preventive Medicine</i> , 2013 , 18, 306-12	4.2	30
62	Sociodemographic determinants of attitudinal barriers in the use of mental health services in Japan: findings from the World Mental Health Japan Survey 2002-2006. <i>Psychiatry and Clinical Neurosciences</i> , 2013 , 67, 101-9	6.2	15
61	Japanese dietary pattern consistently relates to low depressive symptoms and it is modified by job strain and worksite supports. <i>Journal of Affective Disorders</i> , 2013 , 150, 490-8	6.6	41

60	Work engagement versus workaholism: a test of the spillover-crossover model. <i>Journal of Managerial Psychology</i> , 2013 , 29, 63-80	3.3	61
59	Work-self balance: A longitudinal study on the effects of job demands and resources on personal functioning in Japanese working parents. <i>Work and Stress</i> , 2013 , 27, 223-243	6.1	23
58	Organizational justice and major depressive episodes in Japanese employees: a cross-sectional study. <i>Journal of Occupational Health</i> , 2013 , 55, 47-55	2.3	18
57	Assessing psychological violence and harassment at work: reliability and validity of the Japanese version of the Inventory of Violence and Psychological Harassment (IVAPT) comparing NAQ-R and LIPT. <i>Journal of Occupational Health</i> , 2013 , 55, 108-19	2.3	4
56	Socioeconomic status is significantly associated with dietary salt intakes and blood pressure in Japanese workers (J-HOPE Study). <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 980-93	4.6	36
55	Socioeconomic status is significantly associated with the dietary intakes of folate and depression scales in Japanese workers (J-HOPE Study). <i>Nutrients</i> , 2013 , 5, 565-78	6.7	10
54	Psychosocial mechanisms of psychological health disparity in Japanese workers. <i>Industrial Health</i> , 2013 , 51, 472-81	2.5	2
53	Association of childhood family environments with the risk of social withdrawal (shikikomori) in the community population in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 121-9	6.2	31
52	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	4.0	5768
51	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	4.0	4971
50	The recognition of occupational diseases attributed to heavy workloads: experiences in Japan, Korea, and Taiwan. <i>International Archives of Occupational and Environmental Health</i> , 2012 , 85, 791-9	3.2	34
49	Utility of self-reported sleep disturbances as a marker for major depressive disorder (MDD): findings from the World Mental Health Japan Survey 2002-2006. <i>Psychiatry Research</i> , 2012 , 198, 146-53	9.9	3
48	Impact of mental disorders on work performance in a community sample of workers in Japan: the World Mental Health Japan Survey 2002-2005. <i>Psychiatry Research</i> , 2012 , 198, 140-5	9.9	33
47	Early-life mental disorders and adult household income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012 , 72, 228-37	7.9	79
46	Effects of a stress management program for hospital staffs on their coping strategies and interpersonal behaviors. <i>Industrial Health</i> , 2012 , 50, 487-98	2.5	8
45	Validation of the Japanese version of the recovery experience questionnaire. <i>Journal of Occupational Health</i> , 2012 , 54, 196-205	2.3	41
44	Do workaholism and work engagement predict employee well-being and performance in opposite directions?. <i>Industrial Health</i> , 2012 , 50, 316-21	2.5	131
43	Telephone cognitive-behavioral therapy for subthreshold depression and presenteeism in workplace: a randomized controlled trial. <i>PLoS ONE</i> , 2012 , 7, e35330	3.7	45

42	Epidemiological aspects of intermittent explosive disorder in Japan; prevalence and psychosocial comorbidity: findings from the World Mental Health Japan Survey 2002-2006. <i>Psychiatry Research</i> , 2011 , 186, 384-9	9.9	17
41	Crossover of work engagement among Japanese couples: Perspective taking by both partners. <i>Journal of Occupational Health Psychology</i> , 2011 , 16, 112-125	5.7	38
40	Screening performance of K6/K10 and other screening instruments for mood and anxiety disorders in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2011 , 65, 434-41	6.2	315
39	Quantitative relationship between recovery and benefit-finding among persons with chronic mental illness in Japan. <i>Australian Journal of Cancer Nursing</i> , 2011 , 13, 126-32	1.9	11
38	Workaholism and well-being among Japanese dual-earner couples: a spillover-crossover perspective. <i>Social Science and Medicine</i> , 2011 , 73, 399-409	5.1	117
37	Association of childhood adversities with the first onset of mental disorders in Japan: results from the World Mental Health Japan, 2002-2004. <i>Journal of Psychiatric Research</i> , 2011 , 45, 481-7	5.2	38
36	Reliability and validity of the Japanese version of the Self-Identified Stage of Recovery for people with long term mental illness. <i>International Journal of Mental Health Nursing</i> , 2010 , 19, 195-202	3.8	27
35	Lifetime prevalence, psychiatric comorbidity and demographic correlates of "hikikomori" in a community population in Japan. <i>Psychiatry Research</i> , 2010 , 176, 69-74	9.9	131
34	Measuring workplace bullying: reliability and validity of the Japanese version of the negative acts questionnaire. <i>Journal of Occupational Health</i> , 2010 , 52, 216-26	2.3	48
33	Association between workaholism and sleep problems among hospital nurses. <i>Industrial Health</i> , 2010 , 48, 864-71	2.5	59
32	Association of occupation, employment contract, and company size with mental health in a national representative sample of employees in Japan. <i>Journal of Occupational Health</i> , 2010 , 52, 227-40	2.3	54
31	Work-family spillover among Japanese dual-earner couples: a large community-based study. <i>Journal of Occupational Health</i> , 2010 , 52, 335-43	2.3	22
30	Organizational justice, psychological distress, and work engagement in Japanese workers. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 29-38	3.2	66
29	Reliability and validity of the Japanese version of the Recovery Assessment Scale (RAS) for people with chronic mental illness: scale development. <i>International Journal of Nursing Studies</i> , 2010 , 47, 314-22 ^{5.8}	5.8	59
28	Prevention of Depression and Suicide among Workers: International Trends and Future Challenges in Japan. <i>Trends in the Sciences</i> , 2010 , 15, 28-31	0	0
27	Prevalence and correlates of illicit and non-medical use of psychotropic drugs in Japan: findings from the World Mental Health Japan Survey 2002-2004. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 777-83	4.5	27
26	Participatory intervention for workplace improvements on mental health and job performance among blue-collar workers: a cluster randomized controlled trial. <i>Journal of Occupational and Environmental Medicine</i> , 2009 , 51, 554-63	2	86
25	Reliability and validity of the Japanese version of the Organizational Justice Questionnaire. <i>Journal of Occupational Health</i> , 2009 , 51, 74-83	2.3	36

24	Effects of a worksite stress management training program with six short-hour sessions: a controlled trial among Japanese employees. <i>Journal of Occupational Health</i> , 2009 , 51, 294-302	2.3	31
23	Prevalence of and risk factors for suicide-related outcomes in the World Health Organization World Mental Health Surveys Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 442-9	6.2	30
22	Effects of a worker participatory program for improving work environments on job stressors and mental health among workers: a controlled trial. <i>Journal of Occupational Health</i> , 2008 , 50, 455-70	2.3	67
21	Evaluation of an internet-based self-help program for better quality of sleep among Japanese workers: a randomized controlled trial. <i>Journal of Occupational Health</i> , 2008 , 50, 387-99	2.3	46
20	The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 152-8	4.3	709
19	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 168-76	14.4	1067
18	Effects of web-based supervisor training on job stressors and psychological distress among workers: a workplace-based randomized controlled trial. <i>Journal of Occupational Health</i> , 2006 , 48, 28-34	2.3	44
17	Effects of the job stress education for supervisors on psychological distress and job performance among their immediate subordinates: a supervisor-based randomized controlled trial. <i>Journal of Occupational Health</i> , 2006 , 48, 494-503	2.3	29
16	Effects of web-based supervisor training on supervisor support and psychological distress among workers: a randomized controlled trial. <i>Preventive Medicine</i> , 2005 , 41, 471-8	4.3	55
15	Effects of a supervisory education for positive mental health in the workplace: a quasi-experimental study. <i>Journal of Occupational Health</i> , 2005 , 47, 226-35	2.3	40
14	Effects of web-based psychoeducation on self-efficacy, problem solving behavior, stress responses and job satisfaction among workers: a controlled clinical trial. <i>Journal of Occupational Health</i> , 2005 , 47, 405-13	2.3	34
13	Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. <i>Psychiatry and Clinical Neurosciences</i> , 2005 , 59, 441-52	6.2	266
12	Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90	27.4	2063
11	Job stress, social support, and prevalence of insomnia in a population of Japanese daytime workers. <i>Social Science and Medicine</i> , 2004 , 59, 1719-30	5.1	144
10	Occupational class and exposure to job stressors among employed men and women in Japan. <i>Journal of Epidemiology</i> , 2004 , 14, 204-11	3.4	49
9	Sleep problems in white-collar male workers in an electric equipment manufacturing company in Japan. <i>Industrial Health</i> , 2000 , 38, 62-8	2.5	36
8	Effects of mailed advice on stress reduction among employees in Japan: a randomized controlled trial. <i>Industrial Health</i> , 1999 , 37, 237-42	2.5	27
7	Job stressor-mental health associations in a sample of Japanese working adults: artifacts of positive and negative questions?. <i>Industrial Health</i> , 1999 , 37, 263-70	2.5	10

6	The Job Content Questionnaire (JCQ): An instrument for internationally comparative assessments of psychosocial job characteristics.. <i>Journal of Occupational Health Psychology</i> , 1998 , 3, 322-355	5.7	2347
5	Effects of work-related stress reduction on depressive symptoms among Japanese blue-collar workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997 , 23, 54-9	4.3	58
4	Assessment of job stress dimensions based on the job demands- control model of employees of telecommunication and electric power companies in Japan: reliability and validity of the Japanese version of the Job Content Questionnaire. <i>International Journal of Behavioral Medicine</i> , 1995 , 2, 358-75	2.6	186
3	Japan-U.S. comparison of responses to depression scale items among adult workers. <i>Psychiatry Research</i> , 1995 , 58, 237-45	9.9	107
2	CLINICAL COMMENTS. <i>Clinical Gerontologist</i> , 1991 , 10, 73-88	2.7	4
1	Job-stress and medical consultation rates for physical illness among blue collar workers of an electrical factory in Japan: a four-year prospective follow-up study. <i>Industrial Health</i> , 1990 , 28, 1-7	2.5	5