

Ricardo Gomez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7698651/publications.pdf>

Version: 2024-02-01

73
papers

3,295
citations

257450

24
h-index

149698

56
g-index

73
all docs

73
docs citations

73
times ranked

4951
citing authors

#	ARTICLE	IF	CITATIONS
1	Caffeine photocatalytic degradation using composites of NiO/TiO ₂ and CuO/TiO ₂ under UV irradiation. <i>Chemosphere</i> , 2022, 288, 132506.	8.2	22
2	Structural changes and photocatalytic aspects into anatase network after doping with cerium: Comprehensive study via radial distribution functions, electron density maps and molecular hardness. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022, 428, 113855.	3.9	1
3	Synthesis of Ni/GO-TiO ₂ composites for the photocatalytic hydrogen production and CO ₂ reduction to methanol. <i>Topics in Catalysis</i> , 2022, 65, 1015-1027.	2.8	8
4	Effect of Co-catalyst (CuO, CoO or NiO) on Bi ₂ O ₃ -TiO ₂ Structures and Its Impact on the Photocatalytic Reduction of 4-nitrophenol. <i>Topics in Catalysis</i> , 2021, 64, 112-120.	2.8	8
5	Effective photocatalytic degradation of Rhodamine B using tin semiconductors over hydrocalcite-type materials under sunlight driven. <i>Catalysis Today</i> , 2021, 372, 191-197.	4.4	13
6	ZnS-Bipy hybrid materials for the photocatalytic generation of hydrogen from water. <i>Catalysis Today</i> , 2020, 341, 104-111.	4.4	2
7	Effective phosphated CeO ₂ materials in the photocatalytic degradation of phenol under UV irradiation. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 3213-3220.	3.2	7
8	Effective electron-hole separation over N-doped TiO ₂ materials for improved photocatalytic reduction of 4-nitrophenol using visible light. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 2694-2706.	3.2	12
9	Ga ₂ O ₃ /TiO ₂ semiconductors free of noble metals for the photocatalytic hydrogen production in a water/methanol mixture. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 3457-3465.	3.2	15
10	Hydrogen Production from Aqueous Methanol Solutions Using Ti-Zr Mixed Oxides as Photocatalysts under UV Irradiation. <i>Catalysts</i> , 2019, 9, 938.	3.5	12
11	Synthesis and characterization of ZnZr composites for the photocatalytic degradation of phenolic molecules: addition effect of ZrO ₂ over hydrozincite Zn ₅ (OH) ₆ (CO ₃) ₂ . <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 3428-3439.	3.2	15
12	Heterojunction formation on InVO ₄ /N-TiO ₂ with enhanced visible light photocatalytic activity for reduction of 4-NP. <i>Materials Science in Semiconductor Processing</i> , 2019, 89, 201-211.	4.0	28
13	Enhanced photocatalytic hydrogen production by CdS nanofibers modified with graphene oxide and nickel nanoparticles under visible light. <i>Fuel</i> , 2019, 237, 227-235.	6.4	51
14	Photoreduction of 4-Nitrophenol in the presence of carboxylic acid using CdS nanofibers. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 7345-7355.	2.2	13
15	Improved photocatalytic hydrogen production from methanol/water solution using CuO supported on fluorinated TiO ₂ . <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 1113-1120.	3.2	26
16	Synthesis of Bi ₂ S ₃ nanorods supported on ZrO ₂ semiconductor as an efficient photocatalyst for hydrogen production under UV and visible light. <i>Journal of Chemical Technology and Biotechnology</i> , 2017, 92, 1503-1510.	3.2	16
17	Efficient ZnO _{1-x} S _x composites from the Zn ₅ (CO ₃) ₂ (OH) ₆ precursor for the H ₂ production by photocatalysis. <i>Renewable Energy</i> , 2017, 113, 43-51.	8.9	17
18	Photocatalytic reduction of 4-nitrophenol to 4-aminophenol over CdS/MgAl layered double hydroxide catalysts under UV irradiation. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017, 122, 625-634.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Interfacial charge-transfer process across ZrO ₂ -TiO ₂ heterojunction and its impact on photocatalytic activity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017, 335, 276-286.	3.9	64
20	Novel preparation of ZnS from Zn ₅ (CO ₃) ₂ (OH) ₆ by the hydro- or solvothermal method for H ₂ production. <i>Catalysis Today</i> , 2017, 287, 91-98.	4.4	21
21	Improving photocatalytic reduction of 4-nitrophenol over ZrO ₂ -TiO ₂ by synergistic interaction between methanol and sulfite ions. <i>New Journal of Chemistry</i> , 2017, 41, 12655-12663.	2.8	24
22	Photocatalytic oxidative esterification of benzaldehyde by V ₂ O ₅ -ZnO catalysts. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2017, 122, 1281-1296.	1.7	4
23	Synthesis of CdS/MgAl layered double hydroxides for hydrogen production from methanol-water decomposition. <i>Applied Clay Science</i> , 2017, 136, 67-74.	5.2	29
24	Comparative activity of CdS nanofibers superficially modified by Au, Cu, and Ni nanoparticles as co-catalysts for photocatalytic hydrogen production under visible light. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2205-2210.	3.2	27
25	Zn-Ge oxynitride based nano-photocatalyst for hydrogen production under visible light. <i>Materials Research Bulletin</i> , 2016, 83, 603-608.	5.2	8
26	Photocatalytic reduction of 4-nitrophenol on in situ fluorinated sol-gel TiO ₂ under UV irradiation using Na ₂ SO ₃ as reducing agent. <i>Journal of Sol-Gel Science and Technology</i> , 2016, 80, 426-435.	2.4	25
27	Blue-photodecomposition of hydrazine in aqueous solution for H ₂ production by using CdS photocatalyst. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2179-2184.	3.2	9
28	Suitable preparation of Bi ₂ S ₃ nanorods-TiO ₂ heterojunction semiconductors with improved photocatalytic hydrogen production from water/methanol decomposition. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2198-2204.	3.2	26
29	Photocatalytic degradation of phenol using MgAlSn hydroxalcalite-like compounds. <i>Applied Clay Science</i> , 2016, 129, 71-78.	5.2	34
30	Enhanced photocatalytic degradation of 4-chlorophenol and 2,4-dichlorophenol on in situ phosphated sol-gel TiO ₂ . <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2170-2178.	3.2	31
31	Combination of Mn oxidation states improves the photocatalytic degradation of phenol with ZnAl LDH materials without a source of O ₂ in the reaction system. <i>Catalysis Today</i> , 2016, 266, 62-71.	4.4	20
32	Enhancing the H ₂ evolution from water-methanol solution using Mn ²⁺ -Mn ³⁺ -Mn ⁴⁺ redox species of Mn-doped TiO ₂ sol-gel photocatalysts. <i>Catalysis Today</i> , 2016, 266, 9-16.	4.4	65
33	Photodegradation of Indigo Carmine dye by CdS nanostructures under blue-light irradiation emitted by LEDs. <i>Catalysis Today</i> , 2016, 266, 27-35.	4.4	43
34	Synthesis of new ZnS-Bipy based hybrid organic-inorganic materials for photocatalytic reduction of 4-nitrophenol. <i>New Journal of Chemistry</i> , 2015, 39, 2188-2194.	2.8	11
35	Photocatalytic reduction of Cr(VI) by using stacked ZnS layers of ZnS(en) _x complex. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 3048-3054.	6.7	14
36	Preparation of efficient cadmium sulfide nanofibers for hydrogen production using ethylenediamine (NH ₂ CH ₂ CH ₂ NH ₂) as template. <i>Journal of Colloid and Interface Science</i> , 2015, 451, 40-45.	9.4	37

#	ARTICLE	IF	CITATIONS
37	Mn-doped Zn/Al layered double hydroxides as photocatalysts for the 4-chlorophenol photodegradation. <i>Applied Clay Science</i> , 2015, 118, 38-47.	5.2	31
38	TiO ₂ xerogels prepared by modified sol-gel method with ethylenediamine are photoactive for the 4-nitrophenol photoreduction. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 72, 428-434.	2.4	8
39	Kinetic study of the 4-Nitrophenol photooxidation and photoreduction reactions using CdS. <i>Applied Catalysis B: Environmental</i> , 2014, 144, 507-513.	20.2	54
40	Preparation and characterization of the hybrid ZnS(en)0.5-CdS heterojunction. <i>Materials Letters</i> , 2014, 115, 147-150.	2.6	19
41	Enhanced blue-light photocatalytic H ₂ production using CdS nanofiber. <i>Catalysis Communications</i> , 2014, 45, 139-143.	3.3	13
42	Photocatalytic hydrogen production by Au-MxO _y (M Ag, Cu, Ni) catalysts supported on TiO ₂ . <i>Catalysis Communications</i> , 2014, 47, 1-6.	3.3	58
43	Visible light photocatalytic reduction of 4-Nitrophenol using CdS in the presence of Na ₂ SO ₃ . <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2013, 257, 44-49.	3.9	40
44	New nanostructured CdS fibers for the photocatalytic reduction of 4-nitrophenol. <i>Powder Technology</i> , 2013, 250, 97-102.	4.2	20
45	Photocatalytic hydrogen production by water/methanol decomposition using Au/TiO ₂ prepared by deposition-precipitation with urea. <i>Journal of Hazardous Materials</i> , 2013, 263, 2-10.	12.4	97
46	Ni/C nanostructures: Impregnating-method preparation, textural and structural features, and catalytic property for the hydrogen production. <i>Journal of Materials Research</i> , 2013, 28, 3297-3309.	2.6	4
47	An efficient ZnS-UV photocatalysts generated in situ from ZnS(en)0.5 hybrid during the H ₂ production in methanol-water solution. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 17002-17008.	7.1	38
48	Enhanced photoreduction of Cr(VI) using ZnS(en)0.5 hybrid semiconductor. <i>Catalysis Communications</i> , 2012, 19, 51-55.	3.3	23
49	Band-gap energy estimation from diffuse reflectance measurements on sol-gel and commercial TiO ₂ : a comparative study. <i>Journal of Sol-Gel Science and Technology</i> , 2012, 61, 1-7.	2.4	1,331
50	Photocatalytic Decomposition of Synthetic Alizarin Red S by Nickel Doped TiO ₂ . <i>Topics in Catalysis</i> , 2011, 54, 490-495.	2.8	14
51	Photocatalytic Degradation of 4-Nitrophenol on Well Characterized Sol-Gel Molybdenum Doped Titania Semiconductors. <i>Topics in Catalysis</i> , 2011, 54, 504-511.	2.8	24
52	Degradation of the herbicide 2,4-dichlorophenoxyacetic acid over TiO ₂ -CeO ₂ sol-gel photocatalysts: Effect of the annealing temperature on the photoactivity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 217, 383-388.	3.9	33
53	Synthesis of Camphene by Î±-Pinene Isomerization Using W ₂ O ₃ -Al ₂ O ₃ Catalysts. <i>Topics in Catalysis</i> , 2010, 53, 1176-1178.	2.8	12
54	Synthesis, characterization, and 2,4-dichlorophenoxyacetic acid degradation on In-Na ₂ Ti ₆ O ₁₃ sol-gel prepared photocatalysts. <i>Research on Chemical Intermediates</i> , 2010, 36, 5-15.	2.7	6

#	ARTICLE	IF	CITATIONS
55	Structure Sensitivity of Sol-Gel Alkali Tantalates, ATaO ₃ (A= Li, Na and K): Acetone Gas Phase Condensation. Advanced Materials Research, 2010, 132, 61-67.	0.3	5
56	IMPROVED SELECTIVITY TO C8-OLEFINS FOR ISOBUTENE OLIGOMERIZATION ON NIO-W2O3/Al2O3 CATALYSTS. Chemical Engineering Communications, 2009, 196, 1198-1205.	2.6	11
57	EVALUATION OF SULFATED ALUMINAS SYNTHESIZED VIA THE SOL-GEL METHOD IN THE ESTERIFICATION OF OLEIC ACID WITH ETHANOL. Chemical Engineering Communications, 2009, 196, 1152-1162.	2.6	16
58	Fourier Electron Density Maps for Nanostructured TiO ₂ and TiO ₂ -CeO ₂ Sol-Gel Solid. Journal of Nano Research, 2009, 5, 87-94.	0.8	4
59	Indium-Sensitized UV Photocatalysts Made from Alkali Titanate Microfibers. Materials Science Forum, 2009, 620-622, 651-654.	0.3	1
60	Photophysical and photocatalytic properties of nanosized copper-doped titania sol-gel catalysts. Catalysis Today, 2009, 148, 103-108.	4.4	159
61	Adsorption and photocatalytic degradation of phenol and 2,4 dichlorophenoxyacetic acid by Mg-Zn-Al layered double hydroxides. Applied Catalysis B: Environmental, 2009, 90, 330-338.	20.2	232
62	MTBE visible-light photocatalytic decomposition over Au/TiO ₂ and Au/TiO ₂ -Al ₂ O ₃ sol-gel prepared catalysts. Journal of Molecular Catalysis A, 2008, 281, 93-98.	4.8	86
63	Photodegradation of the herbicide 2,4-dichlorophenoxyacetic acid on nanocrystalline TiO ₂ -CeO ₂ sol-gel catalysts. Journal of Molecular Catalysis A, 2008, 281, 119-125.	4.8	69
64	Sol-gel preparation of In ₂ O ₃ -Al ₂ O ₃ supports with controlled textural and structural properties. Reaction Kinetics and Catalysis Letters, 2007, 90, 331-338.	0.6	13
65	Claisen-Schmidt condensation reaction on BaO-ZrO ₂ mixed oxides. Reaction Kinetics and Catalysis Letters, 2007, 92, 361-368.	0.6	6
66	Room temperature olefins oligomerization over sulfated titania. Chemical Communications, 2004, , 1498-1499.	4.1	31
67	Title is missing!. Reaction Kinetics and Catalysis Letters, 2003, 79, 271-279.	0.6	6
68	Al ₂ O ₃ -TiO ₂ SOL-GEL MIXED OXIDES AS SUITABLE SUPPORTS FOR THE REDUCTION OF NO BY CO. Reaction Kinetics and Catalysis Letters, 2002, 76, 75-81.	0.6	11
69	Intrinsically Formed Trivalent Titanium Ions in Sol-Gel Titania. Journal of the American Ceramic Society, 2001, 84, 392-98.	3.8	22
70	Title is missing!. Journal of Sol-Gel Science and Technology, 2000, 17, 219-225.	2.4	10
71	Synthesis and characterization of SnOx/Al ₂ O ₃ derived gel catalysts. Reaction Kinetics and Catalysis Letters, 1996, 59, 247-251.	0.6	7
72	Thermal decomposition and FTIR study of pyridine adsorption on sonogel catalysts. Thermochimica Acta, 1995, 255, 319-328.	2.7	2

#	ARTICLE	IF	CITATIONS
73	Catalyst Doped Sol-Gel Materials. , 1994, , 345-371.		13