

Joan J Cabr

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7699433/joan-j-cabre-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

715
citations

13
h-index

23
g-index

23
ext. papers

890
ext. citations

4.6
avg, IF

2.82
L-index

#	Paper	IF	Citations
22	Feasibility and Effectiveness of Electrochemical Dermal Conductance Measurement for the Screening of Diabetic Neuropathy in Primary Care. Decoding Study (Dermal Electrochemical Conductance in Diabetic Neuropathy). <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
21	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. <i>Journal of Nutrition</i> , 2019 , 149, 1920-1929	4.1	35
20	Evaluaci3n de la validez de las funciones SCORE de bajo riesgo y calibrada para poblaci3n espa3ola en las cohortes FRESCO. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 274-282	1.5	13
19	Asociaci3n de obesidad general y abdominal con hipertensi3n, dislipemia y presencia de prediabetes en el estudio PREDAPS. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 170-177	1.5	17
18	Impact of depression and/or anxiety on the presentation of cardiovascular events in a cohort with metabolic syndrome. StreX project: Five years of follow-up. <i>Primary Care Diabetes</i> , 2018 , 12, 163-171	2.4	2
17	Implementation of the DP-TRANSFERS project in Catalonia: A translational method to improve diabetes screening and prevention in primary care. <i>PLoS ONE</i> , 2018 , 13, e0194005	3.7	3
16	Interaction between cardiovascular risk factors and body mass index and 10-year incidence of cardiovascular disease, cancer death, and overall mortality. <i>Preventive Medicine</i> , 2018 , 107, 81-89	4.3	18
15	Feasibility and effectiveness of electrochemical dermal conductance measurement for the screening of diabetic neuropathy in primary care. DECODING Study (Dermal Electrochemical Conductance in Diabetic Neuropathy). Rationale and design. <i>Medicine (United States)</i> , 2018 , 97, e10750	1.8	1
14	Rationale and design of the DP-TRANSFERS project: diabetes prevention-transferring findings from European research to society in Catalonia. <i>Journal of Translational Medicine</i> , 2016 , 14, 103	8.5	17
13	Risk of Cause-Specific Death in Individuals With Diabetes: A Competing Risks Analysis. <i>Diabetes Care</i> , 2016 , 39, 1987-1995	14.6	165
12	Derivation and validation of a set of 10-year cardiovascular risk predictive functions in Spain: the FRESCO Study. <i>Preventive Medicine</i> , 2014 , 61, 66-74	4.3	34
11	Lifestyle interventions for diabetes mellitus type 2 prevention. <i>Revista Clinica Espanola</i> , 2014 , 214, 59-68.	0.7	23
10	Shifting from glucose diagnosis to the new HbA1c diagnosis reduces the capability of the Finnish Diabetes Risk Score (FINDRISC) to screen for glucose abnormalities within a real-life primary healthcare preventive strategy. <i>BMC Medicine</i> , 2013 , 11, 45	11.4	40
9	Delaying progression to type 2 diabetes among high-risk Spanish individuals is feasible in real-life primary healthcare settings using intensive lifestyle intervention. <i>Diabetologia</i> , 2012 , 55, 1319-28	10.3	95
8	Effects of one serving of mixed nuts on serum lipids, insulin resistance and inflammatory markers in patients with the metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 126-35	4.5	146
7	Shifting from glucose diagnostic criteria to the new HbA(1c) criteria would have a profound impact on prevalence of diabetes among a high-risk Spanish population. <i>Diabetic Medicine</i> , 2011 , 28, 1234-7	3.5	15
6	Safety during the monitoring of diabetic patients: trial teaching course on health professionals and diabetics - SEGUDIAB study. <i>BMC Public Health</i> , 2011 , 11, 430	4.1	1

5	Rationale and design of the PREDICE project: cost-effectiveness of type 2 diabetes prevention among high-risk Spanish individuals following lifestyle intervention in real-life primary care setting. <i>BMC Public Health</i> , 2011 , 11, 623	4.1	11
4	Increase in metabolic syndrome as defined by ATPIII from 1992-1993 to 2002-2003 in a Mediterranean population. <i>Nutrition Reviews</i> , 2009 , 67 Suppl 1, S117-25	6.4	7
3	Metabolic syndrome as a cardiovascular disease risk factor: patients evaluated in primary care. <i>BMC Public Health</i> , 2008 , 8, 251	4.1	31
2	Rendimiento de la estimaci3n del riesgo cardiovascular en Espa3a mediante la utilizaci3n de distintas funciones. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 693-702	1.5	31
1	Relevance of casual undetected hyperglycemia among high-risk individuals for developing diabetes. <i>Diabetes Research and Clinical Practice</i> , 2007 , 78, 289-92	7.4	7