
## Julie A Vrana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7699988/publications.pdf Version: 2024-02-01



ΙΠΠΕ Δ. Μάλνια

#	Article	IF	CITATIONS
1	The characteristics of patients with kidney light chain deposition disease concurrent with light chain amyloidosis. Kidney International, 2022, 101, 152-163.	5.2	6
2	Bone marrow amyloid: a comprehensive analysis of 1,469 samples, including amyloid type, clinical features, and morphologic distribution. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2022, 29, 156-164.	3.0	5
3	The novel form of amyloidosis derived from ECFâ€containing fibulinâ€like extracellular matrix protein 1 (EFEMP1) preferentially affects the lower gastrointestinal tract of elderly females <sup>a</sup> . Histopathology, 2021, 78, 459-463.	2.9	7
4	Nonâ€cardiac biopsy sites with high frequency of transthyretin amyloidosis. ESC Heart Failure, 2021, 8, 750-755.	3.1	7
5	A Target Antigen–Based Approach to the Classification of Membranous Nephropathy. Mayo Clinic Proceedings, 2021, 96, 577-591.	3.0	45
6	Comparison of In Situ Hybridization, Immunohistochemistry, and Reverse Transcription–Droplet Digital Polymerase Chain Reaction for Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Testing in Tissue. Archives of Pathology and Laboratory Medicine, 2021, 145, 785-796.	2.5	27
7	Immunoglobulin-Negative DNAJB9-Associated Fibrillary Glomerulonephritis: A Report of 9 Cases. American Journal of Kidney Diseases, 2021, 77, 454-458.	1.9	10
8	Paraneoplastic REG1α Cast NephropathyÂAssociated With Mixed Acinar-Neuroendocrine Carcinoma. Kidney International Reports, 2021, 6, 1178-1182.	0.8	1
9	Donor-Derived ALECT2 Amyloidosis and Recurrent Fibrillary Glomerulonephritis in a Transplant Allograft. Kidney Medicine, 2021, 3, 433-437.	2.0	2
10	Amyloidosis in surgically resected atrial appendages: a study of 345 consecutive cases with clinical implications. Modern Pathology, 2020, 33, 764-774.	5.5	7
11	Light chain only variant of proliferative glomerulonephritis with monoclonal immunoglobulin deposits is associated with a high detection rate of the pathogenic plasma cell clone. Kidney International, 2020, 97, 589-601.	5.2	32
12	Carboxypeptidase A1 and regenerating islet-derived 1α as new markers for pancreatic acinar cell carcinoma. Human Pathology, 2020, 103, 120-126.	2.0	10
13	Amyloid Typing by Mass Spectrometry in Clinical Practice: a Comprehensive Review of 16,175 Samples. Mayo Clinic Proceedings, 2020, 95, 1852-1864.	3.0	105
14	Two types of amyloidosis presenting in a single patient: a case series. Blood Cancer Journal, 2019, 9, 30.	6.2	48
15	Application of a 5 Marker Panel to the Routine Diagnosis of Peripheral T-Cell Lymphoma With T-Follicular Helper Phenotype. American Journal of Surgical Pathology, 2019, 43, 1282-1290.	3.7	41
16	Heterogeneity of programmed deathâ€ligand 1 expression in thymic epithelial tumours between initial specimen and synchronous or metachronous metastases or recurrences. Histopathology, 2019, 74, 364-367.	2.9	6
17	DNAJB9 Is a Specific Immunohistochemical Marker for Fibrillary Glomerulonephritis. Kidney International Reports, 2018, 3, 56-64.	0.8	109
18	Apolipoprotein CII Amyloidosis Associated With p.Lys41Thr Mutation. Kidney International Reports, 2018, 3, 1193-1201.	0.8	21

Julie A Vrana

#	Article	IF	CITATIONS
19	Congophilic Fibrillary Glomerulonephritis: A Case Series. American Journal of Kidney Diseases, 2018, 72, 325-336.	1.9	55
20	Characterization of C3 in C3 glomerulopathy. Nephrology Dialysis Transplantation, 2017, 32, gfw290.	0.7	29
21	Clinical, biopsy, and mass spectrometry findings of renal gelsolin amyloidosis. Kidney International, 2017, 91, 964-971.	5.2	21
22	Complement activation in pauci-immune necrotizing and crescentic glomerulonephritis: results of a proteomic analysis. Nephrology Dialysis Transplantation, 2017, 32, i139-i145.	0.7	59
23	Clinical, biopsy, and mass spectrometry characteristics of renal apolipoprotein A-IVÂamyloidosis. Kidney International, 2016, 90, 658-664.	5.2	42
24	Correlation of histomorphological pattern of cardiac amyloid deposition with amyloid type: a histological and proteomic analysis of 108 cases. Histopathology, 2016, 68, 648-656.	2.9	48
25	Leukocyte chemotactic factor 2 amyloidosis (ALECT2) is a common form of renal amyloidosis among Egyptians. Modern Pathology, 2016, 29, 416-420.	5.5	41
26	A comparison of immunohistochemistry and mass spectrometry for determining the amyloid fibril protein from formalin-fixed biopsy tissue. Journal of Clinical Pathology, 2015, 68, 314-317.	2.0	95
27	Proteomic Detection of Immunoglobulin Light Chain Variable Region Peptides from Amyloidosis Patient Biopsies. Journal of Proteome Research, 2015, 14, 1957-1967.	3.7	50
28	Analysis of Amyloid in Medullary Thyroid Carcinoma by Mass Spectrometry-Based Proteomic Analysis. Endocrine Pathology, 2015, 26, 291-295.	9.0	25
29	Characterization and outcomes of renal leukocyte chemotactic factor 2-associated amyloidosis. Kidney International, 2014, 86, 370-377.	5.2	82
30	Drug-Induced Amyloidosis: A Proteomic Insight Into 52 Cases. Blood, 2013, 122, 1871-1871.	1.4	1
31	Proteome Of Amyloidosis: Mayo Clinic Experience In 4139 Cases. Blood, 2013, 122, 1900-1900.	1.4	13
32	Mass Spectrometry-Based Proteomics Reveals Distinct Immunoglobulin Light Chain Variable Region Usage In Systemic Versus Localized AL Amyloidosis. Blood, 2013, 122, 3142-3142.	1.4	0
33	Renal Heavy Chain and Heavy+Light Chain Amyloidosis: A Report of 17 Cases and Comparison with Renal Light Chain Amyloidosis. Blood, 2012, 120, 3992-3992.	1.4	1
34	Proteomic Analysis of Immunoglobulin Light Chains (LC) In AL Amyloidosis Shows That the Sequence of Clonal LC Secreted by the Neoplastic Plasma Cells Is Identical to the LC Deposited In the Amyloid Plaques. Blood, 2010, 116, 1909-1909.	1.4	0
35	Classification of amyloidosis by laser microdissection and mass spectrometry–based proteomic analysis in clinical biopsy specimens. Blood, 2009, 114, 4957-4959.	1.4	746
36	A Clinical Test for the Identification of Amyloid Proteins in Biopsy Specimens by a Novel Method Based on Laser Microdissection and Mass Spectrometry Blood, 2007, 110, 1480-1480.	1.4	3

#	Article	IF	CITATIONS
37	Syk Tyrosine Kinase Is Overexpressed in the Majority of Peripheral T- and NK-Cell Lymphomas, and Represents a Potential Therapeutic Target Blood, 2007, 110, 690-690.	1.4	3