

Brian R Lane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7700116/publications.pdf>

Version: 2024-02-01

140
papers

10,225
citations

93792

39
h-index

38517

99
g-index

143
all docs

143
docs citations

143
times ranked

7394
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Development and Validation of Models to Predict Pathological Outcomes of Radical Prostatectomy in Regional and National Cohorts. <i>Journal of Urology</i> , 2022, 207, 358-366. | 0.2 | 4 |
| 2 | Impact of surgical approach and resection technique on the risk of Trifecta Failure after partial nephrectomy for highly complex renal masses. <i>European Journal of Surgical Oncology</i> , 2022, 48, 687-693. | 0.5 | 12 |
| 3 | Perspectives on the Role of Biopsy for Management of T1 Renal Masses: Survey Results From Two Regional Quality Improvement Collaboratives. <i>Urology</i> , 2022, 165, 206-211. | 0.5 | 5 |
| 4 | Pelvic Lymph Node Dissection at Radical Prostatectomy for Intermediate Risk Prostate Cancer: Assessing Utility and Nodal Metastases Within a Statewide Quality Improvement Consortium. <i>Urology</i> , 2022, , . | 0.5 | 0 |
| 5 | Antiadenovirus Antibodies Predict Response Durability to Nadofaragene Firadenovec Therapy in BCG-unresponsive Non-muscle-invasive Bladder Cancer: Secondary Analysis of a Phase 3 Clinical Trial. <i>European Urology</i> , 2022, 81, 223-228. | 0.9 | 8 |
| 6 | Predictors of Positive Surgical Margins after Robot-Assisted Partial Nephrectomy for Localized Renal Tumors: Insights from a Large Multicenter International Prospective Observational Project (The Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 53 | 0.9 | 10 |
| 7 | Radical prostatectomy for patients with high-risk, very-high risk, or radiographic suspicion for metastatic prostate cancer: Perioperative and early oncologic results from the MUSIC statewide collaborative. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 380.e1-380.e9. | 0.8 | 0 |
| 8 | Limitations of abdominopelvic CT and multiparametric MR imaging for detection of lymph node metastases prior to radical prostatectomy. <i>World Journal of Urology</i> , 2021, 39, 779-785. | 1.2 | 6 |
| 9 | Comparison of renal functional outcomes of active surveillance and partial nephrectomy in the management of oncocytoma. <i>World Journal of Urology</i> , 2021, 39, 1195-1201. | 1.2 | 11 |
| 10 | Intravesical nadofaragene firadenovec gene therapy for BCG-unresponsive non-muscle-invasive bladder cancer: a single-arm, open-label, repeat-dose clinical trial. <i>Lancet Oncology</i> , The, 2021, 22, 107-117. | 5.1 | 172 |
| 11 | Initial Observation of a Large Proportion of Patients Presenting with Clinical Stage T1 Renal Masses: Results from the MUSIC-KIDNEY Statewide Collaborative. <i>European Urology Open Science</i> , 2021, 23, 13-19. | 0.2 | 11 |
| 12 | Rectourethral fistula following SpaceOAR gel placement for prostate cancer radiotherapy: A rare complication. <i>Urology Case Reports</i> , 2021, 35, 101516. | 0.1 | 5 |
| 13 | Partial nephrectomy should be classified as an inpatient procedure: Results from a statewide quality improvement collaborative. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 239.e9-239.e16. | 0.8 | 5 |
| 14 | Management of prostate cancer after holmium laser enucleation of the prostate. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 297.e1-297.e8. | 0.8 | 9 |
| 15 | Reply to Nicolas Mottet, Olivier Rouviere, and Theodor H. van der Kwast. Incidental Prostate Cancer: A Real Need for Expansion in Guidelines? <i>Eur Urol Oncol</i> . In press. <i>European Urology Oncology</i> , 2021, 5, 261-261. | 2.6 | 0 |
| 16 | Comparison of Side Effects and Tolerability Between Intravesical Bacillus Calmette-Guerin, Reduced-Dose BCG and Gemcitabine for Non-Muscle Invasive Bladder Cancer. <i>Urology</i> , 2021, 156, 191-198. | 0.5 | 3 |
| 17 | Utilization of Renal Mass Biopsy for T1 Renal Lesions across Michigan: Results from MUSIC-KIDNEY, A Statewide Quality Improvement Collaborative. <i>European Urology Open Science</i> , 2021, 30, 37-43. | 0.2 | 6 |
| 18 | Patient Preferences and Treatment Decisions for Prostate Cancer: Results From A Statewide Urological Quality Improvement Collaborative. <i>Urology</i> , 2021, 155, 55-61. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A Statewide Quality Improvement Collaborative's Adherence to the 2017 American Urological Association Guidelines Regarding Initial Evaluation of Patients With Clinical T1 Renal Masses. <i>Urology</i> , 2021, 158, 117-124. | 0.5 | 1 |
| 20 | AUTHOR REPLY. <i>Urology</i> , 2021, 156, 198. | 0.5 | 0 |
| 21 | Evaluation of Urinary Renal Biomarkers for Early Prediction of Acute Kidney Injury Following Partial Nephrectomy: A Feasibility Study. <i>European Urology Focus</i> , 2020, 6, 1240-1247. | 1.6 | 10 |
| 22 | Regular vs. selective use of closed suction drains following robot-assisted radical prostatectomy: results from a regional quality improvement collaborative. <i>Prostate Cancer and Prostatic Diseases</i> , 2020, 23, 151-159. | 2.0 | 5 |
| 23 | Pelvic lymph node dissection at robot-assisted radical prostatectomy: Assessing utilization and nodal metastases within a statewide quality improvement consortium. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 198-203. | 0.8 | 5 |
| 24 | Reliability of urinalysis for identification of proteinuria is reduced in the presence of other abnormalities including high specific gravity and hematuria. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 853.e9-853.e15. | 0.8 | 5 |
| 25 | Do patients who undergo multiparametric MRI for prostate cancer benefit from additional staging imaging? Results from a statewide collaborative. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 636.e13-636.e19. | 0.8 | 2 |
| 26 | Development of a Novel Scoring System Quantifies Opportunities to Reduce Surgery for Benign Renal Neoplasms: A Retrospective Quality Improvement Analysis within the MUSIC-KIDNEY Collaborative. <i>Journal of Urology</i> , 2020, 204, 1160-1165. | 0.2 | 6 |
| 27 | Quality of Care for Renal Masses: The Michigan Urological Surgery Improvement Collaborative's "Kidney Mass: Identifying & Defining Necessary Evaluation & Therapy (MUSIC-KIDNEY)". <i>Urology Practice</i> , 2020, 7, 507-514. | 0.2 | 8 |
| 28 | Multicenter comparison of outcomes for clinical and pathologic T3a renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 758-758. | 0.8 | 0 |
| 29 | Open partial nephrectomy when a non-flank approach is required: indications and outcomes. <i>World Journal of Urology</i> , 2019, 37, 515-522. | 1.2 | 3 |
| 30 | Comparison of RENAL, PADUA, CSA, and PAVP Nephrometry Scores in Predicting Functional Outcomes After Partial Nephrectomy. <i>Urology</i> , 2019, 124, 160-167. | 0.5 | 16 |
| 31 | Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019, 27, 1589-1598. | 1.4 | 27 |
| 32 | Proteinuria impacts patient survival differentially based on clinical setting: A retrospective cross-sectional analysis of cohorts from a single health system: Retrospective cohort study. <i>Annals of Medicine and Surgery</i> , 2019, 45, 120-126. | 0.5 | 0 |
| 33 | Palpable Abdominal Mass is a Renal Oncocytoma: Not All Large Renal Masses are Malignant. <i>Case Reports in Urology</i> , 2019, 2019, 1-4. | 0.1 | 4 |
| 34 | Should partial nephrectomy be considered "elective" in patients with stage 2 chronic kidney disease? A comparative analysis of functional and survival outcomes after radical and partial nephrectomy. <i>World Journal of Urology</i> , 2019, 37, 2429-2437. | 1.2 | 14 |
| 35 | Exceptional Response of Metastatic Chromophobe Renal Cell Carcinoma to Vascular Endothelial Growth Factor (VEGF) Inhibitors: Should Increased VEGF-C Expression Be Used to Guide Treatment?. <i>Case Reports in Urology</i> , 2019, 2019, 1-6. | 0.1 | 0 |
| 36 | The influence of obesity-related factors in the etiology of renal cell carcinoma: A mendelian randomization study. <i>PLoS Medicine</i> , 2019, 16, e1002724. | 3.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Assessment of volume preservation performed before or after partial nephrectomy accurately predicts postoperative renal function: Results from a prospective multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 33-39. | 0.8 | 18 |
| 38 | Pathological upgrading at radical prostatectomy for patients with Grade Group 1 prostate cancer: implications of confirmatory testing for patients considering active surveillance. <i>BJU International</i> , 2019, 123, 846-853. | 1.3 | 21 |
| 39 | Grade Groups Provide Improved Predictions of Pathological and Early Oncologic Outcomes Compared with Gleason Score Risk Groups. <i>Journal of Urology</i> , 2019, 201, 278-283. | 0.2 | 11 |
| 40 | Determination of Prostate Volume. <i>Academic Radiology</i> , 2018, 25, 1582-1587. | 1.3 | 43 |
| 41 | Integration and Diagnostic Accuracy of 3T Nonendorectal coil Prostate Magnetic Resonance Imaging in the Context of Active Surveillance. <i>Urology</i> , 2018, 116, 137-143. | 0.5 | 10 |
| 42 | Growth spurts of small renal masses correlate with pathology. <i>BJU International</i> , 2018, 121, 678-679. | 1.3 | 0 |
| 43 | Comparison of functional outcomes of robotic and open partial nephrectomy in patients with pre-existing chronic kidney disease: a multicenter study. <i>World Journal of Urology</i> , 2018, 36, 1255-1262. | 1.2 | 8 |
| 44 | Renal Functional Outcome of Partial Nephrectomy for Complex R.E.N.A.L. Score Tumors With or Without Neoadjuvant Sunitinib: A Multicenter Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e289-e295. | 0.9 | 10 |
| 45 | Predictors of Long-Term Survival after Renal Cancer Surgery. <i>Journal of Urology</i> , 2018, 199, 384-392. | 0.2 | 14 |
| 46 | Analysis of survival for patients with chronic kidney disease primarily related to renal cancer surgery. <i>BJU International</i> , 2018, 121, 93-100. | 1.3 | 42 |
| 47 | Long-Term Renal Function Recovery following Radical Nephrectomy for Kidney Cancer: Results from a Multicenter Confirmatory Study. <i>Journal of Urology</i> , 2018, 199, 921-926. | 0.2 | 34 |
| 48 | Efficacy and safety of transversus abdominis plane blocks versus thoracic epidural anesthesia in patients undergoing major abdominal oncologic resections: A prospective, randomized controlled trial. <i>American Journal of Surgery</i> , 2018, 215, 498-501. | 0.9 | 27 |
| 49 | Association Between Early Confirmatory Testing and the Adoption of Active Surveillance for Men With Favorable-risk Prostate Cancer. <i>Urology</i> , 2018, 118, 127-133. | 0.5 | 10 |
| 50 | National Trends in Active Surveillance for Prostate Cancer: Validation of Medicare Claims-based Algorithms. <i>Urology</i> , 2018, 120, 96-102. | 0.5 | 24 |
| 51 | Impact of decipher test on adjuvant and salvage treatments received following radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2018, 36, 112-112. | 0.8 | 2 |
| 52 | Oncologic and functional outcomes of radical and partial nephrectomy in PT3A pathologically upstaged renal cell carcinoma: A multi-institutional analysis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 685-685. | 0.8 | 2 |
| 53 | Evaluating cell cycle progression score as a prognostic marker for non-muscle invasive bladder cancer (NMIBC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 476-476. | 0.8 | 6 |
| 54 | Impact of pre-existing diabetes mellitus on survival in stage I renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 676-676. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Prevalence of Proteinuria and Other Abnormalities in Urinalysis Performed in the Urology Clinic. <i>Urology</i> , 2017, 103, 34-38. | 0.5 | 9 |
| 56 | Calculating life expectancy to inform prostate cancer screening and treatment decisions. <i>BJU International</i> , 2017, 120, 9-11. | 1.3 | 12 |
| 57 | Renal Mass and Localized Renal Cancer: AUA Guideline. <i>Journal of Urology</i> , 2017, 198, 520-529. | 0.2 | 982 |
| 58 | Chronic Kidney Disease Is More Common in Locally Advanced Renal Cell Carcinoma. <i>Urology</i> , 2017, 105, 101-107. | 0.5 | 16 |
| 59 | Practice- vs Physician-Level Variation in Use of Active Surveillance for Men With Low-Risk Prostate Cancer. <i>JAMA Surgery</i> , 2017, 152, 978. | 2.2 | 45 |
| 60 | Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017, 8, 15724. | 5.8 | 106 |
| 61 | Neoadjuvant Targeted Molecular Therapy Before Renal Surgery. <i>Urologic Clinics of North America</i> , 2017, 44, 289-303. | 0.8 | 5 |
| 62 | Collaborative Review of Risk Benefit Trade-offs Between Partial and Radical Nephrectomy in the Management of Anatomically Complex Renal Masses. <i>European Urology</i> , 2017, 72, 64-75. | 0.9 | 91 |
| 63 | A Roadmap for Improving the Management of Favorable Risk Prostate Cancer. <i>Journal of Urology</i> , 2017, 198, 1220-1222. | 0.2 | 20 |
| 64 | Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017, 72, 747-754. | 0.9 | 39 |
| 65 | Holding Strength of a Hem-o-lok/Lapra-Ty Clip Combination on Sutures Used During Partial Nephrectomy. <i>Urology</i> , 2017, 107, 138-143. | 0.5 | 3 |
| 66 | Appropriateness Criteria for Active Surveillance of Prostate Cancer. <i>Journal of Urology</i> , 2017, 197, 67-74. | 0.2 | 43 |
| 67 | Pathological determinants of oncologic outcomes in stage II renal cell carcinoma: An international multicenter analysis. <i>Journal of Clinical Oncology</i> , 2017, 35, 535-535. | 0.8 | 0 |
| 68 | Effect of decipher test on adjuvant treatment decision-making among men with high-risk pathology at radical prostatectomy: Results from a multicenter prospective PRO-IMPACT study. <i>Journal of Clinical Oncology</i> , 2017, 35, 24-24. | 0.8 | 0 |
| 69 | Proteinuria is a Predictor of Renal Functional Decline in Patients with Kidney Cancer. <i>Journal of Urology</i> , 2016, 196, 658-663. | 0.2 | 19 |
| 70 | Editorial Comment. <i>Journal of Urology</i> , 2016, 196, 342-342. | 0.2 | 0 |
| 71 | “My bladder is hanging out of my anus” Successful Management of First Reported Case of Male Transanal Bladder Prolapse. <i>Urology Case Reports</i> , 2016, 4, 17-19. | 0.1 | 0 |
| 72 | Preoperative Prediction and Postoperative Surgeon Assessment of Volume Preservation Associated With Partial Nephrectomy: Comparison With Measured Volume Preservation. <i>Urology</i> , 2016, 93, 124-129. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Notable Outcomes and Trackable Events after Surgery: Evaluating an Uncomplicated Recovery after Radical Prostatectomy. <i>Journal of Urology</i> , 2016, 196, 399-404. | 0.2 | 17 |
| 74 | Editorial Comment. <i>Journal of Urology</i> , 2016, 196, 1013-1013. | 0.2 | 0 |
| 75 | Randomized trial finds that prostate cancer genetic risk score feedback targets prostate-specific antigen screening among at-risk men. <i>Cancer</i> , 2016, 122, 3564-3575. | 2.0 | 4 |
| 76 | Functional Duration of Closure Systems Used in Partial Nephrectomy. <i>Journal of Urology</i> , 2016, 196, 1560-1565. | 0.2 | 1 |
| 77 | Comparison of 1800 Robotic and Open Partial Nephrectomies for Renal Tumors. <i>Annals of Surgical Oncology</i> , 2016, 23, 4137-4138. | 0.7 | 9 |
| 78 | Change in platelet count as a prognostic indicator for response to primary tyrosine kinase inhibitor therapy in metastatic renal cell carcinoma. <i>BJU International</i> , 2016, 118, 927-934. | 1.3 | 7 |
| 79 | Variability of inter-observer agreement on feasibility of partial nephrectomy before and after neoadjuvant axitinib for locally advanced renal cell carcinoma (<scp>RCC</scp>): independent analysis from a phase <scp>II</scp> trial. <i>BJU International</i> , 2016, 117, 629-635. | 1.3 | 18 |
| 80 | Prevention, Diagnosis and Treatment of Rhabdomyolysis after Urological Surgery. <i>Journal of Urology</i> , 2016, 195, 245-246. | 0.2 | 2 |
| 81 | Impact of Reduced Glomerular Filtration Rate and Proteinuria on Overall Survival of Patients with Renal Cancer. <i>Journal of Urology</i> , 2016, 195, 588-593. | 0.2 | 25 |
| 82 | Prevalence of proteinuria in urologic patients.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16075-e16075. | 0.8 | 0 |
| 83 | Factors predicting renal function after partial nephrectomy: A multi-institutional analysis of data from the SIB working group.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16063-e16063. | 0.8 | 0 |
| 84 | Surgeon assessment of volume preservation (SAVP) performed before or after partial nephrectomy to predict post-operative renal function.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16065-e16065. | 0.8 | 0 |
| 85 | Association of chronic kidney disease and locally-advanced RCC.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16078-e16078. | 0.8 | 0 |
| 86 | Renal Angiomyolipoma: Preoperative Identification of Atypical Fat-Poor AML. <i>Current Urology Reports</i> , 2015, 16, 12. | 1.0 | 23 |
| 87 | Exome-wide Sequencing Shows Low Mutation Rates and Identifies Novel Mutated Genes in Seminomas. <i>European Urology</i> , 2015, 68, 77-83. | 0.9 | 56 |
| 88 | Survival and Functional Stability in Chronic Kidney Disease Due to Surgical Removal of Nephrons: Importance of the New Baseline Glomerular Filtration Rate. <i>European Urology</i> , 2015, 68, 996-1003. | 0.9 | 170 |
| 89 | Critical appraisal of first-generation renal tumor complexity scoring systems: Creation of a second-generation model of tumor complexity. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 167.e1-167.e6. | 0.8 | 21 |
| 90 | Presurgical sunitinib reduces tumor size and may facilitate partial nephrectomy in patients with renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 112.e15-112.e21. | 0.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Modification of Technique for Suprapubic Catheter Placement After Robot-assisted Radical Prostatectomy Reduces Catheter-associated Complications. <i>Urology</i> , 2015, 86, 401-406. | 0.5 | 10 |
| 92 | Development of a Center for Personalized Cancer Care at a Regional Cancer Center. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 695-704. | 1.2 | 14 |
| 93 | Multicenter Validation of Surgeon Assessment of Renal Preservation in Comparison to Measurement With 3D Image Analysis. <i>Urology</i> , 2015, 86, 534-538. | 0.5 | 17 |
| 94 | Contemporary Use of Initial Active Surveillance Among Men in Michigan with Low-risk Prostate Cancer. <i>European Urology</i> , 2015, 67, 44-50. | 0.9 | 198 |
| 95 | Is all chronic kidney disease created equal?. <i>Current Opinion in Urology</i> , 2014, 24, 127-134. | 0.9 | 35 |
| 96 | Chronic Kidney Disease Due to Surgical Removal of Nephrons: Relative Rates of Progression and Survival. <i>Journal of Urology</i> , 2014, 192, 1057-1063. | 0.2 | 119 |
| 97 | Infection Related Hospitalizations after Prostate Biopsy in a Statewide Quality Improvement Collaborative. <i>Journal of Urology</i> , 2014, 191, 1787-1792. | 0.2 | 45 |
| 98 | Investigation of Forces Involved in Closure of the Renal Remnant After Simulated Partial Nephrectomy. <i>Urology</i> , 2014, 84, 971-975. | 0.5 | 13 |
| 99 | Do we know (or just believe) that partial nephrectomy leads to better survival than radical nephrectomy for renal cancer?. <i>World Journal of Urology</i> , 2014, 32, 573-579. | 1.2 | 32 |
| 100 | Variation in Prostate Cancer Detection Rates in a Statewide Quality Improvement Collaborative. <i>Journal of Urology</i> , 2014, 192, 373-378. | 0.2 | 13 |
| 101 | Surgeon Assessment of Renal Preservation with Partial Nephrectomy Provides Information Comparable to Measurement of Volume Preservation with 3-Dimensional Image Analysis. <i>Journal of Urology</i> , 2014, 191, 1218-1224. | 0.2 | 24 |
| 102 | The impact of location and number of cores on the diagnostic accuracy of renal mass biopsy: an ex vivo study. <i>World Journal of Urology</i> , 2013, 31, 1159-1164. | 1.2 | 23 |
| 103 | Surgically Induced Chronic Kidney Disease May be Associated with a Lower Risk of Progression and Mortality than Medical Chronic Kidney Disease. <i>Journal of Urology</i> , 2013, 189, 1649-1655. | 0.2 | 221 |
| 104 | Adjuvant and neoadjuvant therapy for renal cell carcinoma: A survey of the Society of Urologic Oncology. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1316-1320. | 0.8 | 17 |
| 105 | Molecular markers of kidney injury. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 682-685. | 0.8 | 19 |
| 106 | 10-Year Oncologic Outcomes After Laparoscopic and Open Partial Nephrectomy. <i>Journal of Urology</i> , 2013, 190, 44-49. | 0.2 | 155 |
| 107 | Differential Use of Partial Nephrectomy for Intermediate and High Complexity Tumors May Explain Variability in Reported Utilization Rates. <i>Journal of Urology</i> , 2013, 189, 2047-2053. | 0.2 | 32 |
| 108 | Growth kinetics and active surveillance for small renal masses. <i>Current Opinion in Urology</i> , 2012, 22, 353-359. | 0.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The Influence of Surgical Approach to the Renal Mass on Renal Function. Urologic Clinics of North America, 2012, 39, 191-198. | 0.8 | 10 |
| 110 | Renal Function After Partial Nephrectomy: Effect of Warm Ischemia Relative to Quantity and Quality of Preserved Kidney. Urology, 2012, 79, 356-360. | 0.5 | 327 |
| 111 | RENAL Nephrometry Score Predicts Surgery Type Independent of Individual Surgeon's Use of Nephron-sparing Surgery. Urology, 2012, 80, 157-161. | 0.5 | 30 |
| 112 | Comparison of Cold and Warm Ischemia During Partial Nephrectomy in 660 Solitary Kidneys Reveals Predominant Role of Nonmodifiable Factors in Determining Ultimate Renal Function. Journal of Urology, 2011, 185, 421-427. | 0.2 | 314 |
| 113 | Partial Nephrectomy Does Not Compromise Survival in Patients With Pathologic Upstaging to pT2/pT3 or High-grade Renal Tumors Compared With Radical Nephrectomy. Urology, 2011, 77, 1142-1146. | 0.5 | 57 |
| 114 | Increasing Use of Kidney Sparing Approaches for Localized Renal Tumors in a Community Based Health System: Impact on Renal Functional Outcomes. Journal of Urology, 2011, 186, 1229-1235. | 0.2 | 19 |
| 115 | Renal mass sampling: An enlightened perspective. International Journal of Urology, 2011, 18, 5-19. | 0.5 | 47 |
| 116 | Partial Nephrectomy Is Associated with Improved Overall Survival Compared to Radical Nephrectomy in Patients with Unanticipated Benign Renal Tumours. European Urology, 2010, 58, 293-298. | 0.9 | 172 |
| 117 | Every Minute Counts When the Renal Hilum Is Clamped During Partial Nephrectomy. European Urology, 2010, 58, 340-345. | 0.9 | 604 |
| 118 | Comparison of Warm Ischemia Versus No Ischemia During Partial Nephrectomy on a Solitary Kidney. European Urology, 2010, 58, 331-336. | 0.9 | 139 |
| 119 | Active treatment of localized renal tumors may not impact overall survival in patients aged 75 years or older. Cancer, 2010, 116, 3119-3126. | 2.0 | 227 |
| 120 | Association of percentage of tumour burden removed with debulking nephrectomy and progression-free survival in patients with metastatic renal cell carcinoma treated with vascular endothelial growth factor-targeted therapy. BJU International, 2010, 106, 1266-1269. | 1.3 | 65 |
| 121 | 7-Year Oncological Outcomes After Laparoscopic and Open Partial Nephrectomy. Journal of Urology, 2010, 183, 473-479. | 0.2 | 263 |
| 122 | Performance of the Chronic Kidney Disease-Epidemiology Study Equations for Estimating Glomerular Filtration Rate Before and After Nephrectomy. Journal of Urology, 2010, 183, 896-902. | 0.2 | 59 |
| 123 | Elective Partial Nephrectomy in Patients With Clinical T1b Renal Tumors Is Associated With Improved Overall Survival. Urology, 2010, 76, 631-637. | 0.5 | 133 |
| 124 | Should Preservable Parenchyma, and Not Tumor Size, Be the Main Determinant of the Feasibility of Partial Nephrectomy?. Urology, 2010, 76, 608-609. | 0.5 | 13 |
| 125 | Nephrectomy Induced Chronic Renal Insufficiency is Associated With Increased Risk of Cardiovascular Death and Death From Any Cause in Patients With Localized cT1b Renal Masses. Journal of Urology, 2010, 183, 1317-1323. | 0.2 | 394 |
| 126 | Renal Functional Outcomes After Partial Nephrectomy With Extended Ischemic Intervals are Better Than After Radical Nephrectomy. Journal of Urology, 2010, 184, 1286-1290. | 0.2 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Renal Function Assessment in the Era of Chronic Kidney Disease: Renewed Emphasis on Renal Function Centered Patient Care. <i>Journal of Urology</i> , 2009, 182, 435-444. | 0.2 | 76 |
| 128 | Response of the Primary Tumor to Neoadjuvant Sunitinib in Patients With Advanced Renal Cell Carcinoma. <i>Journal of Urology</i> , 2009, 181, 518-523. | 0.2 | 153 |
| 129 | Renal Angiomyolipoma. <i>American Journal of Surgical Pathology</i> , 2009, 33, 289-297. | 2.1 | 216 |
| 130 | Factors Predicting Renal Functional Outcome After Partial Nephrectomy. <i>Journal of Urology</i> , 2008, 180, 2363-2369. | 0.2 | 323 |
| 131 | Clinical Correlates of Renal Angiomyolipoma Subtypes in 209 Patients: Classic, Fat Poor, Tuberos Sclerosis Associated and Epithelioid. <i>Journal of Urology</i> , 2008, 180, 836-843. | 0.2 | 154 |
| 132 | Renal Mass Biopsy—A Renaissance?. <i>Journal of Urology</i> , 2008, 179, 20-27. | 0.2 | 344 |
| 133 | Active Surveillance of Renal Masses in Elderly Patients. <i>Journal of Urology</i> , 2008, 180, 505-509. | 0.2 | 151 |
| 134 | Laparoscopic Cystoprostatectomy in a Heart Transplant Recipient. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008, 18, 319-321. | 0.4 | 0 |
| 135 | A Preoperative Prognostic Nomogram for Solid Enhancing Renal Tumors 7 cm or Less Amenable to Partial Nephrectomy. <i>Journal of Urology</i> , 2007, 178, 429-434. | 0.2 | 226 |
| 136 | 5-Year Outcomes of Laparoscopic Partial Nephrectomy. <i>Journal of Urology</i> , 2007, 177, 70-74. | 0.2 | 309 |
| 137 | Comparison of 1,800 Laparoscopic and Open Partial Nephrectomies for Single Renal Tumors. <i>Journal of Urology</i> , 2007, 178, 41-46. | 0.2 | 1,101 |
| 138 | Nerve-sparing laparoscopic radical cystectomy: Technique and initial outcomes. <i>Urology</i> , 2006, 68, 778-783. | 0.5 | 31 |
| 139 | Case Report: Simultaneous Laparoscopic Management of Bilateral Ureteropelvic Junction Obstruction in a Horseshoe Kidney. <i>Journal of Endourology</i> , 2006, 20, 21-23. | 1.1 | 5 |
| 140 | Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death. <i>Science</i> , 1997, 275, 1122-1126. | 6.0 | 626 |