
## Eric J Dippel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7700604/publications.pdf Version: 2024-02-01



FRIC | DIDDEL

#	Article	IF	CITATIONS
1	Multidisciplinary approach to the diagnosis and management of patients with peripheral arterial disease. Clinical Interventions in Aging, 2015, 10, 1147.	1.3	33
2	Randomized Controlled Study of Excimer Laser Atherectomy for Treatment of Femoropopliteal In-Stent Restenosis. JACC: Cardiovascular Interventions, 2015, 8, 92-101.	1.1	166
3	Pilot Trial of Cryoplasty or Conventional Balloon Post-Dilation of Nitinol Stents for Revascularization of Peripheral Arterial Segments. Journal of the American College of Cardiology, 2012, 60, 1352-1359.	1.2	45
4	Treatment of subacute and chronic thrombotic occlusions of lower extremity peripheral arteries with the excimer laser: a feasibility study. Cardiovascular Revascularization Medicine, 2012, 13, 211-214.	0.3	17
5	Excimer laser with adjunctive balloon angioplasty and heparinâ€coated selfâ€expanding stent grafts for the treatment of femoropopliteal artery inâ€stent restenosis. Catheterization and Cardiovascular Interventions, 2012, 80, 852-859.	0.7	64
6	Percutaneous Lower-extremity Arterial Interventions with Primary Balloon Angioplasty Versus SilverHawk Atherectomy and Adjunctive Balloon Angioplasty: Randomized Trial. Journal of Vascular and Interventional Radiology, 2011, 22, 1223-1228.	0.2	95
7	Carotid artery stenting in high surgical risk patients using the FiberNet®embolic protection system: The EPIC trial results. Catheterization and Cardiovascular Interventions, 2010, 75, NA-NA.	0.7	35
8	In-Hospital Safety and Effectiveness of Bivalirudin in Percutaneous Peripheral Interventions: Data From a Real-World Registry. Journal of Endovascular Therapy, 2010, 17, 31-36.	0.8	15
9	Excimer Laser Recanalization of Femoropopliteal Lesions and 1-Year Patency: Results of the CELLO Registry. Journal of Endovascular Therapy, 2009, 16, 665-675.	0.8	80
10	Distal Embolic Event Protection Using Excimer Laser Ablation in Peripheral Vascular Interventions: Results of the DEEP EMBOLI Registry. Journal of Endovascular Therapy, 2009, 16, 197-202.	0.8	54
11	In-hospital complications and long-term outcomes of the paclitaxel drug-eluting stent in acute ST-elevation myocardial infarction: a real-world experience from a high-volume medical center. Cardiovascular Revascularization Medicine, 2009, 10, 151-155.	0.3	6
12	Predictors of distal embolization in peripheral percutaneous interventions: a report from a large peripheral vascular registry. Journal of Invasive Cardiology, 2009, 21, 628-31.	0.4	46
13	Elevated Levels of Homocysteine Predict Cardiovascular Death, Nonfatal Myocardial Infarction, and Symptomatic Bypass Graft Disease at 2â€Year Followâ€Up Following Coronary Artery Bypass Surgery. Preventive Cardiology, 2008, 11, 95-99.	1.1	6
14	Embolic Protection and Platelet Inhibition During Renal Artery Stenting. Circulation, 2008, 117, 2752-2760.	1.6	163
15	Preventing Lower Extremity Distal Embolization Using Embolic Filter Protection: <b>Results of the PROTECT Registry</b> . Journal of Endovascular Therapy, 2008, 15, 270-276.	0.8	118
16	Dethrombosis of the Lower Extremity Arteries Using the Power-Pulse Spray Technique in Patients with Recent Onset Thrombotic Occlusions: <b>Results of the DETHROMBOSIS Registry</b> . Journal of Endovascular Therapy, 2008, 15, 570-579.	0.8	31
17	Intermediate term outcomes with bifurcation coronary stenting using the paclitaxel drug-eluting stent: A single centre experience. International Journal of Angiology, 2008, 17, 88-92.	0.2	0
18	Gender Differences in Adhering to National Guidelines in a Community Lipid Clinic. Preventive Cardiology, 2006, 9, 215-218.	1.1	3

ERIC J DIPPEL

#	Article	IF	CITATIONS
19	A Randomized, Controlled Trial of Saphenous Vein Graft Intervention with a Filter-Based Distal Embolic Protection Device: TRAP Trial. Journal of Interventional Cardiology, 2005, 18, 233-241.	0.5	26
20	CPAP does not reduce high-sensitivity c-reactive protein in patients with coronary artery disease and obstructive sleep apnea. International Journal of Angiology, 2005, 14, 129-132.	0.2	5
21	Evidence-based management of peripheral vascular disease. Current Atherosclerosis Reports, 2005, 7, 358-363.	2.0	21
22	Usefulness of optical coherent reflectometry with guided radiofrequency energy to treat chronic total occlusions in peripheral arteries (the GRIP trial). American Journal of Cardiology, 2004, 94, 1081-1084.	0.7	14
23	Inflammation and cardiovascular risk: An overview. International Journal of Angiology, 2004, 13, 161-167.	0.2	2
24	A novel point-of-care enoxaparin monitor for use during percutaneous coronary intervention. Journal of the American College of Cardiology, 2003, 42, 1132-1139.	1.2	45
25	In-hospital complications of peripheral vascular interventions using unfractionated heparin as the primary anticoagulant. Journal of Invasive Cardiology, 2003, 15, 242-6.	0.4	30
26	Bivalirudin in peripheral vascular interventions: a single center experience. Journal of Invasive Cardiology, 2003, 15, 401-4.	0.4	19
27	Randomized comparison of vasoseal and angioseal closure devices in patients undergoing coronary angiography and angioplasty. Catheterization and Cardiovascular Interventions, 2002, 55, 421-425.	0.7	48
28	Coronary perforation during percutaneous coronary intervention in the era of abciximab platelet glycoprotein IIb/IIIa blockade: An algorithm for percutaneous management. Catheterization and Cardiovascular Interventions, 2001, 52, 279-286.	0.7	122