

# Biao Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7702495/publications.pdf>

Version: 2024-02-01

406  
papers

6,056  
citations

117453

34  
h-index

155451

55  
g-index

412  
all docs

412  
docs citations

412  
times ranked

5680  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enabling PIEZOpotential in PIEZOelectric Semiconductors for Enhanced Catalytic Activities. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 7526-7536.	7.2	234
2	Enhanced visible light photocatalytic H <sub>2</sub> evolution of metal-free g-C <sub>3</sub> N <sub>4</sub> /SiC heterostructured photocatalysts. <i>Applied Surface Science</i> , 2017, 391, 449-456.	3.1	140
3	Three-dimensional analysis of a flat elliptical crack in a piezoelectric material. <i>International Journal of Engineering Science</i> , 1992, 30, 781-791.	2.7	121
4	First-principles study of the cubic perovskites BiMO <sub>3</sub> (M=Al, Ga, In, and Sc). <i>Physical Review B</i> , 2007, 75, .	1.1	111
5	Ti <sub>3</sub> C <sub>2</sub> : An Ideal Co-catalyst?. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 1914-1918.	7.2	104
6	Nearly 100% internal phosphorescence efficiency in a polymer light-emitting diode using a new iridium complex phosphor. <i>Journal of Materials Chemistry</i> , 2008, 18, 1636.	6.7	98
7	Hierarchical Cu <sub>2</sub> O foam/g-C <sub>3</sub> N <sub>4</sub> photocathode for photoelectrochemical hydrogen production. <i>Applied Surface Science</i> , 2018, 427, 907-916.	3.1	98
8	Two collinear interface cracks in magneto-electro-elastic composites. <i>International Journal of Engineering Science</i> , 2004, 42, 1155-1167.	2.7	92
9	Recent advances in exfoliation techniques of layered and non-layered materials for energy conversion and storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 23512-23536.	5.2	89
10	Structural and elastic properties of LaAlO <sub>3</sub> from first-principles calculations. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	87
11	The dynamic behavior of two collinear interface cracks in magneto-electro-elastic materials. <i>European Journal of Mechanics, A/Solids</i> , 2005, 24, 253-262.	2.1	74
12	First-principles study of structural, elastic, electronic, and optical properties of hexagonal BiAlO <sub>3</sub> . <i>Physica B: Condensed Matter</i> , 2008, 403, 539-543.	1.3	73
13	Curie temperature and critical thickness of ferroelectric thin films. <i>Journal of Applied Physics</i> , 2005, 97, 084109.	1.1	70
14	Two parallel symmetry permeable cracks in functionally graded piezoelectric/piezomagnetic materials under anti-plane shear loading. <i>International Journal of Solids and Structures</i> , 2004, 41, 4407-4422.	1.3	67
15	First-principles study on energetics of intrinsic point defects in LaAlO <sub>3</sub> . <i>Physical Review B</i> , 2009, 80, .	1.1	67
16	Vacancy engineering in nanostructured semiconductors for enhancing photocatalysis. <i>Journal of Materials Chemistry A</i> , 2021, 9, 17143-17172.	5.2	66
17	Vortex Domain Structure in Ferroelectric Nanoplatelets and Control of its Transformation by Mechanical Load. <i>Scientific Reports</i> , 2012, 2, 796.	1.6	64
18	Ultrathin Ferroelectric Films: Growth, Characterization, Physics and Applications. <i>Materials</i> , 2014, 7, 6377-6485.	1.3	56

#	ARTICLE	IF	CITATIONS
19	Phase field simulations of stress controlling the vortex domain structures in ferroelectric nanosheets. Applied Physics Letters, 2012, 100, 062901.	1.5	54
20	Low temperature preparation of nanocrystalline Sr <sub>0.5</sub> Ba <sub>0.5</sub> Nb <sub>2</sub> O <sub>6</sub> powders using an aqueous organic gel route. Materials Research Bulletin, 2004, 39, 365-374.	2.7	53
21	Utilizing mechanical loads and flexoelectricity to induce and control complicated evolution of domain patterns in ferroelectric nanofilms. Journal of the Mechanics and Physics of Solids, 2015, 79, 108-133.	2.3	52
22	Ab initio study of structural and electronic properties of BiAlO <sub>3</sub> and BiGaO <sub>3</sub> . Physica B: Condensed Matter, 2007, 390, 96-100.	1.3	51
23	Tunable Tunneling Electroresistance in Ferroelectric Tunnel Junctions by Mechanical Loads. ACS Nano, 2011, 5, 1649-1656.	7.3	50
24	Nonvolatile Resistive Switching in $\text{Pt}/\text{LaAlO}_3/\text{Pt}$ . Physical Review X, 2013, 3, .	3.8	49
25	Large out-of-plane piezoelectricity of oxygen functionalized MXenes for ultrathin piezoelectric cantilevers and diaphragms. Nano Energy, 2019, 65, 104058.	8.2	49
26	First-principles study of structural, electronic, and optical properties of. Solid State Communications, 2009, 149, 1849-1852.	0.9	47
27	Mechanics of Advanced Functional Materials. Advanced Topics in Science and Technology in China, 2013, , .	0.0	43
28	Theoretical analysis of electric, magnetic and magnetoelectric properties of nano-structured multiferroic composites. Journal of the Mechanics and Physics of Solids, 2011, 59, 1966-1977.	2.3	42
29	A Rapid and Robust Light-and-Solution-Triggered In Situ Crafting of Organic Passivating Membrane over Metal Halide Perovskites for Markedly Improved Stability and Photocatalysis. Nano Letters, 2021, 21, 1643-1650.	4.5	40
30	Simulation of interface dislocations effect on polarization distribution of ferroelectric thin films. Applied Physics Letters, 2006, 88, 092903.	1.5	38
31	First-principles study of structural, elastic, electronic, and optical properties of orthorhombic BiGaO <sub>3</sub> . Computational Materials Science, 2008, 42, 614-618.	1.4	38
32	Defect-mediated vortex multiplication and annihilation in ferroelectrics and the feasibility of vortex switching by stress. Acta Materialia, 2018, 148, 330-343.	3.8	37
33	First-principles study of the electronic and optical properties in rhombohedral LaAlO <sub>3</sub> . Journal of Applied Physics, 2008, 104, .	1.1	36
34	First-principles study on the formation energies of intrinsic defects in LiNbO <sub>3</sub> . Journal of Physics and Chemistry of Solids, 2007, 68, 1336-1340.	1.9	35
35	Surface tension and size effect in ferroelectric nanotubes. Journal of Physics Condensed Matter, 2008, 20, 135216.	0.7	35
36	First-principles study of electronic structure, mechanical and optical properties of $\text{V}_4\text{AlC}_3$ . Journal Physics D: Applied Physics, 2009, 42, 065407.	1.3	35

#	ARTICLE	IF	CITATIONS
37	High Current Density and Low Hysteresis Effect of Planar Perovskite Solar Cells via PCBM-doping and Interfacial Improvement. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 29954-29964.	4.0	35
38	The scattering of harmonic elastic anti-plane shear waves by a Griffith crack in a piezoelectric material plane by using the non-local theory. <i>International Journal of Engineering Science</i> , 2002, 40, 303-317.	2.7	34
39	Investigation of anti-plane shear behavior of two collinear cracks in the piezoelectric materials by using the non-local theory. <i>International Journal of Solids and Structures</i> , 2002, 39, 1731-1742.	1.3	33
40	A theoretical analysis of piezoelectric/composite laminate with larger-amplitude deflection effect, Part II: Hermite differential quadrature method and application. <i>International Journal of Solids and Structures</i> , 2005, 42, 6181-6201.	1.3	33
41	Amorphous-MgGaO Film Combined with Graphene for Vacuum-Ultraviolet Photovoltaic Detector. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 42681-42687.	4.0	33
42	In-situ study on the tensile behavior of Cr-coated zircaloy for accident tolerant fuel claddings. <i>Surface and Coatings Technology</i> , 2020, 394, 125747.	2.2	33
43	A screw dislocation interacting with a piezoelectric bimaterial interface. <i>Mechanics Research Communications</i> , 1999, 26, 415-420.	1.0	32
44	Computer simulation study of nanoparticle interaction with a lipid membrane under mechanical stress. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 270-278.	1.3	32
45	Nonlocal theory solution of two collinear cracks in the functionally graded materials. <i>International Journal of Solids and Structures</i> , 2006, 43, 887-898.	1.3	31
46	Effects of interface dislocations on properties of ferroelectric thin films. <i>Journal of the Mechanics and Physics of Solids</i> , 2007, 55, 1661-1676.	2.3	31
47	Comparative study on the tensile cracking behavior of CrN and Cr coatings for accident-tolerant fuel claddings. <i>Surface and Coatings Technology</i> , 2021, 409, 126812.	2.2	31
48	A theoretical analysis of piezoelectric/composite anisotropic laminate with larger-amplitude deflection effect, Part I: Fundamental equations. <i>International Journal of Solids and Structures</i> , 2005, 42, 6166-6180.	1.3	29
49	A highly efficient tris-cyclometalated iridium complex based on phenylphthalazine derivative for organic light-emitting diodes. <i>Organic Electronics</i> , 2009, 10, 618-622.	1.4	29
50	Synthesis, characterization and electroluminescence properties of iridium complexes based on pyridazine and phthalazine derivatives with C <sup>^</sup> NN structure. <i>Synthetic Metals</i> , 2010, 160, 2231-2238.	2.1	29
51	Coexistence of toroidal and polar domains in ferroelectric systems: A strategy for switching ferroelectric vortex. <i>Journal of Applied Physics</i> , 2014, 115, 214106.	1.1	29
52	Nal(Tl) scintillator read out with SiPM array for gamma spectrometer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017, 851, 118-124.	0.7	29
53	Investigation of the dynamic behavior of a finite crack in the functionally graded materials by use of the Schmidt method. <i>Wave Motion</i> , 2004, 39, 213-225.	1.0	28
54	Persistent luminescence found in Mg <sup>2+</sup> and Pr <sup>3+</sup> co-doped LiNbO <sub>3</sub> single crystal. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10067-10072.	2.7	28

#	ARTICLE	IF	CITATIONS
55	Experimental study on dominant vortex structures in near-wall region of turbulent boundary layer based on tomographic particle image velocimetry. <i>Journal of Fluid Mechanics</i> , 2019, 874, 426-454.	1.4	28
56	Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 191, 74-79.	2.0	27
57	A geometrically nonlinear finite element model of nanomaterials with consideration of surface effects. <i>Finite Elements in Analysis and Design</i> , 2009, 45, 463-467.	1.7	27
58	Electroelastic modelling of anisotropic piezoelectric materials with an elliptic inclusion. <i>International Journal of Solids and Structures</i> , 1995, 32, 2989-3000.	1.3	26
59	Atomic force microscopy-induced electric field in ferroelectric thin films. <i>Journal of Applied Physics</i> , 2003, 94, 4053-4059.	1.1	26
60	Curie-Weiss law in thin-film ferroelectrics. <i>Journal of Applied Physics</i> , 2006, 100, 044114.	1.1	26
61	Critical thickness for dislocation generation during ferroelectric transition in thin film on a compliant substrate. <i>Applied Physics Letters</i> , 2006, 89, 083115.	1.5	26
62	Community-wide changes in intertaxonomic temporal co-occurrence resulting from phenological shifts. <i>Global Change Biology</i> , 2016, 22, 1746-1754.	4.2	26
63	Co-catalyst-free large ZnO single crystal for high-efficiency piezocatalytic hydrogen evolution from pure water. <i>Journal of Energy Chemistry</i> , 2022, 65, 304-311.	7.1	26
64	Coupling interaction in 1-3-type multiferroic composite thin films. <i>Applied Physics Letters</i> , 2007, 90, 133124.	1.5	25
65	Phase field simulation of heterogeneous cubic-tetragonal martensite nucleation. <i>International Journal of Solids and Structures</i> , 2013, 50, 1187-1191.	1.3	25
66	Unified theory of magnetoelastic effects in B20 chiral magnets. <i>New Journal of Physics</i> , 2017, 19, 123002.	1.2	25
67	Line force, charge and dislocation in anisotropic piezoelectric materials with an elliptic hole or a crack. <i>Mechanics Research Communications</i> , 1997, 24, 399-405.	1.0	24
68	Effects of strain gradient on charge offsets and pyroelectric properties of ferroelectric thin films. <i>Applied Physics Letters</i> , 2006, 89, 062904.	1.5	24
69	On the intrinsic ripples and negative thermal expansion of graphene. <i>Carbon</i> , 2015, 95, 239-249.	5.4	24
70	Mechanical switching in ferroelectrics by shear stress and its implications on charged domain wall generation and vortex memory devices. <i>RSC Advances</i> , 2018, 8, 4434-4444.	1.7	24
71	Investigation of the dynamic behavior of two parallel symmetric cracks in piezoelectric materials use of non-local theory. <i>International Journal of Solids and Structures</i> , 2003, 40, 747-762.	1.3	23
72	Growth and optical property of Mg, Fe co-doped near-stoichiometric LiNbO3 crystal. <i>Materials Chemistry and Physics</i> , 2004, 83, 350-353.	2.0	23

#	ARTICLE	IF	CITATIONS
73	Optical homogeneity and second harmonic generation in Li-rich Mg-doped LiNbO <sub>3</sub> crystals. <i>Materials Chemistry and Physics</i> , 2004, 88, 97-101.	2.0	23
74	First-principles study of the structure, electronic, and optical properties of orthorhombic BiInO <sub>3</sub> . <i>Applied Physics Letters</i> , 2007, 91, 071902.	1.5	23
75	High average power 2 $\mu$ m generation using an intracavity PPMgLN optical parametric oscillator. <i>Optics Letters</i> , 2012, 37, 64.	1.7	23
76	Effect of Mechanical Loads on Stability of Nanodomains in Ferroelectric Ultrathin Films: Towards Flexible Erasing of the Non-Volatile Memories. <i>Scientific Reports</i> , 2014, 4, 5339.	1.6	23
77	Direct electrical switching of ferroelectric vortices by a sweeping biased tip. <i>Acta Materialia</i> , 2018, 158, 23-37.	3.8	23
78	Effects of oxidation and inter-diffusion on the fracture mechanisms of Cr-coated Zry-4 alloys: An in situ three-point bending study. <i>Materials and Design</i> , 2021, 212, 110168.	3.3	23
79	The behavior of two parallel symmetry permeable interface cracks in a piezoelectric layer bonded to two half piezoelectric materials planes. <i>International Journal of Solids and Structures</i> , 2002, 39, 4485-4500.	1.3	22
80	Synthesis of a novel tris-cyclometalated iridium(III) complex containing triarylamine unit and its application in OLEDs. <i>Inorganica Chimica Acta</i> , 2009, 362, 4985-4990.	1.2	22
81	Phase diagram of ferroelectric nanowires and its mechanical force controllability. <i>Applied Physics Letters</i> , 2010, 96, 232904.	1.5	22
82	Large and Tunable Polar-Toroidal Coupling in Ferroelectric Composite Nanowires toward Superior Electromechanical Responses. <i>Scientific Reports</i> , 2015, 5, 11165.	1.6	22
83	Up-conversion luminescence of LiTaO <sub>3</sub> :Er <sup>3+</sup> phosphors for optical thermometry. <i>Ceramics International</i> , 2020, 46, 1178-1182.	2.3	22
84	Investigation of the behavior of a crack in a piezoelectric material subjected to a uniform tension loading by use of the non-local theory. <i>International Journal of Engineering Science</i> , 2004, 42, 2041-2063.	2.7	21
85	Effects of X (V, W, Mo, Hf, Ta, Zr) additions on the ideal cleavage fracture of Cr <sub>2</sub> Nb: First-principles determination. <i>Intermetallics</i> , 2010, 18, 65-69.	1.8	21
86	Finite element analysis of resonant properties of silicon nanowires with consideration of surface effects. <i>Acta Mechanica</i> , 2011, 217, 149-155.	1.1	21
87	Super multi-view three-dimensional display through spatial-spectrum time-multiplexing of planar aligned OLED microdisplays. <i>Optics Express</i> , 2014, 22, 31448.	1.7	21
88	Ti <sub>3</sub> C <sub>2</sub> : An Ideal Co <sup>2+</sup> catalyst?. <i>Angewandte Chemie</i> , 2020, 132, 1930-1934.	1.6	21
89	Title is missing!. <i>International Journal of Fracture</i> , 1998, 91, 13-22.	1.1	20
90	Theoretical prediction on the structural, electronic, and polarization properties of tetragonal Bi <sub>2</sub> ZnTiO <sub>6</sub> . <i>Journal of Applied Physics</i> , 2009, 105, .	1.1	20

#	ARTICLE	IF	CITATIONS
91	All-around holographic three-dimensional light field display. Optics Communications, 2012, 285, 4235-4240.	1.0	20
92	Spatiotemporal multiplexing for holographic display with multiple planar aligned spatial-light-modulators. Optics Express, 2014, 22, 15791.	1.7	20
93	Temperature dependence of white light emission and energy transfer in Dy <sup>3+</sup> and Tm <sup>3+</sup> co-doped LiNbO <sub>3</sub> single crystals. Journal of Luminescence, 2017, 192, 728-733.	1.5	20
94	Stress analysis of the thermal barrier coating system near a cooling hole considering the free-edge effect. Ceramics International, 2020, 46, 331-342.	2.3	20
95	Near-infrared luminescent lanthanide (Er, Nd) complexes covalently bonded to a terpyridine-functionalized silica matrix. Photochemical and Photobiological Sciences, 2007, 6, 519.	1.6	19
96	Phenomenological theory of 1 <sup>11</sup> 3 type multiferroic composite thin film: thickness effect. Journal Physics D: Applied Physics, 2009, 42, 015309.	1.3	19
97	A new layer compound Nb <sub>4</sub> SiC <sub>3</sub> predicted from first-principles theory. Journal Physics D: Applied Physics, 2009, 42, 075404.	1.3	19
98	Evaluation of the structural integrity of the CPR1000 PWR containment under steam explosion accidents. Nuclear Engineering and Design, 2014, 278, 632-643.	0.8	19
99	Effects of light on quantum phases and topological properties of two-dimensional Metal-organic frameworks. Scientific Reports, 2017, 7, 41644.	1.6	19
100	A two-dimensional experimental investigation on debris bed formation behavior. Progress in Nuclear Energy, 2017, 96, 118-132.	1.3	19
101	Ultra-broadband and highly responsive photodetectors based on a novel EuBiTe <sub>3</sub> flake material at room temperature. Journal of Materials Chemistry C, 2018, 6, 713-716.	2.7	19
102	Fracture behavior of TBCs with cooling hole structure under cyclic thermal loadings. Ceramics International, 2020, 46, 3644-3654.	2.3	19
103	First-principles calculation of twin boundary energy and strength/embrittlement in hexagonal close-packed titanium. Materials and Design, 2022, 213, 110331.	3.3	19
104	Piezoelectric bending response and switching behavior of ferroelectric/paraelectric bilayers. Acta Materialia, 2008, 56, 479-488.	3.8	18
105	The behavior of two parallel interface cracks in magneto-electro-elastic materials under an anti-plane shear stress loading. Composite Structures, 2007, 77, 97-103.	3.1	17
106	Finite element simulation of phase field model for nanoscale martensitic transformation. Computational Mechanics, 2013, 52, 949-958.	2.2	17
107	Theoretical Methods of Domain Structures in Ultrathin Ferroelectric Films: A Review. Materials, 2014, 7, 6502-6568.	1.3	17
108	Structural responses of cells to intracellular magnetic force induced by superparamagnetic iron oxide nanoparticles. Physical Chemistry Chemical Physics, 2014, 16, 1914-1920.	1.3	17

#	ARTICLE	IF	CITATIONS
109	Multiview three-dimensional display with continuous motion parallax through planar aligned OLED microdisplays. <i>Optics Express</i> , 2015, 23, 6007.	1.7	17
110	Association of elevated reactive oxygen species and hyperthermia induced radiosensitivity in cancer stem-like cells. <i>Oncotarget</i> , 2017, 8, 101560-101571.	0.8	17
111	The Application of Low-Melting LiCl-KCl-CsCl Eutectic to Electrodeposit Uranium Metal. <i>Journal of the Electrochemical Society</i> , 2019, 166, D606-D616.	1.3	17
112	Positive or negative role of preoxidation in the crack arresting of Cr coating for accident tolerant fuel cladding. <i>Corrosion Science</i> , 2021, 193, 109870.	3.0	17
113	Material Strength: A Rational Nonequilibrium Energy Model for Complex Loadings. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2021, 88, .	1.1	17
114	Effect of Mn Substitution for Fe in Multiferroic BiFeO <sub>3</sub> : A First-Principles Study. <i>Science of Advanced Materials</i> , 2010, 2, 184-189.	0.1	17
115	Temperature-dependent deformation and cracking behavior in Cr coating for accident tolerant fuel cladding: An in situ SEM study. <i>Surface and Coatings Technology</i> , 2021, 427, 127815.	2.2	17
116	Effective Behavior of Piezoelectric Composites. <i>Applied Mechanics Reviews</i> , 1994, 47, S112-S121.	4.5	16
117	Influence of applied electric field on the energy release rate for cracked PZT/elastic laminates. <i>Smart Materials and Structures</i> , 2001, 10, 970-978.	1.8	16
118	Growth and photorefractive properties of Zn, Fe double-doped LiTaO <sub>3</sub> crystal. <i>Optical Materials</i> , 2006, 28, 207-211.	1.7	16
119	Dynamic behavior of two collinear interface cracks between two dissimilar functionally graded piezoelectric/piezomagnetic material strips. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2007, 28, 615-625.	1.9	16
120	Generation of radially polarized beams based on thermal analysis of a working cavity. <i>Optics Express</i> , 2011, 19, 18302.	1.7	16
121	First-principles calculations of size-dependent giant electroresistance effect in nanoscale asymmetric ferroelectric tunnel junctions. <i>Journal of Applied Physics</i> , 2012, 111, 074102.	1.1	16
122	Uncooled EuSbTe <sub>3</sub> photodetector highly sensitive from ultraviolet to terahertz frequencies. <i>2D Materials</i> , 2018, 5, 011008.	2.0	16
123	Study on growth techniques and macro defects of large-size Nd:YAG laser crystal. <i>Journal of Crystal Growth</i> , 2018, 483, 200-205.	0.7	16
124	Benefit or harm of accident tolerant coatings on the low-cycle fatigue properties of Zr-4 cladding alloy: in-situ studies at 400°C. <i>Journal of Nuclear Materials</i> , 2021, 545, 152651.	1.3	16
125	Optical thermometry based on thermolabile intrinsic polarons in Tm <sup>3+</sup> and Yb <sup>3+</sup> co-doped congruent lithium niobate single crystal. <i>Journal of Alloys and Compounds</i> , 2021, 867, 158986.	2.8	16
126	Bifunctional RbBiNb <sub>2</sub> O <sub>7</sub> /poly(tetrafluoroethylene) for high-efficiency piezocatalytic hydrogen and hydrogen peroxide production from pure water. <i>Chemical Engineering Journal</i> , 2022, 446, 136958.	6.6	16



#	ARTICLE	IF	CITATIONS
127	Two collinear anti-plane shear cracks in a piezoelectric layer bonded to dissimilar half spaces. <i>European Journal of Mechanics, A/Solids</i> , 2001, 20, 213-226.	2.1	15
128	Effect of Li/Nb ratio on growth and photorefractive properties of Ce:Fe:LiNbO <sub>3</sub> crystals. <i>Optical Materials</i> , 2003, 23, 305-308.	1.7	15
129	First-principles study of the ideal cleavage fracture of Cr <sub>2</sub> Nb microalloyed by X (Al, Ni, Co, Ti). <i>Intermetallics</i> , 2009, 17, 394-399.	1.8	15
130	Impact of applied strain on the electron transport through ferroelectric tunnel junctions. <i>Applied Physics Letters</i> , 2010, 97, 012905.	1.5	15
131	Strong 1550 nm to visible luminescence in In/Er/Yb:LiNbO <sub>3</sub> crystal considered as an upconverter for solar cells. <i>RSC Advances</i> , 2014, 4, 6652.	1.7	15
132	White-light manipulation in Ho <sup>3+</sup> /Yb <sup>3+</sup> /Tm <sup>3+</sup> -doped LiNbO <sub>3</sub> single crystals through transition metal Mn <sup>2+</sup> ion doping. <i>Journal of Alloys and Compounds</i> , 2017, 714, 1-5.	2.8	15
133	Theoretical study of the effects of alloying elements on Cu nanotwins. <i>Science China: Physics, Mechanics and Astronomy</i> , 2020, 63, 1.	2.0	15
134	Dynamical modelling of the chain structure formation in electrorheological fluids. <i>International Journal of Engineering Science</i> , 2001, 39, 453-475.	2.7	14
135	The order of transition of a ferroelectric thin film on a compliant substrate. <i>Acta Materialia</i> , 2004, 52, 5639-5644.	3.8	14
136	Dynamic behavior of two parallel symmetry cracks in magneto-electro-elastic composites under harmonic anti-plane waves. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2006, 27, 583-591.	1.9	14
137	Giant piezoelectric resistance effect of nanoscale zinc oxide tunnel junctions: first principles simulations. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 7051.	1.3	14
138	Investigation of optical photorefractive properties of Zr:Fe:LiNbO <sub>3</sub> crystals. <i>Optics and Laser Technology</i> , 2012, 44, 337-340.	2.2	14
139	Mechanical characteristics of human red blood cell membrane change due to C <sub>60</sub> nanoparticle infiltration. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 2473.	1.3	14
140	Torsion-induced vortex switching and skyrmion-like state in ferroelectric nanodisks. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 465304.	0.7	14
141	On the mechanisms of tip-force induced switching in ferroelectric thin films: the crossover of depolarization, shear strain and flexoelectricity. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 145701.	0.7	14
142	The intrinsic nature of materials failure and the global non-equilibrium energy criterion. <i>Science China: Physics, Mechanics and Astronomy</i> , 2020, 63, 1.	2.0	14
143	Data-driven computational prediction and experimental realization of exotic perovskite-related polar magnets. <i>Npj Quantum Materials</i> , 2020, 5, .	1.8	14
144	Effects of alloy compositions on hydrogen behaviors at a nickel grain boundary and a coherent twin boundary. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 10951-10961.	3.8	14

#	ARTICLE	IF	CITATIONS
145	Mechanical and electronic properties of CeO <sub>2</sub> under uniaxial tensile loading: A DFT study. <i>Materialia</i> , 2021, 15, 101050.	1.3	14
146	The dendrite growth, morphology control and deposition properties of uranium electrorefining. <i>Journal of Nuclear Materials</i> , 2021, 555, 153110.	1.3	14
147	Critical thickness for dislocation generation in epitaxial piezoelectric thin films. <i>Philosophical Magazine</i> , 2003, 83, 3753-3764.	0.7	13
148	Investigation of the interaction of two collinear cracks in anisotropic elasticity materials by means of the nonlocal theory. <i>International Journal of Engineering Science</i> , 2005, 43, 1107-1120.	2.7	13
149	Critical phase transition temperatures of 111 type multiferroic composite thin films. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 1614-1619.	1.3	13
150	High pressure effect on phase transition behavior of lipid bilayers. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 5744.	1.3	13
151	Improvement of pyroelectric figures of merit in zirconia-doped congruent lithium niobate single crystals. <i>Journal of Materials Science</i> , 2016, 51, 3155-3161.	1.7	13
152	Title is missing!. <i>International Journal of Fracture</i> , 2001, 111, 105-117.	1.1	12
153	An Interface Crack for a Functionally Graded Strip Sandwiched Between Two Homogeneous Layers of Finite Thickness. <i>Meccanica</i> , 2006, 41, 79-99.	1.2	12
154	Estimation of the elasto-plastic properties of metallic materials from micro-hardness measurements. <i>Journal of Materials Science</i> , 2013, 48, 4446-4451.	1.7	12
155	Pinning effects of dislocations on vortex domain structure in ferroelectric nanodots. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	12
156	Investigation of reaction conditions on synthesis of UO <sub>2.34</sub> and UO <sub>2</sub> via hydrothermal route. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 313, 229-237.	0.7	12
157	The homogeneous and Lagrangian tracking approaches of the spray simulation in the containment. <i>Annals of Nuclear Energy</i> , 2017, 101, 203-214.	0.9	12
158	In-situ detection of convection and rotation striations by growth interface electromotive force spectrum. <i>Journal of Crystal Growth</i> , 2018, 487, 120-125.	0.7	12
159	Tight-binding piezoelectric theory and electromechanical coupling correlations for transition metal dichalcogenide monolayers. <i>Physical Review B</i> , 2018, 98, .	1.1	12
160	Stability of 180° domain in ferroelectric thin films. <i>Journal of Applied Physics</i> , 2003, 94, 610-617.	1.1	11
161	Effect of UV light on multiplexing holograms in near-stoichiometric LiNbO <sub>3</sub> :Ce:Fe. <i>Optics Communications</i> , 2004, 241, 293-298.	1.0	11
162	Growth and photorefractive properties of an Fe-doped near-stoichiometric LiNbO <sub>3</sub> crystal. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 2013-2016.	1.3	11

#	ARTICLE	IF	CITATIONS
163	First-principle study of ferroelectricity in PbTiO <sub>3</sub> /SrTiO <sub>3</sub> superlattices. <i>Solid-State Electronics</i> , 2006, 50, 1756-1760.	0.8	11
164	Non-Local Theory Solution for an Anti-Plane Shear Permeable Crack in Functionally Graded Piezoelectric Materials. <i>Applied Composite Materials</i> , 2006, 13, 345-367.	1.3	11
165	Controlling dielectric and pyroelectric properties of compositionally graded ferroelectric rods by an applied pressure. <i>Journal of Applied Physics</i> , 2007, 101, 116103.	1.1	11
166	First-principles studies on the electronic and optical properties of CeCl <sub>3</sub> and CeBr <sub>3</sub> . <i>Solid State Communications</i> , 2007, 144, 220-224.	0.9	11
167	Simulation of characteristics of phase transitions in ferroelectric thin films. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2007, 368, 117-124.	0.9	11
168	Ab initio study on mechanical-bending-induced ferroelectric phase transition in ultrathin perovskite nanobelts. <i>Acta Materialia</i> , 2014, 76, 472-481.	3.8	11
169	Structure-dependent electrical conductivity of protein: its differences between alpha-domain and beta-domain structures. <i>Nanotechnology</i> , 2015, 26, 125702.	1.3	11
170	In-situ detection of growth striations by crystallization electromotive force measurement during Czochralski crystal growth. <i>Journal of Crystal Growth</i> , 2017, 475, 70-76.	0.7	11
171	An existence criterion for low-dimensional materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 107, 451-468.	2.3	11
172	Prediction of theoretical strength of diamond under complex loadings. <i>Extreme Mechanics Letters</i> , 2021, 44, 101233.	2.0	11
173	Title is missing!. <i>Meccanica</i> , 2000, 35, 443-456.	1.2	10
174	On the dynamic growth of a 180° domain in a ferroelectric material. <i>Journal of Applied Physics</i> , 2000, 88, 1464-1472.	1.1	10
175	Dynamic process of domain switching in ferroelectric films. <i>Journal of Applied Physics</i> , 2003, 94, 3384-3389.	1.1	10
176	Low temperature preparation of strontium barium niobate powders from metal carboxylate gels. <i>Ceramics International</i> , 2004, 30, 613-617.	2.3	10
177	The scattering of electroelastic waves by an ellipsoidal inclusion in piezoelectric medium. <i>International Journal of Solids and Structures</i> , 2005, 42, 4541-4554.	1.3	10
178	Growth and holographic storage properties of In:Ce:Cu:LiNbO <sub>3</sub> crystal. <i>Materials Chemistry and Physics</i> , 2007, 102, 281-283.	2.0	10
179	Magnetoelectric effects due to elastic coupling in ferroelectric/ferromagnetic multilayers. <i>Journal of Applied Physics</i> , 2008, 103, .	1.1	10
180	An interface crack between two dissimilar functionally graded piezoelectric/piezomagnetic material half infinite planes subjected to the harmonic anti-plane shear stress waves. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2008, 27, 117-132.	0.3	10

#	ARTICLE	IF	CITATIONS
181	Thickness effect of a thin film on the stress field due to the eigenstrain of an ellipsoidal inclusion. International Journal of Solids and Structures, 2009, 46, 322-330.	1.3	10
182	Upconversion emissions induced by 1550Ånm in near-stoichiometric Er:LiNbO <sub>3</sub> crystal. Optics Letters, 2013, 38, 3731.	1.7	10
183	Dissimilar-electrodes-induced asymmetric characteristic and diode effect of current transport in zinc oxide tunnel junctions. Journal of Applied Physics, 2013, 114, 044111.	1.1	10
184	Electrocaloric properties of ferroelectric-paraelectric superlattices controlled by the thickness of paraelectric layer in a wide temperature range. AIP Advances, 2014, 4, .	0.6	10
185	A layered antiferromagnetic semiconductor EuMTe <sub>3</sub> (M = Bi, Sb). Physica Status Solidi - Rapid Research Letters, 2015, 9, 735-739.	1.2	10
186	CFD simulations in the nuclear containment using the DES turbulence models. Nuclear Engineering and Design, 2015, 287, 1-10.	0.8	10
187	Mechano-electrochemical phase field modeling for formation and modulation of dendritic Pattern: Application to uranium recovery from spent nuclear fuel. Materials and Design, 2022, 213, 110322.	3.3	10
188	Dynamic recrystallization, Laves phase evolution and mechanical performance of nuclear-grade Nb containing FeCrAl alloy joints fabricated by friction stir welding. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 857, 143575.	2.6	10
189	A statistical model for predicting effective electroelastic properties of polycrystalline ferroelectric ceramics with aligned defects. International Journal of Solids and Structures, 2000, 37, 4763-4781.	1.3	9
190	The behavior of permeable multi-cracks in a piezoelectric material. Mechanics Research Communications, 2003, 30, 395-402.	1.0	9
191	Ferroelectric rods with adjustable dielectric tunability. Applied Physics Letters, 2007, 90, 092905.	1.5	9
192	Microscopic mechanism of leakage currents in silica junctions. Journal of Applied Physics, 2009, 106, 073711.	1.1	9
193	Thermodynamic modeling of nanoscale ferroelectric systems. Acta Mechanica Solida Sinica, 2009, 22, 524-549.	1.0	9
194	Domain structures of ferroelectric thin film controlled by oxidizing atmosphere. Applied Physics Letters, 2011, 99, 142908.	1.5	9
195	Ferroelectricity in ultrathin asymmetric ferroelectric tunnel junctions: vanishing critical thickness. Journal Physics D: Applied Physics, 2011, 44, 095401.	1.3	9
196	High-efficiency near-degenerate PPMgLN optical parametric oscillator with a volume Bragg grating. Optics Letters, 2012, 37, 1364.	1.7	9
197	Upconversion emission in near-stoichiometric LiNbO <sub>3</sub> :Er <sup>3+</sup> crystal. RSC Advances, 2013, 3, 13507.	1.7	9
198	In situ visualization of the quasi-periodic crystal growth interface fluctuation by growth interface electromotive force spectrum in a Czochralski system. CrystEngComm, 2019, 21, 1107-1113.	1.3	9

#	ARTICLE	IF	CITATIONS
199	Nonlinear emergent elasticity and structural transitions of a skyrmion crystal under uniaxial distortion. <i>Physical Review B</i> , 2019, 99, .	1.1	9
200	Influence of bulk free energy density on single void evolution based on the phase-field method. <i>Computational Materials Science</i> , 2019, 163, 100-107.	1.4	9
201	Synergistic effects of applied strain and cascade overlap on irradiation damage in BCC iron. <i>Journal of Nuclear Materials</i> , 2020, 542, 152422.	1.3	9
202	Spectroscopic properties and thermally stable orange-red luminescence of Sm:Zr:LiNbO <sub>3</sub> and Sm:Hf:LiNbO <sub>3</sub> for white LED applications. <i>Ceramics International</i> , 2021, 47, 1970-1975.	2.3	9
203	High-strength joint of nuclear-grade FeCrAl alloys achieved by friction stir welding and its strengthening mechanism. <i>Journal of Manufacturing Processes</i> , 2021, 65, 1-11.	2.8	9
204	Photo-refractive properties of Mg:In:Fe:LiNbO <sub>3</sub> crystal. <i>Journal of Crystal Growth</i> , 2003, 256, 103-106.	0.7	8
205	Dynamic behavior of unequal parallel permeable interface multi-cracks in a piezoelectric layer bonded to two piezoelectric materials half planes. <i>European Journal of Mechanics, A/Solids</i> , 2004, 23, 993-1005.	2.1	8
206	A Closed Form Solution of a Crack in Magneto-Electro-Elastic Composites under Anti-Plane Shear Stress Loading. <i>JSME International Journal Series A-Solid Mechanics and Material Engineering</i> , 2005, 48, 151-154.	0.4	8
207	Finite element analysis of conical, dome and truncated InAs quantum dots with consideration of surface effects. <i>Semiconductor Science and Technology</i> , 2009, 24, 025002.	1.0	8
208	Defect structure and nonvolatile hologram storage properties in Hf:Fe:Mn:LiNbO <sub>3</sub> crystals. <i>Optik</i> , 2011, 122, 1179-1182.	1.4	8
209	Highly efficient 1544 nm emission in Zr/Yb/Er-codoped LiNbO <sub>3</sub> crystal. <i>Optics Letters</i> , 2012, 37, 4176.	1.7	8
210	Optical properties of Sm <sup>3+</sup> doped Mg:LiNbO <sub>3</sub> and Zn:LiNbO <sub>3</sub> single crystals. <i>Optical Materials</i> , 2012, 34, 845-849.	1.7	8
211	Defect structures and optical characteristics of Er <sup>3+</sup> ion in Er:LiNbO <sub>3</sub> crystals. <i>Journal of Molecular Structure</i> , 2013, 1035, 101-108.	1.8	8
212	Compact Efficient 2.1- $\mu$ m Intracavity MgO:PPLN OPO With a VBG Output Coupler. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 573-576.	1.3	8
213	Growth and fluorescence characteristics of Er:LuAG laser crystals. <i>Journal of Crystal Growth</i> , 2019, 507, 321-326.	0.7	8
214	Quasi-gradient variation of microstructures and properties of Cu-Sn alloy along the thickness direction under cold spinning. <i>Journal of Alloys and Compounds</i> , 2020, 831, 154701.	2.8	8
215	Exotic Quad-Domain Textures and Transport Characteristics of Self-Assembled BiFeO <sub>3</sub> Nanolands on Nb-Doped SrTiO <sub>3</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 12331-12340.	4.0	8
216	Some special characteristics of stress-induced martensitic transformations predicted by a statistical model. <i>Acta Materialia</i> , 1997, 45, 1551-1556.	3.8	7

#	ARTICLE	IF	CITATIONS
217	Investigation of anti-plane shear behavior of two collinear cracks in a piezoelectric materials strip by a new method. <i>Mechanics Research Communications</i> , 2001, 28, 289-295.	1.0	7
218	A statistical model prediction of effective electroelastic properties of polycrystalline ferroelectric ceramics with randomly oriented defects. <i>Mechanics of Materials</i> , 2002, 34, 643-655.	1.7	7
219	Investigation of the Behavior of an Interface Crack between Two Half-Planes of Orthotropic Functionally Graded Materials by Using a New Method. <i>JSME International Journal Series A-Solid Mechanics and Material Engineering</i> , 2004, 47, 467-478.	0.4	7
220	Investigation of behavior of Mode-I interface crack in piezoelectric materials by using schmidt method. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2006, 27, 871-882.	1.9	7
221	Efficient theoretical model and numerical simulation for optimization of gain-switched thulium-doped fiber lasers. <i>Applied Physics B: Lasers and Optics</i> , 2016, 122, 1.	1.1	7
222	Numerical investigation on the performance of the combined passive and spray cooling system under nuclear severe accident. <i>Annals of Nuclear Energy</i> , 2017, 105, 329-345.	0.9	7
223	Temperature-Dependent and Threshold Behavior of Sm <sup>3+</sup> Ions on Fluorescence Properties of Lithium Niobate Single Crystals. <i>Materials</i> , 2018, 11, 2058.	1.3	7
224	Effect of initial coating crack on the mechanical performance of surface-coated zircaloy cladding. <i>Nuclear Engineering and Technology</i> , 2021, 53, 1250-1258.	1.1	7
225	Effects of applied strain on defect production and clustering in FCC Ni. <i>Journal of Nuclear Materials</i> , 2020, 537, 152191.	1.3	7
226	All-fiber mode-locked ytterbium-doped fiber laser with a saturable absorber based on the nonlinear Kerr beam cleanup effect. <i>Optics Letters</i> , 2020, 45, 6050.	1.7	7
227	Thermometry strategy developed based on fluorescence contrast driven by varying excitations in codoped LiNbO <sub>3</sub> . <i>Photonics Research</i> , 2020, 8, 135.	3.4	7
228	Two Collinear Permeable Cracks in a Piezoelectric Layer Bonded to Two Half Spaces. <i>Meccanica</i> , 2003, 38, 467-475.	1.2	6
229	Growth and characteristics of near-stoichiometric Zn:LiNbO <sub>3</sub> crystals grown by TSSG method. <i>Materials Chemistry and Physics</i> , 2005, 89, 249-252.	2.0	6
230	Growth and optical properties of Mg, Fe Co-doped LiTaO <sub>3</sub> crystal. <i>Optik</i> , 2006, 117, 72-76.	1.4	6
231	Magnetic control of dielectric properties of Ba <sub>0.6</sub> Sr <sub>0.4</sub> TiO <sub>3</sub> in a trilayer system. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 095004.	1.3	6
232	Viscoelastic measurement of complex fluids using forced oscillating torsion resonator with continuously varying frequency capability. <i>Rheologica Acta</i> , 2010, 49, 1117-1126.	1.1	6
233	Electrodes controlling phase diagrams of symmetric ferroelectric tunneling junctions or capacitors. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	6
234	Rheological model predicting compressive responses of carbon nanotube networks. <i>RSC Advances</i> , 2013, 3, 14473.	1.7	6

#	ARTICLE	IF	CITATIONS
235	Generalized Hamiltonian for a graphene subjected to arbitrary in-plane strains. <i>Functional Materials Letters</i> , 2015, 08, 1530001.	0.7	6
236	Improved spatiotemporal-multiplexing super-multiview display based on planar aligned OLED microdisplays. <i>Optics Express</i> , 2015, 23, 21549.	1.7	6
237	Generation of 360° three-dimensional display using circular-aligned OLED microdisplays. <i>Optics Express</i> , 2015, 23, 2058.	1.7	6
238	Efficient Synthesis of Stoichiometric Lithium Tantalate Powder by a Solid-State Combustion Route. <i>Materials and Manufacturing Processes</i> , 2015, 30, 1342-1347.	2.7	6
239	Exchange-anisotropy-induced intrinsic distortion, structural transition, and rotational transition in skyrmion crystals. <i>Physical Review B</i> , 2018, 98, .	1.1	6
240	Vortex-to-velocity reconstruction for wall-bounded turbulence via the field-based linear stochastic estimation. <i>Journal of Fluid Mechanics</i> , 2021, 922, .	1.4	6
241	A general thermodynamic theory for predicting the failure property of material structures with complex loadings. <i>Engineering Fracture Mechanics</i> , 2021, 254, 107936.	2.0	6
242	Prediction on the theoretical strength of diamond, c-BN, Cu, and CeO <sub>2</sub> . <i>AIP Advances</i> , 2021, 11, .	0.6	6
243	Characterization and control of vortex and antivortex domain defects in quadrilateral ferroelectric nanodots. <i>Physical Review Materials</i> , 2019, 3, .	0.9	6
244	Topological properties and optical conductivities tuned by spin-orbit coupling and strain in kagome lattices. <i>Results in Physics</i> , 2022, 35, 105360.	2.0	6
245	Investigation on photorefractive properties of In:Mn:Fe:LiNbO <sub>3</sub> . <i>Optical Materials</i> , 2003, 23, 273-276.	1.7	5
246	Nonvolatile two-color photorefractive holographic recording in In:Ce:Cu:LiNbO <sub>3</sub> . <i>Optik</i> , 2003, 114, 548-550.	1.4	5
247	Preparation and electrical properties of SBN thin films derived from aqueous organic gels. <i>Materials Letters</i> , 2004, 58, 1456-1460.	1.3	5
248	Basic solution of two parallel non-symmetric permeable cracks in piezoelectric materials. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2007, 28, 417-428.	1.9	5
249	First-principles study of the electronic and optical properties of lanthanide bromide. <i>Thin Solid Films</i> , 2008, 516, 7894-7898.	0.8	5
250	Fracture toughness of multiferroic composite materials. <i>Engineering Fracture Mechanics</i> , 2008, 75, 4973-4977.	2.0	5
251	Identification of the hardening behavior of solids described by three-parameter Voce law using spherical indentation. <i>Journal of Materials Research</i> , 2012, 27, 2624-2629.	1.2	5
252	Growth of Zr codoped Er:LiNbO <sub>3</sub> and Er/Yb:LiNbO <sub>3</sub> single crystal. <i>Journal of Crystal Growth</i> , 2012, 361, 85-88.	0.7	5

#	ARTICLE	IF	CITATIONS
253	Optical characteristics of Er <sup>3+</sup> ion in Er/Yb:LiNbO <sub>3</sub> crystal: Comparison with the dissimilar effect of anti-photorefractive ions Zn <sup>2+</sup> , In <sup>3+</sup> and Zr <sup>4+</sup> . Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 129, 60-68.	1.1	5
254	Interactive holographic three-dimensional display with a spatial mouse. Optics Communications, 2013, 306, 121-127.	1.0	5
255	Vibrational stability of graphene. AIP Advances, 2013, 3, 052101.	0.6	5
256	Narrowband intracavity MgO:PPLN optical parametric oscillator near degeneracy with a volume Bragg grating. Optics and Laser Technology, 2014, 56, 230-233.	2.2	5
257	Upconversion for enlarging solar spectrum response in near-stoichiometric and congruent Er:LiNbO <sub>3</sub> crystals. Optical Materials, 2014, 36, 941-944.	1.7	5
258	The dynamic conductance response and mechanics-modulated memristive behavior of the Azurin monolayer under cyclic loads. Physical Chemistry Chemical Physics, 2017, 19, 6757-6767.	1.3	5
259	Phase-field study on geometry-dependent migration behavior of voids under temperature gradient in UO <sub>2</sub> crystal matrix. Journal of Applied Physics, 2017, 122, .	1.1	5
260	Optimization of pyroelectric figures of merit via magnesia doping in lithium tantalate single crystal. Journal Physics D: Applied Physics, 2018, 51, 395101.	1.3	5
261	Numerical studies of reverse flows controlled by undulating leading edge. Science China: Physics, Mechanics and Astronomy, 2019, 62, 1.	2.0	5
262	Numerical studies of undulation control on dynamic stall for reverse flows. Acta Mechanica Sinica/Lixue Xuebao, 2020, 36, 290-305.	1.5	5
263	Plasmon enhanced upconversion emission in Tm <sup>3+</sup> /Yb <sup>3+</sup> /lithium niobate single crystal. Applied Surface Science, 2021, 566, 150660.	3.1	5
264	Global nonequilibrium energy criterion for predicting strength of 316L stainless steel under complex loadings: Theoretical modeling and experimental validation. Science China: Physics, Mechanics and Astronomy, 2022, 65, 1.	2.0	5
265	A constitutive equation for viscoelastic porous gels during syneresis and drying. Mechanics of Materials, 2002, 34, 299-311.	1.7	4
266	Influence of Y doping on the scintillation properties of PbWO <sub>4</sub> single crystals. Optics Communications, 2002, 202, 335-338.	1.0	4
267	Analysis of the dynamic behavior of two parallel symmetric cracks using the non-local theory. International Journal of Engineering Science, 2002, 40, 1023-1035.	2.7	4
268	Title is missing!. Journal of Engineering Mathematics, 2002, 44, 41-56.	0.6	4
269	Title is missing!. Meccanica, 2004, 39, 63-76.	1.2	4
270	The behavior of two parallel symmetry permeable cracks in magneto-electro-elastic composites under anti-plane shear stress loading. International Journal of Applied Electromagnetics and Mechanics, 2005, 21, 39-48.	0.3	4



#	ARTICLE	IF	CITATIONS
271	The scattering of harmonic elastic anti-plane shear waves by two collinear cracks in anisotropic material plane by using the non-local theory. <i>Meccanica</i> , 2006, 41, 591-598.	1.2	4
272	Preparation and electric characteristics of gadolinium-substituted bismuth titanate ferroelectric thin films. <i>Materials Letters</i> , 2007, 61, 2457-2459.	1.3	4
273	Adjustable ferroelectric properties in paraelectric/ferroelectric/paraelectric trilayers. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 035303.	1.3	4
274	Growth of low etch pit density ZnGeP <sub>2</sub> crystals by the modified vertical Bridgman method. <i>Journal of Crystal Growth</i> , 2013, 383, 79-83.	0.7	4
275	Linearly polarized and narrow-linewidth pulse generation at high repetition rate from an all-fiber gain-switched Thulium-doped fiber laser. <i>Optics and Laser Technology</i> , 2014, 55, 58-61.	2.2	4
276	Highly reliable bipolar resistive switching in sol-gel derived lanthanum-doped PbTiO <sub>3</sub> thin film: Coupling with ferroelectricity?. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2014, 30, 526-532.	1.5	4
277	The holographic display of three-dimensional medical objects through the usage of a shiftable cylindrical lens. <i>Optics Communications</i> , 2014, 326, 1-5.	1.0	4
278	Photoluminescence of rare-earth ion (Eu <sup>3+</sup> , Tm <sup>3+</sup> , and Er <sup>3+</sup> ) Tj ETQq0 0 0 rgBT /Overlock 10 087803.	0.7	4
279	Length-dependent rectification and negative differential resistance in heterometallic n-alkanedithiol junctions. <i>RSC Advances</i> , 2015, 5, 13917-13922.	1.7	4
280	Reversible $\epsilon$ -triple-Q $\epsilon$ -elastic field structures in a chiral magnet. <i>Scientific Reports</i> , 2016, 6, 30200.	1.6	4
281	Bipolar resistive switching and its temperature dependence in the composite structure of BiFeO <sub>3</sub> bilayer. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	4
282	Tunable surface configuration of skyrmion lattices in cubic helimagnets. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 245001.	0.7	4
283	Simulation and optimization design of fuel rod in pressurized water fuel assemblies. <i>Nuclear Engineering and Design</i> , 2020, 370, 110856.	0.8	4
284	Determination of diffusion coefficients of uranium in liquid gallium by GITT. <i>Journal of Electroanalytical Chemistry</i> , 2020, 879, 114711.	1.9	4
285	Thermodynamics of magnetic emergent crystals under coupled magnetoelastic fields. <i>New Journal of Physics</i> , 2021, 23, 023016.	1.2	4
286	Comparative study on the strain-dependent mechanical and electronic properties of Nb <sub>3</sub> Al and Nb <sub>3</sub> Sn. <i>Materials Research Express</i> , 2021, 8, 086001.	0.8	4
287	The effect of oblique crack on stability and fracture properties of Cr-coated Zircaloy cladding. <i>Annals of Nuclear Energy</i> , 2021, 163, 108560.	0.9	4
288	Electrochemical Properties and Nucleation Morphology of Yttrium on Tungsten Substrate in Molten Salt. <i>Journal of the Electrochemical Society</i> , 2020, 167, 112508.	1.3	4

#	ARTICLE	IF	CITATIONS
289	Dynamic Behavior of Two Collinear Anti-plane Shear Cracks in a Piezoelectric Layer Bonded to Dissimilar Half Spaces.. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2002, 45, 620-628.	0.4	3
290	Investigation of the behavior of a Griffith crack at the interface of a layer bonded to a half plane using the Schmidt method for the opening crack mode. Mechanics Research Communications, 2004, 31, 545-555.	1.0	3
291	Scattering of anti-plane shear waves in a functionally graded material strip with an off-center vertical crack. Applied Mathematics and Mechanics (English Edition), 2006, 27, 731-739.	1.9	3
292	Influence of post-treatment conditions on photoreactive effect of Zn:Fe:LiNbO3 crystals. Microwave and Optical Technology Letters, 2006, 48, 986-988.	0.9	3
293	Optimization of holographic storage with modulated recording beams in a thick polyvinyl alcohol/acrylamide photopolymer. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2007, 24, 1945.	0.8	3
294	Effect of Li/Nb ratio on holographic storage properties of In:LiNbO3 crystals. Microwave and Optical Technology Letters, 2007, 49, 2169-2171.	0.9	3
295	Effect of the parameters on diffraction efficiency after thermal fixing for transmission geometry hologram storage in LiNbO3:Fe. Optics and Laser Technology, 2007, 39, 763-768.	2.2	3
296	Solution of two-dimensional scattering problem in piezoelectric/piezomagnetic media using a polarization method. Applied Mathematics and Mechanics (English Edition), 2008, 29, 1535-1552.	1.9	3
297	Subsonic interfacial (Stoneley) waves in anisotropic multiferroic bimetals with a viscous interface. International Journal of Engineering Science, 2010, 48, 708-717.	2.7	3
298	Investigating effects of nano-particles infiltration on mechanical properties of cell membrane using atomic force microscopy. Science China: Physics, Mechanics and Astronomy, 2012, 55, 989-995.	2.0	3
299	Probing Strain-Tunable Guided Modes in Graphene Waveguide by Photon-Assisted Tunneling. Applied Physics Express, 2013, 6, 065102.	1.1	3
300	Displaying three-dimensional medical objects by holographical technique. Optical Engineering, 2014, 53, 112304.	0.5	3
301	Interfacial Nb-substitution induced anomalous enhancement of polarization and conductivity in BaTiO3 ferroelectric tunnel junctions. AIP Advances, 2014, 4, 127148.	0.6	3
302	Large controllability of domain evolution in ferroelectric nanodot via isotropic surface charge screening. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	1.1	3
303	Joint Thermal Effects of VBG and Nonlinear Crystal in a Singly Resonant OPO. IEEE Photonics Technology Letters, 2016, 28, 1107-1110.	1.3	3
304	Controlling stability and emergent rotation of the skyrmion crystal in thin films of helimagnets via tilted magnetic field. Physical Review B, 2019, 99, .	1.1	3
305	Existence criteria and validity of plate models for graphene-like materials. Science China: Physics, Mechanics and Astronomy, 2019, 62, 1.	2.0	3
306	Luminescent properties of stoichiometric Er:LiTaO3 submicron particles synthesized by a modified solid-state combustion route. Ceramics International, 2019, 45, 10733-10739.	2.3	3

#	ARTICLE	IF	CITATIONS
307	Facile visualization of the initial nucleation and growth of an active metal electrodeposited in a high temperature molten salt using a detachable disk electrode. <i>Electrochemistry Communications</i> , 2020, 117, 106780.	2.3	3
308	Probing energy transfer mechanism via the upconversion spectra of Tm <sup>3+</sup> /Yb <sup>3+</sup> :LiNbO <sub>3</sub> by tri-doping with Ba <sup>2+</sup> in different site occupations. <i>Journal of Alloys and Compounds</i> , 2020, 825, 153990.	2.8	3
309	Mechanical writing of in-plane ferroelectric vortices by tip-force and their coupled chirality. <i>Journal of Physics Condensed Matter</i> , 2020, 32, 035402.	0.7	3
310	Flexible Piezoelectricity of Two-Dimensional Materials Governed by Effective Berry Curvature. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 8220-8228.	2.1	3
311	Donor-acceptor Competition via Halide Vacancy Filling for Oxygen Detection of High Sensitivity and Stability by All-inorganic Perovskite Films. <i>Small</i> , 2021, 17, 2102733.	5.2	3
312	Investigation of the behavior of a crack between two half-planes of functionally graded materials by using the Schmidt method. <i>Structural Engineering and Mechanics</i> , 2005, 19, 425-440.	1.0	3
313	The nonlocal theory solution for two collinear cracks in functionally graded materials subjected to the harmonic elastic anti-plane shear waves. <i>Structural Engineering and Mechanics</i> , 2006, 23, 63-74.	1.0	3
314	Simultaneous enhancement of strength and ductility in friction stir processed 2205 duplex stainless steel with a bimodal structure: experiments and crystal plasticity modeling. <i>Science China: Physics, Mechanics and Astronomy</i> , 2022, 65, 1.	2.0	3
315	Some general characteristics of the stress-strain relation of polycrystalline metals. <i>Journal of the Mechanics and Physics of Solids</i> , 1996, 44, 2103-2111.	2.3	2
316	Time dependence of effective properties of polycrystalline ferroelectric ceramics. <i>Mechanics Research Communications</i> , 1999, 26, 407-414.	1.0	2
317	Title is missing!. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2001, 22, 766-775.	1.9	2
318	Double-frequency properties of In:LiNbO <sub>3</sub> crystals. <i>Crystal Research and Technology</i> , 2005, 40, 684-687.	0.6	2
319	Minimum size of 180 degree domains in ferroelectric thin films covered by electrodes. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2006, 27, 1031-1036.	1.9	2
320	Growth and studies of optical properties of double-doped In:Fe:LiTaO <sub>3</sub> crystal. <i>Microwave and Optical Technology Letters</i> , 2006, 48, 2227-2230.	0.9	2
321	INFLUENCE OF POST-TREATMENT ON OPTICAL PROPERTIES OF Sc:Ce:Cu:LiNbO <sub>3</sub> CRYSTALS. <i>Modern Physics Letters B</i> , 2007, 21, 207-214.	1.0	2
322	Growth and optical damage properties of In:Zn:LiNbO <sub>3</sub> waveguide substrate. <i>Crystal Research and Technology</i> , 2007, 42, 23-26.	0.6	2
323	Photorefractive properties of double-doped Hf:Ce:LiNbO <sub>3</sub> crystals. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 1693-1695.	0.9	2
324	Growth and optical properties of Zn:Ce:Cu:LiNbO <sub>3</sub> single crystals. <i>Solid-State Electronics</i> , 2008, 52, 644-648.	0.8	2

#	ARTICLE	IF	CITATIONS
325	Influence of post-growth treatment on the optical properties of In:Ce:Cu:LiNbO <sub>3</sub> crystals. <i>Optik</i> , 2009, 120, 995-999.	1.4	2
326	Surface and size effects on phase diagrams of ferroelectric nanocylinders. <i>Applied Physics Letters</i> , 2011, 99, 062904.	1.5	2
327	Multiferroic Materials. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 377-441.	0.0	2
328	Derivation of the Landau-Ginzburg Expansion Coefficients. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 321-375.	0.0	2
329	An all-fiber, polarized, core-pumped heat-resistant thulium-doped master oscillator power amplifier. <i>Laser Physics</i> , 2013, 23, 085101.	0.6	2
330	Global heat loss and thermal stress analysis in Czochralski crystal growth. <i>Crystal Research and Technology</i> , 2014, 49, 376-382.	0.6	2
331	Efficient second-harmonic generation from polarized thulium-doped fiber laser with periodically poled MgO:LiNbO <sub>3</sub> . <i>Optics and Laser Technology</i> , 2015, 69, 60-64.	2.2	2
332	All-fiberized polarized mode-locked thulium-doped fibre laser. <i>Laser Physics Letters</i> , 2015, 12, 015102.	0.6	2
333	Bending influence of the electrocaloric effect in a ferroelectric/paraelectric bilayer system. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 065305.	1.3	2
334	Diverse polarization bi-stability in ferroelectric tunnel junctions due to the effects of the electrode and strain: an ab initio study. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 20147-20159.	1.3	2
335	Topological Insulator GMR Straintronics for Low-Power Strain Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 28789-28795.	4.0	2
336	First and second order rotational transitions of skyrmion crystal in multiferroic Cu <sub>2</sub> OSeO <sub>3</sub> under electric field. <i>Applied Physics Letters</i> , 2020, 116, 182403.	1.5	2
337	Effects of applied mechanical strain on vacancy clustering in FCC Ni. <i>Journal of Nuclear Materials</i> , 2021, 544, 152659.	1.3	2
338	Effect of Weibull parameters and crack distribution on the failure probability of multi-layered SiC cladding. <i>Journal of Nuclear Materials</i> , 2021, 557, 153215.	1.3	2
339	Investigation of Radiation Temperature and Straining Temperature Effects on the Screw Dislocation Mobility Evolution in Irradiated Ferritic Grains Using 3D Dislocation Dynamics. <i>Minerals, Metals and Materials Series</i> , 2019, , 1335-1344.	0.3	2
340	Key problems on the mechanical behavior of nuclear materials and structures of pressured water reactors. <i>Scientia Sinica: Physica, Mechanica Et Astronomica</i> , 2019, 49, 114602.	0.2	2
341	Optimization of persistent luminescence via dopant concentration in LiNbO <sub>3</sub> . <i>Journal of Luminescence</i> , 2022, 244, 118753.	1.5	2
342	On the effectiveness of local vortex identification criteria in the vortex representation of wall-bounded turbulence. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2022, 38, .	1.5	2

#	ARTICLE	IF	CITATIONS
343	A statistical mechanics model of phase transformation of zirconia particles in ceramics. Engineering Fracture Mechanics, 1996, 53, 311-327.	2.0	1
344	General Constitutive Equations of an ER Suspension Based on the Internal Variable Theory. Applied Mathematics and Mechanics (English Edition), 2001, 22, 190-209.	1.9	1
345	Optical properties of Nd:YCOB crystal. , 2001, 4580, 556.		1
346	Influence of post-growth treatment on the holographic storage properties of In:Fe:LiNbO3. Optik, 2004, 115, 197-200.	1.4	1
347	Dynamic behavior of two collinear permeable cracks in a piezoelectric layer bonded to two half spaces. Applied Mathematics and Mechanics (English Edition), 2005, 26, 1266-1276.	1.9	1
348	Growth and Optical Properties of (KNa)0.1(Sr0.61Ba0.39)0.9Nb2O6Thin Films by Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2007, 46, 1063-1066.	0.8	1
349	Effect of the parameters on diffraction efficiency after thermal fixing for reflection geometry hologram storage in LiNbO3:Fe. Optik, 2008, 119, 203-208.	1.4	1
350	Ferroelectricity in ultrathin asymmetric ferroelectric tunnel junctions: vanishing critical thickness. Journal Physics D: Applied Physics, 2011, 44, 139501.	1.3	1
351	Compliant substrate controlling the phase diagrams of multiferroic multilayers. International Journal of Engineering Science, 2012, 52, 89-102.	2.7	1
352	Extracting the elastic moduli of the constituent layers of a multilayered thin film from nanoindentation tests. Journal of Materials Research, 2013, 28, 2570-2576.	1.2	1
353	High average-power 2.14μm radiation generated by intracavity KTP OPO. Laser Physics Letters, 2015, 12, 095402.	0.6	1
354	Tunable, continuous-wave single-resonant optical parametric oscillator with output coupling for resonant wave. Chinese Physics B, 2016, 25, 014208.	0.7	1
355	A comprehensive picture in the view of atomic scale on piezoelectricity of ZnO tunnel junctions: The first principles simulation. AIP Advances, 2016, 6, 065217.	0.6	1
356	High-energy azimuthally polarized laser beam generation from an actively Q-switched Nd:YAG laser with-cut YVO4crystal. Laser Physics Letters, 2018, 15, 055801.	0.6	1
357	Comment on "Piezoelectricity in planar boron nitride via a geometric phase". Physical Review B, 2018, 98, .	1.1	1
358	Dislocation spreading and ductile-to-brittle transition in post-irradiated ferritic grains: Investigation of grain size and grain orientation effect by means of 3D dislocation dynamics simulations. Journal of Materials Research, 2019, 34, 1584-1594.	1.2	1
359	Thermal stability of resistive switching effect in ZnO/BiFeO3 bilayer structure. AIP Advances, 2019, 9, 035121.	0.6	1
360	A novel versatile instrument for combined studies of persistent luminescence, thermoluminescence, and mechanoluminescence in micro-scale. Review of Scientific Instruments, 2020, 91, 113103.	0.6	1

#	ARTICLE	IF	CITATIONS
361	Intelligent Generation of Evolutionary Series in a Time-Variant Physical System via Series Pattern Recognition. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000172.	3.3	1
362	Micromechanics Models of Piezoelectric and Ferroelectric Composites. <i>Advanced Topics in Science and Technology in China</i> , 2013, , 97-146.	0.0	1
363	Stability Analysis of 180° Domains in Ferroelectric Thin Films. <i>Solid Mechanics and Its Applications</i> , 2006, , 57-67.	0.1	1
364	Analysis of Coupled Flutter of Parallel Plates in Axial Flow by Using Monolithic Finite Element Method. <i>International Journal of Multiphysics</i> , 2012, 6, 167-178.	0.3	1
365	Tunable Ferroelectric Phase Transition. , 2006, , 1-12.		1
366	Enhanced red emitting of LiY(MoO4)2: Sm <sup>3+</sup> phosphors by Pr <sup>3+</sup> for white LED application. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , .	1.1	1
367	The crack-bridging model with the consideration of residual stress in particulate-reinforced ceramics. <i>Engineering Fracture Mechanics</i> , 1991, 38, 207-214.	2.0	0
368	Photodamage of Zn:In:LiNbO <sub>3</sub> crystal waveguide substrate. , 2001, , .		0
369	Analysis of two parallel symmetric cracks using the non-local theory. <i>Mechanics Research Communications</i> , 2001, 28, 413-421.	1.0	0
370	PHOTOREFRACTIVE EFFECT OF Ce:Fe:LiNbO <sub>3</sub> CRYSTAL. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2002, 11, 179-183.	1.1	0
371	Growth and property of stoichiometric LiNbO <sub>3</sub> Crystal. <i>Ferroelectrics</i> , 2002, 265, 247-252.	0.3	0
372	Application of acousto-optic actuator applied in holographic system. , 2002, 4930, 372.		0
373	Growth and holographic storage properties of Mg:Mn:Fe:LiNbO <sub>3</sub> crystals. , 2003, 5060, 183.		0
374	Nonvolatile holographic storage in LiNbO <sub>3</sub> :Mn:Ce:Cu crystal. , 2005, 6040, 483.		0
375	Volume holographic optical correlator based on fractal-space/shift multiplexing. <i>Optik</i> , 2006, 117, 546-548.	1.4	0
376	Nonvolatile hologram storage in $\text{In}_{x}\text{Fe}_{1-x}\text{Mn}_{1-x}\text{LiNbO}_{3}$ crystals. <i>Optical Engineering</i> , 2007, 46, 055802.	0.1	0
377	The symplectic method of electric and elastic problems. <i>Proceedings of SPIE</i> , 2007, , .	0.8	0
378	Super-parallel holographic correlator with optical fixing. <i>Optics and Laser Technology</i> , 2007, 39, 1125-1129.	2.2	0

#	ARTICLE	IF	CITATIONS
379	Bending response of terfenol-D/BaTiO <sub>3</sub> bilayer to external magnetic and electric fields. Journal Physics D: Applied Physics, 2009, 42, 075302.	1.3	0
380	Photo-damage resistant and phase matching properties of double-doped In:Zn:LiNbO <sub>3</sub> crystals. , 2009, , .		0
381	Growth and optical properties of Hf,Ce co-doped lithium niobate crystals. Optik, 2010, 121, 914-917.	1.4	0
382	Performance Evaluation of High Power PPLN OPO Influenced by Cavity Configurations and Thermal Effects. , 2011, , .		0
383	High Power Intracavity Infrared PPMgLN OPO. , 2011, , .		0
384	Nonvolatile holographic recording in Ti, Fe Co-doped LiTaO <sub>3</sub> crystal. Optik, 2011, 122, 81-83.	1.4	0
385	Size and Surface Effects of Phase Transition on Nanoferroelectric Materials. Advanced Topics in Science and Technology in China, 2013, , 179-268.	0.0	0
386	A method to model the transient performance of high frequency vibration in crystal growth. Crystal Research and Technology, 2014, 49, 850-859.	0.6	0
387	MANIPULATING ELECTRONIC PROPERTIES OF FUNCTIONAL MATERIALS BY MECHANICAL LOADING. , 2015, , 107-108.		0
388	Environmental aspects of radioactive iodine in the Baltic Sea region. Journal of Radioanalytical and Nuclear Chemistry, 2015, 305, 403-407.	0.7	0
389	Reliable resistive switching and its tunability in La-doped PbTiO <sub>3</sub> TiO <sub>2</sub> composite bilayer. Functional Materials Letters, 2015, 08, 1550033.	0.7	0
390	Transient Simulation on Reactor Core Melt and Lower Support Plate Ablation in In-Vessel Retention. , 2017, , .		0
391	Numerical Simulation of Core Temperature and Melting Process of IVR Core After a Severe Water Loss Accident. , 2017, , .		0
392	The mechanics-modulated tunneling spectrum and low-pass effect of viscoelastic molecular monolayer. AIP Advances, 2017, 7, 105326.	0.6	0
393	The effect of sweat on the performance of the interface between skin and flexible membrane. Engineering Fracture Mechanics, 2018, 193, 162-171.	2.0	0
394	Investigation of the reabsorption effect in an all-fiberized mode-locked thulium-doped fibre laser. Laser Physics, 2019, 29, 045104.	0.6	0
395	Structure-€ Directing Roles of Organic Molecules in the Formation of Aluminosilicate and Aluminophosphate Molecular Sieves Revealed by 2D 1 H DQ-€ NMR Spectroscopy. Chemistry - A European Journal, 2021, 27, 1955-1960.	1.7	0
396	Mechanical and Electronic Properties of CeO <sub>2</sub> Under Uniaxial Tensile Loading: A DFT Study. SSRN Electronic Journal, 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
397	Numerical Studying the Dynamic Stall of Reverse Flow Past a Wing. Lecture Notes in Mechanical Engineering, 2021, , 199-204.	0.3	0
398	Pinning Effects of Exchange and Magnetocrystalline Anisotropies on Skyrmion Lattice. Frontiers in Physics, 2021, 9, .	1.0	0
399	Prediction on the Theoretical Strength of Diamond, c-Bn, Cu and CeO $\times 2$ . SSRN Electronic Journal, 0, , .	0.4	0
400	Optical properties of Ce:Mn:KLN single crystals. , 2001, , .		0
401	Basic Solutions of Elastic and Electric Fields of Piezoelectric Materials with Inclusions and Defects. Advanced Topics in Science and Technology in China, 2013, , 5-95.	0.0	0
402	Dielectric Breakdown of Microelectronic and Nanoelectronic Devices. Advanced Topics in Science and Technology in China, 2013, , 443-524.	0.0	0
403	Strain Engineering: Ferroelectric Films on Compliant Substrates. Advanced Topics in Science and Technology in China, 2013, , 269-320.	0.0	0
404	Spectroscopic Analysis of Er <sup>3+</sup> Transitions in Zr/Er:LiNbO <sub>3</sub> Crystal. Science of Advanced Materials, 2013, 5, 740-747.	0.1	0
405	Integrated computational materials engineering simulation studies of nuclear alloys based on crystal plasticity modeling. Scientia Sinica: Physica, Mechanica Et Astronomica, 2019, 49, 114608.	0.2	0
406	Dynamics and stability of skyrmions in a bent nano-beam. New Journal of Physics, 2022, 24, 033019.	1.2	0