

Marius Henriksen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7703564/publications.pdf>

Version: 2024-02-01

137
papers

3,812
citations

117619

34
h-index

155644

55
g-index

141
all docs

141
docs citations

141
times ranked

4517
citing authors

#	ARTICLE	IF	CITATIONS
1	Testâ€“retest reliability of trunk accelerometric gait analysis. <i>Gait and Posture</i> , 2004, 19, 288-297.	1.4	227
2	The role of muscle strengthening in exercise therapy for knee osteoarthritis: A systematic review and meta-regression analysis of randomized trials. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 9-21.	3.4	155
3	Effect of whole body vibration exercise on muscle strength and proprioception in females with knee osteoarthritis. <i>Knee</i> , 2009, 16, 256-261.	1.6	142
4	Gait changes in patients with knee osteoarthritis are replicated by experimental knee pain. <i>Arthritis Care and Research</i> , 2010, 62, 501-509.	3.4	134
5	Effects of an intensive weight loss program on knee joint loading in obese adults with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 822-828.	1.3	133
6	Experimental Knee Pain Reduces Muscle Strength. <i>Journal of Pain</i> , 2011, 12, 460-467.	1.4	120
7	Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1870-1882.	0.9	98
8	Weight loss is effective for symptomatic relief in obese subjects with knee osteoarthritis independently of joint damage severity assessed by high-field MRI and radiography. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 495-502.	1.3	93
9	Association of Exercise Therapy and Reduction of Pain Sensitivity in Patients With Knee Osteoarthritis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2014, 66, 1836-1843.	3.4	90
10	Increased joint loads during walking â€“ A consequence of pain relief in knee osteoarthritis. <i>Knee</i> , 2006, 13, 445-450.	1.6	87
11	Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: A cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 933-940.	1.3	86
12	Experimental quadriceps muscle pain impairs knee joint control during walking. <i>Journal of Applied Physiology</i> , 2007, 103, 132-139.	2.5	83
13	Effect of Weight Maintenance on Symptoms of Knee Osteoarthritis in Obese Patients: A Twelveâ€“Month Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2015, 67, 640-650.	3.4	79
14	Walking on High Heels Changes Muscle Activity and the Dynamics of Human Walking Significantly. <i>Journal of Applied Biomechanics</i> , 2012, 28, 20-28.	0.8	77
15	Evaluation of the Benefit of Corticosteroid Injection Before Exercise Therapy in Patients With Osteoarthritis of the Knee. <i>JAMA Internal Medicine</i> , 2015, 175, 923.	5.1	71
16	Effect of aerobic exercise training on asthma in adults: a systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2020, 56, 2000146.	6.7	62
17	Changes in lower extremity muscle mass and muscle strength after weight loss in obese patients with knee osteoarthritis: A prospective cohort study. <i>Arthritis and Rheumatism</i> , 2012, 64, 438-442.	6.7	60
18	The risk associated with spinal manipulation: an overview of reviews. <i>Systematic Reviews</i> , 2017, 6, 64.	5.3	58

#	ARTICLE	IF	CITATIONS
19	Experimentally reduced hip abductor function during walking: Implications for knee joint loads. <i>Journal of Biomechanics</i> , 2009, 42, 1236-1240.	2.1	57
20	Ultrasound colour Doppler measurements in a single joint as measure of disease activity in patients with rheumatoid arthritis—assessment of concurrent validity. <i>Rheumatology</i> , 2008, 48, 254-257.	1.9	54
21	Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: A cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 732-739.	6.7	54
22	The relationship between pain and dynamic knee joint loading in knee osteoarthritis varies with radiographic disease severity. A cross sectional study. <i>Knee</i> , 2012, 19, 392-398.	1.6	52
23	Long-term weight-loss maintenance in obese patients with knee osteoarthritis: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 755-763.	4.7	52
24	Placebo response and effect in randomized clinical trials: meta-research with focus on contextual effects. <i>Trials</i> , 2021, 22, 493.	1.6	49
25	Osteoarthritis year in review 2016: imaging. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 216-226.	1.3	48
26	Synovitis assessed on static and dynamic contrast-enhanced magnetic resonance imaging and its association with pain in knee osteoarthritis: A cross-sectional study. <i>European Journal of Radiology</i> , 2016, 85, 1099-1108.	2.6	46
27	Nordic Walking does not reduce the loading of the knee joint. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2008, 18, 436-441.	2.9	45
28	Evidence-Based Research Series-Paper 2 : Using an Evidence-Based Research approach before a new study is conducted to ensure value. <i>Journal of Clinical Epidemiology</i> , 2021, 129, 158-166.	5.0	42
29	Enhancing the reporting and transparency of rheumatology research: a guide to reporting guidelines. <i>Arthritis Research and Therapy</i> , 2013, 15, 109.	3.5	41
30	Association of different levels of depressive symptoms with symptomatology, overall disease severity, and quality of life in women with fibromyalgia. <i>Quality of Life Research</i> , 2015, 24, 2951-2957.	3.1	41
31	Is there a causal link between knee loading and knee osteoarthritis progression? A systematic review and meta-analysis of cohort studies and randomised trials. <i>BMJ Open</i> , 2014, 4, e005368-e005368.	1.9	39
32	Preparing for what the reporting checklists will not tell you: the PREPARE Trial guide for planning clinical research to avoid research waste. <i>British Journal of Sports Medicine</i> , 2017, 51, 1494-1501.	6.7	39
33	Biomechanical characteristics of the eccentric Achilles tendon exercise. <i>Journal of Biomechanics</i> , 2009, 42, 2702-2707.	2.1	38
34	Quadriceps-strengthening exercise and quadriceps and knee biomechanics during walking in knee osteoarthritis: A two-centre randomized controlled trial. <i>Clinical Biomechanics</i> , 2018, 59, 199-206.	1.2	35
35	Poor replicability of recommended exercise interventions for knee osteoarthritis: a descriptive analysis of evidence informing current guidelines and recommendations. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 3-22.	1.3	35
36	Association of Physical Fitness With Fibromyalgia Severity in Women: The al-Ándalus Project. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1599-1605.	0.9	34

#	ARTICLE	IF	CITATIONS
37	Gait variability and motor control in people with knee osteoarthritis. <i>Gait and Posture</i> , 2015, 42, 479-484.	1.4	33
38	Experimental muscle pain during a forward lunge – the effects on knee joint dynamics and electromyographic activity. <i>British Journal of Sports Medicine</i> , 2009, 43, 503-507.	6.7	32
39	Different knee joint loading patterns in ACL deficient copers and non-copers during walking. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 615-621.	4.2	32
40	Comparison of three weight maintenance programs on cardiovascular risk, bone and vitamins in sedentary older adults. <i>Obesity</i> , 2013, 21, 1982-1990.	3.0	32
41	Comparable effects of exercise and analgesics for pain secondary to knee osteoarthritis: a meta-analysis of trials included in Cochrane systematic reviews. <i>Journal of Comparative Effectiveness Research</i> , 2016, 5, 417-431.	1.4	32
42	The association between histological, macroscopic and magnetic resonance imaging assessed synovitis in end-stage knee osteoarthritis: a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 272-280.	1.3	31
43	Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case-control study of perceived versus objective muscle fatigue. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 963-966.	0.9	29
44	Effect of a 16 weeks weight loss program on osteoarthritis biomarkers in obese patients with knee osteoarthritis: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1817-1825.	1.3	29
45	Altered Visual and Feet Proprioceptive Feedbacks during Quiet Standing Increase Postural Sway in Patients with Severe Knee Osteoarthritis. <i>PLoS ONE</i> , 2013, 8, e71253.	2.5	28
46	Evidence-Based Research Series-Paper 3: Using an Evidence-Based Research approach to place your results into context after the study is performed to ensure usefulness of the conclusion. <i>Journal of Clinical Epidemiology</i> , 2021, 129, 167-171.	5.0	27
47	Impulse-forces during walking are not increased in patients with knee osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 650-656.	3.3	26
48	Structural changes in the knee during weight loss maintenance after a significant weight loss in obese patients with osteoarthritis: a report of secondary outcome analyses from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 639-646.	1.3	24
49	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	4.7	24
50	Forward lunge as a functional performance test in ACL deficient subjects: Test-retest reliability. <i>Knee</i> , 2009, 16, 176-182.	1.6	23
51	Motor responses to experimental Achilles tendon pain. <i>British Journal of Sports Medicine</i> , 2011, 45, 393-398.	6.7	23
52	Association of Physical Fitness with Depression in Women with Fibromyalgia. <i>Pain Medicine</i> , 2016, 17, 1542-1552.	1.9	23
53	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 537-543.	0.9	23
54	Quantification of Colour Doppler Activity in the Wrist in Patients with Rheumatoid Arthritis – the Reliability of Different Methods for Image Selection and Evaluation. <i>Ultraschall in Der Medizin</i> , 2008, 29, 393-398.	1.5	22

#	ARTICLE	IF	CITATIONS
55	The effects of intra-articular glucocorticoids and exercise on pain and synovitis assessed on static and dynamic magnetic resonance imaging in knee osteoarthritis: exploratory outcomes from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 481-491.	1.3	22
56	Intra-Articular Corticosteroids in Addition to Exercise for Reducing Pain Sensitivity in Knee Osteoarthritis: Exploratory Outcome from a Randomized Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0149168.	2.5	22
57	Exercise therapy after ultrasound-guided corticosteroid injections in patients with subacromial pain syndrome: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 129.	3.5	21
58	Influence of recent exercise and skin temperature on ultrasound Doppler measurements in patients with rheumatoid arthritis—an intervention study. <i>Rheumatology</i> , 2009, 48, 1520-1523.	1.9	20
59	Hand exercise for women with rheumatoid arthritis and decreased hand function: an exploratory randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2019, 21, 158.	3.5	20
60	Changes in bone marrow lesions in response to weight-loss in obese knee osteoarthritis patients: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 106.	1.9	19
61	Progressive early passive and active exercise therapy after surgical rotator cuff repair “ study protocol for a randomized controlled trial (the CUT-N-MOVE trial). <i>Trials</i> , 2018, 19, 470.	1.6	19
62	Is increased joint loading detrimental to obese patients with knee osteoarthritis? A secondary data analysis from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1865-1875.	1.3	18
63	A Standardized “Rescue” Exercise Program for Symptomatic Flare-up of Knee Osteoarthritis: Description and Safety Considerations. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 942-946.	3.5	18
64	Reliability and Construct Validity of the SENS Motion® Activity Measurement System as a Tool to Detect Sedentary Behaviour in Patients with Knee Osteoarthritis. <i>Arthritis</i> , 2018, 2018, 1-9.	2.0	18
65	Is it possible to reduce the knee joint compression force during level walking with hiking poles?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2011, 21, e195-200.	2.9	17
66	Associations between muscle perfusion and symptoms in knee osteoarthritis: a cross sectional study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1721-1727.	1.3	16
67	Changes in ultrasound assessed markers of inflammation following intra-articular steroid injection combined with exercise in knee osteoarthritis: exploratory outcome from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 814-821.	1.3	16
68	Kinesthetic Taping Improves Walking Function in Patients with Stroke: A Pilot Cohort Study. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 495-501.	1.9	15
69	Physiotherapy for pain: a meta-epidemiological study of randomised trials. <i>British Journal of Sports Medicine</i> , 2016, 50, 965-971.	6.7	15
70	Intra-Articular Analgesia and Steroid Reduce Pain Sensitivity in Knee OA Patients: An Interventional Cohort Study. <i>Pain Research and Treatment</i> , 2014, 2014, 1-6.	1.7	14
71	Influence of pain and gender on impact loading during walking: A randomised trial. <i>Clinical Biomechanics</i> , 2008, 23, 221-230.	1.2	13
72	Can Stimulating Massage Improve Joint Repositioning Error in patients with Knee Osteoarthritis?. <i>Journal of Geriatric Physical Therapy</i> , 2009, 32, 111-116.	1.1	13

#	ARTICLE	IF	CITATIONS
73	Experimental Knee Pain Evoke Spreading Hyperalgesia and Facilitated Temporal Summation of Pain. <i>Pain Medicine</i> , 2013, 14, 874-883.	1.9	13
74	Effects of 12 Weeks of Progressive Early Active Exercise Therapy After Surgical Rotator Cuff Repair: 12 Weeks and 1-Year Results From the CUT-N-MOVE Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2021, 49, 321-331.	4.2	13
75	Effectiveness of text messages for decreasing inactive behaviour in patients with knee osteoarthritis: a pilot randomised controlled study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 112.	1.2	12
76	The effect of exercise therapy on inflammatory activity assessed by MRI in knee osteoarthritis: Secondary outcomes from a randomized controlled trial. <i>Knee</i> , 2021, 28, 256-265.	1.6	12
77	The Effect of Foot Progression Angle on Knee Joint Compression Force During Walking. <i>Journal of Applied Biomechanics</i> , 2013, 29, 329-335.	0.8	11
78	No effects of functional exercise therapy on walking biomechanics in patients with knee osteoarthritis: exploratory outcome analyses from a randomised trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 2, bmjsem-2017-000230.	2.9	11
79	Association Between Weight Loss and Spontaneous Changes in Physical Inactivity in Overweight/Obese Individuals With Knee Osteoarthritis: An Eight-Week Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2020, 72, 397-404.	3.4	11
80	The Association Between Submaximal Quadriceps Force Steadiness and the Knee Adduction Moment During Walking in Patients With Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 592-599.	3.5	10
81	The effect of isometric exercise of the hand on the synovial blood flow in patients with rheumatoid arthritis measured by color Doppler ultrasound. <i>Rheumatology International</i> , 2013, 33, 65-70.	3.0	10
82	Relationship between weight loss in obese knee osteoarthritis patients and serum biomarkers of cartilage breakdown: secondary analyses of a randomised trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1641-1646.	1.3	10
83	Comparing different preparations and doses of rosehip powder in patients with osteoarthritis of the knee: an exploratory randomized active-controlled trial. <i>International Journal of Clinical Rheumatology</i> , 2014, 9, 267-278.	0.3	9
84	The dynamics of the pain system is intact in patients with knee osteoarthritis: An exploratory experimental study. <i>Scandinavian Journal of Pain</i> , 2015, 6, 43-49.	1.3	9
85	Evaluation of a technology assisted physical activity intervention among hospitalised patients: A randomised study. <i>European Journal of Internal Medicine</i> , 2019, 69, 50-56.	2.2	9
86	Perfusion in bone marrow lesions assessed on DCE-MRI and its association with pain in knee osteoarthritis: a cross-sectional study. <i>Skeletal Radiology</i> , 2020, 49, 757-764.	2.0	9
87	Estimating the Prevalence of Knee Pain and the Association between Illness Perception Profiles and Self-Management Strategies in the Frederiksberg Cohort of Elderly Individuals with Knee Pain: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 668.	2.4	9
88	The effect of stimulating massage of thigh muscles on knee joint position sense. <i>Advances in Physiotherapy</i> , 2004, 6, 29-36.	0.2	8
89	Adaptations in the gait pattern with experimental hamstring pain. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 746-753.	1.7	8
90	The Associations between Pain Sensitivity and Knee Muscle Strength in Healthy Volunteers: A Cross-Sectional Study. <i>Pain Research and Treatment</i> , 2013, 2013, 1-7.	1.7	8

#	ARTICLE	IF	CITATIONS
91	The concept of physical limitations in knee osteoarthritis: as viewed by patients and health professionals. <i>Quality of Life Research</i> , 2015, 24, 2423-2432.	3.1	8
92	The effect of intra-articular glucocorticosteroids and exercise on symptoms and bone marrow lesions in knee osteoarthritis: a secondary analysis of results from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 895-902.	1.3	8
93	Make it REAL: four simple points to increase clinical relevance in sport and exercise medicine research. <i>British Journal of Sports Medicine</i> , 2018, 52, 1407-1408.	6.7	8
94	Effects of a 12-week supervised resistance training program, combined with home-based physical activity, on physical fitness and quality of life in female breast cancer survivors: the EFICAN randomized controlled trial. <i>Journal of Cancer Survivorship</i> , 2023, 17, 1371-1385.	2.9	8
95	Improved gait in persons with knee related mobility limitations by a rosehip food supplement: A randomized, double-blind, placebo-controlled trial. <i>Gait and Posture</i> , 2015, 42, 340-347.	1.4	7
96	Increased mortality in patients with severe COPD associated with high-intensity exercise: a preliminary cohort study. <i>International Journal of COPD</i> , 2016, Volume 11, 2329-2334.	2.3	7
97	Changes in physical inactivity during supervised educational and exercise therapy in patients with knee osteoarthritis: A prospective cohort study. <i>Knee</i> , 2020, 27, 1848-1856.	1.6	7
98	Exercise therapy and patient education versus intra-articular saline injections in the treatment of knee osteoarthritis: an evidence-based protocol for an open-label randomised controlled trial (the Tj ETQq0 0 0 rgBTd/Overlook 10 Tf 50		
99	The Influence of Radiographic Severity on the Relationship between Muscle Strength and Joint Loading in Obese Knee Osteoarthritis Patients. <i>Arthritis</i> , 2011, 2011, 1-9.	2.0	6
100	Experimental knee joint pain during strength training and muscle strength gain in healthy subjects: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2012, 64, 108-116.	3.4	6
101	Time to put steroid injections behind us?. <i>Nature Reviews Rheumatology</i> , 2017, 13, 519-520.	8.0	6
102	Effect of PEP flute self-care versus usual care in early covid-19: non-drug, open label, randomised controlled trial in a Danish community setting. <i>BMJ, The</i> , 2021, 375, e066952.	6.0	6
103	Writing up your clinical trial report for a scientific journal: the REPORT trial guide for effective and transparent research reporting without spin. <i>British Journal of Sports Medicine</i> , 2022, 56, 683-691.	6.7	6
104	Validity and Reliability of 3D US for the Detection of Erosions in Patients with Rheumatoid Arthritis Using MRI as the Gold Standard. <i>Ultraschall in Der Medizin</i> , 2014, 35, 137-141.	1.5	5
105	Exercise-induced pain changes associate with changes in muscle perfusion in knee osteoarthritis: exploratory outcome analyses of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 491.	1.9	5
106	Prevalence of self-reported knee symptoms and management strategies among elderly individuals from Frederiksberg municipality: protocol for a prospective and pragmatic Danish cohort study. <i>BMJ Open</i> , 2019, 9, e028087.	1.9	5
107	Controversy and Debate on Meta-epidemiology. Paper 1: Treatment effect sizes vary in randomized trials depending on the type of outcome measure. <i>Journal of Clinical Epidemiology</i> , 2020, 123, 27-38.	5.0	5
108	Associations between shoulder symptoms and concomitant pathology in patients with traumatic supraspinatus tears. <i>JSES International</i> , 2020, 4, 85-90.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Dynamic control of the lumbopelvic complex; lack of reliability of established test procedures. European Spine Journal, 2007, 16, 733-740.	2.2	4
110	Dynamic weight-bearing assessment of pain in knee osteoarthritis: a reliability and agreement study. Quality of Life Research, 2015, 24, 2985-2992.	3.1	4
111	Slow down to strengthen sport and exercise medicine research. British Journal of Sports Medicine, 2017, 51, 1453-1453.	6.7	4
112	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. BMJ Open, 2019, 9, e024065.	1.9	4
113	Visual assessment of dynamic knee joint alignment in patients with patellofemoral pain: an agreement study. PeerJ, 2021, 9, e12203.	2.0	4
114	Obesity and Walking: Implications for Knee Osteoarthritis and Plantar Heel Pain. Current Obesity Reports, 2012, 1, 160-165.	8.4	3
115	Local and Systemic Changes in Pain Sensitivity After 4 Weeks of Calf Muscle Stretching in a Nonpainful Population: A Randomized Trial. Pain Practice, 2016, 16, 696-703.	1.9	3
116	Dynamic weight-bearing assessment of pain in knee osteoarthritis: construct validity, responsiveness, and interpretability in a research setting. Health and Quality of Life Outcomes, 2016, 14, 91.	2.4	3
117	Opioid-Induced Reductions in Gait Variability in Healthy Volunteers and Individuals with Knee Osteoarthritis. Pain Medicine, 2019, 20, 2106-2114.	1.9	3
118	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: Table 1. BMJ Open, 2016, 6, e011174.	1.9	2
119	Subgrouping and targeted exercise programmes for knee and hip osteoarthritis (STEER OA) individual participant data meta-analysis. Progress update and selection of potential moderators for analyses. Osteoarthritis and Cartilage, 2019, 27, S446.	1.3	2
120	The effect of graded activity and pain education (GAPE): an early post-surgical rehabilitation programme after lumbar spinal fusion study protocol for a randomized controlled trial. Trials, 2020, 21, 791.	1.6	2
121	PEP-CoV protocol: a PEP flute-self-care randomised controlled trial to prevent respiratory deterioration and hospitalisation in early COVID-19. BMJ Open, 2021, 11, e050582.	1.9	2
122	OP0172...EFFECT OF WEIGHT LOSS AND LIRAGLUTIDE ON SERUM URATE LEVELS AMONG OBESE KNEE OSTEOARTHRITIS PATIENTS: SECONDARY ANALYSIS OF A RANDOMISED CONTROLLED TRIAL. Annals of the Rheumatic Diseases, 2020, 79, 107.1-108.	0.9	2
123	Triage Strategies Based on C-Reactive Protein Levels and SARS-CoV-2 Tests among Individuals Referred with Suspected COVID-19: A Prospective Cohort Study. Journal of Clinical Medicine, 2022, 11, 201.	2.4	2
124	OP0340...Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal observational studies. , 2017, , .		1
125	Knee replacement outcome predicted by physiotherapists: a prospective cohort study. PeerJ, 2021, 9, e10838.	2.0	1
126	No severe exacerbation with 6 months of high-intensity interval training in the REPLACE study. Preliminary data. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
127	Donor-site morbidity following breast reconstruction with a latissimus dorsi flap â€“ A prospective study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 2205-2210.	1.0	1
128	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. <i>BMJ Open</i> , 2021, 11, e052919.	1.9	1
129	The concept of physical limitations in knee osteoarthritis â€“ the view of patients and health professionals. <i>Trials</i> , 2015, 16, .	1.6	0
130	Exercise-induced pain reductions in knee osteoarthritis are associated with changes in muscle perfusion quantified by dynamic contrast enhanced magnetic resonance imaging: exploratory outcome analysis from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, S15.	1.3	0
131	OP0011â€…EFFECT OF LIRAGLUTIDE ON BODY WEIGHT AND PAIN IN THE TREATMENT OF OVERWEIGHT AND KNEE OSTEOARTHRITIS: A RANDOMISED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY. , 2019, , .		0
132	The impact of a significant weight loss on inflammation assessed on dynamic contrast-enhanced mri and static mri in knee osteoarthritis: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2020, 28, S261-S262.	1.3	0
133	THU0619-HPRâ€…PREVALENCE OF DISTAL INTERPHALANGEAL JOINT ULTRASONOGRAPHY FEATURES IN PSORIATIC ARTHRITIS, SKIN PSORIASIS, OSTEOARTHRITIS AND HEALTHY INDIVIDUALS: A CROSS-SECTIONAL STUDY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 552-553.	0.9	0
134	Test-retest reliability of cuff pressure pain algometry in patients with knee osteoarthritis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 158.	0.8	0
135	Intra-articular 2.5% polyacrylamide hydrogel for the treatment of knee osteoarthritis: an observational proof-of-concept cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 1082-1085.	0.8	0
136	Physiotherapistsâ€™ prognosis of 1-year outcome after lumbar spinal fusion - A prospective cohort study. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1692-1703.	1.3	0
137	Changes in physical activity during a one-year weight loss trial with liraglutide vs placebo in participants with knee osteoarthritis: Secondary analyses of a randomised controlled trial. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100255.	2.0	0