

Haizhao Song

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7703569/haizhao-song-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

241
citations

7
h-index

15
g-index

18
ext. papers

365
ext. citations

5.4
avg, IF

3.33
L-index

#	Paper	IF	Citations
17	Pomegranate peel anthocyanins prevent diet-induced obesity and insulin resistance in association with modulation of the gut microbiota in mice.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	2
16	Coffee consumption is not associated with the risk of gastric cancer: An updated systematic review and meta-analysis of prospective cohort studies.. <i>Nutrition Research</i> , 2022 , 102, 35-44	4	1
15	Soybean-derived gma-miR159a alleviates colon tumorigenesis by suppressing TCF7/MYC in mice. <i>Journal of Nutritional Biochemistry</i> , 2021 , 92, 108627	6.3	0
14	Vaccinium bracteatum Thunb. fruit extract reduces high-fat diet-induced obesity with modulation of the gut microbiota in obese mice. <i>Journal of Food Biochemistry</i> , 2021 , 45, e13808	3.3	0
13	Dietary anthocyanin-rich extract of aβi protects from diet-induced obesity, liver steatosis, and insulin resistance with modulation of gut microbiota in mice. <i>Nutrition</i> , 2021 , 86, 111176	4.8	11
12	Black rice anthocyanins alleviate hyperlipidemia, liver steatosis and insulin resistance by regulating lipid metabolism and gut microbiota in obese mice. <i>Food and Function</i> , 2021 , 12, 10160-10170	6.1	3
11	Black Current Anthocyanins Improve Lipid Metabolism and Modulate Gut Microbiota in High-Fat Diet-Induced Obese Mice. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001090	5.9	4
10	Pomegranate fruit pulp polyphenols reduce diet-induced obesity with modulation of gut microbiota in mice. <i>Journal of the Science of Food and Agriculture</i> , 2021 ,	4.3	10
9	CaCO nanoparticles incorporated with KAE to enable amplified calcium overload cancer therapy. <i>Biomaterials</i> , 2021 , 277, 121080	15.6	7
8	Ferric ammonium citrate (FAC)-induced inhibition of osteoblast proliferation/differentiation and its reversal by soybean-derived peptides (SDP). <i>Food and Chemical Toxicology</i> , 2021 , 156, 112527	4.7	1
7	A review on processing methods and functions of wheat germ-derived bioactive peptides.. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-17	11.5	2
6	A wheat germ-derived peptide YDWPGGRN facilitates skin wound-healing processes. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 524, 943-950	3.4	7
5	Dietary sweet cherry anthocyanins attenuates diet-induced hepatic steatosis by improving hepatic lipid metabolism in mice. <i>Nutrition</i> , 2016 , 32, 827-33	4.8	26
4	Mulberry ethanol extract attenuates hepatic steatosis and insulin resistance in high-fat diet-fed mice. <i>Nutrition Research</i> , 2016 , 36, 710-8	4	35
3	Purified Betacyanins from Hylocereus undatus Peel Ameliorate Obesity and Insulin Resistance in High-Fat-Diet-Fed Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 236-44	5.7	38
2	White Pitaya (Hylocereus undatus) Juice Attenuates Insulin Resistance and Hepatic Steatosis in Diet-Induced Obese Mice. <i>PLoS ONE</i> , 2016 , 11, e0149670	3.7	30
1	Red pitaya betacyanins protects from diet-induced obesity, liver steatosis and insulin resistance in association with modulation of gut microbiota in mice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1462-9	4	63

