

Luis Saucedo-Mora

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7703735/publications.pdf>

Version: 2024-02-01

19
papers

280
citations

1040056

9
h-index

1058476

14
g-index

19
all docs

19
docs citations

19
times ranked

251
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of a sealed layer on a porous thermal barrier coating against molten calcium–magnesium–alumina–silicate corrosion. <i>Materials and Design</i> , 2021, 208, 109918.	7.0	9
2	A two-parameter strain energy function for brain matter: An extension of the Hencky model to incorporate locking. <i>Brain Multiphysics</i> , 2021, 2, 100036.	2.3	2
3	Beneficial effects of magnetron-sputtered Al–Y seal layers on porous thermal barrier coatings. <i>Journal of Alloys and Compounds</i> , 2019, 804, 147-154.	5.5	7
4	Contactless safety evaluation of damaged structures through energetic criteria. <i>Structural Control and Health Monitoring</i> , 2018, 25, e2060.	4.0	3
5	Fatigue Model for the Structural Integrity Evaluation Applied to a Wind Turbine Concrete Shaft, Considering Corrosion and Freeze and Thaw Degradation. , 2018, , 2144-2151.		0
6	Correction of the Spurious Strains and Displacements Caused by Out of Plane Movements in Digital Image Correlation (DIC) with a Single Camera. <i>Journal of Nondestructive Evaluation</i> , 2017, 36, 1.	2.4	1
7	Synchrotron X-ray characterization of crack strain fields in polygranular graphite. <i>Carbon</i> , 2017, 124, 357-371.	10.3	45
8	Three-dimensional measurement and cohesive element modelling of deformation and damage in a 2.5-dimensional woven ceramic matrix composite. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2017, 40, 683-695.	3.4	9
9	Obtaining the J-integral by diffraction-based crack-field strain mapping. <i>Procedia Structural Integrity</i> , 2016, 2, 2519-2526.	0.8	12
10	In situ observation of mechanical damage within a SiC-SiC ceramic matrix composite. <i>Journal of Nuclear Materials</i> , 2016, 481, 13-23.	2.7	67
11	Multi-scale damage modelling in a ceramic matrix composite using a finite-element microstructure meshfree methodology. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150276.	3.4	14
12	Observation and simulation of indentation damage in a SiC–SiC fibre ceramic matrix composite. <i>Finite Elements in Analysis and Design</i> , 2016, 110, 11-19.	3.2	23
13	Plasma-sprayed thermal barrier coatings: numerical study on damage localization and evolution. <i>Frattura Ed Integrita Strutturale</i> , 2016, 10, 322-329.	0.9	0
14	FEMME: A multi-scale Finite Element Microstructure Meshfree fracture model for quasi-brittle materials with complex microstructures. <i>Engineering Fracture Mechanics</i> , 2015, 147, 355-372.	4.3	18
15	Multi-scale modeling of damage development in a thermal barrier coating. <i>Surface and Coatings Technology</i> , 2015, 276, 399-407.	4.8	26
16	Method for the explicit insertion of microstructure in Cellular Automata Finite Element (CAFE) models based on an irregular tetrahedral Finite Element mesh: Application in a multi-scale Finite Element Microstructure Meshfree framework (FEMME). <i>Finite Elements in Analysis and Design</i> , 2015, 105, 56-62.	3.2	13
17	3D Cellular Automata Finite Element Method with Explicit Microstructure: Modeling Quasi-brittle Fracture using Meshfree Damage Propagation. , 2014, 3, 1143-1148.		12
18	3D Studies of Damage by Combined X-ray Tomography and Digital Volume Correlation. , 2014, 3, 1554-1559.		17

#	ARTICLE	IF	CITATIONS
19	Application of DIC to monitor reinforced concrete structures. , 0, , .		2