

Taek Dong Chung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7704295/taek-dong-chung-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

6,742
citations

37
h-index

80
g-index

158
ext. papers

7,569
ext. citations

7.9
avg, IF

6.04
L-index

#	Paper	IF	Citations
146	Adopting Back Reduction Current as an Additional Output Signal for Achieving Photoelectrochemical Differentiated Detection.. <i>Analytical Chemistry</i> , 2022 ,	7.8	2
145	Paper-based electrochromic glucose sensor with polyaniline on indium tin oxide nanoparticle layer as the optical readout.. <i>Biosensors and Bioelectronics</i> , 2022 , 203, 114002	11.8	3
144	Direct electrodeposition of various metal nanocrystals on silicon oxide dielectric layer and insights into electrochemical behavior. <i>Bulletin of the Korean Chemical Society</i> , 2022 , 43, 227-231	1.2	
143	Recent advances in electroanalytical methods for electroorganic synthesis. <i>Current Opinion in Electrochemistry</i> , 2022 , 101054	7.2	
142	Neuroigin-1-Modified Electrodes for Specific Coupling with a Presynaptic Neuronal Membrane. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 21944-21953	9.5	0
141	Selective Enhancement of Electrochemical Signal Based on the Size of Alcohols Using Nanoporous Platinum. <i>ChemElectroChem</i> , 2021 , 8, 2407-2412	4.3	0
140	Inverted Ion Current Rectification-Based Chemical Delivery Probes for Stimulation of Neurons. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 26748-26758	9.5	4
139	Totally implantable enzymatic biofuel cell and brain stimulator operating in bird through wireless communication. <i>Biosensors and Bioelectronics</i> , 2021 , 171, 112746	11.8	15
138	Ultra Compact Nanoporous Platinum Coating Improves Neural Recording. <i>Electroanalysis</i> , 2021 , 33, 839-844	3.4	1
137	Understanding the role of nickel(II)on (oxy)hydroxide (NiFeOOH) electrocatalysts on hematite photoanodes. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 501-508	5.8	1
136	Hydrogel-Based Iontronics on a Polydimethylsiloxane Microchip. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 6606-6614	9.5	5
135	Universal Suzuki-Miyaura Catalyst-Transfer Polymerization for Precision Synthesis of Strong Donor/Acceptor-Based Conjugated Polymers and Their Sequence Engineering. <i>Journal of the American Chemical Society</i> , 2021 , 143, 11180-11190	16.4	7
134	Functional Integration of Catalysts with Si Nanowire Photocathodes for Efficient Utilization of Photogenerated Charge Carriers. <i>ACS Omega</i> , 2021 , 6, 22311-22316	3.9	0
133	Electrochemistry of the Silicon Oxide Dielectric Layer: Principles, Electrochemical Reactions, and Perspectives. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 3014-3025	4.5	2
132	Enhanced H Evolution at Patterned MoS-Modified Si-Based Photocathodes by Incorporating the Interfacial 3D Nanostructure of Ag. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 46499-46506	9.5	1
131	Bioaerosol monitoring by integrating DC impedance microfluidic cytometer with wet-cyclone air sampler. <i>Biosensors and Bioelectronics</i> , 2021 , 192, 113499	11.8	1
130	Revisiting Thin-Layer Electrochemistry in a Chip-Type Cell for the Study of Electro-organic Reactions.. <i>Analytical Chemistry</i> , 2021 ,	7.8	1

129	Current Amplification and Ultrafast Charge Transport in a Single Microdroplet of Bromide/Polybromide-Based Ionic Liquid. <i>ACS Applied Energy Materials</i> , 2020 , 3, 5285-5292	6.1	4
128	In Situ Real-Time Monitoring of ITO Film under a Chemical Etching Process Using Fourier Transform Electrochemical Impedance Spectroscopy. <i>Analytical Chemistry</i> , 2020 , 92, 10504-10511	7.8	2
127	Sensitivity-Tunable and Disposable Ion-Sensing Platform Based on Reverse Electrodialysis. <i>Analytical Chemistry</i> , 2020 , 92, 8776-8783	7.8	6
126	Full-Color-Tunable Nanophotonic Device Using Electrochromic Tungsten Trioxide Thin Film. <i>Nano Letters</i> , 2020 , 20, 6084-6090	11.5	21
125	Cathodic electroorganic reaction on silicon oxide dielectric electrode. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 32939-32946	11.5	3
124	High-Speed Transmission Control in Gate-Tunable Metasurfaces Using Hybrid Plasmonic Waveguide Mode. <i>Advanced Optical Materials</i> , 2020 , 8, 2001256	8.1	10
123	Aqueous ionic effect on electrochemical breakdown of Si-dielectric-electrolyte interface. <i>Scientific Reports</i> , 2020 , 10, 16795	4.9	2
122	Three-dimensionally patterned Ag-Pt alloy catalyst on planar Si photocathodes for photoelectrochemical H evolution. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 4184-4192	3.6	9
121	Robust Induced Presynapse on Artificial Substrates as a Neural Interfacing Method. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7764-7773	9.5	1
120	Ion-to-ion amplification through an open-junction ionic diode. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 13807-13815	11.5	27
119	Nanoporous ITO implemented bipolar electrode sensor for enhanced electrochemiluminescence. <i>Electrochimica Acta</i> , 2019 , 314, 89-95	6.7	12
118	Unique Luminescence of Hexagonal Dominant Colloidal Copper Indium Sulphide Quantum Dots in Dispersed Solutions. <i>Scientific Reports</i> , 2019 , 9, 20144	4.9	3
117	Nanoconfinement effects in electrochemical reactions. <i>Current Opinion in Electrochemistry</i> , 2019 , 13, 47-54	7.2	28
116	A Stretchable Ionic Diode from Copolyelectrolyte Hydrogels with Methacrylated Polysaccharides. <i>Advanced Functional Materials</i> , 2019 , 29, 1806909	15.6	36
115	Miniaturized Reverse Electrodialysis-Powered Biosensor Using Electrochemiluminescence on Bipolar Electrode. <i>Analytical Chemistry</i> , 2018 , 90, 4749-4755	7.8	19
114	Dielectric Breakdown and Post-Breakdown Dissolution of Si/SiO Cathodes in Acidic Aqueous Electrochemical Environment. <i>Scientific Reports</i> , 2018 , 8, 1911	4.9	2
113	Electrodeless Reverse Electrodialysis Patches as an Ionic Power Source for Active Transdermal Drug Delivery. <i>Advanced Functional Materials</i> , 2018 , 28, 1705952	15.6	9
112	Chemically Deposited Cobalt-Based Oxygen-Evolution Electrocatalysts on DOPA-Displaying Viruses. <i>ChemCatChem</i> , 2018 , 10, 165-169	5.2	4

111	3D interdigitated electrode array in the microchannel free of reference and counter electrodes. <i>Biosensors and Bioelectronics</i> , 2018 , 101, 317-321	11.8	3
110	A miniaturized solid salt reverse electro dialysis battery: a durable and fully ionic power source. <i>Chemical Science</i> , 2018 , 9, 8071-8076	9.4	12
109	Disposable non-enzymatic blood glucose sensing strip based on nanoporous platinum particles. <i>Applied Materials Today</i> , 2018 , 10, 24-29	6.6	25
108	Multiplex immunoassays using virus-tethered gold microspheres by DC impedance-based flow cytometry. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 121-128	11.8	17
107	Robust and High Spatial Resolution Light Addressable Electrochemistry Using Hematite (FeO) Photoanodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 33662-33668	9.5	13
106	Drug Delivery: Electrodeless Reverse Electro dialysis Patches as an Ionic Power Source for Active Transdermal Drug Delivery (Adv. Funct. Mater. 15/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870100	15.6	100
105	Recent advances in electrochemical non-enzymatic glucose sensors - A review. <i>Analytica Chimica Acta</i> , 2018 , 1033, 1-34	6.6	367
104	Conduction through a SiO ₂ layer studied by electrochemical impedance analysis. <i>Electrochemistry Communications</i> , 2017 , 76, 75-78	5.1	5
103	Reverse Electro dialysis-Assisted Solar Water Splitting. <i>Scientific Reports</i> , 2017 , 7, 12281	4.9	4
102	Catalytic Electron Transfer at Nanoporous Indium Tin Oxide Electrodes. <i>Electrochimica Acta</i> , 2017 , 258, 90-97	6.7	11
101	In situ Confocal Microscopy of Electrochemical Generation and Collision of Emulsion Droplets in Bromide Redox System. <i>Electrochimica Acta</i> , 2017 , 252, 164-170	6.7	16
100	Photoelectrochemical and Impedance Spectroscopic Analysis of Amorphous Si for Light-Guided Electrodeposition and Hydrogen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 23698-23706	9.5	10
99	Translocation Pathway-Dependent Assembly of Streptavidin- and Antibody-Binding Filamentous Virus-Like Particles. <i>Small</i> , 2017 , 13, 1601693	11	2
98	Electrochemical Impedance Spectroscopy at Well-Controlled dc Bias for Nanoporous Platinum Microelectrodes in Rat Embryo Brain. <i>ChemElectroChem</i> , 2016 , 3, 2189-2195	4.3	1
97	Confined Molecular Dynamics for Suppressing Kinetic Loss in Sugar Fuel Cell. <i>Electrochimica Acta</i> , 2016 , 187, 457-464	6.7	7
96	A graphene-based electrochemical device with thermoresponsive microneedles for diabetes monitoring and therapy. <i>Nature Nanotechnology</i> , 2016 , 11, 566-572	28.7	1093
95	Light-Driven Highly Selective Conversion of CO ₂ to Formate by Electrosynthesized Enzyme/Cofactor Thin Film Electrode. <i>Advanced Energy Materials</i> , 2016 , 6, 1502207	21.8	60
94	Densely charged polyelectrolyte-stuffed nanochannel arrays for power generation from salinity gradient. <i>Scientific Reports</i> , 2016 , 6, 26416	4.9	14

93	Robust Type-specific Hemisynapses Induced by Artificial Dendrites. <i>Scientific Reports</i> , 2016 , 6, 24210	4.9	4
92	Electrochemical detection of neurotransmitters: Toward synapse-based neural interfaces. <i>Biomedical Engineering Letters</i> , 2016 , 6, 123-133	3.6	11
91	Monolayer Graphene-Directed Growth and Neuronal Differentiation of Mesenchymal Stem Cells. <i>Journal of Biomedical Nanotechnology</i> , 2015 , 11, 2024-33	4	43
90	Light-guided electrodeposition of non-noble catalyst patterns for photoelectrochemical hydrogen evolution. <i>Energy and Environmental Science</i> , 2015 , 8, 3654-3662	35.4	20
89	Iontronics. <i>Annual Review of Analytical Chemistry</i> , 2015 , 8, 441-62	12.5	111
88	Electrochemical codeposition of Pt/graphene catalyst for improved methanol oxidation. <i>Current Applied Physics</i> , 2015 , 15, 219-225	2.6	31
87	Surface coverage and size effects on electrochemical oxidation of uniform gold nanoparticles. <i>Electrochemistry Communications</i> , 2015 , 53, 11-14	5.1	11
86	Nonfaradaic nanoporous electrochemistry for conductometry at high electrolyte concentration. <i>Analytical Chemistry</i> , 2015 , 87, 2443-51	7.8	5
85	Tunable Decoration of Reduced Graphene Oxide with Au Nanoparticles for the Oxygen Reduction Reaction. <i>Advanced Functional Materials</i> , 2014 , 24, 2764-2771	15.6	58
84	Quinone electrochemistry altered by local hydrophobic environment and hydrogen bonding interactions. <i>Electrochemistry Communications</i> , 2014 , 41, 39-43	5.1	8
83	Electrochemical signal amplification for immunosensor based on 3D interdigitated array electrodes. <i>Analytical Chemistry</i> , 2014 , 86, 5991-8	7.8	25
82	A flow cytometry-based submicron-sized bacterial detection system using a movable virtual wall. <i>Lab on A Chip</i> , 2014 , 14, 2327-33	7.2	22
81	Graphene: Tunable Decoration of Reduced Graphene Oxide with Au Nanoparticles for the Oxygen Reduction Reaction (Adv. Funct. Mater. 19/2014). <i>Advanced Functional Materials</i> , 2014 , 24, 2738-2738	15.6	1
80	The Electrochemical Reaction Mechanism and Applications of Quinones. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 3143-3155	1.2	27
79	Effects of adsorption and confinement on nanoporous electrochemistry. <i>Faraday Discussions</i> , 2013 , 164, 361-76	3.6	24
78	A label-free DC impedance-based microcytometer for circulating rare cancer cell counting. <i>Lab on A Chip</i> , 2013 , 13, 970-7	7.2	51
77	Nanoporous platinum thin films synthesized by electrochemical dealloying for nonenzymatic glucose detection. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 5782-7	3.6	37
76	Enhanced electrochemical reactions of 1,4-benzoquinone at nanoporous electrodes. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 10645-53	3.6	14

75	Enhanced electrocatalysis of PtRu onto graphene separated by Vulcan carbon spacer. <i>Journal of Power Sources</i> , 2013 , 222, 261-266	8.9	45
74	Electrokinetic concentration on a microfluidic chip using polyelectrolytic gel plugs for small molecule immunoassay. <i>Electrochimica Acta</i> , 2013 , 110, 164-171	6.7	9
73	Graphene-incorporated chitosan substrata for adhesion and differentiation of human mesenchymal stem cells. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 933-938	7.3	119
72	Virus-Tethered Magnetic Gold Microspheres with Biomimetic Architectures for Enhanced Immunoassays. <i>Advanced Functional Materials</i> , 2013 , 23, 1484-1489	15.6	11
71	Hydrogen-atom-mediated electrochemistry. <i>Nature Communications</i> , 2013 , 4, 2766	17.4	35
70	Modulation of quinone PCET reaction by Ca ²⁺ ion captured by calix[4]quinone in water. <i>Journal of the American Chemical Society</i> , 2013 , 135, 18957-67	16.4	14
69	Surface enhanced Raman scattering on non-SERS active substrates and in situ electrochemical study based on a single gold microshell. <i>Advanced Materials</i> , 2013 , 25, 2056-61	24	20
68	Simultaneous detection of SERS and fluorescence using a single excitation for microbead-based analysis. <i>Journal of Biomedical Nanotechnology</i> , 2013 , 9, 1241-4	4	4
67	Preparation of Electrochemically Stable and SERS Active Silica@Gold Microshell. <i>Journal of the Korean Electrochemical Society</i> , 2013 , 16, 46-51		
66	Synthesis of a graphene-carbon nanotube composite and its electrochemical sensing of hydrogen peroxide. <i>Electrochimica Acta</i> , 2012 , 59, 509-514	6.7	166
65	Nonenzymatic continuous glucose monitoring in human whole blood using electrified nanoporous Pt. <i>Biosensors and Bioelectronics</i> , 2012 , 31, 284-91	11.8	65
64	Gold microshell tip for in situ electrochemical Raman spectroscopy. <i>Advanced Materials</i> , 2012 , 24, 421-4	24	3
63	In-channel electrochemical detection in the middle of microchannel under high electric field. <i>Analytical Chemistry</i> , 2012 , 84, 901-7	7.8	18
62	Electrochemistry at nanoporous interfaces: new opportunity for electrocatalysis. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 448-63	3.6	137
61	Nanoengineered micro gold shells for LDI-TOF analysis of small molecules. <i>Analytica Chimica Acta</i> , 2012 , 736, 1-6	6.6	23
60	Electrochemical analysis based on nanoporous structures. <i>Analyst, The</i> , 2012 , 137, 3891-903	5	91
59	Grand-canonical Monte Carlo simulation study of polyelectrolyte diode 2012 ,		2
58	Dynamic preconcentration of gold nanoparticles for surface-enhanced Raman scattering in a microfluidic system. <i>Small</i> , 2012 , 8, 378-83	11	25

57	Mussel-inspired encapsulation and functionalization of individual yeast cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 2795-7	16.4	330
56	Nanoporous platinum solid-state reference electrode with layer-by-layer polyelectrolyte junction for pH sensing chip. <i>Lab on A Chip</i> , 2011 , 11, 664-71	7.2	35
55	Microfluidic approaches for gene delivery and gene therapy. <i>Lab on A Chip</i> , 2011 , 11, 3941-8	7.2	50
54	Ion flow crossing over a polyelectrolyte diode on a microfluidic chip. <i>Small</i> , 2011 , 7, 2629-39	11	29
53	Real-Space Investigation of Electrical Double Layers. Potential Gradient Measurement with a Nanometer Potential Probe. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 17384-17391	3.8	13
52	Conductometric discrimination of electro-inactive metal ions using nanoporous electrodes. <i>Electrochimica Acta</i> , 2011 , 56, 1947-1954	6.7	6
51	Polyelectrolyte junction field effect transistor based on microfluidic chip. <i>Applied Physics Letters</i> , 2010 , 96, 143506	3.4	29
50	Selective and direct immobilization of cysteinyl biomolecules by electrochemical cleavage of azo linkage. <i>Langmuir</i> , 2010 , 26, 15087-91	4	8
49	Nanoporous Pt Microelectrode for Neural Stimulation and Recording: In Vitro Characterization. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 8721-8726	3.8	58
48	Single gold microshell tailored to sensitive surface enhanced Raman scattering probe. <i>Analytical Chemistry</i> , 2010 , 82, 447-51	7.8	38
47	Effect of Nanoporous Structure on Enhanced Electrochemical Reaction. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 9546-9553	3.8	60
46	High yield sample preconcentration using a highly ion-conductive charge-selective polymer. <i>Analytical Chemistry</i> , 2010 , 82, 6287-92	7.8	63
45	Mesoporous platinum electrodes for amperometric determination of sugars with anion exchange chromatography. <i>Analytical Sciences</i> , 2010 , 26, 995-1000	1.7	7
44	SERS decoding of micro gold shells moving in microfluidic systems. <i>Electrophoresis</i> , 2010 , 31, 1623-9	3.6	17
43	A portable microfluidic flow cytometer based on simultaneous detection of impedance and fluorescence. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1509-15	11.8	48
42	Structural and electrochemical features of 3D nanoporous platinum electrodes. <i>Electrochimica Acta</i> , 2010 , 55, 2029-2035	6.7	51
41	Red blood cell quantification microfluidic chip using polyelectrolytic gel electrodes. <i>Electrophoresis</i> , 2009 , 30, 1464-9	3.6	21
40	Ionic circuits based on polyelectrolyte diodes on a microchip. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 3830-3	16.4	91

39	Ion bridges in microfluidic systems. <i>Microfluidics and Nanofluidics</i> , 2009 , 6, 315-331	2.8	19
38	Arrayed hybrid nanoporous Pt pillars. <i>Electrochemistry Communications</i> , 2009 , 11, 2225-2228	5.1	11
37	Calcium Ion-Calixquinone Complexes Adsorbed on a Silver Electrode. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 19981-19985	3.8	5
36	Potentiometric response of a neutral-carrier-based membrane to aqueous mercury in Cl(-)-rich media. <i>Analytical Sciences</i> , 2009 , 25, 567-70	1.7	6
35	Ultrafast active mixer using polyelectrolytic ion extractor. <i>Lab on A Chip</i> , 2008 , 8, 764-71	7.2	32
34	Apparent electrocatalysis on 3D nanoporous platinum film electroplated from hexagonal lyotropic liquid crystalline phase of Triton X-100. <i>Electrochimica Acta</i> , 2008 , 53, 6143-6148	6.7	16
33	Recent advances in miniaturized microfluidic flow cytometry for clinical use. <i>Electrophoresis</i> , 2007 , 28, 4511-20	3.6	113
32	A rapid field-free electroosmotic micropump incorporating charged microchannel surfaces. <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 1161-1168	8.5	16
31	Continuous low-voltage dc electroporation on a microfluidic chip with polyelectrolytic salt bridges. <i>Analytical Chemistry</i> , 2007 , 79, 7761-6	7.8	70
30	Integration of a nanoporous platinum thin film into a microfluidic system for non-enzymatic electrochemical glucose sensing. <i>Analytical Sciences</i> , 2007 , 23, 277-81	1.7	47
29	Three-Dimensional Interstitial Nanovoid of Nanoparticulate Pt Film Electroplated from Reverse Micelle Solution. <i>Chemistry of Materials</i> , 2007 , 19, 3373-3375	9.6	43
28	Electrochemical oxidation of hydrogen peroxide at nanoporous platinum electrodes and the application to glutamate microsensor. <i>Electrochimica Acta</i> , 2006 , 52, 1788-1791	6.7	37
27	Electrochemical nanoneedle biosensor based on multiwall carbon nanotube. <i>Analytical Chemistry</i> , 2006 , 78, 617-20	7.8	102
26	Structure-selective recognition by voltammetry: enantiomeric determination of amines using azophenolic crowns in aprotic solvent. <i>Analytical Chemistry</i> , 2006 , 78, 7597-600	7.8	11
25	Electrochemical non-enzymatic glucose sensors. <i>Analytica Chimica Acta</i> , 2006 , 556, 46-57	6.6	891
24	A miniaturized electrochemical system with a novel polyelectrolyte reference electrode and its application to thin layer electroanalysis. <i>Sensors and Actuators B: Chemical</i> , 2006 , 115, 212-219	8.5	28
23	Cytometry and velocimetry on a microfluidic chip using polyelectrolytic salt bridges. <i>Analytical Chemistry</i> , 2005 , 77, 2490-5	7.8	62
22	pH-sensitive solid-state electrode based on electrodeposited nanoporous platinum. <i>Analytical Chemistry</i> , 2005 , 77, 7695-701	7.8	51

21	Ionic strength-controlled virtual area of mesoporous platinum electrode. <i>Journal of the American Chemical Society</i> , 2004 , 126, 4524-5	16.4	113
20	Glucose sensor based on glucose oxidase immobilized by zirconium phosphate. <i>Analytical Sciences</i> , 2004 , 20, 1635-8	1.7	12
19	In vitro and short-term in vivo characteristics of a Kel-F thin film modified glucose sensor. <i>Analytical Sciences</i> , 2003 , 19, 1481-6	1.7	2
18	Properties of interpenetrating polymer network hydrogels composed of poly(vinyl alcohol) and poly(N-isopropylacrylamide). <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2041-2045	2.9	12
17	Thermal characteristics of interpenetrating polymer networks composed of poly(vinyl alcohol) and poly(N-isopropylacrylamide). <i>Journal of Applied Polymer Science</i> , 2003 , 90, 881-885	2.9	19
16	In vivo calibration of the subcutaneous amperometric glucose sensors using a non-enzyme electrode. <i>Biosensors and Bioelectronics</i> , 2003 , 19, 313-9	11.8	19
15	Nonenzymatic glucose detection using mesoporous platinum. <i>Analytical Chemistry</i> , 2003 , 75, 3046-9	7.8	507
14	Glucose sensor using a microfabricated electrode and electropolymerized bilayer films. <i>Biosensors and Bioelectronics</i> , 2002 , 17, 251-9	11.8	58
13	Surface-Enhanced Raman Scattering of 4-Cyanobiphenyl on Gold and Silver Nanoparticle Surfaces. <i>Langmuir</i> , 2002 , 18, 8813-8816	4	66
12	Reproducible fabrication of miniaturized glucose sensors: preparation of sensing membranes for continuous monitoring. <i>Biosensors and Bioelectronics</i> , 2001 , 16, 1079-87	11.8	26
11	Selective electrochemical recognition of ions in solution and at self-assembled monolayers. <i>Microchemical Journal</i> , 2001 , 68, 109-113	4.8	13
10	Electrochemical Recognition of Ions with Self-Assembled Monolayers of Quinone Derivatized Calixarene Disulfide. <i>Studies in Surface Science and Catalysis</i> , 2001 , 132, 967-972	1.8	
9	Self-assembled monolayer of a redox-active calix[4]arene: voltammetric recognition of the Ba ²⁺ ion in aqueous media. <i>Analytical Chemistry</i> , 2001 , 73, 3975-80	7.8	40
8	. <i>Journal of Microelectromechanical Systems</i> , 2001 , 10, 33-40	2.5	47
7	Electrochemical monitoring of proton transfer across liquid/liquid interfaces on the surface of graphite electrodes. <i>Analytical Chemistry</i> , 2001 , 73, 337-42	7.8	53
6	Electrochemical recognition of Ca ²⁺ ion in basic aqueous media using quinone-derivatized calix[4]arene. <i>Electrochimica Acta</i> , 2000 , 45, 2939-2943	6.7	20
5	New Potassium- and Cesium-selective Ionophoric Bis(crown ether)s Derived from Xanthene-4,5-dicarboxylic Acid. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1998 , 31, 119-129		7
4	Synthesis and Electrochemical Properties of Calix[4]arene-triester-monoquinones. <i>Supramolecular Chemistry</i> , 1998 , 9, 221-229	1.8	7

3	Synthesis and Electrochemical Behavior of a New Water Soluble Ca ²⁺ -selective Ionophore Based on Calix[4]arene-triacid-monoquinone. <i>Chemistry Letters</i> , 1998 , 27, 1225-1226	1.7	10
2	A unified synthetic strategy to introduce heteroatoms via electrochemical functionalization of alkyl organoboron reagents		3
1	Reverse electrodialysis for emerging applications. <i>Bulletin of the Korean Chemical Society</i> ,	1.2	0