

Thomas H. Cribb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7704357/publications.pdf>

Version: 2024-02-01

343
papers

8,560
citations

87888
38
h-index

76900
74
g-index

346
all docs

346
docs citations

346
times ranked

4174
citing authors

#	ARTICLE	IF	CITATIONS
1	Phylogeny and classification of the Digenea (Platyhelminthes: Trematoda) 11 Nucleotide sequence data reported in this paper are available in the GenBank®, EMBL and DDBJ databases under the accession numbers AY222082–AY222285.. International Journal for Parasitology, 2003, 33, 733-755.	3.1	824
2	The Magnitude of Global Marine Species Diversity. Current Biology, 2012, 22, 2189-2202.	3.9	797
3	The Use and Implications of Ribosomal DNA Sequencing for the Discrimination of Digenean Species. Advances in Parasitology, 2005, 60, 101-163.	3.2	211
4	Gut wash, body soak, blender and heat-fixation: approaches to the effective collection, fixation and preservation of trematodes of fishes. Systematic Parasitology, 2010, 76, 1-7.	1.1	192
5	A DNA-based demonstration of a three-host life-cycle for the Bivesiculidae (Platyhelminthes: Digenea). International Journal for Parasitology, 1998, 28, 1791-1795.	3.1	177
6	Life Cycle Evolution in the Digenea: a New Perspective from Phylogeny. Advances in Parasitology, 2003, 54, 197-254.	3.2	171
7	Comparison of the second internal transcribed spacer (Ribosomal DNA) from populations and species of fasciolidae (Digenea). International Journal for Parasitology, 1993, 23, 423-425.	3.1	151
8	Trematode life cycles: short is sweet?. Trends in Parasitology, 2002, 18, 176-183.	3.3	140
9	A New PCR-Based Approach Indicates the Range of <i>Clonorchis sinensis</i> Now Extends to Central Thailand. PLoS Neglected Tropical Diseases, 2009, 3, e367.	3.0	121
10	Diseases of tunas, <i>Thunnus</i> spp.. Journal of Fish Diseases, 2003, 26, 187-206.	1.9	97
11	The nature and evolution of the association among digeneans, molluscs and fishes. International Journal for Parasitology, 2001, 31, 997-1011.	3.1	95
12	Diversity in the Monogenea and Digenea: does lifestyle matter?. International Journal for Parasitology, 2002, 32, 321-328.	3.1	83
13	The life cycle of <i>Cardicola forsteri</i> (Trematoda: Aporocotylidae), a pathogen of ranched southern bluefin tuna, <i>Thunnus maccoyi</i> . International Journal for Parasitology, 2011, 41, 861-870.	3.1	83
14	Lesions Caused by Cardiovascular Flukes (Digenea: Spirorchidae) in Stranded Green Turtles (<i>Chelonia mydas</i>). Veterinary Pathology, 1998, 35, 21-30.	1.7	77
15	The phylogeny of the Lepocreadioidea (Platyhelminthes, Digenea) inferred from nuclear and mitochondrial genes: Implications for their systematics and evolution. Acta Parasitologica, 2009, 54, .	1.1	77
16	Species accumulation curves and their applications in parasite ecology. Trends in Parasitology, 2006, 22, 568-574.	3.3	69
17	Phylogenetic relationships of some common Indo-Pacific snappers (Perciformes: Lutjanidae) based on mitochondrial DNA sequences, with comments on the taxonomic position of the Caesioninae. Molecular Phylogenetics and Evolution, 2007, 44, 450-460.	2.7	68
18	Digeneans of the family Opecoelidae Ozaki, 1925 from the southern Great Barrier Reef, including a new genus and three new species. Journal of Natural History, 1989, 23, 429-473.	0.5	64

#	ARTICLE	IF	CITATIONS
19	Endoparasite species richness of New Caledonian butterfly fishes: host density and diet matter. <i>Parasitology</i> , 2000, 121, 65-73.	1.5	62
20	Patterns of relatedness in the Kudoidae with descriptions of <i>Kudoa chaetodoni</i> n. sp. and <i>K. lethrinii</i> n. sp. (<i>Myxosporea</i> : <i>Multivalvulida</i>). <i>Parasitology</i> , 2006, 134, 669-681.	1.5	62
21	An exceptionally rich complex of Sanguinicolidae von Graff, 1907 (Platyhelminthes: Trematoda) from Siganidae, Labridae and Mullidae (Teleostei: Perciformes) from the Indo-West Pacific Region. <i>Zootaxa</i> , 2006, 1218, 1.	0.5	61
22	Two known and one new species of Proctoeces from Australian teleosts: Variable host-specificity for closely related species identified through multi-locus molecular data. <i>Parasitology International</i> , 2017, 66, 16-26.	1.3	58
23	V4 region of small subunit rDNA indicates polyphyly of the Fellodistomidae (Digenea) which is supported by morphology and life-cycle data. <i>Systematic Parasitology</i> , 1999, 43, 81-92.	1.1	57
24	Cardicola Short, 1953 and Braya n. gen. (Digenea: Sanguinicolidae) from five families of tropical Indo-Pacific fishes. <i>Zootaxa</i> , 2006, 1265, 1.	0.5	56
25	Diversity and Ancestry of Flatworms Infecting Blood of Nontetrapod Craniates â€œFishesâ€. <i>Advances in Parasitology</i> , 2014, 85, 1-64.	3.2	54
26	Coevolution of Retrovarium n. gen. (Digenea: Cryptogonimidae) in Lutjanidae and Haemulidae (Perciformes) in the Indo-West Pacific. <i>International Journal for Parasitology</i> , 2007, 37, 1023-1045.	3.1	52
27	Taxonomic approaches to and interpretation of host specificity of trematodes of fishes: lessons from the Great Barrier Reef. <i>Parasitology</i> , 2011, 138, 1710-1722.	1.5	50
28	Reorganisation of the superfamily Lepocreadioidea Odhner, 1905 based on an inferred molecular phylogeny. <i>Systematic Parasitology</i> , 2012, 83, 169-177.	1.1	50
29	Family Opecoelidae Ozaki, 1925... , 2005, , 443-531.		50
30	Endoparasite communities of five fish species (Labridae: Cheilininae) from Lizard Island: how important is the ecology and phylogeny of the hosts?. <i>Parasitology</i> , 2006, 132, 363-374.	1.5	49
31	Phylogenetic relationships of the Gorgoderidae (Platyhelminthes: Trematoda), including the proposal of a new subfamily (Degeneriinae n. subfam.). <i>Parasitology Research</i> , 2013, 112, 3063-3074.	1.6	48
32	Parasites of recruiting coral reef fish larvae in New Caledonia. <i>International Journal for Parasitology</i> , 2000, 30, 1445-1451.	3.1	45
33	Natatory-stage cymothoid isopods: Description, molecular identification and evolution of attachment. <i>International Journal for Parasitology</i> , 2008, 38, 477-491.	3.1	44
34	Host specificity of two species of Gnathia (Isopoda) determined by DNA sequencing blood meals. <i>International Journal for Parasitology</i> , 2007, 37, 927-935.	3.1	43
35	Ecology and diversity of digenetic trematodes of reef and inshore fishes of Queensland. <i>International Journal for Parasitology</i> , 1994, 24, 851-860.	3.1	42
36	Trematodes of fishes of the Indo-west Pacific: told and untold richness. <i>Systematic Parasitology</i> , 2016, 93, 237-247.	1.1	42

#	ARTICLE	IF	CITATIONS
37	The molecular phylogeny of the digenetic family Opecoelidae Ozaki, 1925 and the value of morphological characters, with the erection of a new subfamily. <i>Folia Parasitologica</i> , 2016, 63, .	1.3	42
38	Patterns of species diversity in the gastrointestinal helminths of a coral reef fish, <i>< i>Epinephelus merra</i></i> (Serranidae), from French Polynesia and the South Pacific Ocean. <i>Canadian Journal of Zoology</i> , 1997, 75, 1818-1827.	1.0	41
39	Utility of the D1 domain of nuclear 28S rRNA for phylogenetic inference in the Digenea. <i>Systematic Parasitology</i> , 1993, 26, 181-188.	1.1	40
40	Evidence for extensive cryptic speciation in trematodes of butterflyfishes (Chaetodontidae) of the tropical Indo-West Pacific. <i>International Journal for Parasitology</i> , 2014, 44, 37-48.	3.1	40
41	Tetraphyllidean metacercles of teleosts of the Great Barrier Reef, and the use of in vitro cultivation to identify them. <i>Folia Parasitologica</i> , 2000, 47, 285-292.	1.3	40
42	Intra-specific variation of <i>Kudoa</i> spp. (Myxosporea: Multivalvulida) from apogonid fishes (Perciformes), including the description of two new species, <i>K. cheilodipteri</i> n. sp. and <i>K. cookii</i> n. sp., from Australian waters. <i>Systematic Parasitology</i> , 2013, 84, 193-215.	1.1	39
43	Locally acquired <i>Brachylaima</i> sp. (Digenea: Brachylaimidae) intestinal fluke infection in two South Australian infants. <i>Medical Journal of Australia</i> , 1996, 164, 475-478.	1.7	38
44	Elucidation of the first definitively identified life cycle for a marine turtle blood fluke (Trematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 48). <i>Acta Parasitologica</i> , 2004, 51, 320-326.	3.1	38
45	The life cycle of <i>Paracardicoloides yamagutii</i> Martin, 1974 (Digenea: Sanguinicola). <i>Folia Parasitologica</i> , 2004, 51, 320-326.	1.3	38
46	The trematodes of groupers (Serranidae: Epinephelinae): knowledge, nature and evolution. <i>Parasitology</i> , 2002, 124, 23-42.	1.5	37
47	The effect of elevated temperature and substrate on free-living <i>Symbiodinium</i> cultures. <i>Coral Reefs</i> , 2015, 34, 161-171.	2.2	37
48	Digenetic trematodes of the genus <i>Clinostomum</i> Leidy, 1856 (Digenea: Clinostomidae) from birds of Queensland, Australia, including <i>C. wilsoni</i> n. sp. from <i>Egretta intermedia</i> . <i>Systematic Parasitology</i> , 1998, 39, 199-208.	1.1	36
49	Identical digeneticans in coral reef fishes from French Polynesia and the Great Barrier Reef (Australia) demonstrated by morphology and molecules. <i>International Journal for Parasitology</i> , 2001, 31, 1573-1578.	3.1	36
50	Two new cryptogenimid genera (Digenea, Cryptogenimidae) from <i>Lutjanus bohar</i> (Perciformes, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 28) species. <i>Acta Parasitologica</i> , 2007, 52, 104.	1.1	35
51	Trematodes of the Great Barrier Reef, Australia: emerging patterns of diversity and richness in coral reef fishes. <i>International Journal for Parasitology</i> , 2014, 44, 929-939.	3.1	35
52	Eight new species of <i>Siphoderina</i> Manter, 1934 (Digenea, Cryptogenimidae) infecting Lutjanidae and Haemulidae (Perciformes) off Australia. <i>Acta Parasitologica</i> , 2008, 53, 344.	1.1	34
53	Two new blood flukes (Digenea: Sanguinicola) from Epinephelinae (Perciformes: Serranidae) of the Pacific Ocean. <i>Parasitology International</i> , 2004, 53, 327-335.	1.3	33
54	STRUCTURE OF THE PARASITE COMMUNITIES OF A CORAL REEF FISH ASSEMBLAGE (LABRIDAE): TESTING ECOLOGICAL AND PHYLOGENETIC HOST FACTORS. <i>Journal of Parasitology</i> , 2007, 93, 17-30.	0.7	33

#	ARTICLE	IF	CITATIONS
55	Evidence that blood flukes (Trematoda: Aporocotylidae) of chondrichthyans infect bivalves as intermediate hosts: indications of an ancient diversification of the Schistosomatoidea. International Journal for Parasitology, 2017, 47, 885-891.	3.1	33
56	Family Cryptogonimidae Ward, 1917.. , 2008, , 51-112.		33
57	Introduction of a Brachylaima species (Digenea: Brachylaimidae) to Australia. International Journal for Parasitology, 1990, 20, 789-796.	3.1	32
58	Parasite infestation increases on coral reefs without cleaner fish. Coral Reefs, 2018, 37, 15-24.	2.2	31
59	Revision of Podocotyloides Yamaguti, 1934 (Digenea: Opecoelidae), resurrection of Pedunculacetabulum Yamaguti, 1934 and the naming of a cryptic opecoelid species. Systematic Parasitology, 2018, 95, 1-31.	1.1	31
60	The status of the Diplosentidae (Acanthocephala: Palaeacanthocephala) and a new family of acanthocephalans from Australian wrasses (Pisces: Labridae). Folia Parasitologica, 2001, 48, 289-303.	1.3	31
61	Hemiridae (Digenea) from marine fishes of the Great Barrier Reef, Queensland, Australia. Systematic Parasitology, 1993, 25, 37-62.	1.1	30
62	The Asian fish tapeworm, Bothriocephalus acheilognathi, in Australian freshwater fishes. Marine and Freshwater Research, 1997, 48, 181.	1.3	30
63	Trematode families and genera: have we found them all?. Trends in Parasitology, 2011, 27, 149-154.	3.3	30
64	Transversotrema Witenberg, 1944 (Trematoda: Transversotrematidae) from inshore fishes of Australia: description of a new species and significant range extensions for three congeners. Systematic Parasitology, 2016, 93, 639-652.	1.1	29
65	Lepocreadiidae Odhner, 1905 and Aephnidioigenidae Yamaguti, 1934 (Digenea: Lepocreadioidea) of fishes from Moreton Bay, Queensland, Australia, with the erection of a new family and genus. Systematic Parasitology, 2018, 95, 479-498.	1.1	29
66	The Life-Cycle and Morphology of Stemmatostoma-Pearsoni, Gen Et Sp-Nov, With Notes on the Morphology of Telogaster-Opisthorchis Macfarlane (Digenea, Cryptogonimidae). Australian Journal of Zoology, 1986, 34, 279.	1.0	28
67	Presence of cleaner wrasse increases the recruitment of damselfishes to coral reefs. Biology Letters, 2015, 11, 20150456.	2.3	28
68	The Hemiuroidea (Digenea) of pomacentrid fishes (Perciformes) from Heron Island, Queensland, Australia. Systematic Parasitology, 1993, 24, 159-184.	1.1	27
69	Lepocreadiidae (Digenea) of Australian coastal fishes: new species of Opechona Looss, 1907, Lepotrema Ozaki, 1932 and Bianium Stunkard, 1930 and comments on other species reported for the first time or poorly known in Australian waters. Systematic Parasitology, 1998, 41, 123-148.	1.1	27
70	A review of the Apocreadiidae Skrjabin, 1942 (Trematoda: Digenea) and description of Australian species. Systematic Parasitology, 1999, 44, 1-38.	1.1	27
71	The Thelastomatoidea (Nematoda: Oxyurida) of two sympatric Panesthiinae (Insecta: Blattodea) from southeastern Queensland, Australia: taxonomy, species richness and host specificity. Nematology, 2005, 7, 543-575.	0.6	27
72	Dollfustrema durum n. sp. and Heterobucephalopsis perardua n. sp. (Digenea: Bucephalidae) from the giant moray eel, Gymnothorax javanicus (Bleeker) (Anguilliformes: Muraenidae), and proposal of the Heterobucephalopsinae n. subfam. Parasitology International, 2015, 64, 559-570.	1.3	27

#	ARTICLE	IF	CITATIONS
73	The Life Cycle and Biology of Opecoelus Variabilis, Sp.nov. (Digenea: Opecoelidae).. Australian Journal of Zoology, 1985, 33, 715.	1.0	26
74	Phylogeny, evolution and biogeography of the Quadrifoliovariinae Yamaguti, 1965 (Digenea) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7026		
75	Effects of parasites on larval and juvenile stages of the coral reef fish Pomacentrus moluccensis. Coral Reefs, 2010, 29, 31-40.	2.2	26
76	Cryptic species of Euryakaina n. g. (Digenea: Cryptogonimidae) from sympatric lutjanids in the Indo-West Pacific. Systematic Parasitology, 2010, 77, 185-204.	1.1	26
77	A cryptic complex of species related to Transversotrema licinum Manter, 1970 from fishes of the Indo-West Pacific, including descriptions of ten new species of Transversotrema Witenberg, 1944 (Digenea: Transversotrematidae). Zootaxa, 2012, 3176, 1.	0.5	26
78	Bivesiculidae and Haplosplanchnidae (Digenea) from fishes of the southern Great Barrier Reef, Australia. Systematic Parasitology, 1994, 28, 81-97.	1.1	25
79	Species of Stephanostomum Looss, 1899 (Digenea: Acanthocolpidae) from fishes of Australian and South Pacific waters, including five new species. Systematic Parasitology, 2003, 55, 159-197.	1.1	25
80	Stock structure of blue threadfin <i>< i>Eleutheronema tetrardactylum</i></i> on the Queensland east coast, as determined by parasites and conventional tagging. Journal of Fish Biology, 2009, 75, 156-171.	1.6	25
81	The ghost of parasites past: eggs of the blood fluke <i>Cardicola chaetodontis</i> (Aporocotylidae) trapped in the heart and gills of butterflyfishes (Perciformes: Chaetodontidae) of the Great Barrier Reef. Parasitology, 2013, 140, 1186-1194.	1.5	25
82	Biogeography of tropical Indo-West Pacific parasites: A cryptic species of Transversotrema and evidence for rarity of Transversotrematidae (Trematoda) in French Polynesia. Parasitology International, 2014, 63, 285-294.	1.3	25
83	The life-cycle of <i>Gorgocephalus yaaji</i> Bray & Cribb, 2005 (Digenea: Gorgocephalidae) with a review of the first intermediate hosts for the superfamily Lepocreadioidea Odhner, 1905. Systematic Parasitology, 2016, 93, 653-665.	1.1	25
84	Revision of <i>Neolebouria</i> Gibson, 1976 (Digenea: Opecoelidae), with <i>Trilobovarium</i> n. g., for species infecting tropical and subtropical shallow-water fishes. Systematic Parasitology, 2017, 94, 307-338.	1.1	25
85	Phylogenetic position of <i>Heronimus mollis</i> (digenea): Evidence from 18S ribosomal RNA. International Journal for Parasitology, 1993, 23, 533-536.	3.1	24
86	Morphological disparity despite genetic similarity; new species of <i>Lobosorchis</i> Miller & Cribb, 2005 (Digenea: Cryptogonimidae) from the Great Barrier Reef and the Maldives. Zootaxa, 2009, 1992, 37-52.	0.5	24
87	<i>Pseudobacciger cheneyae</i> n. sp. (Digenea: Gymnophalloidea) from Weberâ€™s chromis (<i>Chromis weberi</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7026	1.1	24
88	Parasitology, 2014, 88, 141-152.		
88	Molecular Characterization of Coccidia Associated with an Epizootic in Green Sea Turtles (<i>Chelonia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7026		
89	Intermediate host switches drive diversification among the largest trematode family: evidence from the Polypipapiotrematinae n. subf. (Opecoelidae), parasites transmitted to butterflyfishes via predation of coral polyps. International Journal for Parasitology, 2018, 48, 1107-1126.	3.1	24
90	A paradigm for the recognition of cryptic trematode species in tropical Indo-west Pacific fishes: the problematic genus <i>Preptetus</i> (Trematoda: Lepocreadiidae). International Journal for Parasitology, 2022, 52, 169-203.	3.1	24

#	ARTICLE	IF	CITATIONS
91	INFRACOMMUNITY STRUCTURE OF PARASITES OF <i>HEMICYMNUS MELAPTERUS</i> (PISCES: LABRIDAE) FROM LIZARD ISLAND, AUSTRALIA: THE IMPORTANCE OF HABITAT AND PARASITE BODY SIZE. <i>Journal of Parasitology</i> , 2005, 91, 38-44.	0.7	23
92	Helminth Parasite Communities of the Water-rat, <i>Hydromys chrysogaster</i> , from Queensland. <i>Wildlife Research</i> , 1997, 24, 445.	1.4	22
93	Dramatic phenotypic plasticity within species of <i>Siphomutabilus</i> n. g. (Digenea: Cryptagonimidae) from Indo-Pacific caesionines (Perciformes: Lutjanidae). <i>Systematic Parasitology</i> , 2013, 86, 101-112.	1.1	22
94	Three new species of blood flukes (Digenea: Aporocotylidae) infecting pufferfishes (Teleostei: Tj ETQq0 0 0 rgBT /Overlock 10Tf 50 622	1.3	22
95	Molecular epidemiology and pathology of spirorchiid infection in green sea turtles (<i>Chelonia mydas</i>). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2017, 6, 39-47.	1.5	22
96	<i>Lepotrema Ozaki</i> , 1932 (Lepocreadiidae: Digenea) from Indo-Pacific fishes, with the description of eight new species, characterised by morphometric and molecular features. <i>Systematic Parasitology</i> , 2018, 95, 693-741.	1.1	22
97	A new classification for deep-sea opecoelid trematodes based on the phylogenetic position of some unusual taxa from shallow-water, herbivorous fishes off south-west Australia. <i>Zoological Journal of the Linnean Society</i> , 2019, 186, 385-413.	2.3	22
98	Two new digenetic trematodes from Australian freshwater fishes with notes on previously described species. <i>Journal of Natural History</i> , 1988, 22, 27-43.	0.5	21
99	Felodistomidae and Lepocreadiidae (Platyhelminthes : Digenea) from chaetodontid fishes (Perciformes) from Heron Island, southern Great Barrier Reef, Queensland, Australia. <i>Invertebrate Systematics</i> , 1994, 8, 545.	1.3	21
100	Diversity of trypanorhynch metacestodes in teleost fishes from coral reefs off eastern Australia and New Caledonia. <i>Parasite</i> , 2014, 21, 60.	2.0	21
101	Molecular characterisation of acanthocephalans from Australian marine teleosts: proposal of a new family, synonymy of another and transfer of taxa between orders. <i>Systematic Parasitology</i> , 2020, 97, 1-23.	1.1	21
102	A new species of <i>Phyllodistomum</i> (Digenea: Gorgoderidae) from Australian and New Zealand freshwater fishes with notes on the taxonomy of <i>Phyllodistomum Braun</i> , 1899. <i>Journal of Natural History</i> , 1987, 21, 1525-1538.	0.5	20
103	Studies on gorgoderid digeneans from Australian and Asian Freshwater fishes. <i>Journal of Natural History</i> , 1987, 21, 1129-1153.	0.5	20
104	Life-Cycle and Biology of <i>Prototransversotrema-Steeri</i> Angel, 1969 (Digenea, Transversotrematidae). <i>Australian Journal of Zoology</i> , 1988, 36, 111.	1.0	20
105	Ultrastructure of sperm and spermatogenesis of <i>Lobatostoma manteri</i> (Trematoda, Aspidogastrea). <i>International Journal for Parasitology</i> , 1991, 21, 409-419.	3.1	20
106	Host-parasite associations on a coral reef: Pomacentrid fishes and digenetic trematodes. <i>International Journal for Parasitology</i> , 1994, 24, 643-647.	3.1	20
107	A review of the Arhythmacanthidae (Acanthocephala) with a description of <i>Heterosentis hirsutus</i> sp. From <i>Cnidoglanis macrocephala</i> (Plotosidae) in Australia. <i>Parasite</i> , 1999, 6, 293-302.	2.0	20
108	<i>Pomphorhynchus heronensis</i> and restricted movement of <i>Lutjanus carponotatus</i> on the Great Barrier Reef. <i>Journal of Helminthology</i> , 2000, 74, 53-56.	1.0	20

#	ARTICLE	IF	CITATIONS
109	Ankistromeces mariae n.Âg., n.Âsp. (Digenea: Sanguinicolidae) from Meuschenia freycineti (Monacanthidae). Systematic Parasitology, 2004, 57, 151-157.	1.1	20
110	Digenean trematodes infecting the tropical abalone <i>Haliotis asinina</i> have species-specific cercarial emergence patterns that follow daily or semilunar spawning cycles. Marine Biology, 2005, 148, 285-292.	1.5	20
111	<i>Staphylorchis cymatodes</i> (Gorgoderidae: Anaporrhutinae) from carcharhiniform, orectolobiform and myliobatiform elasmobranchs of Australasia: Low host specificity, wide distribution and morphological plasticity. Parasitology International, 2010, 59, 579-586.	1.3	20
112	Taxonomy, host specificity and dietary implications of <i>Hurleytrematoides</i> (Digenea: Monorchiidae) from chaetodontid fishes on the Great Barrier Reef. Parasitology International, 2011, 60, 255-269.	1.3	20
113	Monorchiid trematodes of the painted sweetlips, <i>Diagramma labiosum</i> (Perciformes: Haemulidae), from the southern Great Barrier Reef, including a new genus and three new species. Systematic Parasitology, 2014, 88, 195-211.	1.1	20
114	The diversity of the Digenea of Australian animals. International Journal for Parasitology, 1998, 28, 899-911.	3.1	19
115	Faustulid trematodes (Digenea) from marine fishes of Australia. Systematic Parasitology, 1999, 44, 119-138.	1.1	19
116	Ultrastructure of the digestive tract of <i>Gyliauchen nahaensis</i> (Platyhelminthes, Digenea), an inhabitant of the hindgut of herbivorous fishes. Journal of Morphology, 2000, 246, 198-211.	1.2	19
117	Two new cryptogonimid genera <i>Beluesca</i> n. gen. and <i>Chelediadema</i> n. gen. (Digenea: Cryptogonimidae) from tropical Indo-West Pacific Haemulidae (Perciformes). Zootaxa, 2007, 1543, 45-60.	0.5	19
118	Cardicola beveridgei n. sp. (Digenea: Aporocytidae) from the mangrove jack, <i>Lutjanus argentimaculatus</i> (Perciformes: Lutjanidae), and <i>C. bullardi</i> n. sp. from the Australian spotted mackerel, <i>Scomberomorus munroi</i> (Perciformes: Scombridae), from the northern Great Barrier Reef. Parasitology International, 2014, 63, 735-745.	1.3	19
119	Spirorchiidiasis in marine turtles: the current state of knowledge. Diseases of Aquatic Organisms, 2019, 133, 217-245.	1.0	19
120	Diploproctodaeinae (Digenea: Lepocreadiidae) from the coastal fishes of Queensland, Australia, with a review of the subfamily. Journal of Natural History, 1996, 30, 317-366.	0.5	18
121	Structure of the Tegument and Ectocommensal Microorganisms of <i>Gyliauchen nahaensis</i> (Digenea: Tj ETQq1 1 0.784314 rgBT /Overoo Parasitology, 1999, 85, 1047.	0.7	18
122	Molecular phylogenetics of <i>Chaetodon</i> and the Chaetodontidae (Teleostei: Perciformes) with reference to morphology. Zootaxa, 2004, 779, 1.	0.5	18
123	<i>Adlardia novaecaledoniae</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Val.) (Perciformes: Nemipteridae) off New Caledonia. Systematic Parasitology, 2009, 73, 151-160.	1.1	18
124	Two new species of <i>Phyllostomum</i> Braun, 1899 (Trematoda: Gorgoderidae Looss, 1899) from Great Barrier Reef fishes. Zootaxa, 2014, 3779, 551-62.	0.5	18
125	Gorgocephalidae (Digenea: Lepocreadioidea) in the Indo-West Pacific: new species, life-cycle data and perspectives on species delineation over geographic range. Zoological Journal of the Linnean Society, 2021, 193, 1416-1455.	2.3	18
126	Morphological and molecular data for three species of the Microphallidae (Trematoda: Digenea) in Australia, including the first descriptions of the cercariae of <i>Maritrema brevisacciferum</i> Shimazu et Pearson, 1991 and <i>Microphallus minutus</i> Johnston, 1948. Folia Parasitologica, 2015, 62, .	1.3	18

#	ARTICLE	IF	CITATIONS
127	Molecular characterization of Thelastomatoidea (Nematoda: Oxyurida) from cockroaches in Australia. <i>Parasitology</i> , 2006, 133, 123.	1.5	17
128	Characterization of <i>Kudoa monodactyli</i> n. sp. (Myxosporea: Multivalvulida) from the Muscle of <i>Monodactylus argenteus</i> (Teleostei: Monodactylidae) from Moreton Bay, Queensland, Australia. <i>Journal of Eukaryotic Microbiology</i> , 2006, 53, 374-378.	1.7	17
129	A cryptic complex of <i>Transversotrema</i> species (Digenea: Transversotrematidae) on labroid, haemulid and lethrinid fishes in the Indo-West Pacific Region, including the description of three new species. <i>Zootaxa</i> , 2010, 2652, .	0.5	17
130	Taxonomy, host-specificity and biogeography of <i>Symmetrovesicula Yamaguti</i> , 1938 (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Systematic Parasitology, 2011, 78, 1-18.	1.1	17
131	Monorchiids (Platyhelminthes: Digenea) of chaetodontid fishes (Perciformes): Biogeographical patterns in the tropical Indo-West Pacific. <i>Parasitology International</i> , 2012, 61, 288-306.	1.3	17
132	The effects of parasites on the early life stages of a damselfish. <i>Coral Reefs</i> , 2012, 31, 1065-1075.	2.2	17
133	Effect of a hemiuroid trematode on the hemocyte immune parameters of the cockle <i>Anadara trapezia</i> . <i>Fish and Shellfish Immunology</i> , 2013, 35, 951-956.	3.6	17
134	The sexual adult of <i>Cercaria praecox</i> Walker, 1971 (Digenea: Felodistomidae), with the proposal of <i>Oceroma</i> n. g.. <i>Systematic Parasitology</i> , 2014, 88, 1-10.	1.1	17
135	Molecular analysis of the genera <i>Hapalotrema</i> Looss, 1899 and <i>Learedius</i> Price, 1934 (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Systematic Parasitology, 2015, 90, 67-79.	1.1	17
136	A species pair of <i>Bivesicula Yamaguti</i> , 1934 (Trematoda: Bivesiculidae) in unrelated Great Barrier Reef fishes: implications for the basis of speciation in coral reef fish trematodes. <i>Systematic Parasitology</i> , 2015, 91, 231-239.	1.1	17
137	A complex of <i>Cardicola</i> Short, 1953 (Digenea: Aporocotylidae) species infecting the milkfish <i>Chanos chanos</i> Forsskål (Gonorynchiformes), with descriptions of two new species. <i>Systematic Parasitology</i> , 2016, 93, 831-846.	1.1	17
138	Trematode diversity in freshwater fishes of the Globe I: "Old World". <i>Systematic Parasitology</i> , 2016, 93, 257-269.	1.1	17
139	A complex of the blood fluke genus <i>Psettarium</i> (Digenea: Aporocotylidae) infecting tetraodontiform fishes of east Queensland waters. <i>Parasitology International</i> , 2018, 67, 321-340.	1.3	17
140	The brachylaimidae (Trematoda: Digenea) of Australian native mammals and birds, including descriptions of <i>Dasyurotrema</i> n. g. and four new species of <i>Brachylaima</i> . <i>Systematic Parasitology</i> , 1992, 22, 45-72.	1.1	16
141	An unusual trematode infecting domestic chickens. <i>Australian Veterinary Journal</i> , 1992, 69, 69-70.	1.1	16
142	Cleaner fish become hosts: a novel form of parasite transmission. <i>Coral Reefs</i> , 2004, 23, 521.	2.2	16
143	<i>Varialvus</i> gen. nov. (Digenea, Cryptogonimidae), from species of <i>Lutjanidae</i> (Perciformes) off the Great Barrier Reef, New Caledonia and the Maldives. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	16
144	A new species of <i>Plectognathotrema</i> Layman, 1930 (Trematoda: Zoogonidae) from an Australian monacanthid, with a molecular assessment of the phylogenetic position of the genus. <i>Systematic Parasitology</i> , 2014, 89, 237-246.	1.1	16

#	ARTICLE	IF	CITATIONS
145	Are cryptic species a problem for parasitological biological tagging for stock identification of aquatic organisms?. <i>Parasitology</i> , 2015, 142, 125-133.	1.5	16
146	A new species of microphallid (Trematoda: Digenea) infecting a novel host family, the Muraenidae, on the northern Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2016, 93, 863-876.	1.1	16
147	Knowledge of marine fish trematodes of Atlantic and Eastern Pacific Oceans. <i>Systematic Parasitology</i> , 2016, 93, 223-235.	1.1	16
148	A native-range source for a persistent trematode parasite of the exotic New Zealand mudsnail (<i>Potamopyrgus antipodarum</i>) in France. <i>Hydrobiologia</i> , 2017, 785, 115-126.	2.0	16
149	Monorchis lewisi n. sp. (Trematoda: Monorchiidae) from the surf bream, <i>Acanthopagrus australis</i> (Sparidae), in Moreton Bay, Australia. <i>Journal of Helminthology</i> , 2018, 92, 100-108.	1.0	16
150	Molecular systematics of the digenean community parasitising the cerithiid gastropod <i>Clypeomorus batillariaeformis</i> Habe & Kusage on the Great Barrier Reef. <i>Parasitology International</i> , 2018, 67, 722-735.	1.3	16
151	A review of the family Transversotrematidae (Trematoda : Digenea) with the description of a new genus, <i>Crusziella</i> . <i>Invertebrate Systematics</i> , 1992, 6, 909.	1.3	16
152	Bucephalidae (Platyhelminthes: Digenea) of <i>Plectropomus</i> (Serranidae: Epinephelinae) in the tropical Pacific. <i>Parasitology Research</i> , 2013, 112, 2561-2584.	1.6	15
153	Three new species of acanthocephalans (<i>Palaeacanthocephala</i>) from marine fishes collected off the East Coast of South Africa. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	15
154	The Lepocreadiidae (Digenea) of pomacentrid fishes (Perciformes) from Heron Island, Queensland, Australia. <i>Systematic Parasitology</i> , 1993, 26, 189-200.	1.1	14
155	Sporocysts of <i>Mesostephanus haliasturis</i> (Digenea) produce miracidia. <i>International Journal for Parasitology</i> , 1993, 23, 137-139.	3.1	14
156	A review of the family Eneteridae Yamaguti, 1958 (Digenea), with descriptions of species from Australian waters, including <i>Koseiria huxleyi</i> n. sp.. <i>Systematic Parasitology</i> , 2001, 48, 1-29.	1.1	14
157	First report of a bucephalid digenean from an apogonid teleost: <i>Prosorhynchoides apogonis</i> n. sp. from <i>Cheilodipterus macrodon</i> on the southern Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2005, 60, 33-37.	1.1	14
158	<i>Gynichthys diakidnus</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the grunt <i>Plectorhinchus gibbosus</i> (Lacépède, 1802) (Perciformes: Haemulidae) off the Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2009, 74, 103-112.	1.1	14
159	Erection of the haploporid genus <i>Litosaccus</i> n. g. and its phylogenetic relationship within the Haploporidae Nicoll, 1914. <i>Systematic Parasitology</i> , 2014, 89, 185-194.	1.1	14
160	A re-evaluation of diversity of the Aporocotylidae Odhner, 1912 in <i>Siganus fuscescens</i> (Houttuyn) (Perciformes: Siganidae) and associated species. <i>Systematic Parasitology</i> , 2017, 94, 717-737.	1.1	14
161	Two new species of threadlike blood flukes (Aporocotylidae), with a molecular revision of the genera <i>Ankistromeces</i> Nolan & Cribb, 2004 and <i>Phthinomita</i> Nolan & Cribb, 2006. <i>Systematic Parasitology</i> , 2021, 98, 641-664.	1.1	14
162	First elucidation of a didymozoid life cycle: <i>Saccularina magnacetabula</i> n. gen. n. sp. infecting an arcid bivalve. <i>International Journal for Parasitology</i> , 2022, 52, 407-425.	3.1	14

#	ARTICLE	IF	CITATIONS
163	Zoogonidae (Digenea) from southern Great Barrier Reef fishes with a description of <i>Steganoderma</i> (<i>Lecithostaphylus</i>) <i>gibsoni</i> n. sp.. <i>Systematic Parasitology</i> , 1992, 23, 7-12.	1.1	13
164	Stephanostomum tantabiddii n. sp. (Digenea: Acanthocolpidae) from <i>Carangoides fulvoguttatus</i> (Forsskal, 1775) (Perciformes: Carangidae) from Ningaloo Reef, Western Australia. <i>Zootaxa</i> , 2004, 457, 1.	0.5	13
165	Prosorhynchine trematodes (Digenea: Bucephalidae) from epinephelines (Perciformes: Serranidae) on the Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2009, 72, 57-69.	1.1	13
166	Terminal Restriction Fragment Length Polymorphism for the Identification of Spirorchiid Ova in Tissues from the Green Sea Turtle, <i>Chelonia mydas</i> . <i>PLoS ONE</i> , 2016, 11, e0162114.	2.5	13
167	Two new and one known species of <i>Tergestia</i> Stossich, 1899 (Trematoda: Fellodistomidae) with novel molecular characterisation for the genus. <i>Systematic Parasitology</i> , 2017, 94, 861-874.	1.1	13
168	Expansion of the concept of the Opistholebetinae Fukui, 1929 (Digenea: Opecoelidae Ozaki, 1925), with <i>Magnaosimum brooksae</i> n. g., n. sp. from <i>Tripodichthys angustifrons</i> (Holland) (Tetraodontiformes:) Tj ETQq0 0 0 rgBT /Overlap 10 Tf 5		
169	Four new monorchiids from the golden trevally, <i>Gnathanodon speciosus</i> (Forsskål) (Perciformes:) Tj ETQq1 1 0.784314 rgBT /Overlap 13		
170	Ptychoglyliauchen, a new genus of Gyliauchenidae (Platyhelminthes : Digenea) from siganid fishes of the Indo-West Pacific. <i>Invertebrate Systematics</i> , 2004, 18, 607.	1.3	13
171	Zeylanurotrerna spearei sp.n. (Digenea: Brachylaimidae) from the cane toad, <i>Bufo marinus</i> , in Australia. <i>Zoologica Scripta</i> , 1991, 20, 207-213.	1.7	12
172	Notocotylidae (Digenea) from the Australian water rat <i>Hydromys chrysogaster</i> Geoffroy, 1804 (Muridae). <i>Systematic Parasitology</i> , 1991, 18, 227-237.	1.1	12
173	Four species of Lepidapedoides Yamaguti, 1970 (Digenea: Lepocreadiidae) from fishes of the southern Great Barrier Reef, with a tabulation of host-parasite data on the group. <i>Systematic Parasitology</i> , 1996, 34, 179-195.	1.1	12
174	The Australian species of Lobatocreadium Madhavi, 1972, Hypocreadium Ozaki, 1936 and Dermadema Manter, 1945 (Digenea: Lepocreadiidae), parasites of marine tetraodontiform fishes. <i>Systematic Parasitology</i> , 1996, 35, 217-236.	1.1	12
175	The status of the genera <i>Hysterolecithoides</i> Yamaguti, 1934, <i>Neothelotretrum</i> Gibson & Bray, 1979 and <i>Machidatrema</i> León-Ragagnon, 1998 (Digenea: Hemiuroidea), including a description of <i>M. Áleonae</i> n. sp. from Australian waters. <i>Systematic Parasitology</i> , 2000, 46, 1-22.	1.1	12
176	The importance of host ecology in thelastomatoid (Nematoda: Oxyurida) host specificity. <i>Parasitology International</i> , 2006, 55, 169-174.	1.3	12
177	A new species of Stephanostomum Looss, 1899 (Digenea, Acanthocolpidae) with a bizarre oral sucker: <i>S. adlardi</i> sp. nov. from the common coral trout <i>Plectropomus leopardus</i> (Lacepede, 1802) (Perciformes, Serranidae) from Lizard Island, Great Barrier Reef. <i>Acta Parasitologica</i> , 2007, 52, 206.	1.1	12
178	<i>Sasala nolani</i> gen. n., sp. n. (Digenea: Aporocotylidae) from the body-cavity of the guineafowl puffer fish <i>Arothron meleagris</i> (Lacepede) (Tetraodontiformes: Tetraodontidae) from off Moorea, French Polynesia. <i>Zootaxa</i> , 2012, 3334, 29.	0.5	12
179	Parasites of QX-resistant and wild-type Sydney rock oysters (<i>Saccostrea glomerata</i>) in Moreton Bay, SE Queensland, Australia: Diversity and host response. <i>Journal of Invertebrate Pathology</i> , 2013, 112, 273-277.	3.2	12
180	Molecular evidence that the genus <i>Cadenatella</i> Dollfus, 1946 (Digenea: Plagiorchiida) belongs in the superfamily Haploporoidea Nicoll, 1914. <i>Systematic Parasitology</i> , 2014, 89, 15-21.	1.1	12

#	ARTICLE	IF	CITATIONS
181	First Record of <i>Transversotrema</i> Witenberg, 1944 (Digenea) from the Americas, with Comments on the Taxonomy of <i>Transversotrema patialense</i> (Soparkar, 1924) Crusz and Sathananthan, 1960, and an Updated List of Its Hosts and Geographic Distribution. <i>Journal of Parasitology</i> , 2015, 101, 717-725.	0.7	12
182	Cleaner wrasse influence habitat selection of young damselfish. <i>Coral Reefs</i> , 2016, 35, 427-436.	2.2	12
183	Two monorchiid species from the freckled goatfish, <i>Upeneus tragula</i> Richardson (Perciformes) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2018, 95, 353-365.	1.1	12
184	Bloody flukes: a review of aporocotylids as parasites of cultured marine fishes. <i>International Journal for Parasitology</i> , 2020, 50, 743-753.	3.1	12
185	A world of taxonomic pain: cryptic species, inexplicable host-specificity, and host-induced morphological variation among species of <i>Bivesicula</i> Yamaguti, 1934 (Trematoda: Bivesiculidae) from Indo-Pacific Holocentridae, Muraenidae and Serranidae. <i>Parasitology</i> , 2022, 149, 831-853.	1.5	12
186	<i>Neodiplostomum spratti</i> n. sp. (Digenea: Diplostomidae) from <i>Antechinus</i> spp. (Marsupialia: Dasyuridae) in Australia, with notes on other diplostomids from Australian mammals. <i>Systematic Parasitology</i> , 1993, 25, 25-35.	1.1	11
187	<i>Hapalotrema</i> (Digenea: Spirorchidae) in the Green Turtle (<i>Chelonia Mydas</i>) in Australia. <i>Journal of Parasitology</i> , 1998, 84, 375.	0.7	11
188	Life-cycle and biology of <i>Sychnocotyle kholo</i> n. g., n. sp. (Trematoda: Aspidogastrea) in <i>Emydura macquarii</i> (Pleurodira: Chelidae) from southern Queensland, Australia. <i>Systematic Parasitology</i> , 1999, 43, 41-48.	1.1	11
189	<i>Sanguinicola maritimus</i> n. sp. (Digenea: Sanguinicolidae) from Labridae (Teleostei: Perciformes) of southern Australian waters. <i>Systematic Parasitology</i> , 2005, 61, 99-106.	1.1	11
190	A complex of species related to <i>Paradiscogaster glebulae</i> (Digenea: Faustulidae) in chaetodontid fishes (Teleostei: Perciformes) of the Great Barrier Reef. <i>Parasitology International</i> , 2015, 64, 421-428.	1.3	11
191	An updated concept and revised composition for <i>Hamacreadium</i> Linton, 1910 (Opecoelidae) Tj ETQq1 1 0.784314 rgBT /Overlock 10 4254, 151.	0.5	11
192	<i>Isorchis cannonin</i> . sp. (Digenea: Atractotrematidae) from Great Barrier Reef rabbitfishes and the molecular elucidation of its life cycle. <i>Journal of Helminthology</i> , 2018, 92, 604-611.	1.0	11
193	First steps to restructuring the problematic genus <i>Lasiotocus</i> Looss, 1907 (Digenea: Monorchiidae) with the proposal of four new genera. <i>Parasitology International</i> , 2020, 79, 102164.	1.3	11
194	Family Gyliauchenidae Fukui, 1929.. , 2005, , 665-678.		11
195	Two new genera, shape <i>Provitelurus</i> and shape <i>Ovitusillus</i> , and four new species of Monorchiidae (Digenea) from carangid fishes of Queensland, Australia. <i>Systematic Parasitology</i> , 1998, 40, 21-33.	1.1	10
196	CHAULIOLEPTOS HAYWARDI N. GEN., N. SP. (DIGENEA: SANGUINICOLIDAE) FROM FILIMANUS HEPTADACTYLA (PERCIFORMES: POLYNEMIDAE) OF MORETON BAY, AUSTRALIA. <i>Journal of Parasitology</i> , 2005, 91, 630-634.	0.7	10
197	A NEW GENUS AND SPECIES OF CRYPTOGONIMID FROM LUTJANUS SPP. (PISCES: LUTJANIDAE) ON THE GREAT BARRIER REEF AND NEW CALEDONIA. <i>Journal of Parasitology</i> , 2005, 91, 922-924.	0.7	10
198	Transversotrematidae (Platyhelminthes: Trematoda) are rich and abundant on Indo-Pacific fishes. <i>Zootaxa</i> , 2010, 2442, 25.	0.5	10

#	ARTICLE	IF	CITATIONS
199	Paradiscogaster flindersi and <i>P. oxleyi</i> n. sp. (Digenea: Faustulidae): overlapping host and geographical distributions in corallivore chaetodontid fishes in the tropical Indo-west Pacific. <i>Systematic Parasitology</i> , 2013, 86, 87-99.	1.1	10
200	Benign effect of the fish parasitic isopod <i>Ceratothoa</i> cf. <i>imbricata</i> on <i>Selenotoca multifasciata</i> (Scatophagidae) from Australia. <i>Diseases of Aquatic Organisms</i> , 2014, 110, 173-180.	1.0	10
201	Editorial: The biodiversity of trematodes of fishes. <i>Systematic Parasitology</i> , 2016, 93, 219-221.	1.1	10
202	High-intensity cardiac infections of <i>Phthinomita heinigerae</i> n. sp. (Digenea: Aporocotylidae) in the orangelined cardinalfish, <i>Taeniamia fucata</i> (Cantor), off Heron Island on the Great Barrier Reef. <i>Parasitology International</i> , 2016, 65, 371-377.	1.3	10
203	Three new species of <i>Prosorhynchoides</i> (Digenea: Bucephalidae) from <i>Tylosurus gavialoides</i> (Belonidae) in Moreton Bay, Queensland, Australia. <i>Parasitology International</i> , 2018, 67, 454-464.	1.3	10
204	Rhaphidotrema kiatkiongi, a new genus and species of blood fluke (Digenea: Aporocotylidae) from <i>Arothron hispidus</i> (Osteichthyes: Tetraodontidae) from the Great Barrier Reef, Australia. <i>Folia Parasitologica</i> , 2011, 58, 273-277.	1.3	10
205	The subfamily <i>Aephnidioigeninae</i> Yamaguti, 1934 (Digenea: Lepocreadiidae), its status and that of the genera <i>Aephnidiogenes</i> Nicoll, 1915, <i>Holorchis</i> Stössich, 1901, <i>Austroholorchis</i> n. g., <i>Pseudaephnidiogenes</i> Yamaguti, 1971, <i>Pseudoholorchis</i> Yamaguti, 1958 and <i>Neolepocreadium</i> Thomas, 1960. <i>Systematic Parasitology</i> , 1997, 36, 47-68.	1.1	9
206	<i>Glossocercus chelodinae</i> (MacCallum, 1921) n. comb. (Cestoda: Dilepididae) from freshwater turtles in Australia and a redefinition of the genus <i>Bancroftiella</i> Johnston, 1911. <i>Systematic Parasitology</i> , 1998, 39, 165-181.	1.1	9
207	A comprehensive analysis of the biogeography of the thelastomatoid pinworms from Australian burrowing cockroaches (Blaberidae: Geoscapheinae, Panesthiinae): no evidence of coevolution. <i>Parasitology</i> , 2007, 134, 1387-1399.	1.5	9
208	<i>Paraorygmatobothrium Taylori</i> n. sp. (Tetraphyllidea: Phyllobothriidae) from the Australian weasel shark <i>Hemigaleus Australiensis</i> White, Last & Compagno (Carcarhiniformes: Hemigaleidae). <i>Systematic Parasitology</i> , 2009, 74, 49-58.	1.1	9
209	Two new species of flukes (Digenea: Bucephalidae: Prosorhynchinae) from the Western Moray Gymnothorax woodwardi (Anguilliformes: Muraenidae) from off Western Australia, with replacement of the pre-occupied generic name <i>Folliculovarium</i> Gu & Shen, 1983. <i>Systematic Parasitology</i> , 2010, 76, 81-92.	1.1	9
210	Two new Stephanostomum-like cercariae (Digenea: Acanthocolpidae) from <i>Nassarius dorsatus</i> and <i>N. olivaceus</i> (Gastropoda: Nassariidae) in Central Queensland, Australia. <i>Zootaxa</i> , 2010, 2445, 35.	0.5	9
211	<i>< i>Travassosinema dalei</i></i> sp. n. (Thelastomatoidea; Nematoda) from the hind gut of an Australian scarabaeid larva. <i>New Zealand Journal of Zoology</i> , 2012, 39, 291-300.	1.1	9
212	The phylogenetic position of <i>Choerodon Nicola Cribb, 2005</i> (Digenea: Opecoelidae) with a partial life-cycle for a new species from the blue-barred parrotfish <i>Scarus ghobban</i> Forsskål (Scaridae) in Moreton Bay, Australia. <i>Systematic Parasitology</i> , 2018, 95, 337-352.	1.1	9
213	A new genus of Bucephalidae Poche, 1907 (Trematoda: Digenea) for three new species infecting the yellowtail pike, <i>Sphyraena obtusata</i> Cuvier (Sphyraenidae), from Moreton Bay, Queensland, Australia. <i>Systematic Parasitology</i> , 2020, 97, 455-476.	1.1	9
214	Cryptic speciation of the zoogonid digenean <i>< i>Diphterostomum flavum</i></i> n. sp. demonstrated by morphological and molecular data. <i>Parasite</i> , 2020, 27, 44.	2.0	9
215	Three new species of <i>Allobacciger</i> Hafeezullah & Siddiqi, 1970 (Digenea: Monorchidae) from Australia and French Polynesia. <i>Marine Biodiversity</i> , 2020, 50, 1.	1.0	9
216	Gastropod first intermediate hosts for two species of Monorchidae Odhner, 1911 (Trematoda): I can't believe it's not bivalves!. <i>International Journal for Parasitology</i> , 2021, 51, 1035-1046.	3.1	9

#	ARTICLE	IF	CITATIONS
217	Eight new species of <i>Macvicaria</i> Gibson and Bray, 1982 (Digenea: Opecoelidae) from temperate marine fishes of Australia. <i>ZooKeys</i> , 0, 1, 23-58.	1.1	9
218	Five new didymozoid trematodes (Platyhelminthes, Digenea) from Australian platycephalid fishes. <i>Zoologica Scripta</i> , 1994, 23, 83-93.	1.7	8
219	Lepocreadiidae (Digenea) from the batfish of the genus <i>Platax</i> Cuvier (Teleostei: Ephippidae) from the southern Great Barrier Reef, Queensland, Australia. <i>Systematic Parasitology</i> , 2003, 55, 1-9.	1.1	8
220	Rhipidocotyle labroidei n. sp. (Digenea: Bucephalidae) from <i>Labroides dimidiatus</i> (Valenciennes) (Labridae). <i>Zootaxa</i> , 2003, 327, 1.	0.5	8
221	<i>Helicometra</i> Odhner, 1902 (Digenea: Opecoelidae) in Australian waters: problems of species identification and a description of <i>H. sprengi</i> n. sp. <i>Systematic Parasitology</i> , 2006, 63, 17-27.	1.1	8
222	Resolution of the discrepant host-specificity of <i>Pseudorhabdosynochus</i> species (Monogenea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	1.1	8
223	A review of the genus <i>Sclerocollum</i> Schmidt & Paperna, 1978 (Acanthocephala: Cavisomidae) from rabbitfishes (Siganidae) in the Indian and Pacific Oceans. <i>Systematic Parasitology</i> , 2016, 93, 101-114.	1.1	8
224	Two new species of <i>Haplorchoides</i> Chen, 1949 (Digenea: Heterophyidae) infecting an Australian siluriform fish, <i>Neoarius graeffei</i> Kner & Steindachner. <i>Systematic Parasitology</i> , 2018, 95, 201-211.	1.1	8
225	Trigonocephalotrema (Digenea : Haplosplanchnidae), a new genus for trematodes parasitising fishes of two Indo-West Pacific acanthurid genera. <i>Invertebrate Systematics</i> , 2018, 32, 759.	1.3	8
226	Aporocotylids from batoid and elopomorph fishes from Moreton Bay, Queensland, Australia, including a new genus and species of blood fluke infecting the Giant shovelnose ray, <i>Glaucostegus typus</i> (Rhinopristiformes: Glaucostegidae). <i>Parasitology International</i> , 2018, 67, 768-775.	1.3	8
227	An identity crisis in the Indo-Pacific: molecular exploration of the genus <i>Koseiria</i> (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	3.1	50
228	A new genus and species of the trematode family <i>Gyliauchenidae</i> Fukui, 1929 from an unexpected, but plausible, host, <i>Kyphosus cornelii</i> (Perciformes: Kyphosidae). <i>Parasitology</i> , 2019, 146, 937-946.	1.5	8
229	The Pseudoplagioporinae, a new subfamily in the Opecoelidae Ozaki, 1925 (Trematoda) for a small clade parasitizing mainly lethrinid fishes, with three new species. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 79-113.	1.4	8
230	Two new species of <i>Prosorhynchoides</i> (Digenea: Bucephalidae) from <i>Tylosurus crocodilus</i> (Belonidae) from the great barrier reef and French Polynesia. <i>Parasitology International</i> , 2020, 75, 102005.	1.3	8
231	Patterns of digenean parasitism of bivalves from the Great Barrier Reef and associated waters. <i>Marine and Freshwater Research</i> , 2005, 56, 387.	1.3	8
232	<i>Hurleytrematoides justinei</i> n. sp. (Digenea: Monorchiidae) from Valentini's sharpnose puffer, <i>Canthigaster valentini</i> (Bleeker) (Tetraodontiformes: Tetraodontidae) from Heron Island, Queensland, Australia. <i>Zootaxa</i> , 2009, 2027, 63-68.	0.5	8
233	<i>Hemipristicola gunterae</i> gen. n., sp. n. (Cestoda: Tetraphyllidea: Phyllobothriidae) from the snaggletooth shark, <i>Hemipristis elongata</i> (Carcarhiniformes: Hemigaleidae), from Moreton Bay, Australia. <i>Folia Parasitologica</i> , 2011, 58, 187-196.	1.3	8
234	New collections of blood flukes (Aporocotylidae) from fishes of the tropical Indo-west Pacific, including a new genus, two new species and molecular evidence that <i>Elaphrobates chaetodontis</i> (Yamaguti, 1970) is widespread in the region. <i>Parasitology International</i> , 2022, 88, 102565.	1.3	8

#	ARTICLE	IF	CITATIONS
235	Dicrocoeliidae (Trematoda: Digenea) of Australian mammals with description of <i>Dicrocoelium antechini</i> n. sp., <i>Athesmioides aiolos</i> n. g., n. sp. and <i>Platynosomum burman</i> n. sp.. Systematic Parasitology, 1992, 21, 211-222.	1.1	7
236	A review of the Tandanicolinae (=Monodhelminthinae) (Digenea: Felodistomidae), with a description of <i>Prosogonarium angelae</i> n. sp.. Systematic Parasitology, 1994, 27, 187-205.	1.1	7
237	Two species of <i>Prodistomum</i> Linton, 1910 (Digenea: Lepocreadiidae) from marine fishes of Australia. Systematic Parasitology, 1996, 35, 59-67.	1.1	7
238	A description of <i>Lecithocladium invasor</i> n.sp. (Digenea: Hemiuridae) and the pathology associated with two species of Hemiuridae in acanthurid fish. Parasitology Research, 2001, 87, 666-673.	1.6	7
239	Two new species of <i>Neolebouria</i> Gibson, 1976 (Digenea: Opecoelidae) from temperate marine fishes of Australia. Systematic Parasitology, 2001, 49, 65-71.	1.1	7
240	Living on the edge: parasite taxonomy in Australia. International Journal for Parasitology, 2004, 34, 117-123.	3.1	7
241	FIRST REPORT OF INTRAMOLLUSCAN STAGES OF A GORGODERID DIGENEAN FROM A MARINE BIVALVE. Journal of Parasitology, 2005, 91, 838-842.	0.7	7
242	Thelastomatoidea (Nematoda: Oxyurida) of the Australian giant burrowing cockroach, <i>Macropanesthia rhinoceros</i> (Blaberidae: Geoscaphinae). Nematology, 2006, 8, 347-357.	0.6	7
243	Local climate aridity influences the distribution of thelastomatoid nematodes of the Australian giant burrowing cockroach. Parasitology, 2007, 134, 1401-1408.	1.5	7
244	Revision of <i>Flagellotrema</i> Ozaki, 1936 (Digenea, Cyliachenidae Fukui, 1929), including the description of two species from acanthuroid fishes from the Great Barrier Reef, Queensland, Australia. Zootaxa, 2008, 1718, 1.	0.5	7
245	Opecoelidae (Digenea) in northern Great Barrier Reef goatfishes (Perciformes: Mullidae). Systematic Parasitology, 2013, 84, 237-253.	1.1	7
246	A review of the currently recognised opecoelid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XII (Digenea: Opecoelidae) from <i>Nassarius olivaceus</i> (Gastropoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		
247	Gill monogenean communities (Platyhelminthes, Monogenea, Dactylogyridae) of butterflyfishes from tropical Indo-West Pacific Islands. Parasitology, 2016, 143, 1580-1591.	1.5	7
248	Patterns of specificity and diversity in species of <i>Paraorygmatobothrium</i> Ruhnke, 1994 (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Systematic Parasitology, 2017, 94, 941-970.	1.1	7
249	Molecular phylogeny of the Haplosplanchnata Olson, Cribb, Tkach, Bray and Littlewood, 2003, with a description of <i>Schikhobalotrema huffmanii</i> n. sp.. Acta Parasitologica, 2017, 62, 502-512.	1.1	7
250	Two species of <i>Phyllobothrium</i> Braun, 1899 (Trematoda: Gorgoderidae) from Moreton Bay, Australia. Systematic Parasitology, 2018, 95, 325-336.	1.1	7
251	Molecular phylogenetic analysis of the problematic genus <i>Cardicola</i> (Digenea: Aporocotylidae) indicates massive polyphyly, dramatic morphological radiation and host-switching. Molecular Phylogenetics and Evolution, 2021, 164, 107290.	2.7	7
252	Monostephanostomum nolani sp. n. and <i>M. krusei</i> Reimer, 1983 (Digenea: Acanthocolpidae) from carangid fishes from coral reef waters off Australia. Folia Parasitologica, 2007, 54, 19-26.	1.3	7

#	ARTICLE	IF	CITATIONS
253	Vermetid gastropods as key intermediate hosts for a lineage of marine turtle blood flukes (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 3.1 7 Parasitology, 2022, 52, 225-241.		
254	Retrobulla angelae n. gen. and n. sp. (Digenea: Cryptagonimidae) from the Spangled Perch Leiopotherapon unicolor (Gunther, 1859). Journal of Parasitology, 1985, 71, 815.	0.7	6
255	< i>Cableia pudica</i>n. sp. (Digenea: Acanthocolpidae) from monacanthid fishes of the southern Great Barrier Reef, Australia. Parasite, 1996, 3, 49-54.	2.0	6
256	Two Lepotrema Ozaki, 1932 species (Digenea: Lepocreadiidae) from marine fishes from the southern Great Barrier Reef, Queensland, Australia. Systematic Parasitology, 1996, 35, 111-117.	1.1	6
257	Species of Trifoliovarium Yamaguti, 1940 (Digenea: Lecithasteridae) from Australian waters, with a description of T. draconis n. sp. and a cladistic study of the subfamily Trifoliovariinae Yamaguti, 1958. Systematic Parasitology, 2000, 47, 183-192.	1.1	6
258	Tormopsolus attenuatus n. sp. (Digenea: Acanthocolpidae) from Seriola hippos (Perciformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Parasitology, 2001, 50, 91-99.	1.1	6
259	Monostephanostomum georgianum n. sp. (Digenea: Acanthocolpidae) from Arripis georgianus (Valenciennes) (Perciformes: Arripidae) off Kangaroo Island, South Australia, with comments on Monostephanostomum Kruse, 1979 and Stephanostomum Looss, 1899. Systematic Parasitology, 2002, 53, 61-68.	1.1	6
260	New Thelastomatoidea (Nematoda: Oxyurida) from Australian burrowing cockroaches (Blaberidae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 0.6		
261	Ningalooia psammopercae n. g., n. sp. (Digenea: Acanthocolpidae) from the Waigieu seaperch Psammoperca waigiensis (Cuvier) (Perciformes: Latidae) on the Ningaloo Reef, Western Australia. Systematic Parasitology, 2007, 66, 131-135.	1.1	6
262	Phylogenetic studies explain the discrepant host distribution of Allopodocotyle heronensis sp. nov. (Digenea, Opecoelidae) in Great Barrier Reef serranids. Acta Parasitologica, 2011, 56, .	1.1	6
263	Heterobucephalopsine and prosorhynchine trematodes (Digenea: Bucephalidae) from teleost fishes of Moreton Bay, Queensland, Australia, with the description of two new species. Systematic Parasitology, 2018, 95, 783-806.	1.1	6
264	Two new species of Bacciger Nicoll, 1914 (Trematoda: Faustulidae) in species of Herklotsichthys Whitley (Clupeidae) from Queensland waters. Systematic Parasitology, 2018, 95, 645-654.	1.1	6
265	Retroporomonorchis pansho n. g., n. sp., an unusual monorchiid trematode exploiting an atypical host. Systematic Parasitology, 2020, 97, 441-454.	1.1	6
266	Pseudohurleytrema yolandae n. sp., the first monorchiid trematode reported from the Triacanthidae (Tetraodontiformes). Systematic Parasitology, 2020, 97, 491-500.	1.1	6
267	Prosorhynchoides lamprelli n. sp. (Digenea: Bucephalidae) from the brassy trevally, Caranx papuensis (Teleostei: Carangidae), from off Lizard Island on the Great Barrier Reef, Australia. Zootaxa, 2005, 1059, .	0.5	6
268	Seven species of Pseudopecoeloides Yamaguti, 1940 (Digenea, Opecoelidae) from temperate marine fishes of Australia, including five new species. ZooKeys, 0, 5, 1-32.	1.1	6
269	A new species, new host records and life cycle data for lepocreadiids (Digenea) of pomacentrid fishes from the Great Barrier Reef, Australia. Systematic Parasitology, 2022, 99, 375-397.	1.1	6
270	Preptetus cannoni n. sp. (Digenea: Lepocreadiidae) from Siganus lineatus (Teleostei: Siganidae) from the southern Great Barrier Reef, Australia. Systematic Parasitology, 1993, 26, 151-155.	1.1	5

#	ARTICLE	IF	CITATIONS
271	A new species of <i>Aponurus</i> Looss, 1907 (Digenea: Lecithasteridae) in butterflyfishes (Perciformes) Tj ETQq1 1 0.784314 rgBT /Overlock	1.1	5
272	The status of <i>Petalocotyle</i> Ozaki, 1934 (Digenea: Gyliauchenidae), including the description of two new species from acanthurid fishes in Queensland, Australia. Systematic Parasitology, 2000, 47, 145-156.	1.1	5
273	<i>Aoruroides queenslandensis</i> n. sp. (Oxyurida: Thelastomatoidea), a new nematode from Australian Panesthiinae (Blattodea: Blaberidae). Systematic Parasitology, 2004, 59, 65-69.	1.1	5
274	<i>Stephanostomum talakitok</i> n. sp. (Digenea: Acanthocolpidae) from the golden trevalley, <i>Gnathanodon speciosus</i> (Perciformes: Carangidae), from Ningaloo Reef, Western Australia. Zootaxa, 2006, 1104, 59.	0.5	5
275	A complex of putative acanthocolpid cercariae (Digenea) from <i>Nassarius olivaceus</i> and <i>N. dorsatus</i> (Gastropoda: Nassariidae) in Central Queensland, Australia. Zootaxa, 2008, 1705, 21.	0.5	5
276	A new tetraphyllidean genus and species, <i>Caulopatera pagei</i> n. g., n. sp. (Tetraphyllidea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (Prectolobiformes: Hemiscylliidae). Systematic Parasitology, 2010, 77, 13-21.	1.1	5
277	<i>Multitestis</i> Manter 1931 (Digenea: Lepocreadiidae) in ephippid and chaetodontid fishes (Perciformes) in the south-western Pacific Ocean and the Indian Ocean off Western Australia. Zootaxa, 2010, 2427, .	0.5	5
278	Opistholobetines (Digenea: Opecoelidae) in Australian tetraodontiform fishes. Systematic Parasitology, 2018, 95, 743-781.	1.1	5
279	Tetraphyllidean and onchoproteocephalidean cestodes of elasmobranchs from Moreton Bay, Australia: description of two new species and new records for seven described species. Systematic Parasitology, 2018, 95, 807-827.	1.1	5
280	Two species of <i>Neometadena</i> Hafeezullah & Siddiqi, 1970 (Digenea: Cryptogonimidae) from Moreton Bay, Australia, including the description of <i>Neometadena paucispina</i> n. sp. from Australian Lutjanidae. Systematic Parasitology, 2018, 95, 655-664.	1.1	5
281	An Anomalous Phylogenetic Position for <i>Deraiotrema platacis</i> Machida, 1982 (Lepocreadiidae) from <i>Platax pinnatus</i> on the Great Barrier Reef. Diversity, 2019, 11, 104.	1.7	5
282	Two new species of <i>Cardicola</i> (Trematoda: Aporocotylidae) from the damselfish <i>Abudefduf whitleyi</i> (Perciformes: Pomacentridae) and the triggerfish <i>Sufflamen chrysopterum</i> (Tetraodontiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 29	1.0	5
283	Superfamily Bivesiculoidea Yamaguti, 1934.. , 2002, , 25-29.		5
284	<i>Pomphorhynchus heronensis</i> and restricted movement of <i>Lutjanus carponotatus</i> on the Great Barrier Reef. Journal of Helminthology, 2000, 74, 53-6.	1.0	5
285	Lepocreadiid (Digenea) species from members of the marine teleost family Cheilodactylidae from south-western Australia, including four new genera and five new species. Systematic Parasitology, 1997, 37, 27-45.	1.1	4
286	Postlepidapedon Zdzitowiecki, 1993 and <i>Gibsonivermis</i> n. g. (Digenea: Lepocreadiidae) from fishes of the southern Great Barrier Reef, Australia, and their relationship to <i>Intusarium</i> Durio & Manter, 1968. Systematic Parasitology, 1997, 36, 143-155.	1.1	4
287	<i>Paralepidapedon ostorhinchii</i> (Korotaeva, 1974) n. comb. (Digenea: Lepocreadiidae) in <i>Oplegnathus woodwardi</i> (Waite) (Teleostei: Perciformes: Oplegnathidae) from off Rottnest Island, Western Australia. Systematic Parasitology, 1997, 36, 229-233.	1.1	4
288	A phylogenetic study of <i>Lepidapedoides</i> Yamaguti, 1970 (Digenea) with a key and descriptions of two new species from Western Australia. Systematic Parasitology, 1998, 39, 183-197.	1.1	4

#	ARTICLE	IF	CITATIONS
289	Grammatocynciola n. g. (Bucephalidae: Dolichoenterinae) from Grammatocynus spp. (Scombridae) on the Great Barrier Reef, Australia. Systematic Parasitology, 2005, 61, 93-98.	1.1	4
290	Cableia balistidicola n. sp. (Digenea, Monorchiidae) from Pacific Ocean balistids (Tetraodontiformes) and new reports of Cableia pudica Bray, Cribb and Barker, 1996 in temperate Australian monacanthids. Parasitology International, 2009, 58, 341-345.	1.3	4
291	A new species of <i>Heth</i> Cobb, 1898 (Nematoda: Rhigonematida: Hethidae) from an Australian millipede (Myriapoda: Diplopoda: Spirostreptida). New Zealand Journal of Zoology, 2012, 39, 301-309.	1.1	4
292	A review of the genus <i>Antorchis</i> Linton, 1911 (Trematoda: Faustulidae) from Indo-Pacific fishes with the description of a new species. Systematic Parasitology, 2015, 92, 1-11.	1.1	4
293	Three members of <i>Opisthomonorchoides</i> Parukhin, 1966 (Digenea: Monorchiidae) from carangid fishes (Perciformes) from Indonesia, with a review of the genus. Systematic Parasitology, 2017, 94, 443-462.	1.1	4
294	Larval trypanorhynch cestodes in teleost fish from Moreton Bay, Queensland. Marine and Freshwater Research, 2017, 68, 2123.	1.3	4
295	Did biogeographical processes shape the monogenean community of butterflyfishes in the tropical Indo-west Pacific region?. International Journal for Parasitology, 2017, 47, 447-455.	3.1	4
296	DNA sequencing demonstrates the importance of jellyfish in life cycles of lepocreadiid trematodes. Journal of Helminthology, 2020, 94, e182.	1.0	4
297	<i>Gerricola queenslandensis</i> n. g., n. sp., a new monorchiid trematode from the eastern Australian coast and its life cycle partially elucidated. Journal of Helminthology, 2021, 95, e30.	1.0	4
298	Eight species of <i>Lintonium</i> Stunkard & Nigrelli, 1930 (Digenea: Fellodistomidae) in Australian tetraodontiform fishes. Systematic Parasitology, 2021, 98, 595-624.	1.1	4
299	Fairfaxia-Lethrini, Gen Et Sp-Nov (Digenea, Opecoelidae), From <i>Lethrinus-Chrysostomus</i> Richardson From the Southern Great-Barrier-Reef. Australian Journal of Zoology, 1989, 37, 67.	1.0	4
300	Family Opistholebetidae Fukui, 1929.. , 2005, , 533-539.		4
301	A review of the currently recognised zoogonid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XI (Digenea: Zoogonidae) from <i>Nassarius olivaceus</i> (Gastropoda:) Tj ETQql 1 0.784B\$4 rgBT /Overlock 1		
302	<i>Strzeleckia major</i> n. g., n. sp. and <i>S. minor</i> n. sp. (Digenea: Hasstilesiidae) from <i>Antechinus swainsonii</i> (Marsupialia: Dasyuridae) in Australia. Systematic Parasitology, 1991, 19, 73-79.	1.1	3
303	Taxonomy of <i>Mesostephanus</i> Lutz, 1935 (Digenea: Cyathocotylidae) in some Australian water birds. Systematic Parasitology, 1995, 32, 193-204.	1.1	3
304	Coomera: A new genus of fellodistomidae (Digenea) from <i>Monodactylus argenteus</i> (Monodactylidae) of southern Queensland, Australia. International Journal for Parasitology, 1995, 25, 1159-1162.	3.1	3
305	Two species of <i>Coitocaecum</i> Nicoll, 1915 (Digenea: Opecoelidae) from Moreton Bay, Queensland, Australia. Systematic Parasitology, 1996, 33, 217-224.	1.1	3
306	<i>Diplobulbus brayi</i> n. sp. (Digenea: Opecoelidae) from <i>Odax acroptilus</i> (Perciformes: Odacidae) off Western Australia. Systematic Parasitology, 2000, 46, 99-103.	1.1	3

#	ARTICLE	IF	CITATIONS
307	Revision of <i>Affecauda</i> Hall & Chambers, 1999 (Digenea: Gyliauchenidae Fukui, 1929), including the description of two new species from fishes of the Indo-West Pacific. <i>Zootaxa</i> , 2004, 778, 1.	0.5	3
308	Revision of <i>Telotrema</i> Ozaki, 1933 (Digenea: Gyliauchenidae Fukui, 1929), including the description of a new species from an acanthurid fish from the Great Barrier Reef, Queensland, Australia. <i>Zootaxa</i> , 2005, 1071, 1-18.	0.5	3
309	<i>Overstreetia olsoni</i> n. sp. (Digenea: Zoogonidae) from the Capricorn silverside <i>Atherinomorus capricornensis</i> (Woodland) (Atherinidae) off Heron Island, southern Great Barrier Reef. <i>Systematic Parasitology</i> , 2006, 63, 41-43.	1.1	3
310	<i>Proctophantastes brayi</i> , n. sp. (Digenea: Zoogonidae) parasite of the deep-sea fish <i>Polymixia</i> Lowe, 1838 from Vanuatu. <i>Parasitology International</i> , 2008, 57, 25-31.	1.3	3
311	<i>Proctophantastes nettastomatis</i> (Digenea: Zoogonidae) from Vanuatu deep-sea fish: new morphological features, allometric growth, and phenotypic plasticity aspects. <i>Parasitology Research</i> , 2012, 110, 1631-1638.	1.6	3
312	Parasites of coral reef fish larvae: its role in the pelagic larval stage. <i>Coral Reefs</i> , 2019, 38, 199-214.	2.2	3
313	<i>Pronocephaloid cercariae</i> (Platyhelminthes: Trematoda) from gastropods of the Queensland coast, Australia. <i>Journal of Helminthology</i> , 2020, 94, e105.	1.0	3
314	The biodiversity of marine trematodes: then, now and in the future. <i>International Journal for Parasitology</i> , 2021, 51, 1085-1085.	3.1	3
315	A new order of fishes as hosts of blood flukes (Aporocotylidae); description of a new genus and three new species infecting squirrelfishes (Holocentriformes, Holocentridae) on the Great Barrier Reef. <i>Parasite</i> , 2021, 28, 76.	2.0	3
316	Three new species of <i>Helicometroides</i> Yamaguti, 1934 from Japan and Australia, with new molecular evidence of a widespread species. <i>Parasitology</i> , 2022, , 1-18.	1.5	3
317	A review of the currently recognised zoogonid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XI (Digenea: Zoogonidae) from <i>Nassarius olivaceus</i> (Gastropoda: Tj ETQq1 1 0.784834 rgBT /Overlock 1		
318	Four new monorchiids from marine teleost fishes of Moreton Bay and the Great Barrier Reef, Australia, including the proposal of a new genus. <i>Parasitology International</i> , 2022, 89, 102566.	1.3	3
319	<i>Enenterum kyphosi</i> Yamaguti, 1970 and <i>Enenterum petrae</i> n. sp. (Digenea: Enenteridae) from kyphosid fishes (Centrarchiformes: Kyphosidae) collected in marine waters off eastern Australia. <i>Zootaxa</i> , 2022, 5154, 271-288.	0.5	3
320	<i>Coryphogonimus aglaos</i> n. g., n. sp. (Digenea: Prosthognomidae) from the Australian bush rat, <i>Rattus fuscipes</i> (Rodentia: Muridae), with notes on other prosthognomids from Australian mammals. <i>Systematic Parasitology</i> , 1990, 16, 77-83.	1.1	2
321	New didyrozoid trematodes from <i>Onigocia</i> -stem platycephalid fishes. <i>Parasite</i> , 1995, 2, 49-54.	2.0	2
322	<i>Pholeohedra overstreeti</i> n. g., n. sp. (Digenea: Haploporidae) from <i>Girella zebra</i> (Kyphosidae) in South Australia. <i>Systematic Parasitology</i> , 1998, 39, 95-99.	1.1	2
323	The genus <i>Deretrema</i> Linton, 1910 (Digenea: Zoogonidae) from southern Great Barrier Reef fishes, with a description of <i>Deretrema woolcockae</i> n. sp.. <i>Systematic Parasitology</i> , 1999, 44, 139-144.	1.1	2
324	<i>Amphicreadium</i> n. g. (Digenea: Lepocreadiidae) from monacanthid fishes (Tetraodontiformes) from the coast of northern Tasmania. <i>Systematic Parasitology</i> , 2001, 49, 205-209.	1.1	2

#	ARTICLE	IF	CITATIONS
325	A redescription of <i>Homalometron senegalense</i> Fischthal & Thomas, 1972 (Digenea: Apocreadiidae) from <i>Synaptura kleinii</i> (Teleostei) of the western Mediterranean. Systematic Parasitology, 2001, 50, 135-141.	1.1	2
326	A new species of <i>Dactylostomum</i> Woolcock, 1935 (Digenea: Opecoelidae) from the goatfish <i>Upeneichthys lineatus</i> (Bloch & Schneider) (Mullidae) in Western Australian waters. Systematic Parasitology, 2003, 56, 63-68.	1.1	2
327	<i>Homalometron moraveci</i> n. sp. (Digenea: Apocreadiidae) in the yellowfin goatfish, <i>Mulloidichthys vanicolensis</i> (Valenciennes, 1831) (Perciformes: Mullidae), from New Caledonia and the Great Barrier Reef, with a checklist of digeneans of <i>Mulloidichthys</i> species. Zootaxa, 2007, 1525, .	0.5	2
328	Peracreadium akenovae sp. nov. (Trematoda: Opecoelidae) parasitising the highfin moray eel <i>Gymnothorax pseudothyrsoideus</i> (Anguilliformes: Muraenidae) from moreton bay, Australia. Acta Parasitologica, 2013, 58, 324-7.	1.1	2
329	Four new species of <i>Paradiscogaster</i> Yamaguti, 1934 (Digenea: Faustulidae) from batfishes (Perciformes: Ephippidae) on the Great Barrier Reef, Australia. Systematic Parasitology, 2017, 94, 339-349.	1.1	2
330	Stable Isotope Signatures of an Acanthocephalan and Trematode from the Herbivorous Marine Fish <i>Kyphosus bigibbus</i> (Perciformes: Kyphosidae). Journal of Parasitology, 2021, 107, 726-730.	0.7	2
331	Weketrema gen. n., a new genus for <i>Weketrema hawaiense</i> (Yamaguti, 1970) comb. n. (Digenea:) Tj ETQq1 1 0.784314 rgBT ₂ /Overlock 1.3		
332	Observations on the phylogeny of <i>Opisthadena</i> Linton, 1910 and related genera (Hemiridae:) Tj ETQq0 0 0 rgBT /Overlock 1.3 Tf 50 462		
333	Postlepidapedon quintum n. sp. (Digenea: Lepocreadiidae) from the bastard trumpeter <i>Latridopsis forsteri</i> (Perciformes: Latridae) off the coast of northern Tasmania. Papers and Proceedings - Royal Society of Tasmania, 2001, , 21-24.	0.2	2
334	Baiohelmins elegans n. g., n. sp. (Digenea: Nanophyetidae) from the Australian water rat, <i>Hydromys chrysogaster</i> . Systematic Parasitology, 1988, 12, 117-121.	1.1	1
335	Scorpidotrema longistipes n. g., n. sp. (Digenea: Opecoelidae) from <i>Scoris georgiana</i> (Teleostei:) Tj ETQq1 1 0.784314 rgBT ₁ /Overlock 1.1		
336	Rediagnosis of <i>Ichthyotrema Caballero & Bravo-Hollis, 1952</i> (Digenea: Gyliauchenidae Fukui,) Tj ETQq0 0 0 rgBT /Overlock 10 10 2007, 1549, .	0.5	1
337	Holorchis gigas n. sp. (Digenea: Lepocreadiidae) from the yellow-striped sweet-lips <i>Plectorhinchus chrysotaenia</i> (Perciformes: Haemulidae) from Lizard Island, Great Barrier Reef, with observations on <i>Aephnidiogenes major</i> . Zootaxa, 2007, 1517, 63-68.	0.5	1
338	Diploproctodaeum spp. (Digenea, Lepocreadiidae) in Australian and New Caledonian waters including two new species from Tetraodontiformes and new records of related species. Acta Parasitologica, 2010, 55, .	1.1	1
339	Hapalotrema (Digenea: Spirorchidae) in the green turtle (<i>Chelonia mydas</i>) in Australia. Journal of Parasitology, 1998, 84, 375-8.	0.7	1
340	Melogonimus rhadanometra n. g., n. sp. (Digenea: Ptychogonimidae) from the elasmobranch <i>Rhina aencylostoma</i> Bloch & Schneider (Rhinobatidae) from the southeastern coastal waters of Queensland, Australia. Systematic Parasitology, 1995, 30, 11-18.	1.1	0
341	Lecithophyllum kitrii n. sp. (Digenea: Lecithasteridae) from Australian coral reef fishes of the genus <i>Siganus</i> . Systematic Parasitology, 2001, 50, 143-147.	1.1	0
342	Two new hemiurine species (Digenea: Hemiuridae) from <i>Spratelloides robustus</i> Ogilby (Clupeiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 T Australian and New Caledonian waters. Systematic Parasitology, 2005, 60, 197-203.	1.1	0

#	ARTICLE	IF	CITATIONS
343	Review of “Digenetic Trematodes of Indian Marine Fishes” by Rokkam Madhavi and Rodney Bray. Parasites and Vectors, 2019, 12, 314.	2.5	0