

Thomas H. Cribb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7704357/publications.pdf>

Version: 2024-02-01

343
papers

8,560
citations

87888

38
h-index

76900

74
g-index

346
all docs

346
docs citations

346
times ranked

4174
citing authors

#	ARTICLE	IF	CITATIONS
1	A paradigm for the recognition of cryptic trematode species in tropical Indo-west Pacific fishes: the problematic genus <i>Preptetos</i> (Trematoda: Lepocreadiidae). <i>International Journal for Parasitology</i> , 2022, 52, 169-203.	3.1	24
2	Vermetid gastropods as key intermediate hosts for a lineage of marine turtle blood flukes (Digenea): <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> <i>Parasitology</i> , 2022, 52, 225-241.	3.1	7
3	Three new species of <i>Helicometroides</i> Yamaguti, 1934 from Japan and Australia, with new molecular evidence of a widespread species. <i>Parasitology</i> , 2022, , 1-18.	1.5	3
4	First elucidation of a didymozoid life cycle: <i>Saccularina magnacetabula</i> n. gen. n. sp. infecting an arcid bivalve. <i>International Journal for Parasitology</i> , 2022, 52, 407-425.	3.1	14
5	A world of taxonomic pain: cryptic species, inexplicable host-specificity, and host-induced morphological variation among species of <i>Bivesicula</i> Yamaguti, 1934 (Trematoda: Bivesiculidae) from Indo-Pacific Holocentrinae, Muraenidae and Serranidae. <i>Parasitology</i> , 2022, 149, 831-853.	1.5	12
6	A new species, new host records and life cycle data for lepecreadiids (Digenea) of pomacentrid fishes from the Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2022, 99, 375-397.	1.1	6
7	New collections of blood flukes (Aporocotylidae) from fishes of the tropical Indo-west Pacific, including a new genus, two new species and molecular evidence that <i>Elaphrobates chaetodontis</i> (Yamaguti, 1970) is widespread in the region. <i>Parasitology International</i> , 2022, 88, 102565.	1.3	8
8	Four new monorchids from marine teleost fishes of Moreton Bay and the Great Barrier Reef, Australia, including the proposal of a new genus. <i>Parasitology International</i> , 2022, 89, 102566.	1.3	3
9	<i>Enenterum kyphosi</i> Yamaguti, 1970 and <i>Enenterum petrae</i> n. sp. (Digenea: Enenteridae) from kyphosid fishes (Centrarchiformes: Kyphosidae) collected in marine waters off eastern Australia. <i>Zootaxa</i> , 2022, 5154, 271-288.	0.5	3
10	<i>Gerricola queenslandensis</i> n. g., n. sp., a new monorchid trematode from the eastern Australian coast and its life cycle partially elucidated. <i>Journal of Helminthology</i> , 2021, 95, e30.	1.0	4
11	Gorgocephalidae (Digenea: Lepocreadioidea) in the Indo-West Pacific: new species, life-cycle data and perspectives on species delineation over geographic range. <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 1416-1455.	2.3	18
12	Gastropod first intermediate hosts for two species of Monorchidae Odhner, 1911 (Trematoda): I can't believe it's not bivalves!. <i>International Journal for Parasitology</i> , 2021, 51, 1035-1046.	3.1	9
13	Eight species of <i>Lintonium</i> Stunkard & Nigrelli, 1930 (Digenea: Fellodistomidae) in Australian tetraodontiform fishes. <i>Systematic Parasitology</i> , 2021, 98, 595-624.	1.1	4
14	Stable Isotope Signatures of an Acanthocephalan and Trematode from the Herbivorous Marine Fish <i>Kyphosus bigibbus</i> (Perciformes: Kyphosidae). <i>Journal of Parasitology</i> , 2021, 107, 726-730.	0.7	2
15	Two new species of threadlike blood flukes (Aporocotylidae), with a molecular revision of the genera <i>Ankistromece</i> Nolan & Cribb, 2004 and <i>Phthinomita</i> Nolan & Cribb, 2006. <i>Systematic Parasitology</i> , 2021, 98, 641-664.	1.1	14
16	Molecular phylogenetic analysis of the problematic genus <i>Cardicola</i> (Digenea: Aporocotylidae) indicates massive polyphyly, dramatic morphological radiation and host-switching. <i>Molecular Phylogenetics and Evolution</i> , 2021, 164, 107290.	2.7	7
17	The biodiversity of marine trematodes: then, now and in the future. <i>International Journal for Parasitology</i> , 2021, 51, 1085-1085.	3.1	3
18	A new order of fishes as hosts of blood flukes (Aporocotylidae); description of a new genus and three new species infecting squirrelfishes (Holocentriformes, Holocentrinae) on the Great Barrier Reef. <i>Parasite</i> , 2021, 28, 76.	2.0	3

#	ARTICLE	IF	CITATIONS
19	The Pseudoplagioporinae, a new subfamily in the Opecoelidae Ozaki, 1925 (Trematoda) for a small clade parasitizing mainly lethrinid fishes, with three new species. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 79-113.	1.4	8
20	Pronocephaloid cercariae (Platyhelminthes: Trematoda) from gastropods of the Queensland coast, Australia. <i>Journal of Helminthology</i> , 2020, 94, e105.	1.0	3
21	Two new species of <i>Prosorhynchoides</i> (Digenea: Bucephalidae) from <i>Tylosurus crocodilus</i> (Belonidae) from the great barrier reef and French Polynesia. <i>Parasitology International</i> , 2020, 75, 102005.	1.3	8
22	<i>Retroporomonorchis pansho</i> n. g., n. sp., an unusual monorchiid trematode exploiting an atypical host. <i>Systematic Parasitology</i> , 2020, 97, 441-454.	1.1	6
23	<i>Pseudohurleytrema yolandae</i> n. sp., the first monorchiid trematode reported from the Triacanthidae (Tetraodontiformes). <i>Systematic Parasitology</i> , 2020, 97, 491-500.	1.1	6
24	A new genus of Bucephalidae Poche, 1907 (Trematoda: Digenea) for three new species infecting the yellowtail pike, <i>Sphyaena obtusata</i> Cuvier (Sphyaenidae), from Moreton Bay, Queensland, Australia. <i>Systematic Parasitology</i> , 2020, 97, 455-476.	1.1	9
25	DNA sequencing demonstrates the importance of jellyfish in life cycles of lepopocreadiid trematodes. <i>Journal of Helminthology</i> , 2020, 94, e182.	1.0	4
26	Cryptic speciation of the zoogonid digenean <i>Diphterostomum flavum</i> n. sp. demonstrated by morphological and molecular data. <i>Parasite</i> , 2020, 27, 44.	2.0	9
27	First steps to restructuring the problematic genus <i>Lasiotocus</i> Looss, 1907 (Digenea: Monorchiidae) with the proposal of four new genera. <i>Parasitology International</i> , 2020, 79, 102164.	1.3	11
28	Bloody flukes: a review of aporocotylids as parasites of cultured marine fishes. <i>International Journal for Parasitology</i> , 2020, 50, 743-753.	3.1	12
29	Molecular characterisation of acanthocephalans from Australian marine teleosts: proposal of a new family, synonymy of another and transfer of taxa between orders. <i>Systematic Parasitology</i> , 2020, 97, 1-23.	1.1	21
30	Three new species of <i>Allobacciger</i> Hafeezullah & Siddiqi, 1970 (Digenea: Monorchiidae) from Australia and French Polynesia. <i>Marine Biodiversity</i> , 2020, 50, 1.	1.0	9
31	An Anomalous Phylogenetic Position for <i>Deraiotrema platycis</i> Machida, 1982 (Lepocreadiidae) from <i>Platax pinnatus</i> on the Great Barrier Reef. <i>Diversity</i> , 2019, 11, 104.	1.7	5
32	An identity crisis in the Indo-Pacific: molecular exploration of the genus <i>Koseiria</i> (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td	3.1	8
33	Parasites of coral reef fish larvae: its role in the pelagic larval stage. <i>Coral Reefs</i> , 2019, 38, 199-214.	2.2	3
34	A new classification for deep-sea opecoelid trematodes based on the phylogenetic position of some unusual taxa from shallow-water, herbivorous fishes off south-west Australia. <i>Zoological Journal of the Linnean Society</i> , 2019, 186, 385-413.	2.3	22
35	Review of "Digenetic Trematodes of Indian Marine Fishes" by Rokkam Madhavi and Rodney Bray. <i>Parasites and Vectors</i> , 2019, 12, 314.	2.5	0
36	Four new monorchiids from the golden trevally, <i>Gnathanodon speciosus</i> (Forssk) (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td	1.1	13

#	ARTICLE	IF	CITATIONS
37	A new genus and species of the trematode family Gyliuacnidae Fukui, 1929 from an unexpected, but plausible, host, <i>Kyphosus cornelii</i> (Perciformes: Kyphosidae). <i>Parasitology</i> , 2019, 146, 937-946.	1.5	8
38	Two new species of <i>Cardicola</i> (Trematoda: Aporocotylidae) from the damselfish <i>Abudefduf whitleyi</i> (Perciformes: Pomacentridae) and the triggerfish <i>Sufflamen chrysopteron</i> (Tetraodontiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 69	1.0	10
39	Three new species of acanthocephalans (Palaeacanthocephala) from marine fishes collected off the East Coast of South Africa. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	15
40	Spirorchiidiasis in marine turtles: the current state of knowledge. <i>Diseases of Aquatic Organisms</i> , 2019, 133, 217-245.	1.0	19
41	Three new species of <i>Prosorhynchoides</i> (Digenea: Bucephalidae) from <i>Tylosurus gavioloides</i> (Belonidae) in Moreton Bay, Queensland, Australia. <i>Parasitology International</i> , 2018, 67, 454-464.	1.3	10
42	Two new species of <i>Haplorchoides</i> Chen, 1949 (Digenea: Heterophyidae) infecting an Australian siluriform fish, <i>Nearius graeffei</i> Kner & Steindachner. <i>Systematic Parasitology</i> , 2018, 95, 201-211.	1.1	8
43	A complex of the blood fluke genus <i>Psettarium</i> (Digenea: Aporocotylidae) infecting tetraodontiform fishes of east Queensland waters. <i>Parasitology International</i> , 2018, 67, 321-340.	1.3	17
44	Expansion of the concept of the <i>Opistholebetinae</i> Fukui, 1929 (Digenea: Opecoelidae Ozaki, 1925), with <i>Magnosimum brooksae</i> n. g., n. sp. from <i>Tripodichthys angustifrons</i> (Hollard) (Tetraodontiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	10
45	Two species of <i>Phyllodistomum</i> Braun, 1899 (Trematoda: Gorgoderidae) from Moreton Bay, Australia. <i>Systematic Parasitology</i> , 2018, 95, 325-336.	1.1	7
46	The phylogenetic position of <i>Choerodonicola</i> Cribb, 2005 (Digenea: Opecoelidae) with a partial life-cycle for a new species from the blue-barred parrotfish <i>Scarus ghobban</i> ForsskÅ¶l (Scaridae) in Moreton Bay, Australia. <i>Systematic Parasitology</i> , 2018, 95, 337-352.	1.1	9
47	Two monorchiid species from the freckled goatfish, <i>Upeneus tragula</i> Richardson (Perciformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 69	1.1	12
48	Parasite infestation increases on coral reefs without cleaner fish. <i>Coral Reefs</i> , 2018, 37, 15-24.	2.2	31
49	<i>Isorchis cannonin</i> . sp. (Digenea: Atractotrematidae) from Great Barrier Reef rabbitfishes and the molecular elucidation of its life cycle. <i>Journal of Helminthology</i> , 2018, 92, 604-611.	1.0	11
50	Revision of <i>Podocotyloides</i> Yamaguti, 1934 (Digenea: Opecoelidae), resurrection of <i>Pedunculacetabulum</i> Yamaguti, 1934 and the naming of a cryptic opecoelid species. <i>Systematic Parasitology</i> , 2018, 95, 1-31.	1.1	31
51	<i>Monorchis lewisi</i> n. sp. (Trematoda: Monorchidae) from the surf bream, <i>Acanthopagrus australis</i> (Sparidae), in Moreton Bay, Australia. <i>Journal of Helminthology</i> , 2018, 92, 100-108.	1.0	16
52	<i>Lepotrema</i> Ozaki, 1932 (Lepocreadiidae: Digenea) from Indo-Pacific fishes, with the description of eight new species, characterised by morphometric and molecular features. <i>Systematic Parasitology</i> , 2018, 95, 693-741.	1.1	22
53	Heterobucephalopsine and prosorhynchine trematodes (Digenea: Bucephalidae) from teleost fishes of Moreton Bay, Queensland, Australia, with the description of two new species. <i>Systematic Parasitology</i> , 2018, 95, 783-806.	1.1	6
54	<i>Opistholobetes</i> (Digenea: Opecoelidae) in Australian tetraodontiform fishes. <i>Systematic Parasitology</i> , 2018, 95, 743-781.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Intermediate host switches drive diversification among the largest trematode family: evidence from the Polypipapiliotrematinae n. subf. (Opcoelidae), parasites transmitted to butterflyfishes via predation of coral polyps. <i>International Journal for Parasitology</i> , 2018, 48, 1107-1126.	3.1	24
56	Tetraphyllidean and onchoproteocephalidean cestodes of elasmobranchs from Moreton Bay, Australia: description of two new species and new records for seven described species. <i>Systematic Parasitology</i> , 2018, 95, 807-827.	1.1	5
57	Lepocreadiidae Odhner, 1905 and Aephnidiogenidae Yamaguti, 1934 (Digenea: Lepocreadioidea) of fishes from Moreton Bay, Queensland, Australia, with the erection of a new family and genus. <i>Systematic Parasitology</i> , 2018, 95, 479-498.	1.1	29
58	Two species of Neometadena Hafeezullah & Siddiqi, 1970 (Digenea: Cryptogonimidae) from Moreton Bay, Australia, including the description of Neometadena paucispina n. sp. from Australian Lutjanidae. <i>Systematic Parasitology</i> , 2018, 95, 655-664.	1.1	5
59	Two new species of Bacciger Nicoll, 1914 (Trematoda: Faustulidae) in species of Herklotsichthys Whitley (Clupeidae) from Queensland waters. <i>Systematic Parasitology</i> , 2018, 95, 645-654.	1.1	6
60	Molecular systematics of the digenean community parasitising the cerithiid gastropod Clypeomorus batillariaeformis Habe & Kusage on the Great Barrier Reef. <i>Parasitology International</i> , 2018, 67, 722-735.	1.3	16
61	Trigonocephalotrema (Digenea : Haplospalchnidae), a new genus for trematodes parasitising fishes of two Indo-West Pacific acanthurid genera. <i>Invertebrate Systematics</i> , 2018, 32, 759.	1.3	8
62	Aporocotylids from batoid and elopomorph fishes from Moreton Bay, Queensland, Australia, including a new genus and species of blood fluke infecting the Giant shovelnose ray, Glaucostegus typus (Rhinopristiformes: Glaucostegidae). <i>Parasitology International</i> , 2018, 67, 768-775.	1.3	8
63	Revision of Neolebouria Gibson, 1976 (Digenea: Opcoelidae), with Trilobovarium n. g., for species infecting tropical and subtropical shallow-water fishes. <i>Systematic Parasitology</i> , 2017, 94, 307-338.	1.1	25
64	Molecular epidemiology and pathology of spirorchiid infection in green sea turtles (Chelonia mydas). <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2017, 6, 39-47.	1.5	22
65	An updated concept and revised composition for Hamacreadium Linton, 1910 (Opcoelidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 4254, 151.	0.5	11
66	Three members of Opisthomonorchaeides Parukhin, 1966 (Digenea: Monorchidae) from carangid fishes (Perciformes) from Indonesia, with a review of the genus. <i>Systematic Parasitology</i> , 2017, 94, 443-462.	1.1	4
67	Larval trypanorhynch cestodes in teleost fish from Moreton Bay, Queensland. <i>Marine and Freshwater Research</i> , 2017, 68, 2123.	1.3	4
68	Four new species of Paradiscogaster Yamaguti, 1934 (Digenea: Faustulidae) from batfishes (Perciformes: Ehippidae) on the Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2017, 94, 339-349.	1.1	2
69	Did biogeographical processes shape the monogenean community of butterflyfishes in the tropical Indo-west Pacific region?. <i>International Journal for Parasitology</i> , 2017, 47, 447-455.	3.1	4
70	Elucidation of the first definitively identified life cycle for a marine turtle blood fluke (Trematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38	3.1	38
71	Patterns of specificity and diversity in species of Paraorygmatobothrium Ruhnke, 1994 (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 Systematic Parasitology, 2017, 94, 941-970.	1.1	7
72	Two new and one known species of Tergestia Stossich, 1899 (Trematoda: Fellodistomidae) with novel molecular characterisation for the genus. <i>Systematic Parasitology</i> , 2017, 94, 861-874.	1.1	13

#	ARTICLE	IF	CITATIONS
73	A re-evaluation of diversity of the Aporocotylidae Odhner, 1912 in <i>Siganus fuscescens</i> (Houttuyn) (Perciformes: Siganidae) and associated species. <i>Systematic Parasitology</i> , 2017, 94, 717-737.	1.1	14
74	Evidence that blood flukes (Trematoda: Aporocotylidae) of chondrichthyans infect bivalves as intermediate hosts: indications of an ancient diversification of the Schistosomatoidea. <i>International Journal for Parasitology</i> , 2017, 47, 885-891.	3.1	33
75	Molecular phylogeny of the Haplosporinae Olson, Cribb, Tkach, Bray and Littlewood, 2003, with a description of <i>Schikhobalotrema huffmani</i> n. sp.. <i>Acta Parasitologica</i> , 2017, 62, 502-512.	1.1	7
76	Two known and one new species of Proctoeces from Australian teleosts: Variable host-specificity for closely related species identified through multi-locus molecular data. <i>Parasitology International</i> , 2017, 66, 16-26.	1.3	58
77	A native-range source for a persistent trematode parasite of the exotic New Zealand mudsnail (<i>Potamopyrgus antipodarum</i>) in France. <i>Hydrobiologia</i> , 2017, 785, 115-126.	2.0	16
78	Molecular Characterization of Coccidia Associated with an Epizootic in Green Sea Turtles (<i>Chelonia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.5	24
79	Terminal Restriction Fragment Length Polymorphism for the Identification of Spirorchiid Ova in Tissues from the Green Sea Turtle, <i>Chelonia mydas</i> . <i>PLoS ONE</i> , 2016, 11, e0162114.	2.5	13
80	Gill monogenean communities (Platyhelminthes, Monogenea, Dactylogyridae) of butterflyfishes from tropical Indo-West Pacific Islands. <i>Parasitology</i> , 2016, 143, 1580-1591.	1.5	7
81	Trematodes of fishes of the Indo-west Pacific: told and untold richness. <i>Systematic Parasitology</i> , 2016, 93, 237-247.	1.1	42
82	Editorial: The biodiversity of trematodes of fishes. <i>Systematic Parasitology</i> , 2016, 93, 219-221.	1.1	10
83	A complex of <i>Cardicola</i> Short, 1953 (Digenea: Aporocotylidae) species infecting the milkfish <i>Chanos chanos</i> Forssk (Gonorynchiformes), with descriptions of two new species. <i>Systematic Parasitology</i> , 2016, 93, 831-846.	1.1	17
84	<i>Transversotrema</i> Witenberg, 1944 (Trematoda: Transversotrematidae) from inshore fishes of Australia: description of a new species and significant range extensions for three congeners. <i>Systematic Parasitology</i> , 2016, 93, 639-652.	1.1	29
85	The life-cycle of <i>Gorgocephalus yaaji</i> Bray & Cribb, 2005 (Digenea: Gorgocephalidae) with a review of the first intermediate hosts for the superfamily Lepocreadioidea Odhner, 1905. <i>Systematic Parasitology</i> , 2016, 93, 653-665.	1.1	25
86	A new species of microphallid (Trematoda: Digenea) infecting a novel host family, the Muraenidae, on the northern Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2016, 93, 863-876.	1.1	16
87	Three new species of blood flukes (Digenea: Aporocotylidae) infecting pufferfishes (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.3	22
88	High-intensity cardiac infections of <i>Phthinomita heinigeriae</i> n. sp. (Digenea: Aporocotylidae) in the orangeline cardinalfish, <i>Taeniamia fucata</i> (Cantor), off Heron Island on the Great Barrier Reef. <i>Parasitology International</i> , 2016, 65, 371-377.	1.3	10
89	Trematode diversity in freshwater fishes of the Globe I: "Old World"™. <i>Systematic Parasitology</i> , 2016, 93, 257-269.	1.1	17
90	A review of the genus <i>Sclerocollum</i> Schmidt & Paperna, 1978 (Acanthocephala: Cavisomidae) from rabbitfishes (Siganidae) in the Indian and Pacific Oceans. <i>Systematic Parasitology</i> , 2016, 93, 101-114.	1.1	8

#	ARTICLE	IF	CITATIONS
91	Knowledge of marine fish trematodes of Atlantic and Eastern Pacific Oceans. <i>Systematic Parasitology</i> , 2016, 93, 223-235.	1.1	16
92	Cleaner wrasse influence habitat selection of young damselfish. <i>Coral Reefs</i> , 2016, 35, 427-436.	2.2	12
93	The molecular phylogeny of the digenean family Opecoelidae Ozaki, 1925 and the value of morphological characters, with the erection of a new subfamily. <i>Folia Parasitologica</i> , 2016, 63, .	1.3	42
94	Are cryptic species a problem for parasitological biological tagging for stock identification of aquatic organisms?. <i>Parasitology</i> , 2015, 142, 125-133.	1.5	16
95	Molecular analysis of the genera <i>Hapalotrema</i> Looss, 1899 and <i>Learedius</i> Price, 1934 (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock) <i>Systematic Parasitology</i> , 2015, 90, 67-79.	1.1	17
96	First Record of <i>Transversotrema</i> Witenberg, 1944 (Digenea) from the Americas, with Comments on the Taxonomy of <i>Transversotrema patialense</i> (Soparkar, 1924) Crusz and Sathananthan, 1960, and an Updated List of Its Hosts and Geographic Distribution. <i>Journal of Parasitology</i> , 2015, 101, 717-725.	0.7	12
97	<i>Dollfustrema durum</i> n. sp. and <i>Heterobucephalopsis perardua</i> n. sp. (Digenea: Bucephalidae) from the giant moray eel, <i>Gymnothorax javanicus</i> (Bleeker) (Anguilliformes: Muraenidae), and proposal of the <i>Heterobucephalopsinae</i> n. subfam. <i>Parasitology International</i> , 2015, 64, 559-570.	1.3	27
98	The effect of elevated temperature and substrate on free-living Symbiodinium cultures. <i>Coral Reefs</i> , 2015, 34, 161-171.	2.2	37
99	A review of the genus <i>Antorchis</i> Linton, 1911 (Trematoda: Faustulidae) from Indo-Pacific fishes with the description of a new species. <i>Systematic Parasitology</i> , 2015, 92, 1-11.	1.1	4
100	Presence of cleaner wrasse increases the recruitment of damselfishes to coral reefs. <i>Biology Letters</i> , 2015, 11, 20150456.	2.3	28
101	A species pair of <i>Bivesicula</i> Yamaguti, 1934 (Trematoda: Bivesiculidae) in unrelated Great Barrier Reef fishes: implications for the basis of speciation in coral reef fish trematodes. <i>Systematic Parasitology</i> , 2015, 91, 231-239.	1.1	17
102	A complex of species related to <i>Paradiscogaster glebulae</i> (Digenea: Faustulidae) in chaetodontid fishes (Teleostei: Perciformes) of the Great Barrier Reef. <i>Parasitology International</i> , 2015, 64, 421-428.	1.3	11
103	Morphological and molecular data for three species of the Microphallidae (Trematoda: Digenea) in Australia, including the first descriptions of the cercariae of <i>Maritrema brevisacciferum</i> Shimazu et Pearson, 1991 and <i>Microphallus minutus</i> Johnston, 1948. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	18
104	Erection of the haploporid genus <i>Litosaccus</i> n. g. and its phylogenetic relationship within the Haploporidae Nicoll, 1914. <i>Systematic Parasitology</i> , 2014, 89, 185-194.	1.1	14
105	A new species of <i>Plectognathotrema</i> Layman, 1930 (Trematoda: Zoogonidae) from an Australian monacanthid, with a molecular assessment of the phylogenetic position of the genus. <i>Systematic Parasitology</i> , 2014, 89, 237-246.	1.1	16
106	Two new species of <i>Phyllodistomum</i> Braun, 1899 (Trematoda: Gorgoderidae Looss, 1899) from Great Barrier Reef fishes. <i>Zootaxa</i> , 2014, 3779, 551-62.	0.5	18
107	A review of the currently recognised opecoelid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XII (Digenea: Opecoelidae) from <i>Nassarius olivaceus</i> (Gastropoda: Tj ETQq1 1 0.784314 rgBT/Overlock)	1.1	17
108	Biogeography of tropical Indo-West Pacific parasites: A cryptic species of <i>Transversotrema</i> and evidence for rarity of <i>Transversotrematidae</i> (Trematoda) in French Polynesia. <i>Parasitology International</i> , 2014, 63, 285-294.	1.3	25

#	ARTICLE	IF	CITATIONS
109	Trematodes of the Great Barrier Reef, Australia: emerging patterns of diversity and richness in coral reef fishes. <i>International Journal for Parasitology</i> , 2014, 44, 929-939.	3.1	35
110	Diversity and Ancestry of Flatworms Infecting Blood of Nontetrapod Craniates –Fishes–. <i>Advances in Parasitology</i> , 2014, 85, 1-64.	3.2	54
111	<i>Cardicola beveridgei</i> n. sp. (Digenea: Aporocotylidae) from the mangrove jack, <i>Lutjanus argentimaculatus</i> (Perciformes: Lutjanidae), and <i>C. bullardi</i> n. sp. from the Australian spotted mackerel, <i>Scomberomorus munroi</i> (Perciformes: Scombridae), from the northern Great Barrier Reef. <i>Parasitology International</i> . 2014. 63. 735-745.	1.3	19
112	Molecular evidence that the genus <i>Cadenatella</i> Dollfus, 1946 (Digenea: Plagiorchiida) belongs in the superfamily Haploporoidea Nicoll, 1914. <i>Systematic Parasitology</i> , 2014, 89, 15-21.	1.1	12
113	The sexual adult of <i>Cercaria praecox</i> Walker, 1971 (Digenea: Fellodistomidae), with the proposal of <i>Oceroma</i> n. g.. <i>Systematic Parasitology</i> , 2014, 88, 1-10.	1.1	17
114	<i>Pseudobacciger cheneyae</i> n. sp. (Digenea: Gymnophalloidea) from Weber's chromis (<i>Chromis weberi</i>) Tj ETQq0 0 0 rgBT /Overlock 1	1.1	24
115	Monorchiid trematodes of the painted sweetlips, <i>Diagramma labiosum</i> (Perciformes: Haemulidae), from the southern Great Barrier Reef, including a new genus and three new species. <i>Systematic Parasitology</i> , 2014, 88, 195-211.	1.1	20
116	Evidence for extensive cryptic speciation in trematodes of butterflyfishes (Chaetodontidae) of the tropical Indo-West Pacific. <i>International Journal for Parasitology</i> , 2014, 44, 37-48.	3.1	40
117	Diversity of trypanorhynch metacestodes in teleost fishes from coral reefs off eastern Australia and New Caledonia. <i>Parasite</i> , 2014, 21, 60.	2.0	21
118	Benign effect of the fish parasitic isopod <i>Ceratothoa</i> cf. <i>imbricata</i> on <i>Selenotoca multifasciata</i> (Scatophagidae) from Australia. <i>Diseases of Aquatic Organisms</i> , 2014, 110, 173-180.	1.0	10
119	A review of the currently recognised zoogonid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XI (Digenea: Zoogonidae) from <i>Nassarius olivaceus</i> (Gastropoda:) Tj ETQq1 1 0.784334 rgBT /Overlock 1	1.0	10
120	A review of the currently recognised zoogonid cercariae, including the identification and emergence ecology of <i>Cercaria capricornia</i> XI (Digenea: Zoogonidae) from <i>Nassarius olivaceus</i> (Gastropoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	1.0	10
121	Opecoelidae (Digenea) in northern Great Barrier Reef goatfishes (Perciformes: Mullidae). <i>Systematic Parasitology</i> , 2013, 84, 237-253.	1.1	7
122	Bucephalidae (Platyhelminthes: Digenea) of <i>Plectropomus</i> (Serranidae: Epinephelinae) in the tropical Pacific. <i>Parasitology Research</i> , 2013, 112, 2561-2584.	1.6	15
123	Phylogenetic relationships of the Gorgoderidae (Platyhelminthes: Trematoda), including the proposal of a new subfamily (Degeneriinae n. subfam.). <i>Parasitology Research</i> , 2013, 112, 3063-3074.	1.6	48
124	Effect of a hemiuroid trematode on the hemocyte immune parameters of the cockle <i>Anadara trapezia</i> . <i>Fish and Shellfish Immunology</i> , 2013, 35, 951-956.	3.6	17
125	<i>Paradiscogaster flindersi</i> and <i>P. oxleyi</i> n. sp. (Digenea: Faustulidae): overlapping host and geographical distributions in corallivore chaetodontid fishes in the tropical Indo-west Pacific. <i>Systematic Parasitology</i> , 2013, 86, 87-99.	1.1	10
126	<i>Peracreadium akenovae</i> sp. nov. (Trematoda: Opecoelidae) parasitising the highfin moray eel <i>Gymnothorax pseudothyroideus</i> (Anguilliformes: Muraenidae) from moreton bay, Australia. <i>Acta Parasitologica</i> , 2013, 58, 324-7.	1.1	2

#	ARTICLE	IF	CITATIONS
127	Parasites of QX-resistant and wild-type Sydney rock oysters (<i>Saccostrea glomerata</i>) in Moreton Bay, SE Queensland, Australia: Diversity and host response. <i>Journal of Invertebrate Pathology</i> , 2013, 112, 273-277.	3.2	12
128	Intra-specific variation of <i>Kudoa</i> spp. (Myxosporea: Multivalvulida) from apogonid fishes (Perciformes), including the description of two new species, <i>K. cheilodipteri</i> n. sp. and <i>K. cookii</i> n. sp., from Australian waters. <i>Systematic Parasitology</i> , 2013, 84, 193-215.	1.1	39
129	Dramatic phenotypic plasticity within species of <i>Siphomutabilus</i> n. g. (Digenea: Cryptogonimidae) from Indo-Pacific caesionines (Perciformes: Lutjanidae). <i>Systematic Parasitology</i> , 2013, 86, 101-112.	1.1	22
130	The ghost of parasites past: eggs of the blood fluke <i>Cardicola chaetodontis</i> (Aporocotylidae) trapped in the heart and gills of butterflyfishes (Perciformes: Chaetodontidae) of the Great Barrier Reef. <i>Parasitology</i> , 2013, 140, 1186-1194.	1.5	25
131	A new species of <i>Heth</i> Cobb, 1898 (Nematoda: Rhigonematida: Hethidae) from an Australian millipede (Myriapoda: Diplopoda: Spirostreptida). <i>New Zealand Journal of Zoology</i> , 2012, 39, 301-309.	1.1	4
132	<i>Travassosinema dalei</i> sp. n. (Thelastomatoidea; Nematoda) from the hind gut of an Australian scarabaeid larva. <i>New Zealand Journal of Zoology</i> , 2012, 39, 291-300.	1.1	9
133	The Magnitude of Global Marine Species Diversity. <i>Current Biology</i> , 2012, 22, 2189-2202.	3.9	797
134	Reorganisation of the superfamily Lepocreadioidea Odhner, 1905 based on an inferred molecular phylogeny. <i>Systematic Parasitology</i> , 2012, 83, 169-177.	1.1	50
135	Monorchiiids (Platyhelminthes: Digenea) of chaetodontid fishes (Perciformes): Biogeographical patterns in the tropical Indo-West Pacific. <i>Parasitology International</i> , 2012, 61, 288-306.	1.3	17
136	The effects of parasites on the early life stages of a damselfish. <i>Coral Reefs</i> , 2012, 31, 1065-1075.	2.2	17
137	A cryptic complex of species related to <i>Transversotrema licinum</i> Manter, 1970 from fishes of the Indo-West Pacific, including descriptions of ten new species of <i>Transversotrema</i> Witenberg, 1944 (Digenea: Transversotrematidae). <i>Zootaxa</i> , 2012, 3176, 1.	0.5	26
138	<i>Sasala nolani</i> gen. n., sp. n. (Digenea: Aporocotylidae) from the body-cavity of the guineafowl puffer fish <i>Arothron meleagris</i> (Lacepède) (Tetraodontiformes: Tetraodontidae) from off Moorea, French Polynesia. <i>Zootaxa</i> , 2012, 3334, 29.	0.5	12
139	<i>Proctophantastes nettastomatis</i> (Digenea: Zoogonidae) from Vanuatu deep-sea fish: new morphological features, allometric growth, and phenotypic plasticity aspects. <i>Parasitology Research</i> , 2012, 110, 1631-1638.	1.6	3
140	Taxonomy, host specificity and dietary implications of <i>Hurleytrematoides</i> (Digenea: Monorchiiidae) from chaetodontid fishes on the Great Barrier Reef. <i>Parasitology International</i> , 2011, 60, 255-269.	1.3	20
141	Trematode families and genera: have we found them all?. <i>Trends in Parasitology</i> , 2011, 27, 149-154.	3.3	30
142	The life cycle of <i>Cardicola forsteri</i> (Trematoda: Aporocotylidae), a pathogen of ranched southern bluefin tuna, <i>Thunnus maccoyi</i> . <i>International Journal for Parasitology</i> , 2011, 41, 861-870.	3.1	83
143	Taxonomic approaches to and interpretation of host specificity of trematodes of fishes: lessons from the Great Barrier Reef. <i>Parasitology</i> , 2011, 138, 1710-1722.	1.5	50
144	Phylogenetic studies explain the discrepant host distribution of <i>Allopodocotyle heronensis</i> sp. nov. (Digenea, Opecoelidae) in Great Barrier Reef serranids. <i>Acta Parasitologica</i> , 2011, 56, .	1.1	6

#	ARTICLE	IF	CITATIONS
145	Taxonomy, host-specificity and biogeography of <i>Symmetrovesicula Yamaguti, 1938 (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50)</i> Systematic Parasitology, 2011, 78, 1-18.	1.1	17
146	<i>Hemipristicola gunterae</i> gen. n., sp. n. (Cestoda: Tetrphyllidea: Phyllobothriidae) from the snaggletooth shark, <i>Hemipristis elongata</i> (Carcharhiniformes: Hemigaleidae), from Moreton Bay, Australia. Folia Parasitologica, 2011, 58, 187-196.	1.3	8
147	<i>Rhaphidotrema kiatkiongi</i> , a new genus and species of blood fluke (Digenea: Aporocotylidae) from <i>Arothron hispidus</i> (Osteichthyes: Tetraodontidae) from the Great Barrier Reef, Australia. Folia Parasitologica, 2011, 58, 273-277.	1.3	10
148	<i>Varialvus</i> gen. nov. (Digenea, Cryptogonimidae), from species of Lutjanidae (Perciformes) off the Great Barrier Reef, New Caledonia and the Maldives. Acta Parasitologica, 2010, 55, .	1.1	16
149	<i>Diploproctodaenum</i> spp. (Digenea, Lepocreadiidae) in Australian and New Caledonian waters including two new species from Tetraodontiformes and new records of related species. Acta Parasitologica, 2010, 55, .	1.1	1
150	Effects of parasites on larval and juvenile stages of the coral reef fish <i>Pomacentrus moluccensis</i> . Coral Reefs, 2010, 29, 31-40.	2.2	26
151	Gut wash, body soak, blender and heat-fixation: approaches to the effective collection, fixation and preservation of trematodes of fishes. Systematic Parasitology, 2010, 76, 1-7.	1.1	192
152	Two new species of flukes (Digenea: Bucephalidae: Prosorhynchinae) from the Western Moray <i>Gymnothorax woodwardi</i> (Anguilliformes: Muraenidae) from off Western Australia, with replacement of the pre-occupied generic name <i>Folliculovarium</i> Gu & Shen, 1983. Systematic Parasitology, 2010, 76, 81-92.	1.1	9
153	A new tetrphyllidean genus and species, <i>Caulopatera pagei</i> n. g., n. sp. (Tetrphyllidea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50) (Orectolobiformes: Hemiscylliidae). Systematic Parasitology, 2010, 77, 13-21.	1.1	5
154	Cryptic species of <i>Euryakaina</i> n. g. (Digenea: Cryptogonimidae) from sympatric lutjanids in the Indo-West Pacific. Systematic Parasitology, 2010, 77, 185-204.	1.1	26
155	<i>Multitestis</i> Manter 1931 (Digenea: Lepocreadiidae) in ehippid and chaetodontid fishes (Perciformes) in the south-western Pacific Ocean and the Indian Ocean off Western Australia. Zootaxa, 2010, 2427, .	0.5	5
156	Transversotrematidae (Platyhelminthes: Trematoda) are rich and abundant on Indo-Pacific fishes. Zootaxa, 2010, 2442, 25.	0.5	10
157	Two new <i>Stephanostomum</i> -like cercariae (Digenea: Acanthocolpidae) from <i>Nassarius dorsatus</i> and <i>N. olivaceus</i> (Gastropoda: Nassariidae) in Central Queensland, Australia. Zootaxa, 2010, 2445, 35.	0.5	9
158	A cryptic complex of <i>Transversotrema</i> species (Digenea: Transversotrematidae) on labroid, haemulid and lethinid fishes in the Indo-West Pacific Region, including the description of three new species. Zootaxa, 2010, 2652, .	0.5	17
159	<i>Staphylorchis cymatodes</i> (Gorgoderidae: Anaporrhutinae) from carcharhiniform, orectolobiform and myliobatiform elasmobranchs of Australasia: Low host specificity, wide distribution and morphological plasticity. Parasitology International, 2010, 59, 579-586.	1.3	20
160	Morphological disparity despite genetic similarity; new species of <i>Lobosorchis</i> Miller & Cribb, 2005 (Digenea: Cryptogonimidae) from the Great Barrier Reef and the Maldives. Zootaxa, 2009, 1992, 37-52.	0.5	24
161	Prosorhynchine trematodes (Digenea: Bucephalidae) from epinephelins (Perciformes: Serranidae) on the Great Barrier Reef, Australia. Systematic Parasitology, 2009, 72, 57-69.	1.1	13
162	<i>Adlardia novaecaledoniae</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Val.) (Perciformes: Nemipteridae) off New Caledonia. Systematic Parasitology, 2009, 73, 151-160.	1.1	18

#	ARTICLE	IF	CITATIONS
163	<i>Gynichthys diakidnus</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the grunt <i>Plectorhinchus gibbosus</i> (Lacépède, 1802) (Perciformes: Haemulidae) off the Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 2009, 74, 103-112.	1.1	14
164	<i>Paraorygmatobothrium taylori</i> n. sp. (Tetraphyllidea: Phyllobothriidae) from the Australian weasel shark <i>Hemigaleus australiensis</i> White, Last & Compagno (Carcharhiniformes: Hemigaleidae). <i>Systematic Parasitology</i> , 2009, 74, 49-58.	1.1	9
165	Stock structure of blue threadfin <i>Eleutheronema tetradactylum</i> on the Queensland east coast, as determined by parasites and conventional tagging. <i>Journal of Fish Biology</i> , 2009, 75, 156-171.	1.6	25
166	Resolution of the discrepant host-specificity of <i>Pseudorhabdosynochus</i> species (Monogenea, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	1.1	8
167	The phylogeny of the Lepocreadioidea (Platyhelminthes, Digenea) inferred from nuclear and mitochondrial genes: Implications for their systematics and evolution. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	77
168	<i>Cableia balistidicola</i> n. sp. (Digenea, Monorchiidae) from Pacific Ocean balistids (Tetraodontiformes) and new reports of <i>Cableia pudica</i> Bray, Cribb and Barker, 1996 in temperate Australian monacanthids. <i>Parasitology International</i> , 2009, 58, 341-345.	1.3	4
169	<i>Hurleytrematoides justinei</i> n. sp. (Digenea: Monorchiidae) from Valentinni's sharpnose puffer, <i>Canthigaster valentini</i> (Bleeker) (Tetraodontiformes: Tetraodontidae) from Heron Island, Queensland, Australia. <i>Zootaxa</i> , 2009, 2027, 63-68.	0.5	8
170	A New PCR-Based Approach Indicates the Range of <i>Clonorchis sinensis</i> Now Extends to Central Thailand. <i>PLoS Neglected Tropical Diseases</i> , 2009, 3, e367.	3.0	121
171	Eight new species of <i>Siphoderina</i> Manter, 1934 (Digenea, Cryptogonimidae) infecting Lutjanidae and Haemulidae (Perciformes) off Australia. <i>Acta Parasitologica</i> , 2008, 53, 344.	1.1	34
172	Natatory-stage cymothoid isopods: Description, molecular identification and evolution of attachment. <i>International Journal for Parasitology</i> , 2008, 38, 477-491.	3.1	44
173	<i>Proctophantastes brayi</i> , n. sp. (Digenea: Zoogonidae) parasite of the deep-sea fish <i>Polymixia</i> Lowe, 1838 from Vanuatu. <i>Parasitology International</i> , 2008, 57, 25-31.	1.3	3
174	Revision of <i>Flagellotrema</i> Ozaki, 1936 (Digenea, Gyliuchenidae Fukui, 1929), including the description of two species from acanthuroid fishes from the Great Barrier Reef, Queensland, Australia. <i>Zootaxa</i> , 2008, 1718, 1.	0.5	7
175	A complex of putative acanthocolpid cercariae (Digenea) from <i>Nassarius olivaceus</i> and <i>N. dorsatus</i> (Gastropoda: Nassariidae) in Central Queensland, Australia. <i>Zootaxa</i> , 2008, 1705, 21.	0.5	5
176	Family Cryptogonimidae Ward, 1917., 2008, , 51-112.		33
177	A comprehensive analysis of the biogeography of the thelastomatoid pinworms from Australian burrowing cockroaches (Blaberidae: Geoscapheinae, Panesthiinae): no evidence of coevolution. <i>Parasitology</i> , 2007, 134, 1387-1399.	1.5	9
178	Local climate aridity influences the distribution of thelastomatoid nematodes of the Australian giant burrowing cockroach. <i>Parasitology</i> , 2007, 134, 1401-1408.	1.5	7
179	STRUCTURE OF THE PARASITE COMMUNITIES OF A CORAL REEF FISH ASSEMBLAGE (LABRIDAE): TESTING ECOLOGICAL AND PHYLOGENETIC HOST FACTORS. <i>Journal of Parasitology</i> , 2007, 93, 17-30.	0.7	33
180	Rediagnosis of <i>Ichthyotrema</i> Caballero & Bravo-Hollis, 1952 (Digenea: Gyliuchenidae Fukui,) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.5	1

#	ARTICLE	IF	CITATIONS
181	Two new cryptogonimid genera <i>Beluesca</i> n. gen. and <i>Chelediadema</i> n. gen. (Digenea: Cryptogonimidae) from tropical Indo-West Pacific <i>Haemulidae</i> (Perciformes). <i>Zootaxa</i> , 2007, 1543, 45-60.	0.5	19
182	<i>Homalometron moraveci</i> n. sp. (Digenea: Apocreadiidae) in the yellowfin goatfish, <i>Mulloidichthys vanicolensis</i> (Valenciennes, 1831) (Perciformes: Mullidae), from New Caledonia and the Great Barrier Reef, with a checklist of digeneans of <i>Mulloidichthys</i> species. <i>Zootaxa</i> , 2007, 1525, .	0.5	2
183	<i>Holorchis gigas</i> n. sp. (Digenea: Lepocreadiidae) from the yellow-striped <i>sweet-lips Plectorhinchus chrysotaenia</i> (Perciformes: Haemulidae) from Lizard Island, Great Barrier Reef, with observations on <i>Aephniogenes major</i> . <i>Zootaxa</i> , 2007, 1517, 63-68.	0.5	1
184	Phylogenetic relationships of some common Indo-Pacific snappers (Perciformes: Lutjanidae) based on mitochondrial DNA sequences, with comments on the taxonomic position of the Caesioninae. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 450-460.	2.7	68
185	Coevolution of <i>Retrovarium</i> n. gen. (Digenea: Cryptogonimidae) in Lutjanidae and Haemulidae (Perciformes) in the Indo-West Pacific. <i>International Journal for Parasitology</i> , 2007, 37, 1023-1045.	3.1	52
186	Host specificity of two species of <i>Gnathia</i> (Isopoda) determined by DNA sequencing blood meals. <i>International Journal for Parasitology</i> , 2007, 37, 927-935.	3.1	43
187	Two new cryptogonimid genera (Digenea, Cryptogonimidae) from <i>Lutjanus bohar</i> (Perciformes.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 T species. <i>Acta Parasitologica</i> , 2007, 52, 104.	1.1	35
188	A new species of <i>Stephanostomum</i> Looss, 1899 (Digenea, Acanthocolpidae) with a bizarre oral sucker: <i>S. adlardi</i> sp. nov. from the common coral trout <i>Plectropomus leopardus</i> (Lacepède, 1802) (Perciformes, Serranidae) from Lizard Island, Great Barrier Reef. <i>Acta Parasitologica</i> , 2007, 52, 206.	1.1	12
189	<i>Ningalooia psammopercae</i> n. g., n. sp. (Digenea: Acanthocolpidae) from the Waigieu seaperch <i>Psammoperca waigiensis</i> (Cuvier) (Perciformes: Latidae) on the Ningaloo Reef, Western Australia. <i>Systematic Parasitology</i> , 2007, 66, 131-135.	1.1	6
190	<i>Monostephanostomum nolani</i> sp. n. and <i>M. krusei</i> Reimer, 1983 (Digenea: Acanthocolpidae) from carangid fishes from coral reef waters off Australia. <i>Folia Parasitologica</i> , 2007, 54, 19-26.	1.3	7
191	The importance of host ecology in thelastomatoid (Nematoda: Oxyurida) host specificity. <i>Parasitology International</i> , 2006, 55, 169-174.	1.3	12
192	<i>Stephanostomum talakitok</i> n. sp. (Digenea: Acanthocolpidae) from the golden trevalley, <i>Gnathanodon speciosus</i> (Perciformes: Carangidae), from Ningaloo Reef, Western Australia. <i>Zootaxa</i> , 2006, 1104, 59.	0.5	5
193	Molecular characterization of <i>Thelastomatoidea</i> (Nematoda: Oxyurida) from cockroaches in Australia. <i>Parasitology</i> , 2006, 133, 123.	1.5	17
194	Patterns of relatedness in the Kudoidae with descriptions of <i>Kudoa chaetodoni</i> n. sp. and <i>K. lethrini</i> n. sp. (Myxosporea: Multivalvulida). <i>Parasitology</i> , 2006, 134, 669-681.	1.5	62
195	Characterization of <i>Kudoa monodactyli</i> n. sp. (Myxosporea: Multivalvulida) from the Muscle of <i>Monodactylus argenteus</i> (Teleostei: Monodactylidae) from Moreton Bay, Queensland, Australia. <i>Journal of Eukaryotic Microbiology</i> , 2006, 53, 374-378.	1.7	17
196	<i>Helicometra</i> Odhner, 1902 (Digenea: Opecoelidae) in Australian waters: problems of species identification and a description of <i>H. sprenti</i> n. sp. <i>Systematic Parasitology</i> , 2006, 63, 17-27.	1.1	8
197	<i>Overstreetia olsoni</i> n. sp. (Digenea: Zoogonidae) from the Capricorn silverside <i>Atherinomorus capricornensis</i> (Woodland) (Atherinidae) off Heron Island, southern Great Barrier Reef. <i>Systematic Parasitology</i> , 2006, 63, 41-43.	1.1	3
198	Phylogeny, evolution and biogeography of the <i>Quadrifoliovariinae</i> Yamaguti, 1965 (Digenea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T	1.1	26

#	ARTICLE	IF	CITATIONS
199	Species accumulation curves and their applications in parasite ecology. Trends in Parasitology, 2006, 22, 568-574.	3.3	69
200	New Thelastomatoidea (Nematoda: Oxyurida) from Australian burrowing cockroaches (Blaberidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	6
201	Endoparasite communities of five fish species (Labridae: Cheilinae) from Lizard Island: how important is the ecology and phylogeny of the hosts?. Parasitology, 2006, 132, 363-374.	1.5	49
202	Thelastomatoidea (Nematoda: Oxyurida) of the Australian giant burrowing cockroach, Macropanesthia rhinoceros (Blaberidae: Geoscaphinae). Nematology, 2006, 8, 347-357.	0.6	7
203	An exceptionally rich complex of Sanguinicolidae von Graff, 1907 (Platyhelminthes: Trematoda) from Siganidae, Labridae and Mullidae (Teleostei: Perciformes) from the Indo-West Pacific Region. Zootaxa, 2006, 1218, 1.	0.5	61
204	Cardicola Short, 1953 and Braya n. gen. (Digenea: Sanguinicolidae) from five families of tropical Indo-Pacific fishes. Zootaxa, 2006, 1265, 1.	0.5	56
205	FIRST REPORT OF INTRAMOLLUSCAN STAGES OF A GORGODERID DIGENEAN FROM A MARINE BIVALVE. Journal of Parasitology, 2005, 91, 838-842.	0.7	7
206	Digenean trematodes infecting the tropical abalone Haliotis asinina have species-specific cercarial emergence patterns that follow daily or semilunar spawning cycles. Marine Biology, 2005, 148, 285-292.	1.5	20
207	First report of a bucephalid digenean from an apogonid teleost: Prosorhynchoides apogonis n. sp. from Cheilodipterus macrodon on the southern Great Barrier Reef, Australia. Systematic Parasitology, 2005, 60, 33-37.	1.1	14
208	Two new hemiurine species (Digenea: Hemiuridae) from Spratelloides robustus Ogilby (Clupeiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Australian and New Caledonian waters. Systematic Parasitology, 2005, 60, 197-203.	1.1	0
209	Sanguinicola maritimus n. sp. (Digenea: Sanguinicolidae) from Labridae (Teleostei: Perciformes) of southern Australian waters. Systematic Parasitology, 2005, 61, 99-106.	1.1	11
210	Grammatorcynicola n. g. (Bucephalidae: Dolichoenterinae) from Grammatorcynus spp. (Scombridae) on the Great Barrier Reef, Australia. Systematic Parasitology, 2005, 61, 93-98.	1.1	4
211	Revision of Telotrema Ozaki, 1933 (Digenea: Gyliauchenidae Fukui, 1929), including the description of a new species from an acanthurid fish from the Great Barrier Reef, Queensland, Australia. Zootaxa, 2005, 1071, 1-18.	0.5	3
212	The Thelastomatoidea (Nematoda: Oxyurida) of two sympatric Panesthiinae (Insecta: Blattodea) from southeastern Queensland, Australia: taxonomy, species richness and host specificity. Nematology, 2005, 7, 543-575.	0.6	27
213	CHAULIOLEPTOS HAYWARDI N. GEN., N. SP. (DIGENEA: SANGUINICOLIDAE) FROM FILIMANUS HEPTADACTYLA (PERCIFORMES: POLYNEMIDAE) OF MORETON BAY, AUSTRALIA. Journal of Parasitology, 2005, 91, 630-634.	0.7	10
214	A NEW GENUS AND SPECIES OF CRYPTOGONIMID FROM LUTJANUS SPP. (PISCES: LUTJANIDAE) ON THE GREAT BARRIER REEF AND NEW CALEDONIA. Journal of Parasitology, 2005, 91, 922-924.	0.7	10
215	The Use and Implications of Ribosomal DNA Sequencing for the Discrimination of Digenean Species. Advances in Parasitology, 2005, 60, 101-163.	3.2	211
216	INFRACOMMUNITY STRUCTURE OF PARASITES OF HEMIGYMNUS MELAPTERUS (PISCES: LABRIDAE) FROM LIZARD ISLAND, AUSTRALIA: THE IMPORTANCE OF HABITAT AND PARASITE BODY SIZE. Journal of Parasitology, 2005, 91, 38-44.	0.7	23

#	ARTICLE	IF	CITATIONS
217	Patterns of digenean parasitism of bivalves from the Great Barrier Reef and associated waters. <i>Marine and Freshwater Research</i> , 2005, 56, 387.	1.3	8
218	Family Opecoelidae Ozaki, 1925.. , 2005, , 443-531.		50
219	Family Opistholebetidae Fukui, 1929.. , 2005, , 533-539.		4
220	Family Gyliuchenidae Fukui, 1929.. , 2005, , 665-678.		11
221	<i>Prosorhynchoides lamprelli</i> n. sp. (Digenea: Bucephalidae) from the brassy trevally, <i>Caranx papuensis</i> (Teleostei: Carangidae), from off Lizard Island on the Great Barrier Reef, Australia. <i>Zootaxa</i> , 2005, 1059, .	0.5	6
222	<i>Stephanostomum tantabiddii</i> n. sp. (Digenea: Acanthocolpidae) from <i>Carangoides fulvoguttatus</i> (Forsskal, 1775) (Perciformes: Carangidae) from Ningaloo Reef, Western Australia. <i>Zootaxa</i> , 2004, 457, 1.	0.5	13
223	Revision of <i>Affecauda</i> Hall & Chambers, 1999 (Digenea: Gyliuchenidae Fukui, 1929), including the description of two new species from fishes of the Indo-West Pacific. <i>Zootaxa</i> , 2004, 778, 1.	0.5	3
224	Molecular phylogenetics of <i>Chaetodon</i> and the Chaetodontidae (Teleostei: Perciformes) with reference to morphology. <i>Zootaxa</i> , 2004, 779, 1.	0.5	18
225	Living on the edge: parasite taxonomy in Australia. <i>International Journal for Parasitology</i> , 2004, 34, 117-123.	3.1	7
226	<i>Ankistromeces mariae</i> n.Âg., n.Âsp. (Digenea: Sanguinicolidae) from <i>Meuschenia freycineti</i> (Monacanthidae) off Tasmania. <i>Systematic Parasitology</i> , 2004, 57, 151-157.	1.1	20
227	<i>Aoruroides queenslandensis</i> n. sp. (Oxyurida: Thelastomatoidea), a new nematode from Australian Panesthiinae (Blattodea: Blaberidae). <i>Systematic Parasitology</i> , 2004, 59, 65-69.	1.1	5
228	Cleaner fish become hosts: a novel form of parasite transmission. <i>Coral Reefs</i> , 2004, 23, 521.	2.2	16
229	Two new blood flukes (Digenea: Sanguinicolidae) from <i>Epinephelinae</i> (Perciformes: Serranidae) of the Pacific Ocean. <i>Parasitology International</i> , 2004, 53, 327-335.	1.3	33
230	<i>Ptychogyliuchen</i> , a new genus of Gyliuchenidae (Platyhelminthes : Digenea) from siganid fishes of the Indo-West Pacific. <i>Invertebrate Systematics</i> , 2004, 18, 607.	1.3	13
231	The life cycle of <i>Paracardicoloides yamagutii</i> Martin, 1974 (Digenea: Sanguinicolidae). <i>Folia Parasitologica</i> , 2004, 51, 320-326.	1.3	38
232	Lepocreadiidae (Digenea) from the batfish of the genus <i>Platax</i> Cuvier (Teleostei: Ephippidae) from the southern Great Barrier Reef, Queensland, Australia. <i>Systematic Parasitology</i> , 2003, 55, 1-9.	1.1	8
233	Species of <i>Stephanostomum</i> Looss, 1899 (Digenea: Acanthocolpidae) from fishes of Australian and South Pacific waters, including five new species. <i>Systematic Parasitology</i> , 2003, 55, 159-197.	1.1	25
234	A new species of <i>Dactylostomum</i> Woolcock, 1935 (Digenea: Opecoelidae) from the goatfish <i>Upeneichthys lineatus</i> (Bloch & Schneider) (Mullidae) in Western Australian waters. <i>Systematic Parasitology</i> , 2003, 56, 63-68.	1.1	2

#	ARTICLE	IF	CITATIONS
235	Scorpidotrema longistipes n. g., n. sp. (Digenea: Opecoelidae) from Scorpis georgiana (Teleostei): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147	1.1	1
236	Phylogeny and classification of the Digenea (Platyhelminthes: Trematoda) 11 Nucleotide sequence data reported in this paper are available in the GenBank, EMBL and DDBJ databases under the accession numbers AY222082-AY222285. International Journal for Parasitology, 2003, 33, 733-755.	3.1	824
237	Diseases of tunas, Thunnus spp.. Journal of Fish Diseases, 2003, 26, 187-206.	1.9	97
238	Life Cycle Evolution in the Digenea: a New Perspective from Phylogeny. Advances in Parasitology, 2003, 54, 197-254.	3.2	171
239	Rhipidocotyle labroidei n. sp. (Digenea: Bucephalidae) from Labroides dimidiatus (Valenciennes) (Labridae). Zootaxa, 2003, 327, 1.	0.5	8
240	The trematodes of groupers (Serranidae: Epinephelinae): knowledge, nature and evolution. Parasitology, 2002, 124, 23-42.	1.5	37
241	Diversity in the Monogenea and Digenea: does lifestyle matter?. International Journal for Parasitology, 2002, 32, 321-328.	3.1	83
242	Trematode life cycles: short is sweet?. Trends in Parasitology, 2002, 18, 176-183.	3.3	140
243	Monostephanostomum georgianum n. sp. (Digenea: Acanthocolpidae) from Arripis georgianus (Valenciennes) (Perciformes: Arripidae) off Kangaroo Island, South Australia, with comments on Monostephanostomum Kruse, 1979 and Stephanostomum Looss, 1899. Systematic Parasitology, 2002, 53, 61-68.	1.1	6
244	Superfamily Bivesiculoidea Yamaguti, 1934.., 2002, , 25-29.		5
245	Observations on the phylogeny of Opisthadena Linton, 1910 and related genera (Hemiuridae): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147	1.3	2
246	A description of Lecithocladium inductor n.sp. (Digenea: Hemiuridae) and the pathology associated with two species of Hemiuridae in acanthurid fish. Parasitology Research, 2001, 87, 666-673.	1.6	7
247	Two new species of Neolebouria Gibson, 1976 (Digenea: Opecoelidae) from temperate marine fishes of Australia. Systematic Parasitology, 2001, 49, 65-71.	1.1	7
248	Amphicreadium n. g. (Digenea: Lepocreadiidae) from monacanthid fishes (Tetraodontiformes) from the coast of northern Tasmania. Systematic Parasitology, 2001, 49, 205-209.	1.1	2
249	A redescription of Homalometron senegalense Fischthal & Thomas, 1972 (Digenea: Apocreadiidae) from Synaptura kleinii (Teleostei) of the western Mediterranean. Systematic Parasitology, 2001, 50, 135-141.	1.1	2
250	Tormopsolus attenuatus n. sp. (Digenea: Acanthocolpidae) from Seriola hippos (Perciformes): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147	1.1	6
251	Lecithophyllum kitrii n. sp. (Digenea: Lecithasteridae) from Australian coral reef fishes of the genus Siganus. Systematic Parasitology, 2001, 50, 143-147.	1.1	0
252	A review of the family Enenteridae Yamaguti, 1958 (Digenea), with descriptions of species from Australian waters, including Koseiria huxleyi n. sp.. Systematic Parasitology, 2001, 48, 1-29.	1.1	14

#	ARTICLE	IF	CITATIONS
253	The nature and evolution of the association among digeneans, molluscs and fishes. <i>International Journal for Parasitology</i> , 2001, 31, 997-1011.	3.1	95
254	Identical digeneans in coral reef fishes from French Polynesia and the Great Barrier Reef (Australia) demonstrated by morphology and molecules. <i>International Journal for Parasitology</i> , 2001, 31, 1573-1578.	3.1	36
255	<i>Weketrema</i> gen. n., a new genus for <i>Weketrema hawaiiense</i> (Yamaguti, 1970) comb. n. (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 1.3	1.3	2
256	The status of the Diplosetidae (Acanthocephala: Palaeacanthocephala) and a new family of acanthocephalans from Australian wrasses (Pisces: Labridae). <i>Folia Parasitologica</i> , 2001, 48, 289-303.	1.3	31
257	<i>Postlepidapedon quintum</i> n. sp. (Digenea: Lepocreadiidae) from the bastard trumpeter <i>Latridopsis forsteri</i> (Perciformes: Latridae) off the coast of northern Tasmania. <i>Papers and Proceedings - Royal Society of Tasmania</i> , 2001, , 21-24.	0.2	2
258	<i>Pomphorhynchus heronensis</i> and restricted movement of <i>Lutjanus carponotatus</i> on the Great Barrier Reef. <i>Journal of Helminthology</i> , 2000, 74, 53-56.	1.0	20
259	Endoparasite species richness of New Caledonian butterfly fishes: host density and diet matter. <i>Parasitology</i> , 2000, 121, 65-73.	1.5	62
260	Ultrastructure of the digestive tract of <i>Gyuliauchen nahaensis</i> (Platyhelminthes, Digenea), an inhabitant of the hindgut of herbivorous fishes. <i>Journal of Morphology</i> , 2000, 246, 198-211.	1.2	19
261	Parasites of recruiting coral reef fish larvae in New Caledonia. <i>International Journal for Parasitology</i> , 2000, 30, 1445-1451.	3.1	45
262	The status of the genera <i>Hysterolecithoides</i> Yamaguti, 1934, <i>Neotheletrum</i> Gibson & Bray, 1979 and <i>Machidatrema</i> LeA ³ n-RÃˆgagnon, 1998 (Digenea: Hemiuroidea), including a description of <i>M.Âleonae</i> n. sp. from Australian waters. <i>Systematic Parasitology</i> , 2000, 46, 1-22.	1.1	12
263	<i>Diplobulbus brayi</i> n. sp. (Digenea: Opecoelidae) from <i>Odax acroptilus</i> (Perciformes: Odacidae) off Western Australia. <i>Systematic Parasitology</i> , 2000, 46, 99-103.	1.1	3
264	A new species of <i>Aponurus</i> Looss, 1907 (Digenea: Lecithasteridae) in butterflyfishes (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 1.1 10 Tf 50	1.1	5
265	Species of <i>Trifoliovarium</i> Yamaguti, 1940 (Digenea: Lecithasteridae) from Australian waters, with a description of <i>T. draconis</i> n. sp. and a cladistic study of the subfamily <i>Trifoliovariinae</i> Yamaguti, 1958. <i>Systematic Parasitology</i> , 2000, 47, 183-192.	1.1	6
266	The status of <i>Petalocotyle</i> Ozaki, 1934 (Digenea: Gyuliauchenidae), including the description of two new species from acanthurid fishes in Queensland, Australia. <i>Systematic Parasitology</i> , 2000, 47, 145-156.	1.1	5
267	Tetraphyllidean metacestodes of teleosts of the Great Barrier Reef, and the use of in vitro cultivation to identify them. <i>Folia Parasitologica</i> , 2000, 47, 285-292.	1.3	40
268	<i>Pomphorhynchus heronensis</i> and restricted movement of <i>Lutjanus carponotatus</i> on the Great Barrier Reef. <i>Journal of Helminthology</i> , 2000, 74, 53-6.	1.0	5
269	Structure of the Tegument and Ectocommusal Microorganisms of <i>Gyuliauchen nahaensis</i> (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 0.7 18	0.7	18
270	V4 region of small subunit rDNA indicates polyphyly of the Fellodistomidae (Digenea) which is supported by morphology and life-cycle data. <i>Systematic Parasitology</i> , 1999, 43, 81-92.	1.1	57

#	ARTICLE	IF	CITATIONS
271	Life-cycle and biology of <i>Sychnocotyle kholo</i> n. g., n. sp. (Trematoda: Aspidogastrea) in <i>Emydura macquarii</i> (Pleurodira: Chelidae) from southern Queensland, Australia. <i>Systematic Parasitology</i> , 1999, 43, 41-48.	1.1	11
272	A review of the Apocreadiidae Skrjabin, 1942 (Trematoda: Digenea) and description of Australian species. <i>Systematic Parasitology</i> , 1999, 44, 1-38.	1.1	27
273	Faustulid trematodes (Digenea) from marine fishes of Australia. <i>Systematic Parasitology</i> , 1999, 44, 119-138.	1.1	19
274	The genus <i>Deretrema</i> Linton, 1910 (Digenea: Zoogonidae) from southern Great Barrier Reef fishes, with a description of <i>Deretrema woolcockae</i> n. sp.. <i>Systematic Parasitology</i> , 1999, 44, 139-144.	1.1	2
275	A review of the Arhythmacanthidae (Acanthocephala) with a description of <i>Heterosentis hirsutus</i> n. sp. From <i>Cnidoglanis macrocephala</i> (Plotosidae) in Australia. <i>Parasite</i> , 1999, 6, 293-302.	2.0	20
276	<i>Phleohedra overstreeti</i> n. g., n. sp. (Digenea: Haploporidae) from <i>Girella zebra</i> (Kyphosidae) in South Australia. <i>Systematic Parasitology</i> , 1998, 39, 95-99.	1.1	2
277	<i>Glossocercus chelodinae</i> (MacCallum, 1921) n. comb. (Cestoda: Dilepididae) from freshwater turtles in Australia and a redefinition of the genus <i>Bancroftiella</i> Johnston, 1911. <i>Systematic Parasitology</i> , 1998, 39, 165-181.	1.1	9
278	A phylogenetic study of <i>Lepidapedoides</i> Yamaguti, 1970 (Digenea) with a key and descriptions of two new species from Western Australia. <i>Systematic Parasitology</i> , 1998, 39, 183-197.	1.1	4
279	Digenetic trematodes of the genus <i>Clinostomum</i> Leidy, 1856 (Digenea: Clinostomidae) from birds of Queensland, Australia, including <i>C. wilsoni</i> n. sp. from <i>Egretta intermedia</i> . <i>Systematic Parasitology</i> , 1998, 39, 199-208.	1.1	36
280	Two new genera, shape <i>Provitellus</i> and shape <i>Ovipusillus</i> , and four new species of Monorchidae (Digenea) from carangid fishes of Queensland, Australia. <i>Systematic Parasitology</i> , 1998, 40, 21-33.	1.1	10
281	Lepocreadiidae (Digenea) of Australian coastal fishes: new species of <i>Opechona</i> Looss, 1907, <i>Lepotrema</i> Ozaki, 1932 and <i>Bianium</i> Stunkard, 1930 and comments on other species reported for the first time or poorly known in Australian waters. <i>Systematic Parasitology</i> , 1998, 41, 123-148.	1.1	27
282	The diversity of the Digenea of Australian animals. <i>International Journal for Parasitology</i> , 1998, 28, 899-911.	3.1	19
283	A DNA-based demonstration of a three-host life-cycle for the Bivesiculidae (Platyhelminthes: Digenea). <i>International Journal for Parasitology</i> , 1998, 28, 1791-1795.	3.1	177
284	Lesions Caused by Cardiovascular Flukes (Digenea: Spirorchidae) in Stranded Green Turtles (<i>Chelonia mydas</i>). <i>Veterinary Pathology</i> , 1998, 35, 21-30.	1.7	77
285	<i>Hapalotrema</i> (Digenea: Spirorchidae) in the Green Turtle (<i>Chelonia Mydas</i>) in Australia. <i>Journal of Parasitology</i> , 1998, 84, 375.	0.7	11
286	<i>Hapalotrema</i> (Digenea: Spirorchidae) in the green turtle (<i>Chelonia mydas</i>) in Australia. <i>Journal of Parasitology</i> , 1998, 84, 375-8.	0.7	1
287	The Asian fish tapeworm, <i>Bothriocephalus acheilognathi</i> , in Australian freshwater fishes. <i>Marine and Freshwater Research</i> , 1997, 48, 181.	1.3	30
288	Patterns of species diversity in the gastrointestinal helminths of a coral reef fish, <i>Epinephelus merra</i> (Serranidae), from French Polynesia and the South Pacific Ocean. <i>Canadian Journal of Zoology</i> , 1997, 75, 1818-1827.	1.0	41

#	ARTICLE	IF	CITATIONS
289	Helminth Parasite Communities of the Water-rat, <i>Hydromys chrysogaster</i> , from Queensland. <i>Wildlife Research</i> , 1997, 24, 445.	1.4	22
290	Lepocreadiid (Digenea) species from members of the marine teleost family Cheilodactylidae from south-western Australia, including four new genera and five new species. <i>Systematic Parasitology</i> , 1997, 37, 27-45.	1.1	4
291	Postlepidapedon <i>Zdzitowiecki</i> , 1993 and <i>Gibsonivermis</i> n. g. (Digenea: Lepocreadiidae) from fishes of the southern Great Barrier Reef, Australia, and their relationship to <i>Intusatrium Durio</i> & Manter, 1968. <i>Systematic Parasitology</i> , 1997, 36, 143-155.	1.1	4
292	<i>Paralepidapedon ostorhinchii</i> (Korotaeva, 1974) n. comb. (Digenea: Lepocreadiidae) in <i>Oplegnathus woodwardi</i> (Waite) (Teleostei: Perciformes: Oplegnathidae) from off Rottnest Island, Western Australia. <i>Systematic Parasitology</i> , 1997, 36, 229-233.	1.1	4
293	The subfamily Aephnidiogeninae Yamaguti, 1934 (Digenea: Lepocreadiidae), its status and that of the genera <i>Aephnidiogenes</i> Nicoll, 1915, <i>Holorchis</i> Stossich, 1901, <i>Austroholorchis</i> n. g., <i>Pseudaephnidiogenes</i> Yamaguti, 1971, <i>Pseudoholorchis</i> Yamaguti, 1958 and <i>Neolepocreadium</i> Thomas, 1960. <i>Systematic Parasitology</i> , 1997, 36, 47-68.	1.1	9
294	Diploproctodaeinae (Digenea: Lepocreadiidae) from the coastal fishes of Queensland, Australia, with a review of the subfamily. <i>Journal of Natural History</i> , 1996, 30, 317-366.	0.5	18
295	Locally acquired <i>Brachylaima</i> sp. (Digenea: Brachylaimidae) intestinal fluke infection in two South Australian infants. <i>Medical Journal of Australia</i> , 1996, 164, 475-478.	1.7	38
296	<i>Cableia pudica</i> n. sp. (Digenea: Acanthocolpidae) from monacanthid fishes of the southern Great Barrier Reef, Australia. <i>Parasite</i> , 1996, 3, 49-54.	2.0	6
297	Two species of <i>Coitocaecum</i> Nicoll, 1915 (Digenea: Opecoelidae) from Moreton Bay, Queensland, Australia. <i>Systematic Parasitology</i> , 1996, 33, 217-224.	1.1	3
298	Four species of <i>Lepidapedoides</i> Yamaguti, 1970 (Digenea: Lepocreadiidae) from fishes of the southern Great Barrier Reef, with a tabulation of host-parasite data on the group. <i>Systematic Parasitology</i> , 1996, 34, 179-195.	1.1	12
299	The Australian species of <i>Lobatocreadium</i> Madhavi, 1972, <i>Hypocreadium</i> Ozaki, 1936 and <i>Dermadena</i> Manter, 1945 (Digenea: Lepocreadiidae), parasites of marine tetraodontiform fishes. <i>Systematic Parasitology</i> , 1996, 35, 217-236.	1.1	12
300	Two <i>Lepotrema</i> Ozaki, 1932 species (Digenea: Lepocreadiidae) from marine fishes from the southern Great Barrier Reef, Queensland, Australia. <i>Systematic Parasitology</i> , 1996, 35, 111-117.	1.1	6
301	Two species of <i>Prodistomum</i> Linton, 1910 (Digenea: Lepocreadiidae) from marine fishes of Australia. <i>Systematic Parasitology</i> , 1996, 35, 59-67.	1.1	7
302	Taxonomy of <i>Mesostephanus</i> Lutz, 1935 (Digenea: Cyathocotylidae) in some Australian water birds. <i>Systematic Parasitology</i> , 1995, 32, 193-204.	1.1	3
303	<i>Melogonimus rhodanometra</i> n. g., n. sp. (Digenea: Ptychogonimidae) from the elasmobranch <i>Rhina ancylostoma</i> Bloch & Schneider (Rhinobatidae) from the southeastern coastal waters of Queensland, Australia. <i>Systematic Parasitology</i> , 1995, 30, 11-18.	1.1	0
304	New didymozoid trematodes from <i>Onigocia</i> -stem platycephalid fishes. <i>Parasite</i> , 1995, 2, 49-54.	2.0	2
305	<i>Coomera</i> : A new genus of fellodistomidae (Digenea) from <i>Monodactylus argenteus</i> (Monodactylidae) of southern Queensland, Australia. <i>International Journal for Parasitology</i> , 1995, 25, 1159-1162.	3.1	3
306	Fellodistomidae and Lepocreadiidae (Platyhelminthes : Digenea) from chaetodontid fishes (Perciformes) from Heron Island, southern Great Barrier Reef, Queensland, Australia. <i>Invertebrate Systematics</i> , 1994, 8, 545.	1.3	21

#	ARTICLE	IF	CITATIONS
307	A review of the Tandanicolinae (=Monodhelminthinae) (Digenea: Fellodistomidae), with a description of <i>Prosogonarium angelae</i> n. sp.. <i>Systematic Parasitology</i> , 1994, 27, 187-205.	1.1	7
308	Bivesiculidae and Haplospalchnidae (Digenea) from fishes of the southern Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 1994, 28, 81-97.	1.1	25
309	Five new didymozoid trematodes (Platyhelminthes, Digenea) from Australian platycephalid fishes. <i>Zoologica Scripta</i> , 1994, 23, 83-93.	1.7	8
310	Ecology and diversity of digenean trematodes of reef and inshore fishes of Queensland. <i>International Journal for Parasitology</i> , 1994, 24, 851-860.	3.1	42
311	Host-parasite associations on a coral reef: Pomacentrid fishes and digenean trematodes. <i>International Journal for Parasitology</i> , 1994, 24, 643-647.	3.1	20
312	<i>Preptetos cannoni</i> n. sp. (Digenea: Lepocreadiidae) from <i>Siganus lineatus</i> (Teleostei: Siganidae) from the southern Great Barrier Reef, Australia. <i>Systematic Parasitology</i> , 1993, 26, 151-155.	1.1	5
313	Utility of the D1 domain of nuclear 28S rRNA for phylogenetic inference in the Digenea. <i>Systematic Parasitology</i> , 1993, 26, 181-188.	1.1	40
314	The Lepocreadiidae (Digenea) of pomacentrid fishes (Perciformes) from Heron Island, Queensland, Australia. <i>Systematic Parasitology</i> , 1993, 26, 189-200.	1.1	14
315	The Hemiuroidea (Digenea) of pomacentrid fishes (Perciformes) from Heron Island, Queensland, Australia. <i>Systematic Parasitology</i> , 1993, 24, 159-184.	1.1	27
316	<i>Neodiplostomum spratti</i> n. sp. (Digenea: Diplostomidae) from <i>Antechinus</i> spp. (Marsupialia: Dasyuridae) in Australia, with notes on other diplostomids from Australian mammals. <i>Systematic Parasitology</i> , 1993, 25, 25-35.	1.1	11
317	Hemiuridae (Digenea) from marine fishes of the Great Barrier Reef, Queensland, Australia. <i>Systematic Parasitology</i> , 1993, 25, 37-62.	1.1	30
318	Comparison of the second internal transcribed spacer (Ribosomal DNA) from populations and species of fasciolidae (Digenea). <i>International Journal for Parasitology</i> , 1993, 23, 423-425.	3.1	151
319	Phylogenetic position of <i>Heronimus mollis</i> (Digenea): Evidence from 18S ribosomal RNA. <i>International Journal for Parasitology</i> , 1993, 23, 533-536.	3.1	24
320	Sporocysts of <i>Mesostephanus haliasturis</i> (Digenea) produce miracidia. <i>International Journal for Parasitology</i> , 1993, 23, 137-139.	3.1	14
321	Zoogonidae (Digenea) from southern Great Barrier Reef fishes with a description of <i>Steganoderma</i> (<i>Lecithostaphylus</i>) <i>gibsoni</i> n. sp.. <i>Systematic Parasitology</i> , 1992, 23, 7-12.	1.1	13
322	The brachylaimidae (Trematoda: Digenea) of Australian native mammals and birds, including descriptions of <i>Dasyurotrema</i> n. g. and four new species of <i>Brachylaima</i> . <i>Systematic Parasitology</i> , 1992, 22, 45-72.	1.1	16
323	Dicrocoeliidae (Trematoda: Digenea) of Australian mammals with description of <i>Dicrocoelium antechini</i> n. sp., <i>Athesmioides aiolos</i> n. g., n. sp. and <i>Platynosomum burrman</i> n. sp.. <i>Systematic Parasitology</i> , 1992, 21, 211-222.	1.1	7
324	An unusual trematode infecting domestic chickens. <i>Australian Veterinary Journal</i> , 1992, 69, 69-70.	1.1	16

#	ARTICLE	IF	CITATIONS
325	A review of the family Transversotrematidae (Trematoda : Digenea) with the description of a new genus, <i>Crusziella</i> . <i>Invertebrate Systematics</i> , 1992, 6, 909.	1.3	16
326	Ultrastructure of sperm and spermatogenesis of <i>Lobatostoma manteri</i> (Trematoda, Aspidogastrea). <i>International Journal for Parasitology</i> , 1991, 21, 409-419.	3.1	20
327	<i>Zeylanurotrerna spearei</i> sp.n. (Digenea: Brachylaimidae) from the cane toad, <i>Bufo marinus</i> , in Australia. <i>Zoologica Scripta</i> , 1991, 20, 207-213.	1.7	12
328	Notocotylidae (Digenea) from the Australian water rat <i>Hydromys chrysogaster</i> Geoffroy, 1804 (Muridae). <i>Systematic Parasitology</i> , 1991, 18, 227-237.	1.1	12
329	<i>Strzeleckia major</i> n. g., n. sp. and <i>S. minor</i> n. sp. (Digenea: Hasstilesiidae) from <i>Antechinus swainsonii</i> (Marsupialia: Dasyuridae) in Australia. <i>Systematic Parasitology</i> , 1991, 19, 73-79.	1.1	3
330	<i>Coryphogonimus aglaos</i> n. g., n. sp. (Digenea: Prosthogonimidae) from the Australian bush rat, <i>Rattus fuscipes</i> (Rodentia: Muridae), with notes on other prosthogonimids from Australian mammals. <i>Systematic Parasitology</i> , 1990, 16, 77-83.	1.1	2
331	Introduction of a <i>Brachylaima</i> species (Digenea: Brachylaimidae) to Australia. <i>International Journal for Parasitology</i> , 1990, 20, 789-796.	3.1	32
332	Digeneans of the family Opecoelidae Ozaki, 1925 from the southern Great Barrier Reef, including a new genus and three new species. <i>Journal of Natural History</i> , 1989, 23, 429-473.	0.5	64
333	<i>Fairfaxia-Lethrini</i> , Gen Et Sp-Nov (Digenea, Opecoelidae), From <i>Lethrinus-Chrysostomus</i> Richardson From the Southern Great-Barrier-Reef. <i>Australian Journal of Zoology</i> , 1989, 37, 67.	1.0	4
334	<i>Baiohelmins elegans</i> n. g., n. sp. (Digenea: Nanophyetidae) from the Australian water rat, <i>Hydromys chrysogaster</i> . <i>Systematic Parasitology</i> , 1988, 12, 117-121.	1.1	1
335	Two new digenetic trematodes from Australian freshwater fishes with notes on previously described species. <i>Journal of Natural History</i> , 1988, 22, 27-43.	0.5	21
336	Life-Cycle and Biology of <i>Prototransversotrema-Steeri</i> Angel, 1969 (Digenea, Transversotrematidae). <i>Australian Journal of Zoology</i> , 1988, 36, 111.	1.0	20
337	A new species of <i>Phyllodistomum</i> (Digenea: Gorgoderidae) from Australian and New Zealand freshwater fishes with notes on the taxonomy of <i>Phyllodistomum</i> Braun, 1899. <i>Journal of Natural History</i> , 1987, 21, 1525-1538.	0.5	20
338	Studies on gorgoderid digeneans from Australian and Assian Freshwater fishes. <i>Journal of Natural History</i> , 1987, 21, 1129-1153.	0.5	20
339	The Life-Cycle and Morphology of <i>Stemmatostoma-Pearsoni</i> , Gen Et Sp-Nov, With Notes on the Morphology of <i>Telogaster-Opisthorchis</i> Macfarlane (Digenea, Cryptogonimidae). <i>Australian Journal of Zoology</i> , 1986, 34, 279.	1.0	28
340	<i>Retrobulla angelae</i> n. gen. and n. sp. (Digenea: Cryptogonimidae) from the Spangled Perch <i>Leiopotherapon unicolor</i> (Gunther, 1859). <i>Journal of Parasitology</i> , 1985, 71, 815.	0.7	6
341	The Life Cycle and Biology of <i>Opecoelus Variabilis</i> , Sp.nov. (Digenea: Opecoelidae).. <i>Australian Journal of Zoology</i> , 1985, 33, 715.	1.0	26
342	Eight new species of <i>Macvicaria</i> Gibson and Bray, 1982 (Digenea: Opecoelidae) from temperate marine fishes of Australia. <i>ZooKeys</i> , 0, 1, 23-58.	1.1	9

#	ARTICLE	IF	CITATIONS
343	Seven species of <i>Pseudopecoeloides</i> Yamaguti, 1940 (Digenea, Opecoelidae) from temperate marine fishes of Australia, including five new species. <i>ZooKeys</i> , 0, 5, 1-32.	1.1	6