Tao Pan

List of Publications by Citations

Source: https://exaly.com/author-pdf/7706186/tao-pan-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 90
 9,698
 36
 98

 papers
 citations
 h-index
 g-index

 103
 12,649
 14.1
 6.73

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
90	N6-methyladenosine-dependent regulation of messenger RNA stability. <i>Nature</i> , 2014 , 505, 117-20	50.4	1949
89	Dynamic RNA Modifications in Gene Expression Regulation. <i>Cell</i> , 2017 , 169, 1187-1200	56.2	1250
88	N(6)-methyladenosine-dependent RNA structural switches regulate RNA-protein interactions. <i>Nature</i> , 2015 , 518, 560-4	50.4	988
87	The dynamic N(1)-methyladenosine methylome in eukaryotic messenger RNA. <i>Nature</i> , 2016 , 530, 441-6	50.4	523
86	N6-methyladenosine alters RNA structure to regulate binding of a low-complexity protein. <i>Nucleic Acids Research</i> , 2017 , 45, 6051-6063	20.1	339
85	Efficient and quantitative high-throughput tRNA sequencing. <i>Nature Methods</i> , 2015 , 12, 835-837	21.6	291
84	Reversible, Specific, Active Aggregates of Endogenous Proteins Assemble upon Heat Stress. <i>Cell</i> , 2015 , 162, 1286-98	56.2	264
83	ALKBH1-Mediated tRNA Demethylation Regulates Translation. Cell, 2016, 167, 816-828.e16	56.2	197
82	N6-methyladenosineBncoded epitranscriptomics. <i>Nature Structural and Molecular Biology</i> , 2016 , 23, 98-102	17.6	188
81	RNA folding during transcription. Annual Review of Biophysics and Biomolecular Structure, 2006, 35, 161-	-75	177
80	A role for tRNA modifications in genome structure and codon usage. <i>Cell</i> , 2012 , 149, 202-13	56.2	176
79	Angiogenin-cleaved tRNA halves interact with cytochrome c, protecting cells from apoptosis during osmotic stress. <i>Molecular and Cellular Biology</i> , 2014 , 34, 2450-63	4.8	172
78	Intermediates and kinetic traps in the folding of a large ribozyme revealed by circular dichroism and UV absorbance spectroscopies and catalytic activity. <i>Nature Structural and Molecular Biology</i> , 1997 , 4, 931-8	17.6	170
77	Modifications and functional genomics of human transfer RNA. <i>Cell Research</i> , 2018 , 28, 395-404	24.7	155
76	RNA modifications and structures cooperate to guide RNA-protein interactions. <i>Nature Reviews Molecular Cell Biology</i> , 2017 , 18, 202-210	48.7	153
75	NMethyladenosine methyltransferase ZCCHC4 mediates ribosomal RNA methylation. <i>Nature Chemical Biology</i> , 2019 , 15, 88-94	11.7	149
74	Diversity of tRNA genes in eukaryotes. <i>Nucleic Acids Research</i> , 2006 , 34, 6137-46	20.1	145

73	RNA modifications: what have we learned and where are we headed?. <i>Nature Reviews Genetics</i> , 2016 , 17, 365-72	30.1	144
72	N6-methyl-adenosine modification in messenger and long non-coding RNA. <i>Trends in Biochemical Sciences</i> , 2013 , 38, 204-9	10.3	137
71	Regulation of Co-transcriptional Pre-mRNA Splicing by mA through the Low-Complexity Protein hnRNPG. <i>Molecular Cell</i> , 2019 , 76, 70-81.e9	17.6	124
70	N(6)-Methyladenosine Modification in a Long Noncoding RNA Hairpin Predisposes Its Conformation to Protein Binding. <i>Journal of Molecular Biology</i> , 2016 , 428, 822-833	6.5	122
69	The AlkB domain of mammalian ABH8 catalyzes hydroxylation of 5-methoxycarbonylmethyluridine at the wobble position of tRNA. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 8885-8	16.4	113
68	Mg2+-dependent compaction and folding of yeast tRNAPhe and the catalytic domain of the B. subtilis RNase P RNA determined by small-angle X-ray scattering. <i>Biochemistry</i> , 2000 , 39, 11107-13	3.2	109
67	Recognition of the T stem-loop of a pre-tRNA substrate by the ribozyme from Bacillus subtilis ribonuclease P. <i>Biochemistry</i> , 1997 , 36, 6317-25	3.2	108
66	tRNA base methylation identification and quantification via high-throughput sequencing. <i>Rna</i> , 2016 , 22, 1771-1784	5.8	100
65	Mg2+-dependent folding of a large ribozyme without kinetic traps. <i>Nature Structural Biology</i> , 1999 , 6, 1091-5		99
64	A thermodynamic framework and cooperativity in the tertiary folding of a Mg2+-dependent ribozyme. <i>Biochemistry</i> , 1999 , 38, 16840-6	3.2	92
63	RNA epigenetics. <i>Translational Research</i> , 2015 , 165, 28-35	11	86
62	Adaptive translation as a mechanism of stress response and adaptation. <i>Annual Review of Genetics</i> , 2013 , 47, 121-37	14.5	79
61	A nutrient-driven tRNA modification alters translational fidelity and genome-wide protein coding across an animal genus. <i>PLoS Biology</i> , 2014 , 12, e1002015	9.7	70
60	Diversity of human tRNA genes from the 1000-genomes project. RNA Biology, 2013, 10, 1853-67	4.8	62
59	Queuosine modification protects cognate tRNAs against ribonuclease cleavage. <i>Rna</i> , 2018 , 24, 1305-13	13 .8	56
58	Recognition of the 5Tleader and the acceptor stem of a pre-tRNA substrate by the ribozyme from Bacillus subtilis RNase P. <i>Biochemistry</i> , 1998 , 37, 10126-33	3.2	55
57	The Bacillus subtilis RNase P holoenzyme contains two RNase P RNA and two RNase P protein subunits. <i>Rna</i> , 2001 , 7, 233-41	5.8	50
56	The cleavage step of ribonuclease P catalysis is determined by ribozyme-substrate interactions both distal and proximal to the cleavage site. <i>Biochemistry</i> , 1999 , 38, 8612-20	3.2	46

55	RNA modification landscape of the human mitochondrial tRNA regulates protein synthesis. <i>Nature Communications</i> , 2018 , 9, 3966	17.4	36
54	Determination of tRNA aminoacylation levels by high-throughput sequencing. <i>Nucleic Acids Research</i> , 2017 , 45, e133	20.1	33
53	Temperature dependent mistranslation in a hyperthermophile adapts proteins to lower temperatures. <i>Nucleic Acids Research</i> , 2016 , 44, 294-303	20.1	31
52	Modular construction of a tertiary RNA structure: the specificity domain of the Bacillus subtilis RNase P RNA. <i>Biochemistry</i> , 2001 , 40, 11202-10	3.2	31
51	Microbiome characterization by high-throughput transfer RNA sequencing and modification analysis. <i>Nature Communications</i> , 2018 , 9, 5353	17.4	31
50	Selective Enzymatic Demethylation of N ,N -Dimethylguanosine in RNA and Its Application in High-Throughput tRNA Sequencing. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 5017-5020	16.4	30
49	Modular construction for function of a ribonucleoprotein enzyme: the catalytic domain of Bacillus subtilis RNase P complexed with B. subtilis RNase P protein. <i>Nucleic Acids Research</i> , 2001 , 29, 1892-7	20.1	29
48	Codon optimality controls differential mRNA translation during amino acid starvation. <i>Rna</i> , 2016 , 22, 1719-1727	5.8	29
47	Probing RNA Modification Status at Single-Nucleotide Resolution in Total RNA. <i>Methods in Enzymology</i> , 2015 , 560, 149-59	1.7	28
46	Evolutionary Gain of Alanine Mischarging to Noncognate tRNAs with a G4:U69 Base Pair. <i>Journal of the American Chemical Society</i> , 2016 , 138, 12948-12955	16.4	27
45	High-Resolution N6-Methyladenosine (m6A) Map Using Photo-Crosslinking-Assisted m6A Sequencing. <i>Angewandte Chemie</i> , 2015 , 127, 1607-1610	3.6	26
44	Function and origin of mistranslation in distinct cellular contexts. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2017 , 52, 205-219	8.7	25
43	HIV protease cleaves the antiviral m6A reader protein YTHDF3 in the viral particle. <i>PLoS Pathogens</i> , 2020 , 16, e1008305	7.6	25
42	Altering the intermediate in the equilibrium folding of unmodified yeast tRNAPhe with monovalent and divalent cations. <i>Biochemistry</i> , 2001 , 40, 3629-38	3.2	25
41	An additional class of mA readers. <i>Nature Cell Biology</i> , 2018 , 20, 230-232	23.4	22
40	Structures of the m(6)A Methyltransferase Complex: Two Subunits with Distinct but Coordinated Roles. <i>Molecular Cell</i> , 2016 , 63, 183-185	17.6	22
39	Sensitive and quantitative probing of pseudouridine modification in mRNA and long noncoding RNA. <i>Rna</i> , 2019 , 25, 1218-1225	5.8	21
38	Global tRNA misacylation induced by anaerobiosis and antibiotic exposure broadly increases stress resistance in Escherichia coli. <i>Nucleic Acids Research</i> , 2016 , 44, 10292-10303	20.1	19

(2020-2019)

37	Transcriptome-wide reprogramming of N-methyladenosine modification by the mouse microbiome. <i>Cell Research</i> , 2019 , 29, 167-170	24.7	19
36	Pseudouridines have context-dependent mutation and stop rates in high-throughput sequencing. <i>RNA Biology</i> , 2018 , 15, 892-900	4.8	18
35	The 3Tsubstrate determinants for the catalytic efficiency of the Bacillus subtilis RNase P holoenzyme suggest autolytic processing of the RNase P RNA in vivo. <i>Rna</i> , 2000 , 6, 1413-22	5.8	18
34	Methionine Mistranslation Bypasses the Restraint of the Genetic Code to Generate Mutant Proteins with Distinct Activities. <i>PLoS Genetics</i> , 2015 , 11, e1005745	6	18
33	Design and isolation of ribozyme-substrate pairs using RNase P-based ribozymes containing altered substrate binding sites. <i>Nucleic Acids Research</i> , 1999 , 27, 4298-304	20.1	17
32	CMT disease severity correlates with mutation-induced open conformation of histidyl-tRNA synthetase, not aminoacylation loss, in patient cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 19440-19448	11.5	16
31	Probing NEmethyladenosine (mA) RNA Modification in Total RNA with SCARLET. <i>Methods in Molecular Biology</i> , 2016 , 1358, 285-92	1.4	16
30	Stress Response and Adaptation Mediated by Amino Acid Misincorporation during Protein Synthesis. <i>Advances in Nutrition</i> , 2016 , 7, 773S-9S	10	14
29	5-Methylcytosine RNA Modifications Promote Retrovirus Replication in an ALYREF Reader Protein-Dependent Manner. <i>Journal of Virology</i> , 2020 , 94,	6.6	13
28	Hili Inhibits HIV Replication in Activated T Cells. <i>Journal of Virology</i> , 2017 , 91,	6.6	12
27	A dual fluorescent reporter for the investigation of methionine mistranslation in live cells. <i>Rna</i> , 2016 , 22, 467-76	5.8	11
26	tRNA Queuosine Modification Enzyme Modulates the Growth and Microbiome Recruitment to Breast Tumors. <i>Cancers</i> , 2020 , 12,	6.6	10
25	ALKBH7-mediated demethylation regulates mitochondrial polycistronic RNA processing. <i>Nature Cell Biology</i> , 2021 , 23, 684-691	23.4	10
24	Interaction of tRNA with MEK2 in pancreatic cancer cells. Scientific Reports, 2016, 6, 28260	4.9	8
23	Cross-editing by a tRNA synthetase allows vertebrates to abundantly express mischargeable tRNA without causing mistranslation. <i>Nucleic Acids Research</i> , 2020 , 48, 6445-6457	20.1	7
22	Determining the fidelity of tRNA aminoacylation via microarrays. <i>Methods</i> , 2017 , 113, 27-33	4.6	7
21	The AlkB Domain of Mammalian ABH8 Catalyzes Hydroxylation of 5-Methoxycarbonylmethyluridine at the Wobble Position of tRNA. <i>Angewandte Chemie</i> , 2010 , 122, 9069-9072	3.6	6
20	Detection and quantification of glycosylated queuosine modified tRNAs by acid denaturing and APB gels. <i>Rna</i> , 2020 , 26, 1291-1298	5.8	6

19	A high-throughput screening method for evolving a demethylase enzyme with improved and new functionalities. <i>Nucleic Acids Research</i> , 2021 , 49, e30	20.1	6
18	Interferon inducible pseudouridine modification in human mRNA by quantitative nanopore profiling. <i>Genome Biology</i> , 2021 , 22, 330	18.3	6
17	tRNA Misacylation with Methionine in the Mouse Gut Microbiome in Situ. <i>Microbial Ecology</i> , 2017 , 74, 10-14	4.4	4
16	Identification of N-methyladenosine reader proteins. <i>Methods</i> , 2017 , 126, 105-111	4.6	4
15	Selective Enzymatic Demethylation of N2,N2-Dimethylguanosine in RNA and Its Application in High-Throughput tRNA Sequencing. <i>Angewandte Chemie</i> , 2017 , 129, 5099-5102	3.6	3
14	My adventure in tRNA biology, so far. <i>Rna</i> , 2015 , 21, 707-8	5.8	2
13	Cover Picture: The AlkB Domain of Mammalian ABH8 Catalyzes Hydroxylation of 5-Methoxycarbonylmethyluridine at the Wobble Position of tRNA (Angew. Chem. Int. Ed. 47/2010). <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 8765-8765	16.4	2
12	tRNA modification dynamics from individual organisms to metaepitranscriptomics of microbiomes <i>Molecular Cell</i> , 2022 ,	17.6	2
11	CMT2N-causing aminoacylation domain mutants enable Nrp1 interaction with AlaRS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
10	Tissue-specific reprogramming of host tRNA transcriptome by the microbiome. <i>Genome Research</i> , 2021 , 31, 947-957	9.7	2
9	Pseudouridine RNA modification detection and quantification by RT-PCR. <i>Methods</i> , 2021 ,	4.6	2
8	Quantitative probing of glycosylated queuosine modifications in tRNA. <i>Methods in Enzymology</i> , 2021 , 658, 73-82	1.7	2
7	A dual function PUS enzyme. <i>Nature Chemical Biology</i> , 2020 , 16, 107-108	11.7	1
6	Quantification of Queuosine Modification Levels in tRNA from Human Cells Using APB Gel and Northern Blot. <i>Bio-protocol</i> , 2019 , 9, e3191	0.9	1
5	A multiplex platform for small RNA sequencing elucidates multifaceted tRNA stress response and translational regulation <i>Nature Communications</i> , 2022 , 13, 2491	17.4	1
4	Profiling Selective Packaging of Host RNA and Viral RNA Modification in SARS-CoV-2 Viral Preparations <i>Frontiers in Cell and Developmental Biology,</i> 2022 , 10, 768356	5.7	0
3	Titelbild: The AlkB Domain of Mammalian ABH8 Catalyzes Hydroxylation of 5-Methoxycarbonylmethyluridine at the Wobble Position of tRNA (Angew. Chem. 47/2010). <i>Angewandte Chemie</i> , 2010 , 122, 8947-8947	3.6	
2	Methionine Misacylation of tRNA on CaMKII in Response to ER Stress. <i>FASEB Journal</i> , 2015 , 29, 892.7	0.9	

Mis-translation as a potential, new mechanism of adaption and stress response. *FASEB Journal*, **2013**, 27, 325.2

0.9