Margarita G Skalnaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7707330/publications.pdf

Version: 2024-02-01

82 2,531 28 46 papers citations h-index g-index

85 85 85 3033
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The role of cadmium in obesity and diabetes. Science of the Total Environment, 2017, 601-602, 741-755.	8.0	191
2	Sulfhydryl groups as targets of mercury toxicity. Coordination Chemistry Reviews, 2020, 417, 213343.	18.8	168
3	Cadmium and atherosclerosis: A review of toxicological mechanisms and a meta-analysis of epidemiologic studies. Environmental Research, 2018, 162, 240-260.	7.5	159
4	Gut as a target for cadmium toxicity. Environmental Pollution, 2018, 235, 429-434.	7.5	156
5	Molecular interaction between mercury and selenium in neurotoxicity. Coordination Chemistry Reviews, 2017, 332, 30-37.	18.8	108
6	Interactions of iron with manganese, zinc, chromium, and selenium as related to prophylaxis and treatment of iron deficiency. Journal of Trace Elements in Medicine and Biology, 2017, 41, 41-53.	3.0	87
7	Mercury and metabolic syndrome: a review of experimental and clinical observations. BioMetals, 2015, 28, 231-254.	4.1	84
8	Toxic metal(loid)-based pollutants and their possible role in autism spectrum disorder. Environmental Research, 2018, 166, 234-250.	7.5	77
9	Selenium and Selenoproteins in Adipose Tissue Physiology and Obesity. Biomolecules, 2020, 10, 658.	4.0	67
10	Hair toxic and essential trace elements in children with autism spectrum disorder. Metabolic Brain Disease, 2017, 32, 195-202.	2.9	64
11	The role of the thioredoxin/thioredoxin reductase system in the metabolic syndrome: towards a possible prognostic marker?. Cellular and Molecular Life Sciences, 2018, 75, 1567-1586.	5.4	63
12	Hair trace element contents in women with obesity and type 2 diabetes. Journal of Trace Elements in Medicine and Biology, 2007, 21, 59-61.	3.0	57
13	Reference values of hair toxic trace elements content in occupationally non-exposed Russian population. Environmental Toxicology and Pharmacology, 2015, 40, 18-21.	4.0	56
14	Mutual interaction between iron homeostasis and obesity pathogenesis. Journal of Trace Elements in Medicine and Biology, 2015, 30, 207-214.	3.0	53
15	Chelator combination as therapeutic strategy in mercury and lead poisonings. Coordination Chemistry Reviews, 2018, 358, 1-12.	18.8	45
16	Hair Toxic Element Content in Adult Men and Women in Relation to Body Mass Index. Biological Trace Element Research, 2014, 161, 13-19.	3.5	44
17	Selenium, Zinc, Chromium, and Vanadium Levels in Serum, Hair, and Urine Samples of Obese Adults Assessed by Inductively Coupled Plasma Mass Spectrometry. Biological Trace Element Research, 2021, 199, 490-499.	3.5	44
18	Hair concentration of essential trace elements in adult non-exposed Russian population. Environmental Monitoring and Assessment, 2015, 187, 677.	2.7	42

#	Article	IF	CITATIONS
19	Assessment of serum trace elements and electrolytes in children with childhood and atypical autism. Journal of Trace Elements in Medicine and Biology, 2017, 43, 9-14.	3.0	42
20	Analysis of Hair Trace Elements in Children with Autism Spectrum Disorders and Communication Disorders. Biological Trace Element Research, 2017, 177, 215-223.	3.5	39
21	Zinc deficiency as a mediator of toxic effects of alcohol abuse. European Journal of Nutrition, 2018, 57, 2313-2322.	3.9	39
22	Association between catatonia and levels of hair and serum trace elements and minerals in autism spectrum disorder. Biomedicine and Pharmacotherapy, 2019, 109, 174-180.	5.6	36
23	Assessment of copper, iron, zinc and manganese status and speciation in patients with Parkinson's disease: A pilot study. Journal of Trace Elements in Medicine and Biology, 2020, 59, 126423.	3.0	36
24	Assessment of gender and age effects on serum and hair trace element levels in children with autism spectrum disorder. Metabolic Brain Disease, 2017, 32, 1675-1684.	2.9	34
25	Serum zinc, copper, zinc-to-copper ratio, and other essential elements and minerals in children with attention deficit/hyperactivity disorder (ADHD). Journal of Trace Elements in Medicine and Biology, 2020, 58, 126445.	3.0	32
26	Alteration of local adipose tissue trace element homeostasis as a possible mechanism of obesity-related insulin resistance. Medical Hypotheses, 2015, 85, 343-347.	1.5	31
27	Age-related differences in hair trace elements: a cross-sectional study in Orenburg, Russia. Annals of Human Biology, 2016, 43, 438-444.	1.0	31
28	Serum trace elements are associated with hemostasis, lipid spectrum and inflammatory markers in men suffering from acute ischemic stroke. Metabolic Brain Disease, 2017, 32, 779-788.	2.9	31
29	Insights into the Potential Role of Mercury in Alzheimer's Disease. Journal of Molecular Neuroscience, 2019, 67, 511-533.	2.3	31
30	Hair Trace Elements in Overweight and Obese Adults in Association with Metabolic Parameters. Biological Trace Element Research, 2018, 186, 12-20.	3.5	29
31	Serum levels of copper, iron, and manganese in women with pregnancy, miscarriage, and primary infertility. Journal of Trace Elements in Medicine and Biology, 2019, 56, 124-130.	3.0	29
32	Zinc, copper, and oxysterol levels in patients with type 1 and type 2 diabetes mellitus. Clinical Nutrition, 2020, 39, 1849-1856.	5.0	29
33	Serum copper, zinc, and iron levels, and markers of carbohydrate metabolism in postmenopausal women with prediabetes and type 2 diabetes mellitus. Journal of Trace Elements in Medicine and Biology, 2017, 43, 46-51.	3.0	27
34	Trace Element and Mineral Levels in Serum, Hair, and Urine of Obese Women in Relation to Body Composition, Blood Pressure, Lipid Profile, and Insulin Resistance. Biomolecules, 2021, 11, 689.	4.0	25
35	Serum Trace Elements and Electrolytes Are Associated with Fasting Plasma Glucose and HbA1c in Postmenopausal Women with Type 2 Diabetes Mellitus. Biological Trace Element Research, 2017, 177, 25-32.	3. 5	22
36	Trace element levels are associated with neuroinflammatory markers in children with autistic spectrum disorder. Journal of Trace Elements in Medicine and Biology, 2018, 50, 622-628.	3.0	21

#	Article	IF	CITATIONS
37	Whole blood and hair trace elements and minerals in children living in metal-polluted area near copper smelter in Karabash, Chelyabinsk region, Russia. Environmental Science and Pollution Research, 2018, 25, 2014-2020.	5.3	20
38	Geographic variation of environmental, food, and human hair selenium content in an industrial region of Russia. Environmental Research, 2019, 171, 293-301.	7.5	19
39	Copper and zinc levels in soil, water, wheat, and hair of inhabitants of three areas of the Orenburg region, Russia. Environmental Research, 2018, 166, 158-166.	7.5	18
40	Hair trace element concentrations in autism spectrum disorder (ASD) and attention deficit/hyperactivity disorder (ADHD). Journal of Trace Elements in Medicine and Biology, 2020, 61, 126539.	3.0	17
41	The level of toxic and essential trace elements in hair of petrochemical workers involved in different technological processes. Environmental Science and Pollution Research, 2017, 24, 5576-5584.	5.3	16
42	Zinc, copper, cadmium, and lead levels in cattle tissues in relation to different metal levels in ground water and soil. Environmental Science and Pollution Research, 2019, 26, 559-569.	5 . 3	15
43	Mercury as a possible link between maternal obesity and autism spectrum disorder. Medical Hypotheses, 2016, 91, 90-94.	1.5	14
44	Synergistic effect of selenium and UV-B radiation in enhancing antioxidant level of wheatgrass grown from selenium rich wheat. Journal of Food Biochemistry, 2018, 42, e12577.	2.9	14
45	Hair Trace Elements are Associated with Increased Thyroid Volume in Schoolchildren with Goiter. Biological Trace Element Research, 2016, 174, 261-266.	3 . 5	13
46	Serum trace elements are interrelated with hormonal imbalance in men with acute ischemic stroke. Journal of Trace Elements in Medicine and Biology, 2017, 43, 142-147.	3.0	13
47	Boron – A potential goiterogen?. Medical Hypotheses, 2017, 104, 63-67.	1.5	12
48	Assessment of hair metal levels in aluminium plant workers using scalp hair ICP-DRC-MS analysis. Journal of Trace Elements in Medicine and Biology, 2018, 50, 658-663.	3.0	12
49	Hair Trace Element and Electrolyte Content in Women with Natural and In Vitro Fertilization-Induced Pregnancy. Biological Trace Element Research, 2018, 181, 1-9.	3. 5	11
50	Interactive effects of age and gender on levels of toxic and potentially toxic metals in children hair in different urban environments. International Journal of Environmental Analytical Chemistry, 2018, 98, 520-535.	3.3	11
51	Aluminium levels in hair and urine are associated with overweight and obesity in a non-occupationally exposed population. Journal of Trace Elements in Medicine and Biology, 2019, 56, 139-145.	3.0	11
52	Magnesium Status in Children with Attention-Deficit/Hyperactivity Disorder and/or Autism Spectrum Disorder. Soa¡\$ceongso'nyeon Jeongsin Yihag, 2020, 31, 41-45.	0.5	11
53	The Level of Toxic Elements in Edible Crops from Seleniferous Area (Punjab, India). Biological Trace Element Research, 2018, 184, 523-528.	3 . 5	10
54	Hair Mineral and Trace Element Content in Children with Down's Syndrome. Biological Trace Element Research, 2019, 188, 230-238.	3. 5	10

#	Article	IF	CITATIONS
55	Organotins in obesity and associated metabolic disturbances. Journal of Inorganic Biochemistry, 2019, 191, 49-59.	3.5	10
56	Hair Mercury Association with Selenium, Serum Lipid Spectrum, and Gamma-Glutamyl Transferase Activity in Adults. Biological Trace Element Research, 2014, 161, 255-262.	3.5	9
57	Comparative Hair Trace Element Profile in the Population of Sakhalin and Taiwan Pacific Islands. Biological Trace Element Research, 2018, 184, 308-316.	3.5	9
58	Selenium Antagonism with Mercury and Arsenic: From Chemistry to Population Health and Demography., 2016,, 401-412.		8
59	Mucociliary transport as a link between chronic rhinosinusitis and trace element dysbalance. Medical Hypotheses, 2019, 127, 5-10.	1.5	8
60	Hair Trace Element Levels in Han and Indigenous Hualien Inhabitants in Taiwan. Biological Trace Element Research, 2019, 191, 1-9.	3.5	8
61	ICP-DRC-MS analysis of serum essential and toxic element levels in postmenopausal prediabetic women in relation to glycemic control markers. Journal of Trace Elements in Medicine and Biology, 2018, 50, 430-434.	3.0	7
62	Selenium-rich maize modulates the expression of prostaglandin genes in lipopolysaccharide-stimulated RAW264.7 macrophages. Food and Function, 2019, 10, 2839-2846.	4.6	7
63	Serum amino acid spectrum in children with autism spectrum disorder (ASD). Research in Autism Spectrum Disorders, 2020, 77, 101605.	1.5	7
64	Selenium in Ischemic Stroke. Molecular and Integrative Toxicology, 2018, , 211-230.	0.5	5
65	Toxicological and nutritional status of trace elements in hair of women with in vitro fertilization (IVF) pregnancy and their 9-month-old children. Reproductive Toxicology, 2018, 82, 50-56.	2.9	5
66	The Impact of Maternal Overweight on Hair Essential Trace Element and Mineral Content in Pregnant Women and Their Children. Biological Trace Element Research, 2020, 193, 64-72.	3.5	5
67	Speciation of Serum Copper and Zinc-Binding High- and Low-Molecular Mass Ligands in Dairy Cows Using HPLC-ICP-MS Technique. Biological Trace Element Research, 2022, 200, 591-599.	3.5	5
68	Copper Deficiency a New Reason of Androgenetic Alopecia?., 0, , .		4
69	Comparative analysis and the coverage intervals of hair rare metal content in two Russian industrial centres. International Journal of Environmental Analytical Chemistry, 2017, 97, 520-533.	3.3	4
70	Selenium and Other Elements in Wheat (Triticum aestivum) and Wheat Bread from a Seleniferous Area. Biological Trace Element Research, 2019, 192, 10-17.	3.5	4
71	Relationship Between Elevated Hair Mercury Levels, Essential Element Status, and Metabolic Profile in Overweight and Obese Adults. Biological Trace Element Research, 2020, 199, 2874-2881.	3.5	4
72	Alteration of iron (Fe), copper (Cu), zinc (Zn), and manganese (Mn) tissue levels and speciation in rats with desferioxamine-induced iron deficiency. BioMetals, 2021, 34, 923-936.	4.1	4

#	Article	IF	CITATIONS
73	Comparative effects of meso-2,3-dimercaptosuccinic acid, monensin and salinomycin on the concentrations of cadmium and some essential elements in skeletal muscles of Cd-exposed mice. Journal of Trace Elements in Medicine and Biology, 2018, 50, 596-600.	3.0	3
74	Selenium and Autism Spectrum Disorder. Molecular and Integrative Toxicology, 2018, , 193-210.	0.5	3
75	The efficiency of Governmental and WFP UN Programs for improvement of nutritional status in Tajik schoolchildren as assessed by dietary intake and hair trace element content. Journal of Trace Elements in Medicine and Biology, 2019, 55, 196-203.	3.0	3
76	Profiling of selenium and other trace elements in breads from rice and maize cultivated in a seleniferous area of Punjab (India). Journal of Food Science and Technology, 2021, 58, 825-833.	2.8	3
77	Association between semen quality and level of 20 essential and toxic metals in ejaculate. Trace Elements and Electrolytes, 2015, 32, 126-132.	0.1	3
78	A Search for Similar Patterns in Hair Trace Element and Mineral Content in Children with Down's Syndrome, Obesity, and Growth Delay. Biological Trace Element Research, 2020, 196, 607-617.	3.5	2
79	Hair ultra-trace elements in relation to age and body mass index in adult women. Journal of Elementology, 2015, , .	0.2	2
80	Serum electrolytes are associated with markers of neural damage in transient ischemic attack and ischemic stroke patients. Trace Elements and Electrolytes, 2016, , .	0.1	1
81	V. Congress of the Russian Society for Trace Elements in Medicine (RUSTEM). Trace Elements and Electrolytes, 2018, 35, 249-254.	0.1	1
82	Gender-specific differences in hair rare trace element content in children with Down's syndrome. Trace Elements and Electrolytes, 2018, 35, 232-234.	0.1	O