

# Eva Grasa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7708042/publications.pdf>

Version: 2024-02-01

43  
papers

961  
citations

687220

13  
h-index

477173

29  
g-index

47  
all docs

47  
docs citations

47  
times ranked

1430  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased frontal and paralimbic activation following ayahuasca, the pan-amazonian inebriant. <i>Psychopharmacology</i> , 2006, 186, 93-98.	1.5	200
2	Pharmacology of ayahuasca administered in two repeated doses. <i>Psychopharmacology</i> , 2012, 219, 1039-1053.	1.5	108
3	Resting-state functional connectivity alterations in the default network of schizophrenia patients with persistent auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2015, 161, 261-268.	1.1	106
4	Mobile Phone and Wearable Sensor-Based mHealth Approaches for Psychiatric Disorders and Symptoms: Systematic Review. <i>JMIR Mental Health</i> , 2019, 6, e9819.	1.7	90
5	Effects of olanzapine, risperidone and haloperidol on sleep after a single oral morning dose in healthy volunteers. <i>Psychopharmacology</i> , 2007, 190, 507-516.	1.5	81
6	Randomized control trial to assess the efficacy of metacognitive training compared with a psycho-educational group in people with a recent-onset psychosis. <i>Psychological Medicine</i> , 2017, 47, 1573-1584.	2.7	64
7	Daytime Ayahuasca administration modulates REM and slow-wave sleep in healthy volunteers. <i>Psychopharmacology</i> , 2008, 196, 315-326.	1.5	48
8	Neurophysiological evidence of impaired self-monitoring in schizotypal personality disorder and its reversal by dopaminergic antagonism. <i>NeuroImage: Clinical</i> , 2016, 11, 770-779.	1.4	25
9	Volumetric and morphological characteristics of the hippocampus are associated with progression to schizophrenia in patients with first-episode psychosis. <i>European Psychiatry</i> , 2017, 45, 1-5.	0.1	25
10	Measuring Users' Receptivity Toward an Integral Intervention Model Based on mHealth Solutions for Patients With Treatment-Resistant Schizophrenia (m-RESIST): A Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2016, 4, e112.	1.8	23
11	Neuropsychological functioning and jumping to conclusions in recent onset psychosis patients. <i>Schizophrenia Research</i> , 2018, 195, 366-371.	1.1	21
12	Density of striatal D2 receptors in untreated first-episode psychosis: An I123-IBZM SPECT study. <i>European Neuropsychopharmacology</i> , 2011, 21, 861-866.	0.3	17
13	Gray and white matter changes and their relation to illness trajectory in first episode psychosis. <i>European Neuropsychopharmacology</i> , 2018, 28, 392-400.	0.3	15
14	Gender differences in response to metacognitive training in people with first-episode psychosis. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 516-525.	1.6	15
15	The Role of Personal Identity on Positive and Negative Symptoms in Psychosis: A Study Using the Repertory Grid Technique. <i>Schizophrenia Bulletin</i> , 2020, 46, 572-580.	2.3	12
16	Cognitive Insight in First-Episode Psychosis: Changes during Metacognitive Training. <i>Journal of Personalized Medicine</i> , 2020, 10, 253.	1.1	12
17	Sex differences in sleep after a single oral morning dose of olanzapine in healthy volunteers. <i>Human Psychopharmacology</i> , 2011, 26, 498-507.	0.7	11
18	Jumping to conclusions and suicidal behavior in depression and psychosis. <i>Journal of Psychiatric Research</i> , 2021, 137, 514-520.	1.5	11

#	ARTICLE	IF	CITATIONS
19	Estudio farmacogenético del tratamiento a largo plazo con antipsicóticos de segunda generación y sus efectos adversos metabólicos (Estudio SLiM): justificación, objetivos, diseño y descripción de la muestra. Revista De Psiquiatría Y Salud Mental, 2014, 7, 166-178.	1.0	9
20	Emotional fMRI auditory paradigm demonstrates normalization of limbic hyperactivity after cognitive behavior therapy for auditory hallucinations. Schizophrenia Research, 2018, 193, 304-312.	1.1	9
21	Jumping to conclusions is differently associated with specific subtypes of delusional experiences: An exploratory study in first-episode psychosis. Schizophrenia Research, 2021, 228, 357-359.	1.1	6
22	Effects of Tobacco Smoking on the Kinetics of the Pupillary Light Reflex: A Comparison between Smokers and Non-Smokers. Neuropsychobiology, 2005, 52, 169-175.	0.9	5
23	Direct Experience and the Course of Eating Disorders in Patients on Partial Hospitalization: A Pilot Study. European Eating Disorders Review, 2013, 21, 399-404.	2.3	5
24	Pharmacogenetic study of second-generation antipsychotic long-term treatment metabolic side effects (the SLiM Study): Rationale, objectives, design and sample description. Revista De Psiquiatría Y Salud Mental (English Edition), 2014, 7, 166-178.	0.2	5
25	Grey matter microstructural alterations in schizophrenia patients with treatment-resistant auditory verbal hallucinations. Journal of Psychiatric Research, 2021, 138, 130-138.	1.5	5
26	Persons with first episode psychosis have distinct profiles of social cognition and metacognition. NPJ Schizophrenia, 2021, 7, 61.	2.0	5
27	The relationship between jumping to conclusions and social cognition in first-episode psychosis. NPJ Schizophrenia, 2022, 8, .	2.0	5
28	Are There Gender Differences in Social Cognition in First-Episode Psychosis?. Women, 2021, 1, 204-211.	0.5	4
29	Positive and Useful Voices in Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2020, 208, 587-592.	0.5	3
30	A Method to Compare the Delivery of Psychiatric Care for People with Treatment-Resistant Schizophrenia. International Journal of Environmental Research and Public Health, 2020, 17, 7527.	1.2	3
31	T241. INTERPERSONAL COGNITIVE RIGIDITY AFFECTS SOCIAL FUNCTIONING IN PSYCHOSIS MORE THAN THEORY OF MIND: A STUDY WITH THE REPERTORY GRID TECHNIQUE. Schizophrenia Bulletin, 2018, 44, S210-S211.	2.3	2
32	Moderators of cognitive insight outcome in metacognitive training for first-episode psychosis. Journal of Psychiatric Research, 2021, 141, 104-110.	1.5	2
33	Validation of a Spanish version of the Schizotypal Personality Questionnaire (SPQ): Psychometric characteristics and underlying factor structure derived from a healthy university student sample. Actas Espanolas De Psiquiatria, 2018, 46, 159-73.	0.1	2
34	Influence of Menstrual Cycle Length and Age at Menarche on Symptoms, Cognition, Social Cognition, and Metacognition in Patients with First-Episode Psychosis. Women, 2022, 2, 135-146.	0.5	2
35	F49. EFFECTIVENESS OF THE META-COGNITIVE TRAINING IN PEOPLE WITH FIRST-EPISEODE PSYCHOSIS: DOES GENDER MATTER?. Schizophrenia Bulletin, 2018, 44, S238-S238.	2.3	1
36	F243. INFLUENCE OF METACOGNITION AND IRRATIONAL BELIEFS ON SOCIAL FUNCTIONING IN PSYCHOSIS OF RECENT ONSET. Schizophrenia Bulletin, 2018, 44, S317-S318.	2.3	1

#	ARTICLE	IF	CITATIONS
37	S34. EFFECTIVENESS OF INDIVIDUAL METACOGNITIVE TRAINING (MCT+) IN FIRST-EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S44-S45.	2.3	1
38	Different measures for auditory hallucinations in populations with psychosis. The Validation of the Spanish versions of the Auditory Vocal Hallucination Rating Scale (AVHRS) and the Positive and Useful Voices Inquiry (PUVI). Revista De Psiquiatr�a Y Salud Mental, 2022, 15, 259-271.	1.0	1
39	Poster #20 ALTERED DEFAULT NETWORK RESTING STATE FUNCTIONAL CONNECTIVITY IN PATIENTS WITH A FIRST EPISODE OF PSYCHOSIS. Schizophrenia Research, 2012, 136, S287-S288.	1.1	0
40	T237. USER EXPERIENCE TOWARDS AN INTEGRAL INTERVENTION MODEL BASED ON M-HEALTH SOLUTION FOR PATIENTS WITH TREATMENT-RESISTANT SCHIZOPHRENIA (M-RESIST): QUALITATIVE INFORMATION FROM PATIENTS, CAREGIVERS AND CLINICIANS IN A PILOT STUDY. Schizophrenia Bulletin, 2018, 44, S208-S209.	2.3	0
41	S121. JUMPING TO CONCLUSIONS, SOCIAL COGNITION AND METACOGNITION IN PEOPLE WITH A RECENT-ONSET OF PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S372-S372.	2.3	0
42	T120. INFLUENCE OF MATERNAL AND PATERNAL HISTORY IN SYMPTOMS, COGNITION AND METACOGNITION IN PEOPLE WITH FIRST-EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S276-S276.	2.3	0
43	m-RESIST, a modular intervention programme addressed to patients with treatment-resistant schizophrenia. International Journal of Integrated Care, 2017, 17, 578.	0.1	0