

Alan C. Hunter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7708056/alan-c-hunter-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52 papers	6,174 citations	31 h-index	52 g-index
52 ext. papers	6,620 ext. citations	8.3 avg, IF	5.91 L-index

#	Paper	IF	Citations
52	The Interplay Between Blood Proteins, Complement, and Macrophages on Nanomedicine Performance and Responses. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 370, 581-592	4.7	35
51	Smart polymers in drug delivery: a biological perspective. <i>Polymer Chemistry</i> , 2017 , 8, 41-51	4.9	45
50	Bypassing adverse injection reactions to nanoparticles through shape modification and attachment to erythrocytes. <i>Nature Nanotechnology</i> , 2017 , 12, 589-594	28.7	121
49	Quartz Crystal Microbalance Assay of Clinical Calcinosis Samples and Their Synthetic Models Differentiates the Efficacy of Chelation-Based Treatments. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 27544-27552	9.5	3
48	Platelet mimicry: The emperor's new clothes?. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016 , 12, 245-8	6	14
47	AFM visualization of sub-50nm polyplex disposition to the nuclear pore complex without compromising the integrity of the nuclear envelope. <i>Journal of Controlled Release</i> , 2016 , 244, 24-29	11.7	13
46	Complement monitoring of Pluronic 127 gel and micelles: suppression of copolymer-mediated complement activation by elevated serum levels of HDL, LDL, and apolipoproteins AI and B-100. <i>Journal of Controlled Release</i> , 2013 , 170, 167-74	11.7	37
45	Surfactant-mediated complement activation in beagle dogs. <i>International Immunopharmacology</i> , 2013 , 17, 33-4	5.8	7
44	Single-walled carbon nanotube surface control of complement recognition and activation. <i>ACS Nano</i> , 2013 , 7, 1108-19	16.7	100
43	Complement activation by PEG-functionalized multi-walled carbon nanotubes is independent of PEG molecular mass and surface density. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013 , 9, 469-73	6	32
42	Complement system and the brain: selected pathologies and avenues toward engineering of neurological nanomedicines. <i>Journal of Controlled Release</i> , 2012 , 161, 283-9	11.7	21
41	Particulate systems for targeting of macrophages: basic and therapeutic concepts. <i>Journal of Innate Immunity</i> , 2012 , 4, 509-28	6.9	53
40	Polyethylenimine-mediated impairment of mitochondrial membrane potential, respiration and membrane integrity: implications for nucleic acid delivery and gene therapy. <i>Mitochondrion</i> , 2012 , 12, 162-8	4.9	41
39	Genomic perspectives in inter-individual adverse responses following nanomedicine administration: The way forward. <i>Advanced Drug Delivery Reviews</i> , 2012 , 64, 1385-93	18.5	34
38	Polymeric particulate technologies for oral drug delivery and targeting: a pathophysiological perspective. <i>Maturitas</i> , 2012 , 73, 5-18	5	28
37	Factors controlling nanoparticle pharmacokinetics: an integrated analysis and perspective. <i>Annual Review of Pharmacology and Toxicology</i> , 2012 , 52, 481-503	17.9	409
36	Transformation of structurally diverse steroidal analogues by the fungus <i>Corynespora cassiicola</i> CBS 161.60 results in generation of 8 β monohydroxylated metabolites with evidence in favour of 8 β hydroxylation through inverted binding in the 9 β hydroxylase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 1054-61	5	8

35	Material properties in complement activation. <i>Advanced Drug Delivery Reviews</i> , 2011 , 63, 1000-7	18.5	193
34	Polycation cytotoxicity: a delicate matter for nucleic acid therapy focus on polyethylenimine. <i>Soft Matter</i> , 2010 , 6, 4001	3.6	173
33	Distinct polymer architecture mediates switching of complement activation pathways at the nanosphere-serum interface: implications for stealth nanoparticle engineering. <i>ACS Nano</i> , 2010 , 4, 6629-38	16.7	235
32	Transformation of some 3alpha-substituted steroids by <i>Aspergillus tamarii</i> KITA reveals stereochemical restriction of steroid binding orientation in the minor hydroxylation pathway. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 118, 171-6	5.1	19
31	Transformation of a series of saturated isomeric steroidal diols by <i>Aspergillus tamarii</i> KITA reveals a precise stereochemical requirement for entrance into the lactonization pathway. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010 , 122, 352-8	5.1	9
30	Complement activation cascade triggered by PEG-PL engineered nanomedicines and carbon nanotubes: the challenges ahead. <i>Journal of Controlled Release</i> , 2010 , 146, 175-81	11.7	142
29	Cationic carriers of genetic material and cell death: a mitochondrial tale. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010 , 1797, 1203-9	4.6	102
28	Application of the quartz crystal microbalance to nanomedicine. <i>Journal of Biomedical Nanotechnology</i> , 2009 , 5, 669-75	4	24
27	Transformation of 5-ene steroids by the fungus <i>Aspergillus tamarii</i> KITA: mixed molecular fate in lactonization and hydroxylation pathways with identification of a putative 3beta-hydroxy-steroid dehydrogenase/Delta5-Delta4 isomerase pathway. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009 , 1791, 110-7	5	41
26	An unusual ring-a opening and other reactions in steroid transformation by the thermophilic fungus <i>Myceliophthora thermophila</i> . <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009 , 116, 171-7	5.1	25
25	Complement: alive and kicking nanomedicines. <i>Journal of Biomedical Nanotechnology</i> , 2009 , 5, 364-72	4	64
24	Predominant allylic hydroxylation at carbons 6 and 7 of 4 and 5-ene functionalized steroids by the thermophilic fungus <i>Rhizomucor tauricus</i> IMI23312. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008 , 108, 155-63	5.1	24
23	Complement activation by PEGylated single-walled carbon nanotubes is independent of C1q and alternative pathway turnover. <i>Molecular Immunology</i> , 2008 , 45, 3797-803	4.3	112
22	Poly(ethylene glycol)s generate complement activation products in human serum through increased alternative pathway turnover and a MASP-2-dependent process. <i>Molecular Immunology</i> , 2008 , 46, 225-32	4.3	197
21	Novel quartz crystal microbalance based biosensor for detection of oral epithelial cell-microparticle interaction in real-time. <i>Biosensors and Bioelectronics</i> , 2008 , 23, 1259-65	11.8	23
20	Ordering of binary polymeric nanoparticles on hydrophobic surfaces assembled from low volume fraction dispersions. <i>Journal of the American Chemical Society</i> , 2007 , 129, 13390-1	16.4	32
19	Modification of the Stewart biphasic colorimetric assay for stable and accurate quantitative determination of Pluronic and Tetronic block copolymers for application in biological systems. <i>Analytical Biochemistry</i> , 2007 , 361, 287-93	3.1	19
18	Distinct metabolic handling of 3beta-hydroxy-17a-oxa-D-homo-5alpha-androstan-17-one by the filamentous fungus <i>Aspergillus tamarii</i> KITA: Evidence in support of steroid/hydroxylase binding hypothesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007 , 1771, 1254-61	5	17

17	Ring-B functionalized androst-4-en-3-ones and ring-C substituted pregn-4-en-3-ones undergo differential transformation in <i>Aspergillus tamarii</i> KITA: ring-A transformation with all C-6 substituted steroids and ring-D transformation with C-11 substituents. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 360-6	5	24
16	An efficient one-pot synthesis generating 4-ene-3,6-dione functionalised steroids from steroidal 5-en-3 β -ols using a modified Jones oxidation methodology. <i>Steroids</i> , 2006 , 71, 30-3	2.8	22
15	Concentration dependent structural ordering of poloxamine 908 on polystyrene nanoparticles and their modulatory role on complement consumption. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 3126-33	1.3	50
14	Activation of the human complement system by cholesterol-rich and PEGylated liposomes-modulation of cholesterol-rich liposome-mediated complement activation by elevated serum LDL and HDL levels. <i>Journal of Liposome Research</i> , 2006 , 16, 167-74	6.1	51
13	Molecular hurdles in polyfectin design and mechanistic background to polycation induced cytotoxicity. <i>Advanced Drug Delivery Reviews</i> , 2006 , 58, 1523-31	18.5	385
12	Fate of novel Quasi reverse steroidal substrates by <i>Aspergillus tamarii</i> KITA: bypass of lactonisation and an exclusive role for the minor hydroxylation pathway. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005 , 1734, 190-7	5	13
11	Low and high molecular weight poly(L-lysine)s/poly(L-lysine)-DNA complexes initiate mitochondrial-mediated apoptosis differently. <i>FEBS Letters</i> , 2005 , 579, 6191-8	3.8	98
10	Nanomedicine: current status and future prospects. <i>FASEB Journal</i> , 2005 , 19, 311-30	0.9	1492
9	A two-stage poly(ethylenimine)-mediated cytotoxicity: implications for gene transfer/therapy. <i>Molecular Therapy</i> , 2005 , 11, 990-5	11.7	875
8	Cellular distribution of nonionic micelles. <i>Science</i> , 2004 , 303, 626-8; author reply 626-8	33.3	56
7	Synthetic polymers in 21st century therapeutics: the way forward. <i>Drug Discovery Today</i> , 2003 , 8, 154-6	8.8	4
6	Real-time evidence of surface modification at polystyrene lattices by poloxamine 908 in the presence of serum: in vivo conversion of macrophage-prone nanoparticles to stealth entities by poloxamine 908. <i>FEBS Letters</i> , 2003 , 547, 177-82	3.8	26
5	Therapeutic synthetic polymers: a game of Russian roulette?. <i>Drug Discovery Today</i> , 2002 , 7, 998-1001	8.8	73
4	PEGylation of microspheres generates a heterogeneous population of particles with differential surface characteristics and biological performance. <i>FEBS Letters</i> , 2002 , 532, 338-44	3.8	119
3	Recognition by macrophages and liver cells of opsonized phospholipid vesicles and phospholipid headgroups. <i>Pharmaceutical Research</i> , 2001 , 18, 1-8	4.5	109
2	Volume-activated chloride currents in HeLa cells are blocked by tamoxifen but not by a membrane impermeant quaternary analogue. <i>Cellular Physiology and Biochemistry</i> , 2001 , 11, 99-104	3.9	12
1	Poloxamers and poloxamines in nanoparticle engineering and experimental medicine. <i>Trends in Biotechnology</i> , 2000 , 18, 412-20	15.1	313