
Camille P Figueiredo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7709039/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association of Bone Erosions and Osteophytes With Systemic Bone Involvement on <scp>Highâ€Resolution</scp> Peripheral Quantitative Computed Tomography in Premenopausal Women With Longstanding Rheumatoid Arthritis. Arthritis and Rheumatology, 2022, 74, 407-417. | 2.9 | 6 |
| 2 | Cognitive biases in fibromyalgia diagnosis. Joint Bone Spine, 2022, , 105339. | 0.8 | 0 |
| 3 | HR-pQCT inÂvivo imaging of periarticular bone changes in chronic inflammatory diseases: Data from acquisition to impact on treatment indications. Modern Rheumatology, 2021, 31, 294-302. | 0.9 | 4 |
| 4 | Evaluation of bone erosion in rheumatoid arthritis patients by highâ€resolution peripheral quantitative computed tomography scans: Comparison between two semiâ€automated programs in a threeâ€dimensional setting. International Journal of Rheumatic Diseases, 2021, 24, 948-953. | 0.9 | 3 |
| 5 | Bone erosion in the 2nd metacarpophalangeal head: association with its bone mineral density by HR-pQCT in rheumatoid arthritis patients. BMC Musculoskeletal Disorders, 2021, 22, 109. | 0.8 | 3 |
| 6 | Risk Factors for Low Muscle Mass in a Population-based Prospective Cohort of Brazilian Community-dwelling Older Women: The São Paulo Ageing & Health (SPAH) Study. Journal of Clinical Densitometry, 2020, 23, 503-510. | 0.5 | 3 |
| 7 | A Detailed Analysis of the Association between Urate Deposition and Erosions and Osteophytes in Gout. ACR Open Rheumatology, 2020, 2, 565-572. | 0.9 | 5 |
| 8 | A new method for quantitative assessment of hand muscle volume and fat in magnetic resonance images. BMC Rheumatology, 2020, 4, 72. | 0.6 | 3 |
| 9 | Quantification of hand muscle volume and composition in patients with rheumatoid arthritis, psoriatic arthritis and psoriasis. BMC Musculoskeletal Disorders, 2020, 21, 203. | 0.8 | 1 |
| 10 | KLOTHO polymorphisms and age-related outcomes in community-dwelling older subjects: TheÂSão Paulo Ageing & Health (SPAH) Study. Scientific Reports, 2020, 10, 8574. | 1.6 | 2 |
| 11 | Comparison of the effects of tocilizumab monotherapy and adalimumab in combination with methotrexate on bone erosion repair in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2019, 78, 1186-1191. | 0.5 | 43 |
| 12 | The ageing joint-standard age- and sex-related values of bone erosions and osteophytes in the hand joints of healthy individuals. Osteoarthritis and Cartilage, 2019, 27, 1043-1047. | 0.6 | 13 |
| 13 | Association of Appendicular Lean Mass, and Subcutaneous and Visceral Adipose Tissue With Mortality in Older Brazilians: The São Paulo Ageing & Health Study. Journal of Bone and Mineral Research, 2019, 34, 1264-1274. | 3.1 | 33 |
| 14 | Cost-effective Tapering Algorithm in Patients with Rheumatoid Arthritis: Combination of Multibiomarker Disease Activity Score and Autoantibody Status. Journal of Rheumatology, 2019, 46, 460-466. | 1.0 | 9 |
| 15 | Methods for segmentation of rheumatoid arthritis bone erosions in high-resolution peripheral quantitative computed tomography (HR-pQCT). Seminars in Arthritis and Rheumatism, 2018, 47, 611-618. | 1.6 | 32 |
| 16 | Cortical bone loss is an early feature of nonradiographic axial spondyloarthritis. Arthritis Research and Therapy, 2018, 20, 202. | 1.6 | 20 |
| 17 | Abatacept blocks anti-citrullinated protein antibody and rheumatoid factorÂmediated cytokine production in human macrophages in IDO-dependent manner. Arthritis Research and Therapy, 2018, 20, 24. | 1.6 | 30 |
| 18 | Antimodified protein antibody response pattern influences the risk for disease relapse in patients with rheumatoid arthritis tapering disease modifying antirheumatic drugs. Annals of the Rheumatic Diseases, 2017, 76, 399-407. | 0.5 | 48 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Age- and Sex-Dependent Changes of Intra-articular Cortical and Trabecular Bone Structure and the Effects of Rheumatoid Arthritis. Journal of Bone and Mineral Research, 2017, 32, 722-730. | 3.1 | 35 |
| 20 | Effects of DMARDs on citrullinated peptide autoantibody levels in RA patients—A longitudinal analysis. Seminars in Arthritis and Rheumatism, 2017, 46, 709-714. | 1.6 | 45 |
| 21 | Quantification and Impact of Secondary Osteoarthritis in Patients With Anti–Citrullinated Protein Antibody–Positive Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 2114-2121. | 2.9 | 45 |
| 22 | Bone Mineral Density and Parathyroid Hormone as Independent Risk Factors for Mortality in Community-Dwelling Older Adults: A Population-Based Prospective Cohort Study in Brazil. The Sã0 Paulo Ageing & Health (SPAH) Study. Journal of Bone and Mineral Research, 2016, 31, 1146-1157. | 3.1 | 34 |
| 23 | High-resolution Quantitative Computed Tomography Demonstrates Structural Defects in Cortical and Trabecular Bone in IBD Patients. Journal of Crohn's and Colitis, 2016, 10, 532-540. | 0.6 | 28 |
| 24 | Subclinical joint inflammation in patients with psoriasis without concomitant psoriatic arthritis: a cross-sectional and longitudinal analysis. Annals of the Rheumatic Diseases, 2016, 75, 2068-2074. | 0.5 | 86 |
| 25 | Prediction of disease relapses by multibiomarker disease activity and autoantibody status in patients with rheumatoid arthritis on tapering DMARD treatment. Annals of the Rheumatic Diseases, 2016, 75, 1637-1644. | 0.5 | 73 |
| 26 | Persistent hypovitaminosis D and loss of hip bone mineral density over time as additional risk factors for recurrent falls in a population-based prospective cohort of elderly persons living in the community. The São Paulo Ageing & Health (SPAH) Study. Osteoporosis International, 2015, 26, 1535-1542. | 1.3 | 6 |
| 27 | Prevalence of sarcopenia and associated risk factors by two diagnostic criteria in community-dwelling older men: the São Paulo Ageing & Health Study (SPAH). Osteoporosis International, 2014, 25, 589-596. | 1.3 | 47 |
| 28 | A predictive model of vitamin D insufficiency in older community people: From the São Paulo Aging & Health Study (SPAH). Maturitas, 2014, 78, 335-340. | 1.0 | 29 |
| 29 | Discriminating sarcopenia in community-dwelling older women with high frequency of overweight/obesity: the São Paulo Ageing & Health Study (SPAH). Osteoporosis International, 2013, 24, 595-603. | 1.3 | 62 |
| 30 | Serum phosphate and hip bone mineral density as additional factors for high vascular calcification scores in a community-dwelling: The São Paulo Ageing & Health Study (SPAH). Bone, 2013, 52, 354-359. | 1.4 | 31 |
| 31 | Vertebral Fracture Assessment by Dual Xâ€Ray Absorptiometry: A Valid Tool to Detect Vertebral Fractures in Communityâ€Dwelling Older Adults in a Populationâ€Based Survey. Arthritis Care and Research, 2013, 65, 809-815. | 1.5 | 40 |
| 32 | The impact of asymptomatic vertebral fractures on quality of life in older community-dwelling women: the São Paulo Ageing & Health Study. Clinics, 2012, 67, 1401-1406. | 0.6 | 17 |
| 33 | Osteoporotic Fractures in the Brazilian Community-Dwelling Elderly: Prevalence and Risk Factors. Journal of Clinical Densitometry, 2011, 14, 359-366. | O.5 | 16 |
| 34 | Prevalence and risk factors of radiographic vertebral fracture in Brazilian community-dwelling elderly. Osteoporosis International, 2011, 22, 711-719. | 1.3 | 53 |
| 35 | Postural control among elderly women with and without osteoporosis: is there a difference?. Sao Paulo Medical Journal, 2010, 128, 219-224. | 0.4 | 38 |
| 36 | Effect of the bilateral hip bone density measurement on clinical practice in elderly subjects. Maturitas, 2009, 63, 257-260. | 1.0 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Vitamin D insufficiency: A risk factor to vertebral fractures in community-dwelling elderly women. Maturitas, 2009, 64, 218-222. | 1.0 | 37 |
| 38 | Mycophenolate mofetil is effective in reducing lupus glomerulonephritis proteinuria. Rheumatology International, 2006, 26, 1078-1083. | 1.5 | 21 |
| 39 | Lower hand grip in rheumatoid arthritis patients is associated with low finite element analysis using high resolution peripheral quantitative computed tomography scan of the 2nd metacarpophalangeal joint. International Journal of Rheumatic Diseases, 0, , . | 0.9 | 2 |