

Jacob Selhub

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7709172/jacob-selhub-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

271
papers

29,053
citations

89
h-index

165
g-index

273
ext. papers

31,341
ext. citations

7.9
avg, IF

6.55
L-index

#	Paper	IF	Citations
271	Plasma homocysteine as a risk factor for dementia and Alzheimer® disease. <i>New England Journal of Medicine</i> , 2002 , 346, 476-83	59.2	2635
270	Vitamin status and intake as primary determinants of homocysteinemia in an elderly population. <i>JAMA - Journal of the American Medical Association</i> , 1993 , 270, 2693-8	27.4	1095
269	Association between plasma homocysteine concentrations and extracranial carotid-artery stenosis. <i>New England Journal of Medicine</i> , 1995 , 332, 286-91	59.2	1044
268	Multiple biomarkers for the prediction of first major cardiovascular events and death. <i>New England Journal of Medicine</i> , 2006 , 355, 2631-9	59.2	978
267	Relation between folate status, a common mutation in methylenetetrahydrofolate reductase, and plasma homocysteine concentrations. <i>Circulation</i> , 1996 , 93, 7-9	16.7	941
266	The effect of folic acid fortification on plasma folate and total homocysteine concentrations. <i>New England Journal of Medicine</i> , 1999 , 340, 1449-54	59.2	894
265	A common mutation in the 5,10-methylenetetrahydrofolate reductase gene affects genomic DNA methylation through an interaction with folate status. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5606-11	11.5	765
264	Determinants of plasma total homocysteine concentration in the Framingham Offspring cohort. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 613-21	7	499
263	Homocysteine as a predictive factor for hip fracture in older persons. <i>New England Journal of Medicine</i> , 2004 , 350, 2042-9	59.2	482
262	Mice deficient in methylenetetrahydrofolate reductase exhibit hyperhomocysteinemia and decreased methylation capacity, with neuropathology and aortic lipid deposition. <i>Human Molecular Genetics</i> , 2001 , 10, 433-43	5.6	458
261	Folate and vitamin B-12 status in relation to anemia, macrocytosis, and cognitive impairment in older Americans in the age of folic acid fortification. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 193-200	7	446
260	B vitamins, homocysteine, and neurocognitive function in the elderly. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 614S-620S	7	315
259	Plasma homocysteine as a risk factor for atherothrombotic events in systemic lupus erythematosus. <i>Lancet, The</i> , 1996 , 348, 1120-4	40	315
258	Methylenetetrahydrofolate reductase polymorphism, plasma folate, homocysteine, and risk of myocardial infarction in US physicians. <i>Circulation</i> , 1996 , 94, 2410-6	16.7	304
257	Nonfasting plasma total homocysteine levels and stroke incidence in elderly persons: the Framingham Study. <i>Annals of Internal Medicine</i> , 1999 , 131, 352-5	8	289
256	Unmetabolized folic acid in plasma is associated with reduced natural killer cell cytotoxicity among postmenopausal women. <i>Journal of Nutrition</i> , 2006 , 136, 189-94	4.1	284
255	Plasma folate, vitamin B6, vitamin B12, homocysteine, and risk of breast cancer. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 373-80	9.7	263

254	Elevated fasting total plasma homocysteine levels and cardiovascular disease outcomes in maintenance dialysis patients. A prospective study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 2554-8	9.4	244
253	Serum total homocysteine concentrations in the third National Health and Nutrition Examination Survey (1991-1994): population reference ranges and contribution of vitamin status to high serum concentrations. <i>Annals of Internal Medicine</i> , 1999 , 131, 331-9	8	244
252	Hyperhomocysteinemia and low pyridoxal phosphate. Common and independent reversible risk factors for coronary artery disease. <i>Circulation</i> , 1995 , 92, 2825-30	16.7	244
251	Interrelation of hyperhomocyst(e)inemia, factor V Leiden, and risk of future venous thromboembolism. <i>Circulation</i> , 1997 , 95, 1777-82	16.7	234
250	Hyperhomocysteinemia confers an independent increased risk of atherosclerosis in end-stage renal disease and is closely linked to plasma folate and pyridoxine concentrations. <i>Circulation</i> , 1996 , 94, 2743-8	16.7	228
249	Nonfasting plasma total homocysteine levels and all-cause and cardiovascular disease mortality in elderly Framingham men and women. <i>Archives of Internal Medicine</i> , 1999 , 159, 1077-80		220
248	Folic acid intake from fortification in United States exceeds predictions. <i>Journal of Nutrition</i> , 2002 , 132, 2792-8	4.1	215
247	Homocysteine versus the vitamins folate, B6, and B12 as predictors of cognitive function and decline in older high-functioning adults: MacArthur Studies of Successful Aging. <i>American Journal of Medicine</i> , 2005 , 118, 161-7	2.4	213
246	Relations of biomarkers of distinct pathophysiological pathways and atrial fibrillation incidence in the community. <i>Circulation</i> , 2010 , 121, 200-7	16.7	211
245	A method to assess genomic DNA methylation using high-performance liquid chromatography/electrospray ionization mass spectrometry. <i>Analytical Chemistry</i> , 2002 , 74, 4526-31	7.8	208
244	Low circulating vitamin B(6) is associated with elevation of the inflammation marker C-reactive protein independently of plasma homocysteine levels. <i>Circulation</i> , 2001 , 103, 2788-91	16.7	202
243	Autoantibodies to folate receptors in the cerebral folate deficiency syndrome. <i>New England Journal of Medicine</i> , 2005 , 352, 1985-91	59.2	200
242	Serum total homocysteine concentrations in adolescent and adult Americans: results from the third National Health and Nutrition Examination Survey. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 482-97		199
241	Net uptake of plasma homocysteine by the rat kidney in vivo. <i>Atherosclerosis</i> , 1995 , 116, 59-62	3.1	196
240	C-reactive protein and reclassification of cardiovascular risk in the Framingham Heart Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008 , 1, 92-7	5.8	189
239	High homocysteine levels are independently related to isolated systolic hypertension in older adults. <i>Circulation</i> , 1997 , 96, 1745-9	16.7	185
238	The kidney and homocysteine metabolism. <i>Journal of the American Society of Nephrology: JASN</i> , 2001 , 12, 2181-2189	12.7	183
237	A common mutation A1298C in human methylenetetrahydrofolate reductase gene: association with plasma total homocysteine and folate concentrations. <i>Journal of Nutrition</i> , 1999 , 129, 1656-61	4.1	182

236	High dose-B-vitamin treatment of hyperhomocysteinemia in dialysis patients. <i>Kidney International</i> , 1996 , 49, 147-52	9.9	178
235	Homocysteine and its disulfide derivatives: a suggested consensus terminology. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 1704-6	9.4	177
234	Dietary choline and betaine assessed by food-frequency questionnaire in relation to plasma total homocysteine concentration in the Framingham Offspring Study. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 905-11	7	163
233	Global DNA hypomethylation increases progressively in cervical dysplasia and carcinoma. <i>Cancer</i> , 1994 , 74, 893-9	6.4	163
232	In vitamin B12 deficiency, higher serum folate is associated with increased total homocysteine and methylmalonic acid concentrations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 19995-20000	11.5	161
231	Post-methionine load hyperhomocysteinemia in persons with normal fasting total plasma homocysteine: initial results from the NHLBI Family Heart Study. <i>Atherosclerosis</i> , 1995 , 116, 147-51	3.1	160
230	Hyperhomocysteinemia and traditional cardiovascular disease risk factors in end-stage renal disease patients on dialysis: a case-control study. <i>Atherosclerosis</i> , 1995 , 114, 93-103	3.1	156
229	Homocysteine and coronary artery disease in French Canadian subjects: relation with vitamins B12, B6, pyridoxal phosphate, and folate. <i>American Journal of Cardiology</i> , 1995 , 75, 1107-11	3	156
228	Hyperhomocysteinemia associated with poor recall in the third National Health and Nutrition Examination Survey. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 927-33	7	155
227	Plasma vitamin B-12 concentrations relate to intake source in the Framingham Offspring study. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 514-22	7	154
226	Multimarker approach to evaluate the incidence of the metabolic syndrome and longitudinal changes in metabolic risk factors: the Framingham Offspring Study. <i>Circulation</i> , 2007 , 116, 984-92	16.7	153
225	Depression and folate status in the US Population. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 80-7	9.4	153
224	Plasma homocysteine and risk for congestive heart failure in adults without prior myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 1251-7	27.4	150
223	Correlation of a common mutation in the methylenetetrahydrofolate reductase gene with plasma homocysteine in patients with premature coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 569-73	9.4	150
222	Effect of dietary patterns on serum homocysteine: results of a randomized, controlled feeding study. <i>Circulation</i> , 2000 , 102, 852-7	16.7	141
221	Homocysteine-lowering and cardiovascular disease outcomes in kidney transplant recipients: primary results from the Folic Acid for Vascular Outcome Reduction in Transplantation trial. <i>Circulation</i> , 2011 , 123, 1763-70	16.7	140
220	B-vitamin deficiency causes hyperhomocysteinemia and vascular cognitive impairment in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 12474-9	11.5	140
219	The many facets of hyperhomocysteinemia: studies from the Framingham cohorts. <i>Journal of Nutrition</i> , 2006 , 136, 1726S-1730S	4.1	140

218	Multiple biomarkers and the risk of incident hypertension. <i>Hypertension</i> , 2007 , 49, 432-8	8.5	138
217	Biomarkers of vitamin B-12 status in NHANES: a roundtable summary. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 313S-321S	7	131
216	Influence of a methionine synthase (D919G) polymorphism on plasma homocysteine and folate levels and relation to risk of myocardial infarction. <i>Atherosclerosis</i> , 2001 , 154, 667-72	3.1	131
215	The atherogenic effect of excess methionine intake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 15089-94	11.5	129
214	Genome-wide significant predictors of metabolites in the one-carbon metabolism pathway. <i>Human Molecular Genetics</i> , 2009 , 18, 4677-87	5.6	127
213	Oxidative damage caused by free radicals produced during catecholamine autoxidation: protective effects of O-methylation and melatonin. <i>Free Radical Biology and Medicine</i> , 1996 , 21, 241-9	7.8	126
212	Relation between homocysteine and B-vitamin status indicators and bone mineral density in older Americans. <i>Bone</i> , 2005 , 37, 234-42	4.7	124
211	Association of plasma total homocysteine levels with subclinical brain injury: cerebral volumes, white matter hyperintensity, and silent brain infarcts at volumetric magnetic resonance imaging in the Framingham Offspring Study. <i>Archives of Neurology</i> , 2008 , 65, 642-9		123
210	Severe folate deficiency causes secondary depletion of choline and phosphocholine in rat liver. <i>Journal of Nutrition</i> , 1994 , 124, 2197-203	4.1	123
209	Common genetic loci influencing plasma homocysteine concentrations and their effect on risk of coronary artery disease. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 668-76	7	122
208	Common variants of FUT2 are associated with plasma vitamin B12 levels. <i>Nature Genetics</i> , 2008 , 40, 1160-2	9.3	120
207	Dietary intake pattern relates to plasma folate and homocysteine concentrations in the Framingham Heart Study. <i>Journal of Nutrition</i> , 1996 , 126, 3025-31	4.1	119
206	Folate-vitamin B-12 interaction in relation to cognitive impairment, anemia, and biochemical indicators of vitamin B-12 deficiency. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 702S-6S	7	118
205	Low Plasma Vitamin B12 Is Associated With Lower BMD: The Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 152-158	6.3	117
204	Preconception homocysteine and B vitamin status and birth outcomes in Chinese women. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 1385-91	7	115
203	Plasma pyridoxal 5-phosphate in the US population: the National Health and Nutrition Examination Survey, 2003-2004. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1446-54	7	112
202	The use of blood concentrations of vitamins and their respective functional indicators to define folate and vitamin B12 status. <i>Food and Nutrition Bulletin</i> , 2008 , 29, S67-73	1.8	110
201	Homocysteine and cognitive performance in the Framingham offspring study: age is important. <i>American Journal of Epidemiology</i> , 2005 , 162, 644-53	3.8	110

200	Analysis of Folate Form Distribution by Affinity Followed by Reversed-Phase Chromatography with Electrochemical Detection. <i>Clinical Chemistry</i> , 2000 , 46, 404-411	5.5	107
199	Inhibition of folate enzymes by sulfasalazine. <i>Journal of Clinical Investigation</i> , 1978 , 61, 221-4	15.9	107
198	Association of dietary protein intake and coffee consumption with serum homocysteine concentrations in an older population. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 467-75	7	106
197	Investigation of the effects of folate deficiency on embryonic development through the establishment of a folate deficient mouse model. <i>Teratology</i> , 2002 , 65, 219-27		105
196	Enhancement of folates in plants through metabolic engineering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 5158-63	11.5	102
195	The relationship between riboflavin and plasma total homocysteine in the Framingham Offspring cohort is influenced by folate status and the C677T transition in the methylenetetrahydrofolate reductase gene. <i>Journal of Nutrition</i> , 2002 , 132, 283-8	4.1	102
194	Folic acid fortification increases red blood cell folate concentrations in the Framingham study. <i>Journal of Nutrition</i> , 2001 , 131, 3277-80	4.1	101
193	Plasma folate, vitamin B-6, vitamin B-12, and risk of breast cancer in women. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 734-43	7	100
192	Circulating unmetabolized folic acid and 5-methyltetrahydrofolate in relation to anemia, macrocytosis, and cognitive test performance in American seniors. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1733-44	7	99
191	Folate status is the major determinant of fasting total plasma homocysteine levels in maintenance dialysis patients. <i>Atherosclerosis</i> , 1996 , 123, 193-202	3.1	99
190	Circulating folic acid in plasma: relation to folic acid fortification. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 763-8	7	98
189	Hyperhomocysteinemia and hypercholesterolemia associated with hypothyroidism in the third US National Health and Nutrition Examination Survey. <i>Atherosclerosis</i> , 2001 , 155, 195-200	3.1	98
188	A randomized trial on folic acid supplementation and risk of recurrent colorectal adenoma. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1623-31	7	95
187	Plasma B vitamins, homocysteine, and their relation with bone loss and hip fracture in elderly men and women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2206-12	5.6	95
186	Multimarker approach for the prediction of heart failure incidence in the community. <i>Circulation</i> , 2010 , 122, 1700-6	16.7	94
185	High-dose B vitamin supplementation and progression of subclinical atherosclerosis: a randomized controlled trial. <i>Stroke</i> , 2009 , 40, 730-6	6.7	94
184	Not all cases of neural-tube defect can be prevented by increasing the intake of folic acid. <i>British Journal of Nutrition</i> , 2009 , 102, 173-80	3.6	92
183	Public health significance of elevated homocysteine. <i>Food and Nutrition Bulletin</i> , 2008 , 29, S116-25	1.8	92

182	Multimarker approach to evaluate correlates of vascular stiffness: the Framingham Heart Study. <i>Circulation</i> , 2009 , 119, 37-43	16.7	89
181	Excessive folic acid intake and relation to adverse health outcome. <i>Biochimie</i> , 2016 , 126, 71-8	4.6	88
180	Properties of food folates determined by stability and susceptibility to intestinal pteroylpolyglutamate hydrolase action. <i>Journal of Nutrition</i> , 1998 , 128, 1956-60	4.1	87
179	Long-term folate deficiency alters folate content and distribution differentially in rat tissues. <i>Journal of Nutrition</i> , 1992 , 122, 986-91	4.1	87
178	Homocysteine levels and decline in physical function: MacArthur Studies of Successful Aging. <i>American Journal of Medicine</i> , 2002 , 113, 537-42	2.4	86
177	Nonfasting plasma total homocysteine level and mortality in middle-aged and elderly men and women in Jerusalem. <i>Annals of Internal Medicine</i> , 1999 , 131, 321-30	8	86
176	Plasma homocysteine, hypertension incidence, and blood pressure tracking: the Framingham Heart Study. <i>Hypertension</i> , 2003 , 42, 1100-5	8.5	85
175	Hyperhomocysteinemia, hyperfibrinogenemia, and lipoprotein (a) excess in maintenance dialysis patients: a matched case-control study. <i>Atherosclerosis</i> , 1996 , 125, 91-101	3.1	85
174	Plasma homocysteine and cysteine and risk of breast cancer in women. <i>Cancer Research</i> , 2010 , 70, 2397-405	4.05	84
173	Bacterially synthesized folate in rat large intestine is incorporated into host tissue folyl polyglutamates. <i>Journal of Nutrition</i> , 1991 , 121, 1955-9	4.1	84
172	Abnormal vitamin B(6) status is associated with severity of symptoms in patients with rheumatoid arthritis. <i>American Journal of Medicine</i> , 2003 , 114, 283-7	2.4	83
171	Biomarkers of folate status in NHANES: a roundtable summary. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 303S-312S	7	81
170	Effects of polymorphisms of methionine synthase and methionine synthase reductase on total plasma homocysteine in the NHLBI Family Heart Study. <i>Atherosclerosis</i> , 2003 , 166, 49-55	3.1	81
169	High intake of folic acid disrupts embryonic development in mice. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011 , 91, 8-19		80
168	Vitamin B-6 intake is inversely related to, and the requirement is affected by, inflammation status. <i>Journal of Nutrition</i> , 2010 , 140, 103-10	4.1	80
167	Excess prevalence of fasting and postmethionine-loading hyperhomocysteinemia in stable renal transplant recipients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 1894-900	9.4	80
166	A multi-marker approach to predict incident CKD and microalbuminuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2010 , 21, 2143-9	12.7	79
165	Determination of tissue folate composition by affinity chromatography followed by high-pressure ion pair liquid chromatography. <i>Analytical Biochemistry</i> , 1989 , 182, 84-93	3.1	78

164	Plasma vitamin B6 and the risk of colorectal cancer and adenoma in women. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 684-92	9.7	77
163	Mechanistic perspective on the relationship between pyridoxal 5-phosphate and inflammation. <i>Nutrition Reviews</i> , 2013 , 71, 239-44	6.4	75
162	Relations of plasma homocysteine to left ventricular structure and function: the Framingham Heart Study. <i>European Heart Journal</i> , 2004 , 25, 523-30	9.5	75
161	Effect of L-Dopa and the catechol-O-methyltransferase inhibitor Ro 41-0960 on sulfur amino acid metabolites in rats. <i>Clinical Neuropharmacology</i> , 1997 , 20, 55-66	1.4	74
160	Power Shortage: clinical trials testing the "homocysteine hypothesis" against a background of folic acid-fortified cereal grain flour. <i>Annals of Internal Medicine</i> , 2001 , 135, 133-7	8	74
159	Vitamin B-12 and folate status in relation to decline in scores on the mini-mental state examination in the framingham heart study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1457-64	5.6	73
158	B vitamins and the aging brain. <i>Nutrition Reviews</i> , 2010 , 68 Suppl 2, S112-8	6.4	73
157	Breakfast cereal fortified with folic acid, vitamin B-6, and vitamin B-12 increases vitamin concentrations and reduces homocysteine concentrations: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 805-11	7	73
156	Regulation of folate-mediated one-carbon metabolism by 10-formyltetrahydrofolate dehydrogenase. <i>Journal of Biological Chemistry</i> , 2006 , 281, 18335-42	5.4	71
155	Association of the B-vitamins pyridoxal 5-phosphate (B(6)), B(12), and folate with lung cancer risk in older men. <i>American Journal of Epidemiology</i> , 2001 , 153, 688-94	3.8	71
154	Plasma pyridoxal-5-phosphate is inversely associated with systemic markers of inflammation in a population of U.S. adults. <i>Journal of Nutrition</i> , 2012 , 142, 1280-5	4.1	70
153	Vitamin B-12 deficiency induces anomalies of base substitution and methylation in the DNA of rat colonic epithelium. <i>Journal of Nutrition</i> , 2004 , 134, 750-5	4.1	70
152	Association of a common polymorphism in the methylenetetrahydrofolate reductase (MTHFR) gene with bone phenotypes depends on plasma folate status. <i>Journal of Bone and Mineral Research</i> , 2004 , 19, 410-8	6.3	70
151	Homocysteine as a risk factor for coronary heart diseases and its association with inflammatory biomarkers, lipids and dietary factors. <i>Atherosclerosis</i> , 2004 , 177, 375-81	3.1	69
150	Controlled comparison of L-5-methyltetrahydrofolate versus folic acid for the treatment of hyperhomocysteinemia in hemodialysis patients. <i>Circulation</i> , 2000 , 101, 2829-32	16.7	67
149	Cognitive impairment in folate-deficient rats corresponds to depleted brain phosphatidylcholine and is prevented by dietary methionine without lowering plasma homocysteine. <i>Journal of Nutrition</i> , 2008 , 138, 2502-9	4.1	65
148	Polymorphisms in the one-carbon metabolic pathway, plasma folate levels and colorectal cancer in a prospective study. <i>International Journal of Cancer</i> , 2004 , 110, 617-20	7.5	63
147	Age and gender affect the relation between methylenetetrahydrofolate reductase C677T genotype and fasting plasma homocysteine concentrations in the Framingham Offspring Study Cohort. <i>Journal of Nutrition</i> , 2003 , 133, 3416-21	4.1	59

146	Elevated serum methylmalonic acid concentrations are common among elderly Americans. <i>Journal of Nutrition</i> , 2002 , 132, 2799-803	4.1	58
145	Effect of chronic choline deficiency in rats on liver folate content and distribution. <i>Journal of Nutritional Biochemistry</i> , 1992 , 3, 519-522	6.3	58
144	Genome-wide meta-analysis of homocysteine and methionine metabolism identifies five one carbon metabolism loci and a novel association of ALDH1L1 with ischemic stroke. <i>PLoS Genetics</i> , 2014 , 10, e1004214	6	57
143	Moderately high intake of folic acid has a negative impact on mouse embryonic development. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2013 , 97, 47-52		56
142	A 19-base pair deletion polymorphism in dihydrofolate reductase is associated with increased unmetabolized folic acid in plasma and decreased red blood cell folate. <i>Journal of Nutrition</i> , 2008 , 138, 2323-7	4.1	56
141	In the cystathionine beta-synthase knockout mouse, elevations in total plasma homocysteine increase tissue S-adenosylhomocysteine, but responses of S-adenosylmethionine and DNA methylation are tissue specific. <i>Journal of Nutrition</i> , 2002 , 132, 2157-60	4.1	56
140	Methylenetetrahydrofolate reductase 677C->T polymorphism and folate status affect one-carbon incorporation into human DNA deoxynucleosides. <i>Journal of Nutrition</i> , 2005 , 135, 389-96	4.1	55
139	Plasma total homocysteine levels among patients undergoing nocturnal versus standard hemodialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 265-268	12.7	54
138	Dietary vitamin B6 intake modulates colonic inflammation in the IL10-/- model of inflammatory bowel disease. <i>Journal of Nutritional Biochemistry</i> , 2013 , 24, 2138-43	6.3	52
137	Status of vitamins B-12 and B-6 but not of folate, homocysteine, and the methylenetetrahydrofolate reductase C677T polymorphism are associated with impaired cognition and depression in adults. <i>Journal of Nutrition</i> , 2012 , 142, 1554-60	4.1	52
136	Homocysteine and arteriosclerosis: subclinical and clinical disease associations. <i>Circulation</i> , 1999 , 99, 2361-3	16.7	52
135	Telomere length in peripheral blood mononuclear cells is associated with folate status in men. <i>Journal of Nutrition</i> , 2009 , 139, 1273-8	4.1	51
134	Enhanced reduction of fasting total homocysteine levels with supraphysiological versus standard multivitamin dose folic acid supplementation in renal transplant recipients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 2918-21	9.4	51
133	Relationship between homocysteine and thrombotic disease. <i>American Journal of the Medical Sciences</i> , 1998 , 316, 129-41	2.2	51
132	Low plasma vitamin B12 is associated with lower BMD: the Framingham Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 152-8	6.3	50
131	Methenyltetrahydrofolate synthetase regulates folate turnover and accumulation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29856-62	5.4	50
130	Multiple biomarkers and risk of clinical and subclinical vascular brain injury: the Framingham Offspring Study. <i>Circulation</i> , 2012 , 125, 2100-7	16.7	48
129	Serum total homocysteine concentrations in children and adolescents: results from the third National Health and Nutrition Examination Survey (NHANES III). <i>Journal of Nutrition</i> , 2003 , 133, 2643-9	4.1	48

128	Micronutrient deficiencies are associated with impaired immune response and higher burden of respiratory infections in elderly Ecuadorians. <i>Journal of Nutrition</i> , 2009 , 139, 113-9	4.1	47
127	Associations of plasma natriuretic peptide, adrenomedullin, and homocysteine levels with alterations in arterial stiffness: the Framingham Heart Study. <i>Circulation</i> , 2007 , 115, 3079-85	16.7	47
126	The effect of N-acetylcysteine on plasma total homocysteine levels in hemodialysis: a randomized, controlled study. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 442-6	7.4	47
125	Lack of effect of oral N-acetylcysteine on the acute dialysis-related lowering of total plasma homocysteine in hemodialysis patients. <i>Atherosclerosis</i> , 1996 , 120, 241-4	3.1	46
124	Serum cystatin C as a determinant of fasting total homocysteine levels in renal transplant recipients with a normal serum creatinine. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 164-6	12.7	46
123	Cystatin C as a determinant of fasting plasma total homocysteine levels in coronary artery disease patients with normal serum creatinine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 2241-4	9.4	45
122	Relationship between homocysteine and mortality in chronic kidney disease. <i>Circulation</i> , 2006 , 113, 1572-7	20.7	44
121	Effects of dietary folate intake and folate binding protein-1 (Folbp1) on urinary speciation of sodium arsenate in mice. <i>Toxicology Letters</i> , 2003 , 145, 167-74	4.4	43
120	Mice deficient in methylenetetrahydrofolate reductase exhibit tissue-specific distribution of folates. <i>Journal of Nutrition</i> , 2004 , 134, 2975-8	4.1	43
119	Behavioral and neurochemical changes in folate-deficient mice. <i>Physiology and Behavior</i> , 1995 , 58, 935-43	3.5	41
118	Short term betaine therapy fails to lower elevated fasting total plasma homocysteine concentrations in hemodialysis patients maintained on chronic folic acid supplementation. <i>Atherosclerosis</i> , 1995 , 113, 129-32	3.1	41
117	Determinants of fasting plasma total homocysteine levels among chronic stable renal transplant recipients. <i>Transplantation</i> , 1999 , 68, 257-61	1.8	41
116	Interaction between excess folate and low vitamin B12 status. <i>Molecular Aspects of Medicine</i> , 2017 , 53, 43-47	16.7	40
115	Baseline characteristics of participants in the Folic Acid for Vascular Outcome Reduction in Transplantation (FAVORIT) Trial. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 121-8	7.4	40
114	Renal insufficiency, vitamin B(12) status, and population attributable risk for mild hyperhomocysteinemia among coronary artery disease patients in the era of folic acid-fortified cereal grain flour. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 849-51	9.4	39
113	Polymorphisms in cytoplasmic serine hydroxymethyltransferase and methylenetetrahydrofolate reductase affect the risk of cardiovascular disease in men. <i>Journal of Nutrition</i> , 2005 , 135, 1989-94	4.1	38
112	Effect of chronic alcohol ingestion on hepatic folate distribution in the rat. <i>Biochemical Pharmacology</i> , 1994 , 47, 1561-6	6	38
111	Plasma folate, methylenetetrahydrofolate reductase (MTHFR), and colorectal cancer risk in three large nested case-control studies. <i>Cancer Causes and Control</i> , 2012 , 23, 537-45	2.8	37

110	Hyperhomocysteinemia in renal transplant recipients. <i>American Journal of Transplantation</i> , 2002 , 2, 308-337	37
109	The methylenetetrahydrofolate reductase 677C->T polymorphism and dietary folate restriction affect plasma one-carbon metabolites and red blood cell folate concentrations and distribution in women. <i>Journal of Nutrition</i> , 2005 , 135, 1040-4	4.1 36
108	Prospective study of serum cysteine levels and oesophageal and gastric cancers in China. <i>Gut</i> , 2011 , 60, 618-23	19.2 35
107	Elevated serum homocysteine levels and increased risk of invasive cervical cancer in US women. <i>Cancer Causes and Control</i> , 2001 , 12, 317-24	2.8 35
106	Preconception folate and vitamin B(6) status and clinical spontaneous abortion in Chinese women. <i>Obstetrics and Gynecology</i> , 2002 , 100, 107-13	4.9 35
105	Milk folate binding protein (FBP): A secretory protein for folate?. <i>Nutrition Research</i> , 1984 , 4, 181-187	4 35
104	Uptake and reduction of radioactive folate by everted sacs of rat small intestine. <i>FEBS Journal</i> , 1973 , 33, 433-8	35
103	Folic acid fortification: why not vitamin B12 also?. <i>BioFactors</i> , 2011 , 37, 269-71	6.1 33
102	Plasma pyridoxal 5-phosphate concentration is correlated with functional vitamin B-6 indices in patients with rheumatoid arthritis and marginal vitamin B-6 status. <i>Journal of Nutrition</i> , 2003 , 133, 1056-9	4.1 33
101	The glutamate carboxypeptidase gene II (C>T) polymorphism does not affect folate status in the Framingham Offspring cohort. <i>Journal of Nutrition</i> , 2002 , 132, 1176-9	4.1 33
100	Use of the affinity/HPLC method for quantitative estimation of folic acid in enriched cereal-grain products. <i>Journal of Nutrition</i> , 2006 , 136, 3079-83	4.1 32
99	Homocysteine synthesis is elevated but total remethylation is unchanged by the methylenetetrahydrofolate reductase 677C->T polymorphism and by dietary folate restriction in young women. <i>Journal of Nutrition</i> , 2005 , 135, 1045-50	4.1 32
98	FMN phosphatase and FAD pyrophosphatase in rat intestinal brush borders: role in intestinal absorption of dietary riboflavin. <i>Journal of Nutrition</i> , 1982 , 112, 263-8	4.1 32
97	Redox homeostasis in stomach medium by foods: The Postprandial Oxidative Stress Index (POSI) for balancing nutrition and human health. <i>Redox Biology</i> , 2017 , 12, 929-936	11.3 31
96	Are dietary choline and betaine intakes determinants of total homocysteine concentration?. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1303-10	7 31
95	Hyperhomocysteinemia and Thrombosis: Acquired Conditions. <i>Thrombosis and Haemostasis</i> , 1997 , 78, 527-531	7 31
94	Sulfur amino acids and atherosclerosis: a role for excess dietary methionine. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1363, 18-25	6.5 31
93	High folic acid intake reduces natural killer cell cytotoxicity in aged mice. <i>Journal of Nutritional Biochemistry</i> , 2016 , 30, 102-7	6.3 30

92	Arsenic is associated with reduced effect of folic acid in myelomeningocele prevention: a case control study in Bangladesh. <i>Environmental Health</i> , 2015 , 14, 34	6	29
91	Diet- and Genetically-Induced Obesity Differentially Affect the Fecal Microbiome and Metabolome in Apc1638N Mice. <i>PLoS ONE</i> , 2015 , 10, e0135758	3.7	29
90	Risk of retinoblastoma is associated with a maternal polymorphism in dihydrofolatereductase (DHFR) and prenatal folic acid intake. <i>Cancer</i> , 2012 , 118, 5912-9	6.4	29
89	Prospective study of plasma vitamin B6 and risk of colorectal cancer in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1197-202	4	29
88	Preparation and use of affinity columns with bovine milk folate-binding protein (FBP) covalently linked to Sepharose 4B. <i>Methods in Enzymology</i> , 1980 , 66, 686-90	1.7	29
87	Metabolic syndrome in the elderly living in marginal peri-urban communities in Quito, Ecuador. <i>Public Health Nutrition</i> , 2011 , 14, 758-67	3.3	28
86	Homocysteine, cysteine, and B vitamins as predictors of kidney disease progression. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 932-9	7.4	28
85	Rapid communication: L-folinic acid versus folic acid for the treatment of hyperhomocysteinemia in hemodialysis patients. <i>Kidney International</i> , 2001 , 59, 324-7	9.9	28
84	Intestinal absorption of biotin in the rat. <i>Journal of Nutrition</i> , 1986 , 116, 1266-71	4.1	28
83	Low vitamin B increases risk of gastric cancer: A prospective study of one-carbon metabolism nutrients and risk of upper gastrointestinal tract cancer. <i>International Journal of Cancer</i> , 2017 , 141, 1120-1129	7.5	27
82	The association between vitamin B12, albuminuria and reduced kidney function: an observational cohort study. <i>BMC Nephrology</i> , 2015 , 16, 7	2.7	27
81	Cognitive dysfunction and depression in adult kidney transplant recipients: baseline findings from the FAVORIT Ancillary Cognitive Trial (FACT). <i>Journal of Renal Nutrition</i> , 2012 , 22, 268-276.e3	3	27
80	Plasma vitamin B(6) and risk of myocardial infarction in women. <i>Circulation</i> , 2009 , 120, 649-55	16.7	27
79	Preliminary evidence shows that folic acid fortification of the food supply is associated with higher methotrexate dosing in patients with rheumatoid arthritis. <i>Journal of the American College of Nutrition</i> , 2007 , 26, 453-5	3.5	27
78	Proteinuria and plasma total homocysteine levels in chronic renal disease patients with a normal range serum creatinine: critical impact of true glomerular filtration rate. <i>Atherosclerosis</i> , 2001 , 159, 219-23	3.1	27
77	Prevalence of mild fasting hyperhomocysteinemia in renal transplant versus coronary artery disease patients after fortification of cereal grain flour with folic acid. <i>Atherosclerosis</i> , 1999 , 145, 221-4	3.1	27
76	Knowledge gaps in understanding the metabolic and clinical effects of excess folates/folic acid: a summary, and perspectives, from an NIH workshop. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1390-1403	7	27
75	Evidence From a Randomized Trial That Exposure to Supplemental Folic Acid at Recommended Levels during Pregnancy Does Not Lead to Increased Unmetabolized Folic Acid Concentrations in Maternal or Cord Blood. <i>Journal of Nutrition</i> , 2016 , 146, 494-500	4.1	26

74	Serum creatinine and prostate cancer risk in a prospective study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2643-9	4	26
73	Effect of combined folic acid, vitamin B(6), and vitamin B(12) on colorectal adenoma. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1562-75	9.7	26
72	Distribution of plasma folate forms in hemodialysis patients receiving high daily doses of L-folinic or folic acid. <i>Kidney International</i> , 2002 , 62, 2246-9	9.9	26
71	Analysis of folates using combined affinity and ion-pair chromatography. <i>Methods in Enzymology</i> , 1997 , 281, 16-25	1.7	25
70	The effect of l-dopa administration and folate deficiency on plasma homocysteine concentrations in rats. <i>Journal of Nutritional Biochemistry</i> , 1997 , 8, 634-640	6.3	25
69	Total homocysteine lowering treatment among coronary artery disease patients in the era of folic acid-fortified cereal grain flour. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 488-91	9.4	24
68	Determination of unmetabolized folic acid in human plasma using affinity HPLC. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 343S-347S	7	23
67	Homocysteine in chronic kidney disease: Effect of low protein diet and repletion with B vitamins. <i>Kidney International</i> , 2005 , 67, 1539-46	9.9	23
66	Developmental consequences of in utero sodium arsenate exposure in mice with folate transport deficiencies. <i>Toxicology and Applied Pharmacology</i> , 2005 , 203, 18-26	4.6	23
65	Plasma total cysteine and total homocysteine and risk of myocardial infarction in women: a prospective study. <i>American Heart Journal</i> , 2010 , 159, 599-604	4.9	22
64	Bacterial Folates Provide an Exogenous Signal for <i>C. elegans</i> Germline Stem Cell Proliferation. <i>Developmental Cell</i> , 2016 , 38, 33-46	10.2	22
63	A prospective study of one-carbon metabolism biomarkers and risk of renal cell carcinoma. <i>Cancer Causes and Control</i> , 2010 , 21, 1061-9	2.8	21
62	Combined marginal folate and riboflavin status affect homocysteine methylation in cultured immortalized lymphocytes from persons homozygous for the MTHFR C677T mutation. <i>Journal of Nutrition</i> , 2003 , 133, 2716-20	4.1	21
61	Folate status and age affect the accumulation of L-isoaspartyl residues in rat liver proteins. <i>Journal of Nutrition</i> , 2002 , 132, 1357-60	4.1	21
60	Conversion of 5-formyltetrahydrofolic acid to 5-methyltetrahydrofolic acid is unimpaired in folate-adequate persons homozygous for the C677T mutation in the methylenetetrahydrofolate reductase gene. <i>Journal of Nutrition</i> , 2000 , 130, 2238-42	4.1	21
59	Affinity chromatography of naturally occurring folate derivatives. <i>Analytical Biochemistry</i> , 1988 , 168, 247-51	3.1	21
58	Investigating methotrexate toxicity within a randomized double-blinded, placebo-controlled trial: Rationale and design of the Cardiovascular Inflammation Reduction Trial-Adverse Events (CIRT-AE) Study. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 133-142	5.3	20
57	Clinical and nutritional correlates of C-reactive protein in type 2 diabetic nephropathy. <i>Atherosclerosis</i> , 2004 , 172, 121-5	3.1	20

56	Polymorphisms in maternal folate pathway genes interact with arsenic in drinking water to influence risk of myelomeningocele. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2015 , 103, 754-62		19
55	Treatment of mild hyperhomocysteinemia in renal transplant recipients versus hemodialysis patients. <i>Transplantation</i> , 2000 , 69, 2128-31	1.8	19
54	Associations between post translational histone modifications, myelomeningocele risk, environmental arsenic exposure, and folate deficiency among participants in a case control study in Bangladesh. <i>Epigenetics</i> , 2017 , 12, 484-491	5.7	18
53	B vitamins and plasma homocysteine concentrations in an urban and rural area of Costa Rica. <i>Journal of the American College of Nutrition</i> , 2003 , 22, 224-31	3.5	18
52	Combined affinity and ion pair liquid chromatographies for the analysis of folate distribution in tissues. <i>Journal of Nutritional Biochemistry</i> , 1991 , 2, 44-53	6.3	18
51	Dihydrofolate reductase 19-bp deletion polymorphism modifies the association of folate status with memory in a cross-sectional multi-ethnic study of adults. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1279-88	7	17
50	Serum total homocysteine concentration is related to self-reported heart attack or stroke history among men and women in the NHANES III. <i>Journal of Nutrition</i> , 2000 , 130, 3073-6	4.1	17
49	Pre-diagnostic leukocyte genomic DNA methylation and the risk of colorectal cancer in women. <i>PLoS ONE</i> , 2013 , 8, e59455	3.7	16
48	Segment-specific association between plasma homocysteine level and carotid artery intima-media thickness in the Framingham Offspring Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011 , 20, 155-61	2.8	15
47	Uracil misincorporation into DNA and folic acid supplementation. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 160-5	7	15
46	Associations between genes in the one-carbon metabolism pathway and advanced colorectal adenoma risk in individuals with low folate intake. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 417-27	4	15
45	Effects of dietary folate intake and folate binding protein-2 (Folbp2) on urinary speciation of sodium arsenate in mice. <i>Environmental Toxicology and Pharmacology</i> , 2005 , 19, 1-7	5.8	15
44	Analysis of factors influencing the comparison of homocysteine values between the Third National Health and Nutrition Examination Survey (NHANES) and NHANES 1999+. <i>Journal of Nutrition</i> , 2000 , 130, 2850-4	4.1	15
43	Prevalence of MTHFR C677T and MS A2756G polymorphisms in major depressive disorder, and their impact on response to fluoxetine treatment. <i>CNS Spectrums</i> , 2012 , 17, 76-86	1.8	14
42	C-reactive protein as a predictor of total arteriosclerotic outcomes in type 2 diabetic nephropathy. <i>Kidney International</i> , 2005 , 68, 773-8	9.9	14
41	Total plasma homocysteine and arteriosclerotic outcomes in type 2 diabetes with nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3397-402	12.7	14
40	Transcobalamin 776C->G polymorphism is associated with peripheral neuropathy in elderly individuals with high folate intake. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 1665-1670	7	14
39	Association between increased homocysteine levels and impaired fibrinolytic potential: potential mechanism for cardiovascular risk. <i>Thrombosis and Haemostasis</i> , 2002 , 88, 799-804	7	14

38	Association of plasma vitamin B6 with risk of colorectal adenoma in a multiethnic case-control study. <i>Cancer Causes and Control</i> , 2011 , 22, 929-36	2.8	13
37	Chemical fixation of folate binding protein to activated sepharose. <i>FEBS Letters</i> , 1973 , 35, 76-8	3.8	13
36	Association Between Folate Metabolites and the Development of Food Allergy in Children. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 132-140.e5	5.4	12
35	Decision on folic acid fortification in Europe must consider both risks and benefits. <i>BMJ, The</i> , 2016 , 352, i734	5.9	10
34	Prenatal folic acid use associated with decreased risk of myelomeningocele: A case-control study offers further support for folic acid fortification in Bangladesh. <i>PLoS ONE</i> , 2017 , 12, e0188726	3.7	9
33	Plasma cysteinylglycine levels and breast cancer risk in women. <i>Cancer Research</i> , 2007 , 67, 11123-7	10.1	9
32	Proteinuria as a predictor of total plasma homocysteine levels in type 2 diabetic nephropathy. <i>Diabetes Care</i> , 2002 , 25, 2037-41	14.6	9
31	High dose ascorbate supplementation fails to affect plasma homocyst(e)ine levels in patients with coronary heart disease. <i>Atherosclerosis</i> , 1994 , 111, 267-70	3.1	8
30	Renal metabolism of homocysteine in vivo. <i>Biochemical Society Transactions</i> , 1995 , 23, 470S	5.1	8
29	Assay of folylpolyglutamate hydrolase using pteroyl-labeled substrates and selective short-term bacterial uptake for product determination. <i>Methods in Enzymology</i> , 1980 , 66, 663-6	1.7	8
28	Prospective study of serum cysteine and cysteinylglycine and cancer of the head and neck, esophagus, and stomach in a cohort of male smokers. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 686-93	7	7
27	Prediagnostic plasma vitamin B6 (pyridoxal 5-phosphate) and survival in patients with colorectal cancer. <i>Cancer Causes and Control</i> , 2013 , 24, 719-29	2.8	7
26	Association of a 31 bp VNTR in the CBS gene with postload homocysteine concentrations in the Framingham Offspring Study. <i>European Journal of Human Genetics</i> , 2006 , 14, 1125-9	5.3	7
25	The curly-tail (ct) mouse, an animal model of neural tube defects, displays altered homocysteine metabolism without folate responsiveness or a defect in Mthfr. <i>Molecular Genetics and Metabolism</i> , 2002 , 76, 297-304	3.7	7
24	Folate binding in intestinal brush border membranes: evidence for the presence of two binding activities. <i>Journal of Nutritional Biochemistry</i> , 1990 , 1, 257-61	6.3	7
23	Plasma B-vitamins and one-carbon metabolites and the risk of breast cancer in younger women. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 191-203	4.4	6
22	Hyperhomocysteinemia from trimethylation of hepatic phosphatidylethanolamine during cholesterol cholelithogenesis in inbred mice. <i>Hepatology</i> , 2011 , 54, 697-706	11.2	6
21	Elevations in total plasma homocysteine in premature coronary artery, cerebrovascular and peripheral vascular disease. <i>Atherosclerosis</i> , 1993 , 102, 121-4	3.1	6

20	A prospective birth cohort study on cord blood folate subtypes and risk of autism spectrum disorder. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1304-1317	7	6
19	Plasma B-vitamin and one-carbon metabolites and risk of breast cancer before and after folic acid fortification in the United States. <i>International Journal of Cancer</i> , 2019 , 144, 1929-1940	7.5	6
18	Public health significance of supplementation or fortification of grain products with folic acid. <i>Food and Nutrition Bulletin</i> , 2008 , 29, S173-6	1.8	5
17	Reply to RJ Berry et al. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 267-268	7	4
16	Folate and vitamin B12 transport systems in the developing infant. <i>Journal of Pediatrics</i> , 2006 , 149, S62-S63	5.6	4
15	Genetic variants modify the associations of concentrations of methylmalonic acid, vitamin B-12, vitamin B-6, and folate with bone mineral density. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 578-587	7	3
14	Assessing all the Evidence for Risks and Benefits With Folic Acid Fortification and Supplementation 2018 , 241-246		2
13	Mild methionine excess does not affect thymidylate synthesis or inflammation markers expression in human aortic endothelial cells. <i>Annals of Nutrition and Metabolism</i> , 2009 , 54, 28-34	4.5	2
12	Effect of methotrexate and 5-fluorouracil on de novo thymidylate synthesis in human colon carcinoma cell line, Caco-2. <i>Journal of Nutritional Biochemistry</i> , 1996 , 7, 513-517	6.3	2
11	Perspective: The High-Folate-Low-Vitamin B-12 Interaction Is a Novel Cause of Vitamin B-12 Depletion with a Specific Etiology-A Hypothesis. <i>Advances in Nutrition</i> , 2021 ,	10	2
10	Controlled Comparison of L-Folinic Acid Versus Folic Acid for the Treatment of Hyperhomocysteinemia in Hemodialysis Patients. <i>Circulation</i> , 2001 , 103, 1367-1367	16.7	2
9	RESPONSE: Re: Plasma Folate, Vitamin B6, Vitamin B12, Homocysteine, and Risk of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1091-1091	9.7	1
8	Disease Prevention: Broadening the Definition of Folate Nutrition. <i>Nutrition in Clinical Care: an Official Publication of Tufts University</i> , 1999 , 2, 82-86		1
7	Response to Letter to the Editor from Koehler et al.. <i>Journal of Nutrition</i> , 1997 , 127, 1536-1536	4.1	
6	Correspondence: will increasing folic acid in fortified grain products further reduce neural tube defects without causing harm?. <i>Pediatric Research</i> , 2008 , 63, 450; author reply 450-1	3.2	
5	Reply to JE Baggott. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 939-940	7	
4	The association between Vitamin B6 and cognitive decline is modified by inflammatory state (LB425). <i>FASEB Journal</i> , 2014 , 28, LB425	0.9	
3	Food frequency questionnaires (FFQ) for children under the age of two years: two validation studies. <i>FASEB Journal</i> , 2010 , 24, lb314	0.9	

- 2 Dietary Vitamin B6 intake modulates colonic inflammation in the IL10^{-/-} model of Inflammatory Bowel Disease. *FASEB Journal*, **2013**, 27, 1077.19 0.9
- 1 Folate status in relation to cognitive function and decline in a population with high folic acid intake. *FASEB Journal*, **2013**, 27, 346.7 0.9