

Yosuke Yamamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7709709/publications.pdf>

Version: 2024-02-01

124
papers

1,551
citations

430874

18
h-index

414414

32
g-index

127
all docs

127
docs citations

127
times ranked

2226
citing authors

#	ARTICLE	IF	CITATIONS
1	Macroregenerative nodule of the liver. A clinicopathologic study of 345 autopsy cases of chronic liver disease. <i>Cancer</i> , 1988, 61, 99-105.	4.1	158
2	Association between hand-grip strength and depressive symptoms: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Age and Ageing</i> , 2015, 44, 592-598.	1.6	130
3	Multimorbidity patterns in relation to polypharmacy and dosage frequency: a nationwide, cross-sectional study in a Japanese population. <i>Scientific Reports</i> , 2018, 8, 3806.	3.3	73
4	Association Between Subjective Sleep Quality and Future Risk of Falls in Older People: Results From LOHAS. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1205-1211.	3.6	44
5	An immunohistochemical study of epithelial membrane antigen, cytokeratin, and vimentin in papillary thyroid carcinoma. Recognition of lethal and favorable prognostic types. <i>Cancer</i> , 1992, 70, 2326-2333.	4.1	43
6	Association Between Frequency of Pruritic Symptoms and Perceived Psychological Stress. <i>Archives of Dermatology</i> , 2009, 145, 1384-8.	1.4	43
7	Majority of systematic reviews published in high-impact journals neglected to register the protocols: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2017, 84, 54-60.	5.0	41
8	Patient experience of primary care and advance care planning: a multicentre cross-sectional study in Japan. <i>Family Practice</i> , 2017, 34, 206-212.	1.9	39
9	Identifying Patients with Bacteremia in Community-Hospital Emergency Rooms: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0148078.	2.5	27
10	Analysis of the evidence-practice gap to facilitate proper medical care for the elderly: investigation, using databases, of utilization measures for National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). <i>Environmental Health and Preventive Medicine</i> , 2017, 22, 51.	3.4	27
11	Effect of Patient Experience on Bypassing a Primary Care Gatekeeper: a Multicenter Prospective Cohort Study in Japan. <i>Journal of General Internal Medicine</i> , 2018, 33, 722-728.	2.6	27
12	Factors associated with patient preferences towards deprescribing: a survey of adult patients on prescribed medications. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 531-537.	2.1	27
13	Longitudinal association of fatty pancreas with the incidence of type-2 diabetes in lean individuals: a 6-year computed tomography-based cohort study. <i>Journal of Gastroenterology</i> , 2020, 55, 712-721.	5.1	26
14	Social Isolation and Patient Experience in Older Adults. <i>Annals of Family Medicine</i> , 2018, 16, 393-398.	1.9	24
15	The minimum clinically important difference for the Japanese version of the new Knee Society Score (2011KSS) after total knee arthroplasty. <i>Journal of Orthopaedic Science</i> , 2019, 24, 1053-1057.	1.1	23
16	Patients' preferences and factors influencing initial advance care planning discussions' timing: A cross-cultural mixed-methods study. <i>Palliative Medicine</i> , 2020, 34, 906-916.	3.1	22
17	Effect of an Educational Program on Attitudes towards Deceased Organ Donation. <i>Annals of Transplantation</i> , 2015, 20, 269-278.	0.9	22
18	Analysis of clinical symptoms and <i>ABCC6</i> mutations in 76 Japanese patients with pseudoxanthoma elasticum. <i>Journal of Dermatology</i> , 2017, 44, 644-650.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Quality of life after single-incision laparoscopic cholecystectomy: A randomized, clinical trial. <i>Surgery</i> , 2019, 165, 353-359.	1.9	20
20	Fat Distribution Patterns and Future Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 1937-1945.	0.6	20
21	Development and validation of a set of six adaptable prognosis prediction (SAP) models based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study. <i>PLoS ONE</i> , 2017, 12, e0183291.	2.5	19
22	Depressive Symptoms Predict the Subsequent Risk of Bodily Pain in Dialysis Patients: Japan Dialysis Outcomes and Practice Patterns Study. <i>Pain Medicine</i> , 2009, 10, 883-889.	1.9	18
23	The Role of Digital Rectal Examination for Diagnosis of Acute Appendicitis: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0136996.	2.5	18
24	Prognostic utility of serum CRP levels in combination with CURB-65 in patients with clinically suspected sepsis: a decision curve analysis. <i>BMJ Open</i> , 2015, 5, e007049-e007049.	1.9	18
25	Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. <i>Journal of Gastroenterology</i> , 2018, 53, 873-882.	5.1	18
26	Development and validation of a concise scale for assessing patient experience of primary care for adults in Japan. <i>Family Practice</i> , 2020, 37, 137-142.	1.9	18
27	Computed tomography during initial management and mortality among hemodynamically unstable blunt trauma patients: a nationwide retrospective cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 74.	2.6	17
28	Social participation and the combination of future needs for long-term care and mortality among older Japanese people: a prospective cohort study from the Aichi Gerontological Evaluation Study (AGES). <i>BMJ Open</i> , 2019, 9, e030500.	1.9	17
29	Cost-effectiveness of extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest: A multi-centre prospective cohort study. <i>Resuscitation</i> , 2020, 157, 32-38.	3.0	17
30	Keeping vulnerable elderly patients free from pressure ulcer is associated with high caregiver burden in informal caregivers. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 585-589.	1.8	16
31	Association between pancreatic fat and incidence of metabolic syndrome: a 5-year Japanese cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 2048-2054.	2.8	16
32	Whole-Body Computed Tomography During Initial Management and Mortality Among Adult Severe Blunt Trauma Patients: A Nationwide Cohort Study. <i>World Journal of Surgery</i> , 2018, 42, 3939-3946.	1.6	16
33	The Fragility of Statistically Significant Results in Randomized Clinical Trials for COVID-19. <i>JAMA Network Open</i> , 2022, 5, e222973.	5.9	16
34	A new prognostic index for overall survival in malignant pleural mesothelioma: the rPHS (regimen,) Tj ETQq0 0 0 rgBT ₀ /Overlock 10 Tf 50	1.3	15
35	Hospitals'™ extracorporeal cardiopulmonary resuscitation capabilities and outcomes in out-of-hospital cardiac arrest: A population-based study. <i>Resuscitation</i> , 2019, 136, 85-92.	3.0	15
36	Level of Low Back Pain-Related Disability Is Associated with Risk of Subsequent Falls in an Older Population: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Pain Medicine</i> , 2019, 20, 2377-2384.	1.9	15

#	ARTICLE	IF	CITATIONS
37	Early rehabilitation in older patients hospitalized with acute decompensated heart failure: A retrospective cohort study. <i>American Heart Journal</i> , 2020, 230, 44-53.	2.7	15
38	Potentially Inappropriate Medication Prescribing and Risk of Unplanned Hospitalization among the Elderly: A Self-Matched, Case-Crossover Study. <i>Drug Safety</i> , 2018, 41, 959-968.	3.2	14
39	Association between social networks and discussions regarding advance care planning among Japanese older adults. <i>PLoS ONE</i> , 2019, 14, e0213894.	2.5	14
40	Addition of Amide Proton Transfer Imaging to FDG-PET/CT Improves Diagnostic Accuracy in Glioma Grading: A Preliminary Study Using the Continuous Net Reclassification Analysis. <i>American Journal of Neuroradiology</i> , 2018, 39, 265-272.	2.4	13
41	Gait speed and overactive bladder in the healthy community-dwelling super elderly: The Sukagawa Study. <i>Neurourology and Urodynamics</i> , 2019, 38, 2324-2332.	1.5	13
42	Association of low alanine aminotransferase with loss of independence or death: A 5-year population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1793-1799.	2.8	13
43	Comparison of Primary Care Experience in Hospital-Based Practices and Community-Based Office Practices in Japan. <i>Annals of Family Medicine</i> , 2020, 18, 24-29.	1.9	13
44	Association between religious beliefs and discussions regarding advance care planning: A nationwide survey. <i>Palliative Medicine</i> , 2021, 35, 1856-1864.	3.1	13
45	Violent Patient Behavior Is Associated with Bodily Pain and a High Burden on Informal Caregivers. <i>Journal of General Internal Medicine</i> , 2009, 24, 1085-1088.	2.6	12
46	Effects of structured education program on organ donor designation of nursing students and their families: A randomized controlled trial. <i>Clinical Transplantation</i> , 2016, 30, 1513-1519.	1.6	12
47	Accumulation of exhausted CD8+ T cells in extramammary Paget's disease. <i>PLoS ONE</i> , 2019, 14, e0211135.	2.5	12
48	Clinical Epidemiology of Eosinophilic Pustular Folliculitis: Results from a Nationwide Survey in Japan. <i>Dermatology</i> , 2015, 230, 87-92.	2.1	11
49	Development and validation of a prediction model for failed shockwave lithotripsy of upper urinary tract calculi using computed tomography information: the S3HoCKwave score. <i>World Journal of Urology</i> , 2020, 38, 3267-3273.	2.2	11
50	Inverse Association Between Fatty Liver at Baseline Ultrasonography and Remission of Type 2 Diabetes Over a 2-Year Follow-up Period. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 556-564.e5.	4.4	11
51	Experience as an Informal Caregiver and Discussions Regarding Advance Care Planning in Japan. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 63-70.	1.2	11
52	Association of glucocorticoid doses and emotional health in lupus low disease activity state (LLDAS): a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2021, 23, 79.	3.5	11
53	Association Between the Discrepancy in Self-Reported and Performance-Based Physical Functioning Levels and Risk of Future Falls Among Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 195-200.e1.	2.5	9
54	How Psychosocial Factors Contribute to Japanese Older Adults' Initiation of Advance Care Planning Discussions: A Qualitative Study. <i>Journal of Applied Gerontology</i> , 2021, 40, 1180-1188.	2.0	9

#	ARTICLE	IF	CITATIONS
55	Association between parental history of <i>Helicobacter pylori</i> treatment failure and treatment failure in the offspring. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 2112-2117.	2.8	8
56	Interdialytic Weight Gain Effects on Hemoglobin Concentration and Cardiovascular Events. <i>Kidney International Reports</i> , 2020, 5, 1670-1678.	0.8	8
57	Diagnostic accuracy of <i>Aspergillus</i> -specific antibodies for chronic pulmonary aspergillosis: A systematic review and meta-analysis. <i>Mycoses</i> , 2021, 64, 701-715.	4.0	8
58	Healthcare Providers' Perceptions on the Timing of Initial Advance Care Planning Discussions in Japan: a Mixed-Methods Study. <i>Journal of General Internal Medicine</i> , 2021, 36, 2935-2942.	2.6	8
59	Effect of multimorbidity patterns on the decline in health-related quality of life: a nationwide prospective cohort study in Japan. <i>BMJ Open</i> , 2021, 11, e047812.	1.9	8
60	Influence of anti-coronavirus disease 2019 policies on 10 pediatric infectious diseases. <i>Pediatrics International</i> , 2022, 64, .	0.5	8
61	Laypersons' Psychological Barriers Against Rescue Actions in Emergency Situations: A Questionnaire Survey. <i>Circulation Journal</i> , 2022, 86, 679-686.	1.6	8
62	Lower effectiveness of intravenous steroid treatment for moderate-to-severe ulcerative colitis in hospitalised patients with older onset: a multicentre cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1569-1580.	3.7	8
63	Attributes of primary care in relation to polypharmacy: a multicenter cross-sectional study in Japan. <i>International Journal for Quality in Health Care</i> , 2017, 29, 378-383.	1.8	6
64	Association between statistical significance and time to publication among systematic reviews: a study protocol for a meta-epidemiological investigation. <i>BMJ Open</i> , 2017, 7, e018856.	1.9	6
65	Physical multimorbidity patterns and depressive symptoms: a nationwide cross-sectional study in Japan. <i>Family Medicine and Community Health</i> , 2020, 8, e000234.	1.6	6
66	Low Predialysis Plasma Calculated Osmolality Is Associated with Higher All-Cause Mortality: The Japanese Dialysis Outcomes and Practice Patterns Study (J-DOPPS). <i>Nephron</i> , 2020, 144, 138-146.	1.8	6
67	Development of the Reading Cognitive Test Kyoto (ReaCT Kyoto) for Early Detection of Cognitive Decline in Patients with Hearing Loss. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 981-990.	2.6	6
68	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. <i>BMJ Open</i> , 2020, 10, e040240.	1.9	6
69	Diagnostic utility of appetite loss in addition to existing prediction models for community-acquired pneumonia in the elderly: a prospective diagnostic study in acute care hospitals in Japan. <i>BMJ Open</i> , 2017, 7, e019155.	1.9	5
70	Physician characteristics associated with proper assessment of overstated conclusions in research abstracts: A secondary analysis of a randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0211206.	2.5	5
71	Intraoperative end-tidal carbon dioxide and postoperative mortality in major abdominal surgery: a historical cohort study. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1601-1610.	1.6	5
72	Low Back Pain and Associated Occupational Factors among Nursery School Teachers: A Multicenter, Cross-sectional Study. <i>Annals of Clinical Epidemiology</i> , 2020, 2, 113-120.	1.2	5

#	ARTICLE	IF	CITATIONS
73	Development and internal validation of a clinical prediction model for acute adjacent vertebral fracture after vertebral augmentation. <i>Bone and Joint Journal</i> , 2022, 104-B, 97-102.	4.4	5
74	Low quality of life in men with chronic prostatitis-like symptoms. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 785-790.	3.9	5
75	Heart Rate, Responsiveness to Intravenous Immunoglobulin, and Coronary Artery Aneurysms in Kawasaki Disease. <i>Journal of Pediatrics</i> , 2018, 200, 160-165.e5.	1.8	4
76	Public subsidies and the recommendation of child vaccines among primary care physicians: a nationwide cross-sectional study in Japan. <i>BMJ Open</i> , 2018, 8, e020923.	1.9	4
77	Statistical significance did not affect time to publication in non-Cochrane systematic reviews: a metaepidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019, 115, 25-34.	5.0	4
78	Urgency urinary incontinence, loss of independence, and increased mortality in older adults: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0245724.	2.5	4
79	Poor oral function is associated with loss of independence or death in functionally independent older adults. <i>PLoS ONE</i> , 2021, 16, e0253559.	2.5	4
80	The Accuracy of Japanese Administrative Data in Identifying Acute Exacerbation of Idiopathic Pulmonary Fibrosis. <i>Annals of Clinical Epidemiology</i> , 2022, 4, 53-62.	1.2	4
81	External validation of prognostic indices for overall survival of malignant pleural mesothelioma. <i>Lung Cancer</i> , 2017, 113, 88-92.	2.0	3
82	Association between work schedules and motivation for lifestyle change in workers with overweight or obesity: a cross-sectional study in Japan. <i>BMJ Open</i> , 2020, 10, e033000.	1.9	3
83	Quality of Life and Disability-free Survival in the Elderly: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. <i>Journal of Aging and Health</i> , 2021, 33, 197-204.	1.7	3
84	Impact of Primary Tumor Resection on Mortality in Patients with Stage IV Colorectal Cancer with Unresectable Metastases: A Multicenter Retrospective Cohort Study. <i>World Journal of Surgery</i> , 2021, 45, 3230-3239.	1.6	3
85	Association of occupational direct radiation exposure to the hands with longitudinal melanonychia and hand eczema in spine surgeons: a survey by the society for minimally invasive spinal treatment (MIST). <i>European Spine Journal</i> , 2021, 30, 3702-3708.	2.2	3
86	Shorter dialysis session length was not associated with lower mental health and physical functioning in elderly hemodialysis patients: Results from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). <i>PLoS ONE</i> , 2017, 12, e0184019.	2.5	3
87	Association of Lumbar Spinal Stenosis With Severe Disability and Mortality Among Community-Dwelling Older Adults. <i>Spine</i> , 2020, Publish Ahead of Print, E784-E790.	2.0	3
88	Association of kyphotic posture with loss of independence and mortality in a community-based prospective cohort study: the Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>BMJ Open</i> , 2022, 12, e052421.	1.9	3
89	Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 623-631.	0.9	2
90	Preferences of young physicians at community hospitals regarding academic research training through graduate school: a cross-sectional research. <i>BMC Research Notes</i> , 2016, 9, 227.	1.4	2

#	ARTICLE	IF	CITATIONS
91	Development and validation of a prediction model for functional decline in older medical inpatients. Archives of Gerontology and Geriatrics, 2018, 77, 184-188.	3.0	2
92	Determinants of incentive preferences for health behavior change in Japan. Health Promotion International, 2019, 34, 760-769.	1.8	2
93	Impact of Vonoprazan Triple-Drug Blister Packs on H.Âpylori Eradication Rates in Japan: Interrupted Time Series Analysis. Advances in Therapy, 2021, 38, 3937-3947.	2.9	2
94	Development of a preoperative prediction model for new-onset diabetes mellitus after partial pancreatectomy. Medicine (United States), 2021, 100, e26311.	1.0	2
95	Association between facility-level adherence to phosphorus management guidelines and mortality in haemodialysis patients: a prospective cohort study. BMJ Open, 2021, 11, e051002.	1.9	2
96	Association between direct interpersonal involvement with a dying family member and discussions regarding advance care planning among Japanese older adults. Geriatrics and Gerontology International, 2021, 21, 197-202.	1.5	2
97	Decline in oral antimicrobial prescription in the outpatient setting after nationwide implementation of financial incentives and provider education: An interrupted time-series analysis. Infection Control and Hospital Epidemiology, 2023, 44, 253-259.	1.8	2
98	Postoperative gluteal skin damage associated with latent development of gluteal muscle damage. Journal of Dermatology, 2016, 43, 547-552.	1.2	1
99	Childcare Environment and Japanese Children Who Are Overweight in Early Childhood. Childhood Obesity, 2018, 14, 197-206.	1.5	1
100	Impairment of Validity of Comparison Between Short-Course and Prolonged-Course Antibiotic Therapy Using Propensity Score Matching. Clinical Infectious Diseases, 2018, 66, 1978-1978.	5.8	1
101	Realâ€life glycemic control in patients with type 2 diabetes treated with insulin therapy: A prospective, longitudinal cohort study (Diabetes Distress and Care Registry at Tenri [DDCRT 9]). Journal of Diabetes Investigation, 2018, 9, 294-302.	2.4	1
102	Intra-Dialytic Hemoglobin Changes and Cardiovascular Events: A Cohort Study on Dialysis Outcomes and Practice Patterns in Japan. American Journal of Nephrology, 2019, 50, 272-280.	3.1	1
103	Association between quantitative lower limb arterial calcification and bilateral severe knee osteoarthritis. Modern Rheumatology, 2021, 31, 1059-1065.	1.8	1
104	Depressive Symptoms and Their Associated Factors in Nursery School Teachers: A Multicenter Cross-Sectional Study. Cureus, 2021, 13, e16545.	0.5	1
105	Alcohol abuse as a potential risk factor of solitary death among people living alone: a cross-sectional study in Kyoto, Japan. BMC Public Health, 2022, 22, 545.	2.9	1
106	Resting respiration rate predicts all-cause mortality in older outpatients. Aging Clinical and Experimental Research, 2022, , 1.	2.9	1
107	Association between intraoperative end-tidal carbon dioxide and postoperative nausea and vomiting in gynecologic laparoscopic surgery. Scientific Reports, 2022, 12, 6865.	3.3	1
108	Editorial: is olderâ€onset ulcerative colitis more severe or less aggressively managed? Authorsâ€™¼ reply. Alimentary Pharmacology and Therapeutics, 2022, 55, 1352-1353.	3.7	1

#	ARTICLE	IF	CITATIONS
109	Bacterial susceptibility change post national shortage of first cephalosporin in Japan; a longitudinal retrospective database study using interrupted time series analysis. <i>Journal of Global Antimicrobial Resistance</i> , 2022, , .	2.2	1
110	Response to the letter by Dr. Tomoyuki Kawada regarding our manuscript: Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. <i>Journal of Gastroenterology</i> , 2018, 53, 891-892.	5.1	0
111	Back Cover Image, Volume 38, Number 8, November 2019. <i>Neurourology and Urodynamics</i> , 2019, 38, ii.	1.5	0
112	Longitudinal association between mental health and future antibiotic prescriptions in healthy adults: Results from the LOHAS. <i>PLoS ONE</i> , 2020, 15, e0240236.	2.5	0
113	Association of advanced glycation end-product accumulation with overactive bladder in community-dwelling elderly: A cross-sectional Sukagawa study. <i>Asian Journal of Urology</i> , 2021, 8, 189-196.	1.2	0
114	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2021, , .	4.4	0
115	A CASE OF HYPERPARATHYROIDISM DUE TO PARATHYROID ADENOMA IN A WOMAN UNDER CHRONIC HEMODIALYSIS. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1993, 54, 1771-1774.	0.0	0
116	Descriptive epidemiology of prescriptions of drugs listed in Screening Tool for Older Person's appropriate Prescriptions in Japanese (STOPP-J) in older adults: results from National Database of Health Insurance Claims and Specific Health Checkups of Japan (NDB). <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2020, 93, 2-AS1-3.	0.0	0
117	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. <i>BMJ Open</i> , 2020, 10, e040240.	1.9	0
118	Title is missing!. , 2020, 15, e0240236.		0
119	Title is missing!. , 2020, 15, e0240236.		0
120	Title is missing!. , 2020, 15, e0240236.		0
121	Title is missing!. , 2020, 15, e0240236.		0
122	Title is missing!. , 2020, 15, e0240236.		0
123	Title is missing!. , 2020, 15, e0240236.		0
124	Development of healthy lifestyle consciousness index for gynecological cancer patients. <i>Supportive Care in Cancer</i> , 0, , .	2.2	0