
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7710409/publications.pdf Version: 2024-02-01



ΔΙΔΝΙ ΗΠΟΘΟΝ

#	Article	IF	CITATIONS
1	Bicuculline-insensitive gaba receptors on peripheral autonomic nerve terminals. European Journal of Pharmacology, 1981, 71, 53-70.	1.7	360
2	`Seeing through a glass darkly': casting light on imidazoline `I' sites. Trends in Pharmacological Sciences, 1998, 19, 381-390.	4.0	238
3	Bioactive Contaminants Leach from Disposable Laboratory Plasticware. Science, 2008, 322, 917-917.	6.0	189
4	Functional Studies of Specific Imidazoline-2 Receptor Ligands. Annals of the New York Academy of Sciences, 1995, 763, 125-139.	1.8	121
5	β-carboline binding to imidazoline receptors. Drug and Alcohol Dependence, 2001, 64, 203-208.	1.6	118
6	Characterisation and localisation of []2-(2-benzofuranyl)-2-imidazoline binding in rat brain: a selective ligand for imidazoline I2 receptors. European Journal of Pharmacology, 1998, 353, 123-135.	1.7	82
7	Novel Selective Compounds for the Investigation of Imidazoline Receptorsa. Annals of the New York Academy of Sciences, 1999, 881, 81-91.	1.8	72
8	Imidazoline Receptor System: The Past, the Present, and the Future. Pharmacological Reviews, 2020, 72, 50-79.	7.1	71
9	Comparison of Alterations in c-fos and Egr-1 (zif268) Expression Throughout the Rat Brain Following Acute Administration of Different Classes of Antidepressant Compounds. Neuropsychopharmacology, 2005, 30, 1278-1287.	2.8	56
10	In vitro and ex vivo distribution of [3H]harmane, an endogenous Î <sup>2</sup> -carboline, in rat brain. Neuropharmacology, 2006, 50, 269-276.	2.0	53
11	[3H]2-(2-Benzofuranyl)-2-imidazoline: a new selective high affinity radioligand for the study of rabbit brain imidazoline I2 receptors. European Journal of Pharmacology, 1996, 304, 221-229.	1.7	52
12	Effects of the β-carbolines, harmane and pinoline, on insulin secretion from isolated human islets of Langerhans. European Journal of Pharmacology, 2003, 482, 189-196.	1.7	50
13	Behavioral, neuroendocrine and neurochemical effects of the imidazoline I2 receptor selective ligand BU224 in naive rats and rats exposed to the stress of the forced swim test. Psychopharmacology, 2003, 167, 195-202.	1.5	45
14	Imidazoline binding sites in Huntington's and Parkinson's disease putamen. European Journal of Pharmacology, 1996, 301, R19-R21.	1.7	43
15	Binding of β-carbolines at imidazoline I 2 receptors: a structure–affinity investigation. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 999-1002.	1.0	42
16	Evaluation and initial in vitro and ex vivo characterization of the potential positron emission tomography ligand, BU99008 (2â€(4,5â€Dihydroâ€1 <i>H</i> â€imidazolâ€2â€yl)â€1―methylâ€1 <i>H</i> â€imidazoline <sub>2</sub> binding site. Synapse, 2012, 66, 542-551.	ıdo <b>l@.)</b> 6 for	the42
17	1-[(Imidazolidin-2-yl)imino]indazole. Highly α <sub>2</sub> /l <sub>1</sub> Selective Agonist: Synthesis, X-ray Structure, and Biological Activity. Journal of Medicinal Chemistry, 2008, 51, 3599-3608.	2.9	40
18	Identification of ligands selective for central I2-imidazoline binding sites. Neurochemistry International, 1997, 30, 47-53.	1.9	39

#	Article	IF	CITATIONS
19	Favourable involvement of α2A-adrenoreceptor antagonism in the I2-imidazoline binding sites-mediated morphine analgesia enhancement. Bioorganic and Medicinal Chemistry, 2012, 20, 2259-2265.	1.4	39
20	Harmane and Harmalan Are Bioactive Components of Classical Clonidine-Displacing Substanceâ€. Biochemistry, 2004, 43, 16385-16392.	1.2	36
21	Identification of an imidazoline binding protein: Creatine kinase and an imidazoline-2 binding site. Brain Research, 2009, 1279, 21-28.	1.1	32
22	Selective δ-opioid receptor ligands: potential PET ligands based on naltrindole. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 939-943.	1.0	19
23	Novel Ligands Rationally Designed for Characterizing I <sub>2</sub> â^'Imidazoline Binding Sites Nature and Functions. Journal of Medicinal Chemistry, 2008, 51, 5130-5134.	2.9	19
24	Thyrotropin-releasing hormone selectively reverses lorazepam-induced sedation but not slowing of saccadic eye movements Life Sciences, 1992, 50, PL25-PL30.	2.0	18
25	Novel Ligands for the Investigation of Imidazoline Receptors and Their Binding Proteins. Annals of the New York Academy of Sciences, 2003, 1009, 302-308.	1.8	18
26	Autoradiographical distribution of imidazoline binding sites in monoamine oxidase A deficient mice. Journal of Neurochemistry, 2006, 96, 1551-1559.	2.1	18
27	3-[(Imidazolidin-2-yl)imino]indazole ligands with selectivity for the α2-adrenoceptor compared to the imidazoline I1 receptor. Bioorganic and Medicinal Chemistry, 2011, 19, 321-329.	1.4	18
28	Venlafaxine enhances the effect of bupropion on extracellular dopamine in rat frontal cortex. Canadian Journal of Physiology and Pharmacology, 2012, 90, 803-809.	0.7	18
29	Effect of harmane, an endogenous β-carboline, on learning and memory in rats. Pharmacology Biochemistry and Behavior, 2013, 103, 666-671.	1.3	17
30	Distribution of [3H]BU224, a selective imidazoline I2 binding site ligand, in rat brain. European Journal of Pharmacology, 2002, 450, 55-60.	1.7	16
31	Probes for imidazoline binding sites: synthesis and evaluation of a selective, irreversible I 2 ligand. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 605-607.	1.0	15
32	Comparative Effects of Efaroxan and b-Carbolines on the Secretory Activity of Rodent and Human b Cells. Annals of the New York Academy of Sciences, 2003, 1009, 167-174.	1.8	15
33	Imidazoline2 (I2) Receptor- and α2- Adrenoceptor-Mediated Modulation of Hypothalamic-Pituitary-Adrenal Axis Activity in Control and Acute Restraint Stressed Rats. Journal of Psychopharmacology, 2004, 18, 47-53.	2.0	14
34	Fluorinated analogues of marsanidine, a highly α2-AR/imidazoline I1 binding site-selective hypotensive agent. Synthesis and biological activities. European Journal of Medicinal Chemistry, 2014, 87, 386-397.	2.6	14
35	The modulatory action of harmane on serotonergic neurotransmission in rat brain. Brain Research, 2015, 1597, 57-64.	1.1	14
36	Transfer of SAR information from hypotensive indazole to indole derivatives acting at α-adrenergic receptors: InÂvitro and inÂvivo studies. European Journal of Medicinal Chemistry, 2016, 115, 406-415.	2.6	14

#	Article	IF	CITATIONS
37	In vitro and in vivo effect of BU99006 (5-isothiocyanato-2-benzofuranyl-2-imidazoline) on I2 binding in relation to MAO: Evidence for two distinct I2 binding sites. Neuropharmacology, 2007, 52, 395-404.	2.0	13
38	Extraction of active clonidine-displacing substance from bovine lung and comparison with clonidine-displacing substance extracted from other tissues. European Journal of Pharmacology, 1999, 378, 213-221.	1.7	12
39	N1′-fluoroethyl-naltrindole (BU97001) and N1′-fluoroethyl-(14-formylamino)-naltrindole (BU97018) potential δ-opioid receptor PET ligands. Nuclear Medicine and Biology, 2002, 29, 455-462.	0.3	12
40	Novel imidazoline compounds as partial or full agonists of D2-like dopamine receptors inspired by I2-imidazoline binding sites ligand 2-BFI. Bioorganic and Medicinal Chemistry, 2010, 18, 7085-7091.	1.4	12
41	Pyrazino[1,2- a ]indoles as novel high-affinity and selective imidazoline I 2 receptor ligands. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 1003-1005.	1.0	11
42	New analogues of agmatine with higher affinity to imidazoline receptors. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 1009-1011.	1.0	11
43	Synthesis and biological activities of 2-[(heteroaryl)methyl]imidazolines. Bioorganic and Medicinal Chemistry, 2012, 20, 108-116.	1.4	11
44	Binding of an imidazopyridoindole at imidazoline 12 receptors. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 527-529.	1.0	10
45	Characterisation of imidazoline I2 binding sites in pig brain. European Journal of Pharmacology, 2005, 519, 68-74.	1.7	10
46	Nonadrenergic Imidazoline Binding Sites and Amine Oxidase Activities in Fat Cells. Annals of the New York Academy of Sciences, 1995, 763, 380-397.	1.8	9
47	Modulation of Resistance Artery Tone by the Trace Amine β-Phenylethylamine: Dual Indirect Sympathomimetic and α1-Adrenoceptor Blocking Actions. Journal of Pharmacology and Experimental Therapeutics, 2014, 351, 164-171.	1.3	9
48	Harmane: An atypical neurotransmitter?. Neuroscience Letters, 2015, 590, 1-5.	1.0	8
49	[5] In vitro and in vivo effects of antisense on α2-adrenoceptor expression. Methods in Enzymology, 2000, 314, 61-76.	0.4	7
50	Estimation of endogenous noradrenaline release in rat brain in vivo using [3H]RX 821002. Synapse, 2005, 55, 126-132.	0.6	7
51	2-(4,5-Dihydroimidazol-2-yl)benzimidazoles as highly selective imidazoline I2/adrenergic α2 receptor ligands. Bioorganic and Medicinal Chemistry, 2006, 14, 6679-6685.	1.4	7
52	1â€{(Imidazolidinâ€2â€yl)imino]â€1 <i>H</i> â€indoles as new hypotensive agents: synthesis and <i>in vitroin vivo</i> biological studies. Chemical Biology and Drug Design, 2017, 89, 400-410.	and 1.5	7
53	Isolation of RP-HPLC pure clonidine-displacing substance from NG108-15 cells. European Journal of Pharmacology, 2000, 387, 27-30.	1.7	6
54	Combined Interactions with I <sub>1</sub> -, I <sub>2</sub> -Imidazoline Binding Sites and α <sub>2</sub> -Adrenoceptors To Manage Opioid Addiction. ACS Medicinal Chemistry Letters, 2016, 7, 956-961.	1.3	6

#	Article	IF	CITATIONS
55	Comparison of Crude Methanolic CDS Extracts from Various Tissues. Annals of the New York Academy of Sciences, 1999, 881, 92-96.	1.8	5
56	Pharmacological characterisation of novel $\hat{l}\pm2$ -adrenoceptor antagonists as potential brain imaging agents. Neuropharmacology, 2004, 46, 847-855.	2.0	5
57	Synthesis of 2,3,5,6-tetrahydro-3H-imidazo[2,1-b] [1,3,5]benzotriazepines and their oxidative ring contraction into 1-(4,5-dihydro-1H-imidazol-2-yl)-1H-benzimidazoles. Il Farmaco, 2005, 60, 127-134.	0.9	5
58	New imidazoline/α2-adrenoceptors affecting compounds—4(5)-(2-aminoethyl)imidazoline (dihydrohistamine) derivatives. Synthesis and receptor affinity studies. Bioorganic and Medicinal Chemistry, 2011, 19, 156-167.	1.4	4
59	<i>N</i> â€(Imidazolidinâ€2â€ylidene)â€1â€arylmethanamine Oxides: Synthesis, Structure and Pharmacological Evaluation. Archiv Der Pharmazie, 2012, 345, 33-42.	2.1	4
60	Autoradiography of I2 Receptors in Frog Brain. Annals of the New York Academy of Sciences, 1999, 881, 208-211.	1.8	2
61	The uptake of a fluorescently labelled antisense oligonucleotide in vitro and in vivo. Journal of Neuroscience Methods, 2005, 147, 48-54.	1.3	2
62	The effect of 1-(4,5-dihydro-1H-imidazol-2-yl) isoquinoline on monoamine release and turnover in the rat frontal cortex. Neuroscience Letters, 2007, 422, 109-113.	1.0	2
63	The effect of 7-fluoro-marsanidine, a novel α2-adrenoceptor agonist, on extracellular noradrenaline in rat frontal cortex: A microdialysis study. Neuroscience Letters, 2015, 590, 47-51.	1.0	2
64	A series of novel imidazoline I2-receptor selective Schiff bases of 1-(benzylidenamino)-3,3-dimethylguanidine. Neurochemistry International, 1997, 30, 95-99.	1.9	1
65	Borne Identity: Leading Endogenous Suspects at Imidazoline Binding Sites. Journal of Neurology and Neuroscience, 2015, 06, .	0.4	1
66	Pyrazino[1,2-a]indoles as Novel High-Affinity and Selective Imidazoline I2 Receptor Ligands ChemInform, 2004, 35, no.	0.1	0
67	Synthesis of 2,3,5,6-Tetrahydro-3H-imidazo[2,1-b][1,3,5]benzotriazepines and Their Oxidative Ring Contraction into 1-(4,5-Dihydro-1H-imidazol-2-yl)-1H-benzimidazoles ChemInform, 2005, 36, no.	0.1	0