

Dong-Dong Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7710459/dong-dong-zhou-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

2,313

citations

23

h-index

47

g-index

71

ext. papers

2,859

ext. citations

9.3

avg, IF

5.09

L-index

#	Paper	IF	Citations
67	Modular and Stepwise Synthesis of a Hybrid Metal-Organic Framework for Efficient Electrocatalytic Oxygen Evolution. <i>Journal of the American Chemical Society</i> , 2017 , 139, 1778-1781	16.4	273
66	Strong and dynamic CO ₂ sorption in a flexible porous framework possessing guest chelating claws. <i>Journal of the American Chemical Society</i> , 2012 , 134, 17380-3	16.4	239
65	Electrochemical Exfoliation of Pillared-Layer Metal-Organic Framework to Boost the Oxygen Evolution Reaction. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 4632-4636	16.4	198
64	Monodentate hydroxide as a super strong yet reversible active site for CO ₂ capture from high-humidity flue gas. <i>Energy and Environmental Science</i> , 2015 , 8, 1011-1016	35.4	185
63	Controlling flexibility of metal-organic frameworks. <i>National Science Review</i> , 2018 , 5, 907-919	10.8	150
62	A Metal-Organic Framework with a Pore Size/Shape Suitable for Strong Binding and Close Packing of Methane. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 4674-8	16.4	111
61	Intermediate-sized molecular sieving of styrene from larger and smaller analogues. <i>Nature Materials</i> , 2019 , 18, 994-998	27	74
60	Non-3d Metal Modulation of a Cobalt Imidazolate Framework for Excellent Electrocatalytic Oxygen Evolution in Neutral Media. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 139-143	16.4	72
59	Adsorptive separation of carbon dioxide: From conventional porous materials to metal-organic frameworks. <i>EnergyChem</i> , 2019 , 1, 100016	36.9	64
58	Selective Aerobic Oxidation of a Metal-Organic Framework Boosts Thermodynamic and Kinetic Propylene/Propane Selectivity. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 7692-7696	16.4	63
57	Electrochemical Exfoliation of Pillared-Layer Metal-Organic Framework to Boost the Oxygen Evolution Reaction. <i>Angewandte Chemie</i> , 2018 , 130, 4722-4726	3.6	63
56	Drastic enhancement of catalytic activity via post-oxidation of a porous MnII triazolate framework. <i>Chemistry - A European Journal</i> , 2014 , 20, 11303-7	4.8	55
55	Visualizing the distinctly different crystal-to-crystal structural dynamism and sorption behavior of interpenetration-direction isomeric coordination networks. <i>Chemical Science</i> , 2014 , 5, 4755-4762	9.4	50
54	A flexible porous Cu(II) bis-imidazolate framework with ultrahigh concentration of active sites for efficient and recyclable CO ₂ capture. <i>Chemical Communications</i> , 2013 , 49, 11728-30	5.8	50
53	Flexible, Luminescent Metal-Organic Frameworks Showing Synergistic Solid-Solution Effects on Porosity and Sensitivity. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 16021-16025	16.4	42
52	Simultaneous Improvement of Mechanical and Fire-Safety Properties of Polymer Composites with Phosphonate-Loaded MOF Additives. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20325-20332	9.5	41
51	High-symmetry hydrogen-bonded organic frameworks: air separation and crystal-to-crystal structural transformation. <i>Chemical Communications</i> , 2016 , 52, 4991-4	5.8	39

50	Metastable 1T _S phase group VIB transition metal dichalcogenide crystals. <i>Nature Materials</i> , 2021 , 20, 1113-1120	27	36
49	Hyperfine adjustment of flexible pore-surface pockets enables smart recognition of gas size and quadrupole moment. <i>Chemical Science</i> , 2017 , 8, 7560-7565	9.4	34
48	Plastic Crystals with Polar Halochromate Anion: Thermosensitive Dielectrics Based upon Plastic Transition and Dipole Rotation. <i>Inorganic Chemistry</i> , 2016 , 55, 11418-11425	5.1	31
47	Controlling the flexibility and single-crystal to single-crystal interpenetration reconstitution of metal-organic frameworks. <i>Chemical Communications</i> , 2015 , 51, 12665-8	5.8	29
46	Mesoporous Metal-Organic Frameworks with Exceptionally High Working Capacities for Adsorption Heat Transformation. <i>Advanced Materials</i> , 2018 , 30, 1704350	24	29
45	Multistep evolution from a metal-organic framework to ultrathin nanosheets. <i>Science Bulletin</i> , 2019 , 64, 964-967	10.6	25
44	A New Isomeric Porous Coordination Framework Showing Single-Crystal to Single-Crystal Structural Transformation and Preferential Adsorption of 1,3-Butadiene from C ₄ Hydrocarbons. <i>Crystal Growth and Design</i> , 2017 , 17, 2166-2171	3.5	22
43	Selective Aerobic Oxidation of a Metal-Organic Framework Boosts Thermodynamic and Kinetic Propylene/Propane Selectivity. <i>Angewandte Chemie</i> , 2019 , 131, 7774-7778	3.6	22
42	A Metal-Organic Framework with a Pore Size/Shape Suitable for Strong Binding and Close Packing of Methane. <i>Angewandte Chemie</i> , 2016 , 128, 4752-4756	3.6	21
41	CaLu(AlO)(BO) : Sm: a novel red-emitting phosphor with high colour purity for NUV-based warm white LEDs. <i>RSC Advances</i> , 2018 , 8, 40693-40700	3.7	18
40	Nitrogen-doped porous carbons derived from isomeric metal azolate frameworks. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24263-24268	13	16
39	A Hydrogen-Bonded yet Hydrophobic Porous Molecular Crystal for Molecular-Sieving-like Separation of Butane and Isobutane. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 23322-23328	16.4	16
38	Tuning the gating energy barrier of metal-organic framework for molecular sieving. <i>Chem</i> , 2021 , 7, 1006-1019	10.19	16
37	Red-emitting CaSc ₂ O ₄ :Eu ³⁺ phosphor for NUV-based warm white LEDs: structural elucidation and Hirshfeld surface analysis. <i>International Journal of Energy Research</i> , 2020 , 44, 8328-8339	4.5	15
36	Tuning Connectivity and Flexibility of Two Zinc-Triazolate-Carboxylate Type Porous Coordination Polymers. <i>Crystal Growth and Design</i> , 2018 , 18, 2694-2698	3.5	15
35	A novel pillared-layer-type porous coordination polymer featuring three-dimensional pore system and high methane storage capacity. <i>Science China Chemistry</i> , 2016 , 59, 970-974	7.9	14
34	Unique (3,9)-connected porous coordination polymers constructed by tripodal ligands with bent arms. <i>CrystEngComm</i> , 2016 , 18, 4115-4120	3.3	14
33	Two Isostructural Flexible Porous Coordination Polymers Showing Contrasting Single-Component and Mixture Adsorption Properties for Propylene/Propane. <i>Inorganic Chemistry</i> , 2020 , 59, 6047-6052	5.1	12

32	Restraining the motion of a ligand for modulating the structural phase transition in two isomorphous polar coordination polymers. <i>Dalton Transactions</i> , 2014 , 43, 9008-11	4.3	12
31	Non-3d Metal Modulation of a Cobalt Imidazolate Framework for Excellent Electrocatalytic Oxygen Evolution in Neutral Media. <i>Angewandte Chemie</i> , 2019 , 131, 145-149	3.6	11
30	Nitroprusside as a promising building block to assemble an organic-inorganic hybrid for thermo-responsive switching materials. <i>Chemical Communications</i> , 2020 , 56, 5488-5491	5.8	10
29	Two Tetrabromocuprate(II) Salts with Substituted Benzyl Pyridinium: Syntheses, Weak Interactions, Crystal Structures, and Antibacterial Properties. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2010 , 40, 772-778		10
28	A Hydrogen-Bonded yet Hydrophobic Porous Molecular Crystal for Molecular-Sieving-like Separation of Butane and Isobutane. <i>Angewandte Chemie</i> , 2020 , 132, 23522-23528	3.6	10
27	A partially fluorinated ligand for two super-hydrophobic porous coordination polymers with classic structures and increased porosities. <i>National Science Review</i> , 2021 , 8, nwa094	10.8	10
26	Partially Fluorinated Cu(I) Triazolate Frameworks with High Hydrophobicity, Porosity, and Luminescence Sensitivity. <i>Inorganic Chemistry</i> , 2019 , 58, 3944-3949	5.1	9
25	Synthesis, structure and magnetic properties of two complexes based on bis(maleonitriledithiolate)nickel(III)/copper(II) anion and 1-(4-bromobenzyl)triphenylphosphonium. <i>Journal of Molecular Structure</i> , 2011 , 1006, 419-424	3.4	9
24	Direct synthesis of an aliphatic amine functionalized metal-organic framework for efficient CO ₂ removal and CH ₄ purification. <i>CrystEngComm</i> , 2018 , 20, 5969-5975	3.3	9
23	Syntheses, crystal structures and properties of two new ion-pair complexes by self-assembly of bis(maleonitriledithiolate)copper(II)/nickel(III) anion and substituted 4-dimethylaminopyridinium. <i>Synthetic Metals</i> , 2012 , 162, 1024-1029	3.6	8
22	Structural evolution from a fence-like to pillared-layer metal-organic framework for the stable oxygen evolution reaction. <i>Chemical Communications</i> , 2020 , 56, 7722-7725	5.8	7
21	Flexible, Luminescent Metal-Organic Frameworks Showing Synergistic Solid-Solution Effects on Porosity and Sensitivity. <i>Angewandte Chemie</i> , 2016 , 128, 16255-16259	3.6	7
20	Supercooling Behavior and Dipole-Glass-like Relaxation in a Three-Dimensional Water Framework. <i>Journal of the American Chemical Society</i> , 2019 , 141, 5645-5649	16.4	6
19	Two Tetrachlorocobaltate(II) Salts With Substituted Benzyl Triphenylphosphonium: Syntheses, Crystal Structures, Weak Interactions, and Magnetic Properties. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2012 , 42, 811-817		6
18	Two Novel Ion-Pair Complexes Based on Bis(isomaleonitriledithiolate)nickelate Anion and Substituted Triphenylphosphonium: Syntheses, Weak Interactions, and 3D Structures. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2011 , 41, 472-478		6
17	Two Tetrachlorocuprate(II) Salts with Substituted Benzyl Pyridinium: Syntheses, Crystal Structures, and Antibacterial Properties. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2011 , 41, 525-530		4
16	Syntheses, Crystal Structures, Weak Interactions, and Magnetic Properties of Two Tetrachloromanganate(II) Salts With Substituted Benzyl Triphenylphosphonium. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2012 , 42, 857-863		4
15	Diverse coordination polymers from a new bent dipyridyl-type ligand 3,6-di(pyridin-4-yl)-9H-carbazole. <i>CrystEngComm</i> , 2017 , 19, 6164-6169	3.3	3

14	Syntheses, Crystal Structures and Antibacterial Properties of Bis(1-benzyl-4?-R-pyridinium)tetrabromocuprate(II) [R = NH ₂ or N(CH ₃) ₂]. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2012 , 42, 238-245		3
13	Syntheses, Crystal Structures, and Properties of Two New Ion-Pair Compounds Based Upon bis(1,2,5-thiadiazole-3, 4-dithiolate)nickelate Anion and Substituted Benzyltriphenylphosphium Cations. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2013 , 43, 434-439		2
12	Tuning the packing, interpenetration, and porosity of two-dimensional networks by metal ions and ligand side groups. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 3424-3430	6.8	2
11	From discrete complex to 1-D coordination polymer by subtle variation of ligand donor: structures and electrical conductivities. <i>Journal of Coordination Chemistry</i> , 2016 , 69, 1837-1843	1.6	1
10	An Ionic Pair Complex Containing Bis(maleonitriledithiolato)palladium(II) Anion and Substituted 4-Dimethylaminopyridinium: Synthesis, Weak Interactions and 3D Network Structure. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2009 , 39, 429-433		1
9	Partial OrderDisorder Transformation of Interpenetrated Porous Coordination Polymers. <i>CCS Chemistry</i> , 1532-1541	7.2	1
8	Porous Metal Azolate Frameworks 2016 , 309-343		1
7	On-surface isostructural transformation from a hydrogen-bonded network to a coordination network for tuning the pore size and guest recognition. <i>Chemical Science</i> , 2020 , 12, 1272-1277	9.4	1
6	A MetalLigand Layer Compatible with Various Types of Pillars for New Porous Coordination Polymers. <i>Crystal Growth and Design</i> , 2020 , 20, 7021-7026	3.5	0
5	Multiple C-H?anion and N-H?anion hydrogen bond directed two-dimensional crystalline nanosheets with precise distance control of surface charges for enhanced DNA capture. <i>Soft Matter</i> , 2021 , 17, 9125-9130	3.6	0
4	Solvent-Controlled Construction of Molecular Chains and Bowls/Sieves from a Bent Dipyriddy LigandChinese Journal of Chemistry, 2021 , 39, 2523-2528	4.9	0
3	Syntheses, Characterization, and Crystal Structures of Two Tetrachlorocobaltate(II) Salts With 4-Substituted Benzyl Triphenylphosphonium. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2014 , 44, 672-677		
2	A New Tribromocuprate(II) Salt with 4-Bromobenzyltriphenylphosphinium: Synthesis, Spectra, and Crystal Structure. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2010 , 40, 729-733		
1	Single-side and double-side swing behaviours of a flexible porous coordination polymer with a rhombic-lattice structure. <i>CrystEngComm</i> , 2019 , 21, 1872-1875	3.3	