

Chao-Qiang Lai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7711373/chao-qiang-lai-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

6,752
citations

42
h-index

76
g-index

177
ext. papers

8,240
ext. citations

5.7
avg, IF

5.38
L-index

#	Paper	IF	Citations
167	Using Machine Learning to Predict Obesity Based on Genome-Wide and Epigenome-Wide Gene-Gene and Gene-Diet Interactions.. <i>Frontiers in Genetics</i> , 2021 , 12, 783845	4.5	2
166	Dietary Epicatechin, A Novel Anti-aging Bioactive Small Molecule. <i>Current Medicinal Chemistry</i> , 2021 , 28, 3-18	4.3	10
165	Risk Factors Associated with Vitamin D Status among Older Puerto Rican Adults. <i>Journal of Nutrition</i> , 2021 , 151, 999-1007	4.1	0
164	Diet-derived fruit and vegetable metabolites show sex-specific inverse relationships to osteoporosis status. <i>Bone</i> , 2021 , 144, 115780	4.7	2
163	Investigation of diets associated with dilated cardiomyopathy in dogs using foodomics analysis. <i>Scientific Reports</i> , 2021 , 11, 15881	4.9	3
162	Associations of network-derived metabolite clusters with prevalent type 2 diabetes among adults of Puerto Rican descent. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	2
161	Metabolite patterns link diet, obesity, and type 2 diabetes in a Hispanic population. <i>Metabolomics</i> , 2021 , 17, 88	4.7	0
160	Diet Quality Scores are Positively Associated with Whole Blood-derived Mitochondrial DNA Copy Number in the Framingham Heart Study. <i>Journal of Nutrition</i> , 2021 ,	4.1	2
159	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , 2020 , 35, 685-697 ^{12.1}	12.1	2
158	Metabolomic Links between Sugar-Sweetened Beverage Intake and Obesity. <i>Journal of Obesity</i> , 2020 , 2020, 7154738	3.7	6
157	Major royal jelly proteins accelerate onset of puberty and promote ovarian follicular development in immature female mice. <i>Food Science and Human Wellness</i> , 2020 , 9, 338-345	8.3	8
156	Statin Use Associates With Risk of Type 2 Diabetes via Epigenetic Patterns at. <i>Frontiers in Genetics</i> , 2020 , 11, 622	4.5	6
155	Curcumin supplementation improves heat-stress-induced cardiac injury of mice: physiological and molecular mechanisms. <i>Journal of Nutritional Biochemistry</i> , 2020 , 78, 108331	6.3	7
154	Salivary AMY1 Copy Number Variation Modifies Age-Related Type 2 Diabetes Risk. <i>Clinical Chemistry</i> , 2020 , 66, 718-726	5.5	1
153	Major Royal Jelly Proteins Accelerate Onset of Puberty and Promote Ovarian Follicular Development in Immature Female Mice. <i>Current Developments in Nutrition</i> , 2020 , 4, 1145-1145	0.4	78
152	Carbohydrate and fat intake associated with risk of metabolic diseases through epigenetics of CPT1A. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1200-1211	7	15
151	Mediterranean Diet Adherence Modulates Anthropometric Measures by TCF7L2 Genotypes among Puerto Rican Adults. <i>Journal of Nutrition</i> , 2020 , 150, 167-175	4.1	8

150	Metabolomic Links Between Sweetened Beverage Intake and Obesity (OR31-05-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
149	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. <i>JAMA Network Open</i> , 2019 , 2, e1910915	10.4	14
148	Development of a Genetic Score to Predict an Increase in HDL Cholesterol Concentration After a Dietary Intervention in Adults with Metabolic Syndrome. <i>Journal of Nutrition</i> , 2019 , 149, 1116-1121	4.1	4
147	Dietary epicatechin improves survival and delays skeletal muscle degeneration in aged mice. <i>FASEB Journal</i> , 2019 , 33, 965-977	0.9	27
146	A Genome-Wide Association Study Identifies Blood Disorder-Related Variants Influencing Hemoglobin A With Implications for Glycemic Status in U.S. Hispanics/Latinos. <i>Diabetes Care</i> , 2019 , 42, 1784-1791	14.6	6
145	Transethnic Evaluation Identifies Low-Frequency Loci Associated With 25-Hydroxyvitamin D Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1380-1392	5.6	18
144	Weight gain prevention buffers the impact of CETP rs3764261 on high density lipoprotein cholesterol in young adulthood: The Study of Novel Approaches to Weight Gain Prevention (SNAP). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 816-821	4.5	2
143	Replication of a Gene-Diet Interaction at CD36, NOS3 and PPARG in Response to Omega-3 Fatty Acid Supplements on Blood Lipids: A Double-Blind Randomized Controlled Trial. <i>EBioMedicine</i> , 2018 , 31, 150-156	8.8	14
142	Genome-Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700347	5.9	5
141	Supplementation with turmeric residue increased survival of the Chinese soft-shelled turtle (<i>Pelodiscus sinensis</i>) under high ambient temperatures. <i>Journal of Zhejiang University: Science B</i> , 2018 , 19, 245-252	4.5	4
140	Epigenomics and metabolomics reveal the mechanism of the APOA2-saturated fat intake interaction affecting obesity. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 188-200	7	29
139	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. <i>Clinical Chemistry</i> , 2018 , 64, 183-191	5.5	24
138	Environmental and epigenetic regulation of postprandial lipemia. <i>Current Opinion in Lipidology</i> , 2018 , 29, 30-35	4.4	6
137	Long-term consumption of a Mediterranean diet improves postprandial lipemia in patients with type 2 diabetes: the Cordioprev randomized trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 963-970	7.0	20
136	Anti-senescence effect and molecular mechanism of the major royal jelly proteins on human embryonic lung fibroblast (HFL-I) cell line. <i>Journal of Zhejiang University: Science B</i> , 2018 , 19, 960-972	4.5	13
135	Curcumin supplementation increases survival and lifespan in <i>Drosophila</i> under heat stress conditions. <i>BioFactors</i> , 2018 , 44, 577-587	6.1	11
134	Effect of Major Royal Jelly Proteins on Spatial Memory in Aged Rats: Metabolomics Analysis in Urine. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 3151-3159	5.7	20
133	Detection of gene-environment interactions in a family-based population using SCAD. <i>Statistics in Medicine</i> , 2017 , 36, 3547-3559	2.3	1

132	Sex Differences in Blood HDL-c, the Total Cholesterol/HDL-c Ratio, and Palmitoleic Acid are Not Associated with Variants in Common Candidate Genes. <i>Lipids</i> , 2017 , 52, 969-980	1.6	11
131	Genetic admixture and body composition in Puerto Rican adults from the Boston Puerto Rican Osteoporosis Study. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 448-455	2.9	5
130	Interaction of an S100A9 gene variant with saturated fat and carbohydrates to modulate insulin resistance in 3 populations of different ancestries. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 508-17	7	8
129	The rubber tree genome reveals new insights into rubber production and species adaptation. <i>Nature Plants</i> , 2016 , 2, 16073	11.5	209
128	Epigenome-wide association study of triglyceride postprandial responses to a high-fat dietary challenge. <i>Journal of Lipid Research</i> , 2016 , 57, 2200-2207	6.3	24
127	Associations of the MCM6-rs3754686 proxy for milk intake in Mediterranean and American populations with cardiovascular biomarkers, disease and mortality: Mendelian randomization. <i>Scientific Reports</i> , 2016 , 6, 33188	4.9	17
126	A critical role for the <i>Drosophila</i> dopamine D1-like receptor Dop1R2 at the onset of metamorphosis. <i>BMC Developmental Biology</i> , 2016 , 16, 15	3.1	13
125	The effects of omega-3 polyunsaturated fatty acids and genetic variants on methylation levels of the interleukin-6 gene promoter. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 410-9	5.9	24
124	Clock Genes Explain a Large Proportion of Phenotypic Variance in Systolic Blood Pressure and This Control Is Not Modified by Environmental Temperature. <i>American Journal of Hypertension</i> , 2016 , 29, 132-40	2.3	15
123	Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 567-78	7	21
122	Significance of Increasing n-3 PUFA Content in Pork on Human Health. <i>Critical Reviews in Food Science and Nutrition</i> , 2016 , 56, 858-70	11.5	21
121	The Omega-3 Index Is Inversely Associated with Depressive Symptoms among Individuals with Elevated Oxidative Stress Biomarkers. <i>Journal of Nutrition</i> , 2016 , 146, 758-66	4.1	23
120	Supplementation with Major Royal-Jelly Proteins Increases Lifespan, Feeding, and Fecundity in <i>Drosophila</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5803-12	5.7	36
119	Genome-wide association study of triglyceride response to a high-fat meal among participants of the NHLBI Genetics of Lipid Lowering Drugs and Diet Network (GOLDN). <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1359-71	12.7	23
118	Dihydrofolate reductase 19-bp deletion polymorphism modifies the association of folate status with memory in a cross-sectional multi-ethnic study of adults. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1279-88	7	17
117	Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1266-78	7	51
116	The association between genetic variants of RUNX2, ADIPOQ and vertebral fracture in Korean postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2015 , 33, 173-9	2.9	3
115	Genetic variants modify the effect of age on APOE methylation in the Genetics of Lipid Lowering Drugs and Diet Network study. <i>Aging Cell</i> , 2015 , 14, 49-59	9.9	29

114	Functional Genomics Analysis of Big Data Identifies Novel Peroxisome Proliferator-Activated Receptor α Target Single Nucleotide Polymorphisms Showing Association With Cardiometabolic Outcomes. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 842-51		1
113	Network Analysis Identifies NR4A2 with Gene-Environment Interactions Influencing Inflammation Biomarkers Modified by Fatty Acid Intake in Two Populations. <i>FASEB Journal</i> , 2015 , 29, 750.4	0.9	
112	PNPLA3 Variants Are Associated with Obesity and Interact with Meat and Dairy Intake in Hispanic and Non-Hispanic White Americans. <i>FASEB Journal</i> , 2015 , 29, 750.8	0.9	
111	Genome-wide association studies identified novel loci for non-high-density lipoprotein cholesterol and its postprandial lipemic response. <i>Human Genetics</i> , 2014 , 133, 919-30	6.3	8
110	Lipoprotein lipase variants interact with polyunsaturated fatty acids for obesity traits in women: replication in two populations. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1323-9	4.5	7
109	Genome-Wide Association Studies of Genetic Impact on Cardiovascular and Metabolic Diseases in Asians: Opportunity for Discovery. <i>Current Cardiovascular Risk Reports</i> , 2014 , 8, 1	0.9	2
108	Dietary modulators of statin efficacy in cardiovascular disease and cognition. <i>Molecular Aspects of Medicine</i> , 2014 , 38, 1-53	16.7	9
107	Saturated fat intake modulates the association between an obesity genetic risk score and body mass index in two US populations. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014 , 114, 1954-66	3.9	43
106	Genetic risk scores associated with baseline lipoprotein subfraction concentrations do not associate with their responses to fenofibrate. <i>Biology</i> , 2014 , 3, 536-50	4.9	1
105	CD209a expression on dendritic cells is critical for the development of pathogenic Th17 cell responses in murine schistosomiasis. <i>Journal of Immunology</i> , 2014 , 192, 4655-65	5.3	21
104	Functional SNPs are enriched for schizophrenia association signals. <i>Molecular Psychiatry</i> , 2014 , 19, 276-7	15.1	17
103	CRY1 circadian gene variant interacts with carbohydrate intake for insulin resistance in two independent populations: Mediterranean and North American. <i>Chronobiology International</i> , 2014 , 31, 660-7	3.6	39
102	Genome-wide interaction of genotype by erythrocyte n-3 fatty acids contributes to phenotypic variance of diabetes-related traits. <i>BMC Genomics</i> , 2014 , 15, 781	4.5	5
101	CardioGxE, a catalog of gene-environment interactions for cardiometabolic traits. <i>BioData Mining</i> , 2014 , 7, 21	4.3	44
100	Circulating 25-hydroxyvitamin D, IRS1 variant rs2943641, and insulin resistance: replication of a gene-nutrient interaction in 4 populations of different ancestries. <i>Clinical Chemistry</i> , 2014 , 60, 186-96	5.5	16
99	Lipoprotein lipase variants interact with polyunsaturated fatty acids to modulate obesity traits in Puerto Ricans (1037.7). <i>FASEB Journal</i> , 2014 , 28, 1037.7	0.9	
98	Curcumin and aging. <i>BioFactors</i> , 2013 , 39, 133-40	6.1	70
97	Curcumin-supplemented diets increase superoxide dismutase activity and mean lifespan in <i>Drosophila</i> . <i>Age</i> , 2013 , 35, 1133-42		68

96	Gain-of-function lipoprotein lipase variant rs13702 modulates lipid traits through disruption of a microRNA-410 seed site. <i>American Journal of Human Genetics</i> , 2013 , 92, 5-14	11	59
95	Genomic response to selection for postponed senescence in <i>Drosophila</i> . <i>Mechanisms of Ageing and Development</i> , 2013 , 134, 79-88	5.6	10
94	Effect of a GFOD2 variant on responses in total and LDL cholesterol in Mexican subjects with hypercholesterolemia after soy protein and soluble fiber supplementation. <i>Gene</i> , 2013 , 532, 211-5	3.8	10
93	Genetic analysis of 16 NMR-lipoprotein fractions in humans, the GOLDN study. <i>Lipids</i> , 2013 , 48, 155-65	1.6	29
92	Modulation by dietary fat and carbohydrate of IRS1 association with type 2 diabetes traits in two populations of different ancestries. <i>Diabetes Care</i> , 2013 , 36, 2621-7	14.6	20
91	Quantifying diet for nutrigenomic studies. <i>Annual Review of Nutrition</i> , 2013 , 33, 349-71	9.9	40
90	Genetic variants associated with VLDL, LDL and HDL particle size differ with race/ethnicity. <i>Human Genetics</i> , 2013 , 132, 405-13	6.3	27
89	Genetic variants at PSMD3 interact with dietary fat and carbohydrate to modulate insulin resistance. <i>Journal of Nutrition</i> , 2013 , 143, 354-61	4.1	12
88	Apolipoprotein A2 polymorphism interacts with intakes of dairy foods to influence body weight in 2 U.S. populations. <i>Journal of Nutrition</i> , 2013 , 143, 1865-71	4.1	22
87	Low-density lipoprotein receptor-related protein 1 variant interacts with saturated fatty acids in Puerto Ricans. <i>Obesity</i> , 2013 , 21, 602-8	8	6
86	Polyunsaturated Fatty Acids Modulate the Association between PIK3CA-KCNMB3 Genetic Variants and Insulin Resistance. <i>PLoS ONE</i> , 2013 , 8, e67394	3.7	6
85	Genome-wide contribution of genotype by environment interaction to variation of diabetes-related traits. <i>PLoS ONE</i> , 2013 , 8, e77442	3.7	31
84	Insulin receptor substrate 1 (IRS1) variants confer risk of diabetes in the Boston Puerto Rican Health Study. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2013 , 22, 150-9	1	9
83	Polyunsaturated fatty acids (PUFA) modulate association between PIK3CA-KCNMB3 variants and insulin resistance. <i>FASEB Journal</i> , 2013 , 27, 640.3	0.9	
82	Genome-wide contribution of genotype by environment interaction to blood lipid variation. <i>FASEB Journal</i> , 2013 , 27, 222.4	0.9	
81	MAT1A variants modulate the effect of dietary fatty acids on plasma homocysteine concentrations. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 362-8	4.5	13
80	Perilipin polymorphism interacts with saturated fat and carbohydrates to modulate insulin resistance. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 449-55	4.5	21
79	Adaptive genetic variation and population differences. <i>Progress in Molecular Biology and Translational Science</i> , 2012 , 108, 461-89	4	8

78	Clustering by plasma lipoprotein profile reveals two distinct subgroups with positive lipid response to fenofibrate therapy. <i>PLoS ONE</i> , 2012 , 7, e38072	3.7	26
77	Mechanism of action of recombinant acc-royalisin from royal jelly of Asian honeybee against gram-positive bacteria. <i>PLoS ONE</i> , 2012 , 7, e47194	3.7	37
76	Association between BDNF rs6265 and obesity in the Boston Puerto Rican Health Study. <i>Journal of Obesity</i> , 2012 , 2012, 102942	3.7	29
75	Status of vitamins B-12 and B-6 but not of folate, homocysteine, and the methylenetetrahydrofolate reductase C677T polymorphism are associated with impaired cognition and depression in adults. <i>Journal of Nutrition</i> , 2012 , 142, 1554-60	4.1	52
74	The effect of CYP7A1 polymorphisms on lipid responses to fenofibrate. <i>Journal of Cardiovascular Pharmacology</i> , 2012 , 59, 254-9	3.1	17
73	A genome-wide association study of inflammatory biomarker changes in response to fenofibrate treatment in the Genetics of Lipid Lowering Drug and Diet Network. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 191-7	1.9	51
72	Genome-wide association study indicates variants associated with insulin signaling and inflammation mediate lipoprotein responses to fenofibrate. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 750-7	1.9	14
71	Association of apolipoprotein A5 gene polymorphisms and serum lipid levels. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 947-56	4.5	15
70	The folate hydrolase 1561C>T polymorphism is associated with depressive symptoms in Puerto Rican adults. <i>Psychosomatic Medicine</i> , 2011 , 73, 385-92	3.7	9
69	Gene variations of nitric oxide synthase regulate the effects of a saturated fat rich meal on endothelial function. <i>Clinical Nutrition</i> , 2011 , 30, 234-8	5.9	13
68	Apolipoprotein A1/C3/A5 haplotypes and serum lipid levels. <i>Lipids in Health and Disease</i> , 2011 , 10, 140	4.4	28
67	A genome-wide survey for SNPs altering microRNA seed sites identifies functional candidates in GWAS. <i>BMC Genomics</i> , 2011 , 12, 504	4.5	69
66	Associations between genetic polymorphisms of insulin-like growth factor axis genes and risk for age-related macular degeneration 2011 , 52, 9099-107		17
65	Methylenetetrahydrofolate reductase variants associated with hypertension and cardiovascular disease interact with dietary polyunsaturated fatty acids to modulate plasma homocysteine in puerto rican adults. <i>Journal of Nutrition</i> , 2011 , 141, 654-9	4.1	24
64	A high intake of saturated fatty acids strengthens the association between the fat mass and obesity-associated gene and BMI. <i>Journal of Nutrition</i> , 2011 , 141, 2219-25	4.1	87
63	Interactions between genetic variants of folate metabolism genes and lifestyle affect plasma homocysteine concentrations in the Boston Puerto Rican population. <i>Public Health Nutrition</i> , 2011 , 14, 1805-12	3.3	14
62	The PLIN4 variant rs8887 modulates obesity related phenotypes in humans through creation of a novel miR-522 seed site. <i>PLoS ONE</i> , 2011 , 6, e17944	3.7	44
61	A Database of Gene-Environment Interactions Pertaining to Blood Lipid Traits, Cardiovascular Disease and Type 2 Diabetes. <i>Journal of Data Mining in Genomics & Proteomics</i> , 2011 , 2,		47

60	Apolipoprotein A5 and lipoprotein lipase interact to modulate anthropometric measures in Hispanics of Caribbean origin. <i>Obesity</i> , 2010 , 18, 327-32	8	15
59	Genetic variants in human CLOCK associate with total energy intake and cytokine sleep factors in overweight subjects (GOLDN population). <i>European Journal of Human Genetics</i> , 2010 , 18, 364-9	5.3	68
58	Mixed linear model approach adapted for genome-wide association studies. <i>Nature Genetics</i> , 2010 , 42, 355-60	36.3	1259
57	MAT1A variants are associated with hypertension, stroke, and markers of DNA damage and are modulated by plasma vitamin B-6 and folate. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1377-86	7	20
56	Drosophila lacks C20 and C22 PUFAs. <i>Journal of Lipid Research</i> , 2010 , 51, 2985-92	6.3	63
55	Association of vitamin B-6 status with inflammation, oxidative stress, and chronic inflammatory conditions: the Boston Puerto Rican Health Study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 337-42	7	100
54	Urinary 8-hydroxy-2-deoxyguanosine and cognitive function in Puerto Rican adults. <i>American Journal of Epidemiology</i> , 2010 , 172, 271-8	3.8	14
53	Apolipoprotein B genetic variants modify the response to fenofibrate: a GOLDN study. <i>Journal of Lipid Research</i> , 2010 , 51, 3316-23	6.3	30
52	The effect of a novel intergenic polymorphism (rs11774572) on HDL-cholesterol concentrations depends on TaqIB polymorphism in the cholesterol ester transfer protein gene. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 34-40	4.5	7
51	A composite scoring of genotypes discriminates coronary heart disease risk beyond conventional risk factors in the Boston Puerto Rican Health Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 157-64	4.5	12
50	The effects of ABCG5/G8 polymorphisms on HDL-cholesterol concentrations depend on ABCA1 genetic variants in the Boston Puerto Rican Health Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 558-66	4.5	11
49	ADAM17_i33708A>G polymorphism interacts with dietary n-6 polyunsaturated fatty acids to modulate obesity risk in the Genetics of Lipid Lowering Drugs and Diet Network study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 698-705	4.5	23
48	Variants of the CD36 gene and metabolic syndrome in Boston Puerto Rican adults. <i>Atherosclerosis</i> , 2010 , 211, 210-5	3.1	35
47	Expression of recombinant AccMRJP1 protein from royal jelly of Chinese honeybee in <i>Pichia pastoris</i> and its proliferation activity in an insect cell line. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9190-7	5.7	20
46	Adaptive genetic variation and heart disease risk. <i>Current Opinion in Lipidology</i> , 2010 , 21, 116-22	4.4	12
45	Modulation of gene expression by Tocopherol and Tocopheryl phosphate in THP-1 monocytes. <i>Free Radical Biology and Medicine</i> , 2010 , 49, 1989-2000	7.8	40
44	Genetic Mechanisms of Aging 2010 , 38-41		
43	Genetic variants at the PDZ-interacting domain of the scavenger receptor class B type I interact with diet to influence the risk of metabolic syndrome in obese men and women. <i>Journal of Nutrition</i> , 2009 , 139, 842-8	4.1	17

42	The effects of ABCG5/G8 polymorphisms on plasma HDL cholesterol concentrations depend on smoking habit in the Boston Puerto Rican Health Study. <i>Journal of Lipid Research</i> , 2009 , 50, 565-573	6.3	35
41	CLOCK genetic variation and metabolic syndrome risk: modulation by monounsaturated fatty acids. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1466-75	7	115
40	Novel variants at KCTD10, MVK, and MMAB genes interact with dietary carbohydrates to modulate HDL-cholesterol concentrations in the Genetics of Lipid Lowering Drugs and Diet Network Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 686-94	7	18
39	Polyunsaturated fatty acids modulate the effect of TCF7L2 gene variants on postprandial lipemia. <i>Journal of Nutrition</i> , 2009 , 139, 439-46	4.1	41
38	Association between glucokinase regulatory protein (GCKR) and apolipoprotein A5 (APOA5) gene polymorphisms and triacylglycerol concentrations in fasting, postprandial, and fenofibrate-treated states. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 391-9	7	47
37	Population admixture associated with disease prevalence in the Boston Puerto Rican health study. <i>Human Genetics</i> , 2009 , 125, 199-209	6.3	91
36	Disparities in allele frequencies and population differentiation for 101 disease-associated single nucleotide polymorphisms between Puerto Ricans and non-Hispanic whites. <i>BMC Genetics</i> , 2009 , 10, 45	2.6	38
35	WDT1, the ortholog of Drosophila adipose gene, associates with human obesity, modulated by MUFA intake. <i>Obesity</i> , 2009 , 17, 593-600	8	24
34	ADIPOQ polymorphisms, monounsaturated fatty acids, and obesity risk: the GOLDN study. <i>Obesity</i> , 2009 , 17, 510-7	8	67
33	APOA2, dietary fat, and body mass index: replication of a gene-diet interaction in 3 independent populations. <i>Archives of Internal Medicine</i> , 2009 , 169, 1897-906		118
32	Physical inactivity interacts with an endothelial lipase polymorphism to modulate high density lipoprotein cholesterol in the GOLDN study. <i>Atherosclerosis</i> , 2009 , 206, 500-4	3.1	29
31	Pharmacogenetic association of the APOA1/C3/A4/A5 gene cluster and lipid responses to fenofibrate: the genetics of lipid-lowering drugs and diet network study. <i>Pharmacogenetics and Genomics</i> , 2009 , 19, 161-9	1.9	40
30	Apolipoprotein C3 polymorphisms, cognitive function and diabetes in Caribbean origin Hispanics. <i>PLoS ONE</i> , 2009 , 4, e5465	3.7	15
29	Association of common C-reactive protein (CRP) gene polymorphisms with baseline plasma CRP levels and fenofibrate response: the GOLDN study. <i>Diabetes Care</i> , 2008 , 31, 910-5	14.6	39
28	The effect of IL6-174C/G polymorphism on postprandial triglyceride metabolism in the GOLDN studyboxes. <i>Journal of Lipid Research</i> , 2008 , 49, 1839-45	6.3	19
27	PPARGC1A variation associated with DNA damage, diabetes, and cardiovascular diseases: the Boston Puerto Rican Health Study. <i>Diabetes</i> , 2008 , 57, 809-16	0.9	56
26	Common missense variant in the glucokinase regulatory protein gene is associated with increased plasma triglyceride and C-reactive protein but lower fasting glucose concentrations. <i>Diabetes</i> , 2008 , 57, 3112-21	0.9	223
25	Perilipin polymorphism interacts with dietary carbohydrates to modulate anthropometric traits in hispanics of Caribbean origin. <i>Journal of Nutrition</i> , 2008 , 138, 1852-8	4.1	17

24	The SCARB1 gene is associated with lipid response to dietary and pharmacological interventions. <i>Journal of Human Genetics</i> , 2008 , 53, 709-717	4.3	27
23	The modulation of endothelial cell gene expression by green tea polyphenol-EGCG. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 1182-92	5.9	29
22	Interleukin1beta genetic polymorphisms interact with polyunsaturated fatty acids to modulate risk of the metabolic syndrome. <i>Journal of Nutrition</i> , 2007 , 137, 1846-51	4.1	50
21	Speed-mapping quantitative trait loci using microarrays. <i>Nature Methods</i> , 2007 , 4, 839-41	21.6	37
20	Candidate genes affecting Drosophila life span identified by integrating microarray gene expression analysis and QTL mapping. <i>Mechanisms of Ageing and Development</i> , 2007 , 128, 237-49	5.6	57
19	APOA5 gene variation modulates the effects of dietary fat intake on body mass index and obesity risk in the Framingham Heart Study. <i>Journal of Molecular Medicine</i> , 2007 , 85, 119-28	5.5	79
18	Lifespan modification by glucose and methionine in Drosophila melanogaster fed a chemically defined diet. <i>Age</i> , 2007 , 29, 29-39		86
17	The -256T>C polymorphism in the apolipoprotein A-II gene promoter is associated with body mass index and food intake in the genetics of lipid lowering drugs and diet network study. <i>Clinical Chemistry</i> , 2007 , 53, 1144-52	5.5	103
16	Fenofibrate effect on triglyceride and postprandial response of apolipoprotein A5 variants: the GOLDN study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 1417-25	9.4	106
15	Gene expression analysis in pregnant women and their infants identifies unique fetal biomarkers that circulate in maternal blood. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3007-19	15.9	42
14	Variants at the APOA5 locus, association with carotid atherosclerosis, and modification by obesity: the Framingham Study. <i>Journal of Lipid Research</i> , 2006 , 47, 990-6	6.3	59
13	Dietary intake of n-6 fatty acids modulates effect of apolipoprotein A5 gene on plasma fasting triglycerides, remnant lipoprotein concentrations, and lipoprotein particle size: the Framingham Heart Study. <i>Circulation</i> , 2006 , 113, 2062-70	16.7	96
12	The APOA1/C3/A4/A5 gene cluster, lipid metabolism and cardiovascular disease risk. <i>Current Opinion in Lipidology</i> , 2005 , 16, 153-66	4.4	104
11	Global gene expression analysis of the living human fetus using cell-free messenger RNA in amniotic fluid. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 836-42	27.4	52
10	Genome-wide linkage analyses and candidate gene fine mapping for HDL3 cholesterol: the Framingham Study. <i>Journal of Lipid Research</i> , 2005 , 46, 1416-25	6.3	21
9	The genetic architecture of response to long-term artificial selection for oil concentration in the maize kernel. <i>Genetics</i> , 2004 , 168, 2141-55	4	173
8	Influence of the APOA5 locus on plasma triglyceride, lipoprotein subclasses, and CVD risk in the Framingham Heart Study. <i>Journal of Lipid Research</i> , 2004 , 45, 2096-105	6.3	138
7	The APOA5 locus is a strong determinant of plasma triglyceride concentrations across ethnic groups in Singapore. <i>Journal of Lipid Research</i> , 2003 , 44, 2365-73	6.3	119

6	Expression profiling of neural cells reveals specific patterns of ethanol-responsive gene expression. <i>Molecular Pharmacology</i> , 2000 , 58, 1593-600	4.3	109
5	Linkage disequilibrium mapping of molecular polymorphisms at the scabrous locus associated with naturally occurring variation in bristle number in <i>Drosophila melanogaster</i> . <i>Genetical Research</i> , 1999 , 74, 303-11	1.1	55
4	A homologue of the 19 kDa signal recognition particle protein locus in <i>Drosophila melanogaster</i> . <i>Gene</i> , 1997 , 203, 59-63	3.8	2
3	Naturally occurring variation in bristle number and DNA polymorphisms at the scabrous locus of <i>Drosophila melanogaster</i> . <i>Science</i> , 1994 , 266, 1697-702	33.3	151
2	Mapping and characterization of P-element-induced mutations at quantitative trait loci in <i>Drosophila melanogaster</i> . <i>Genetical Research</i> , 1993 , 61, 177-93	1.1	10
1	Haplotypes of CpG-related SNPs and associations with DNA methylation patterns193-207		1