

Kin-Hing Lau

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7712179/kin-hing-lau-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

601
citations

12
h-index

24
g-index

31
ext. papers

688
ext. citations

5.5
avg, IF

3.65
L-index

#	Paper	IF	Citations
30	Unique anabolic action of stem cell gene therapy overexpressing PDGFB-DSS6 fusion protein in OVX osteoporosis mouse model. <i>Bone Reports</i> , 2020 , 12, 100236	2.6	1
29	The EphA4 Signaling is Anti-catabolic in Synoviocytes but Pro-anabolic in Articular Chondrocytes. <i>Calcified Tissue International</i> , 2020 , 107, 576-592	3.9	1
28	A Mouse Noninvasive Intraarticular Tibial Plateau Compression Loading-Induced Injury Model of Posttraumatic Osteoarthritis. <i>Calcified Tissue International</i> , 2020 , 106, 158-171	3.9	4
27	In Vivo Generation of Gut-Homing Regulatory T Cells for the Suppression of Colitis. <i>Journal of Immunology</i> , 2019 , 202, 3447-3457	5.3	10
26	Cyclooxygenase 2 augments osteoblastic but suppresses chondrocytic differentiation of CD90 skeletal stem cells in fracture sites. <i>Science Advances</i> , 2019 , 5, eaaw2108	14.3	10
25	Mechanistic study of the cause of decreased blood 1,25-Dihydroxyvitamin D in sepsis. <i>BMC Infectious Diseases</i> , 2019 , 19, 1020	4	7
24	Deficient arginase II expression without alteration in arginase I expression attenuated experimental autoimmune encephalomyelitis in mice. <i>Immunology</i> , 2018 , 155, 85-98	7.8	4
23	1,25-Dihydroxyvitamin D suppresses M1 macrophages and promotes M2 differentiation at bone injury sites. <i>JCI Insight</i> , 2018 , 3,	9.9	27
22	A novel miR17/protein tyrosine phosphatase-oc/EphA4 regulatory axis of osteoclast activity. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 650, 30-38	4.1	4
21	Dendritic cells, engineered to overexpress 25-hydroxyvitamin D 1-hydroxylase and pulsed with a myelin antigen, provide myelin-specific suppression of ongoing experimental allergic encephalomyelitis. <i>FASEB Journal</i> , 2017 , 31, 2996-3006	0.9	6
20	Effect of aging on stem cells. <i>World Journal of Experimental Medicine</i> , 2017 , 7, 1-10	0.4	85
19	Conditional Disruption of in Osteoclasts Led to Activation of Osteoclasts and Loss of Trabecular Bone In Part Through Suppression of the miR17-Mediated Downregulation of Protein-Tyrosine Phosphatase-oc in Mice. <i>JBMR Plus</i> , 2017 , 1, 73-85	3.9	6
18	Unique Regenerative Mechanism to Replace Bone Lost During Dietary Bone Depletion in Weanling Mice. <i>Endocrinology</i> , 2017 , 158, 714-729	4.8	0
17	MicroRNA223 promotes pathogenic T-cell development and autoimmune inflammation in central nervous system in mice. <i>Immunology</i> , 2016 , 148, 326-38	7.8	28
16	Bidirectional ephrin signaling in bone. <i>Osteoporosis and Sarcopenia</i> , 2016 , 2, 65-76	2.3	6
15	PDGFB-based stem cell gene therapy increases bone strength in the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E3893-900	11.5	39
14	An Osteoclastic Transmembrane Protein-Tyrosine Phosphatase Enhances Osteoclast Activity in Part by Dephosphorylating EphA4 in Osteoclasts. <i>Journal of Cellular Biochemistry</i> , 2015 , 116, 1785-96	4.7	7

13	Osteocyte-derived insulin-like growth factor I is not essential for the bone repletion response in mice. <i>PLoS ONE</i> , 2015 , 10, e0115897	3.7	8
12	Targeted 25-hydroxyvitamin D3 1 β -hydroxylase adoptive gene therapy ameliorates dss-induced colitis without causing hypercalcemia in mice. <i>Molecular Therapy</i> , 2015 , 23, 339-51	11.7	22
11	Direct lentiviral-cyclooxygenase 2 application to the tendon-bone interface promotes osteointegration and enhances return of the pull-out tensile strength of the tendon graft in a rat model of biceps tenodesis. <i>PLoS ONE</i> , 2014 , 9, e98004	3.7	6
10	EphA4 receptor is a novel negative regulator of osteoclast activity. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 804-19	6.3	25
9	Cellular and molecular mechanisms of accelerated fracture healing by COX2 gene therapy: studies in a mouse model of multiple fractures. <i>Bone</i> , 2013 , 53, 369-81	4.7	26
8	An osteoclastic protein-tyrosine phosphatase regulates the β -integrin, syk, and shp1 signaling through respective src-dependent phosphorylation in osteoclasts. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 302, C1676-86	5.4	12
7	Lentiviral-based BMP4 in vivo gene transfer strategy increases pull-out tensile strength without an improvement in the osteointegration of the tendon graft in a rat model of biceps tenodesis. <i>Journal of Gene Medicine</i> , 2011 , 13, 511-21	3.5	8
6	Marrow stromal cell-based cyclooxygenase 2 ex vivo gene-transfer strategy surprisingly lacks bone-regeneration effects and suppresses the bone-regeneration action of bone morphogenetic protein 4 in a mouse critical-sized calvarial defect model. <i>Calcified Tissue International</i> , 2009 , 85, 356-67	3.9	3
5	Role of protein-tyrosine phosphatases in regulation of osteoclastic activity. <i>Cellular and Molecular Life Sciences</i> , 2009 , 66, 1946-61	10.3	14
4	Fracture healing in mice deficient in plasminogen activator inhibitor-1. <i>Calcified Tissue International</i> , 2008 , 83, 276-84	3.9	35
3	Retroviral-based gene therapy with cyclooxygenase-2 promotes the union of bony callus tissues and accelerates fracture healing in the rat. <i>Journal of Gene Medicine</i> , 2008 , 10, 229-41	3.5	48
2	Sca-1(+) hematopoietic cell-based gene therapy with a modified FGF-2 increased endosteal/trabecular bone formation in mice. <i>Molecular Therapy</i> , 2007 , 15, 1881-9	11.7	16
1	Up-regulation of the Wnt, estrogen receptor, insulin-like growth factor-I, and bone morphogenetic protein pathways in C57BL/6J osteoblasts as opposed to C3H/HeJ osteoblasts in part contributes to the differential anabolic response to fluid shear. <i>Journal of Biological Chemistry</i> , 2006 , 281, 9576-88	5.4	133