

# Tamara D Clark

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7712227/publications.pdf>

Version: 2024-02-01

53  
papers

1,957  
citations

304368

22  
h-index

264894

42  
g-index

53  
all docs

53  
docs citations

53  
times ranked

2605  
citing authors

#	ARTICLE	IF	CITATIONS
1	HIV Testing and Treatment with the Use of a Community Health Approach in Rural Africa. <i>New England Journal of Medicine</i> , 2019, 381, 219-229.	13.9	174
2	Dihydroartemisininâ€“Piperaquine for the Prevention of Malaria in Pregnancy. <i>New England Journal of Medicine</i> , 2016, 374, 928-939.	13.9	171
3	Men â€œmissingâ€œ from population-based HIV testing: insights from qualitative research. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 67-73.	0.6	128
4	A hybrid mobile approach for population-wide HIV testing in rural east Africa: an observational study. <i>Lancet HIV</i> , 2016, 3, e111-e119.	2.1	127
5	Factors Determining the Heterogeneity of Malaria Incidence in Children in Kampala, Uganda. <i>Journal of Infectious Diseases</i> , 2008, 198, 393-400.	1.9	118
6	Uptake, engagement, and adherence to pre-exposure prophylaxis offered after population HIV testing in rural Kenya and Uganda: 72-week interim analysis of observational data from the SEARCH study. <i>Lancet HIV</i> , 2020, 7, e249-e261.	2.1	94
7	â€œHow can I tell?â€œ Consequences of HIV status disclosure among couples in eastern African communities in the context of an ongoing HIV â€œtest-and-treatâ€œ trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 59-66.	0.6	81
8	Protective Efficacy and Safety of Three Antimalarial Regimens for the Prevention of Malaria in Young Ugandan Children: A Randomized Controlled Trial. <i>PLoS Medicine</i> , 2014, 11, e1001689.	3.9	79
9	Monthly sulfadoxineâ€“pyrimethamine versus dihydroartemisininâ€“piperaquine for intermittent preventive treatment of malaria in pregnancy: a double-blind, randomised, controlled, superiority trial. <i>Lancet</i> , 2019, 393, 1428-1439.	6.3	76
10	Uptake of Community-Based HIV Testing during a Multi-Disease Health Campaign in Rural Uganda. <i>PLoS ONE</i> , 2014, 9, e84317.	1.1	61
11	High levels of retention in care with streamlined care and universal test and treat in East Africa. <i>Aids</i> , 2016, 30, 2855-2864.	1.0	61
12	High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. <i>Journal of the International AIDS Society</i> , 2017, 20, 21673.	1.2	57
13	â€œHurdles on the path to 90-90-90 and beyondâ€œ: Qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. <i>PLoS ONE</i> , 2018, 13, e0202990.	1.1	54
14	Poor Housing Construction Associated with Increased Malaria Incidence in a Cohort of Young Ugandan Children. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015, 92, 1207-1213.	0.6	51
15	Relationships between infection with <i>Plasmodium falciparum</i> during pregnancy, measures of placental malaria, and adverse birth outcomes. <i>Malaria Journal</i> , 2017, 16, 400.	0.8	45
16	Implementation and Operational Research: Cost and Efficiency of a Hybrid Mobile Multidisease Testing Approach With High HIV Testing Coverage in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, e39-e45.	0.9	43
17	Machine Learning to Identify Persons at High-Risk of Human Immunodeficiency Virus Acquisition in Rural Kenya and Uganda. <i>Clinical Infectious Diseases</i> , 2020, 71, 2326-2333.	2.9	43
18	HIV incidence after pre-exposure prophylaxis initiation among women and men at elevated HIV risk: A population-based study in rural Kenya and Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003492.	3.9	35

#	ARTICLE	IF	CITATIONS
19	Incidence of Malaria and Efficacy of Combination Antimalarial Therapies over 4 Years in an Urban Cohort of Ugandan Children. <i>PLoS ONE</i> , 2010, 5, e11759.	1.1	34
20	Factors predictive of successful retention in care among HIV-infected men in a universal test-and-treat setting in Uganda and Kenya: A mixed methods analysis. <i>PLoS ONE</i> , 2019, 14, e0210126.	1.1	34
21	Early Adopters of Human Immunodeficiency Virus Preexposure Prophylaxis in a Population-based Combination Prevention Study in Rural Kenya and Uganda. <i>Clinical Infectious Diseases</i> , 2018, 67, 1853-1860.	2.9	30
22	Pathways for reduction of HIV-related stigma: a model derived from longitudinal qualitative research in Kenya and Uganda. <i>Journal of the International AIDS Society</i> , 2020, 23, e25647.	1.2	26
23	Costs of streamlined HIV care delivery in rural Ugandan and Kenyan clinics in the SEARCH Study. <i>Aids</i> , 2018, 32, 2179-2188.	1.0	24
24	Reductions in malaria in pregnancy and adverse birth outcomes following indoor residual spraying of insecticide in Uganda. <i>Malaria Journal</i> , 2016, 15, 437.	0.8	23
25	A Patient-Centered Multicomponent Strategy for Accelerated Linkage to Care Following Community-Wide HIV Testing in Rural Uganda and Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2019, 80, 414-422.	0.9	23
26	Dimensions of HIV-related stigma in rural communities in Kenya and Uganda at the start of a large HIV "test and treat" trial. <i>PLoS ONE</i> , 2021, 16, e0249462.	1.1	22
27	Population levels and geographical distribution of HIV RNA in rural Ugandan and Kenyan communities, including serodiscordant couples: a cross-sectional analysis. <i>Lancet HIV</i> , 2017, 4, e122-e133.	2.1	21
28	Dihydroartemisinin-piperaquine for intermittent preventive treatment of malaria during pregnancy and risk of malaria in early childhood: A randomized controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002606.	3.9	21
29	Intermittent Preventive Treatment for Malaria in Pregnancy: Optimization of Target Concentrations of Dihydroartemisinin-Piperaquine. <i>Clinical Infectious Diseases</i> , 2018, 67, 1079-1088.	2.9	19
30	Artemisinin-Based Combination Therapies Are Efficacious and Safe for Treatment of Uncomplicated Malaria in HIV-Infected Ugandan Children. <i>Clinical Infectious Diseases</i> , 2014, 59, 446-453.	2.9	17
31	Evaluating the feasibility and uptake of a community-led HIV testing and multi-disease health campaign in rural Uganda. <i>Journal of the International AIDS Society</i> , 2017, 20, 21514.	1.2	17
32	Gaps in the child tuberculosis care cascade in 32 rural communities in Uganda and Kenya. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2017, 9, 24-29.	0.6	16
33	Impact of intermittent preventive treatment of malaria in pregnancy with dihydroartemisinin-piperaquine versus sulfadoxine-pyrimethamine on the incidence of malaria in infancy: a randomized controlled trial. <i>BMC Medicine</i> , 2020, 18, 207.	2.3	16
34	Predictors of isoniazid preventive therapy completion among HIV-infected patients receiving differentiated and non-differentiated HIV care in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 119-127.	0.6	12
35	Intermittent preventive treatment with dihydroartemisinin-piperaquine and risk of malaria following cessation in young Ugandan children: a double-blind, randomised, controlled trial. <i>Lancet Infectious Diseases</i> , 2019, 19, 962-972.	4.6	11
36	Expectations about future health and longevity in Kenyan and Ugandan communities receiving a universal test-and-treat intervention in the SEARCH trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 90-98.	0.6	8

#	ARTICLE	IF	CITATIONS
37	Protective Effect of Indoor Residual Spraying of Insecticide on Preterm Birth Among Pregnant Women With HIV Infection in Uganda: A Secondary Data Analysis. <i>Journal of Infectious Diseases</i> , 2017, 216, 1541-1549.	1.9	8
38	The age-specific burden and household and school-based predictors of child and adolescent tuberculosis infection in rural Uganda. <i>PLoS ONE</i> , 2020, 15, e0228102.	1.1	8
39	Piperaquine-Induced QTc Prolongation Decreases With Repeated Monthly Dihydroartemisinin-Piperaquine Dosing in Pregnant Ugandan Women. <i>Clinical Infectious Diseases</i> , 2022, 75, 406-415.	2.9	8
40	High CD4 counts associated with better economic outcomes for HIV-positive adults and their HIV-negative household members in the SEARCH Trial. <i>PLoS ONE</i> , 2018, 13, e0198912.	1.1	7
41	SEARCH Human Immunodeficiency Virus (HIV) Streamlined Treatment Intervention Reduces Mortality at a Population Level in Men With Low CD4 Counts. <i>Clinical Infectious Diseases</i> , 2021, 73, e1938-e1945.	2.9	7
42	Infant sex modifies associations between placental malaria and risk of malaria in infancy. <i>Malaria Journal</i> , 2020, 19, 449.	0.8	6
43	Anemia and Micronutrient Status during Pregnancy, and Their Associations with Obstetric and Infant Outcomes among HIV-Infected Ugandan Women Receiving Antiretroviral Therapy. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa075.	0.1	6
44	Efficacy and safety of artemether-lumefantrine for the treatment of uncomplicated malaria in the setting of three different chemopreventive regimens. <i>Malaria Journal</i> , 2015, 14, 53.	0.8	5
45	Predicting HIV Incidence in the SEARCH Trial: A Mathematical Modeling Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, 1024-1031.	0.9	5
46	Characteristics of HIV seroconverters in the setting of universal test and treat: Results from the SEARCH trial in rural Uganda and Kenya. <i>PLoS ONE</i> , 2021, 16, e0243167.	1.1	4
47	Costs of integrating hypertension care into HIV care in rural East African clinics. <i>Aids</i> , 2021, 35, 911-919.	1.0	4
48	Age-Related Changes in Malaria Clinical Phenotypes During Infancy Are Modified by Sickle Cell Trait. <i>Clinical Infectious Diseases</i> , 2021, 73, 1887-1895.	2.9	4
49	Effect of universal HIV testing and treatment on socioeconomic wellbeing in rural Kenya and Uganda: a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2022, 10, e96-e104.	2.9	4
50	Piperaquine Exposure Is Altered by Pregnancy, HIV, and Nutritional Status in Ugandan Women. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 64, .	1.4	3
51	Provider and Patient Perspectives of Rapid ART Initiation and Streamlined HIV Care: Qualitative Insights From Eastern African Communities. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021, 20, 232595822110535.	0.6	3
52	Targeted newborn metabolomics: prediction of gestational age from cord blood. <i>Journal of Perinatology</i> , 2022, 42, 181-186.	0.9	2
53	Malaria burden in a birth cohort of HIV-exposed uninfected Ugandan infants living in a high malaria transmission setting. <i>Malaria Journal</i> , 2016, 15, 500.	0.8	1