
Yue-Ming Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7712330/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ginsenoside Rg3 attenuates cisplatinâ€induced kidney injury through inhibition of apoptosis and autophagyâ€inhibited NLRP3. Journal of Biochemical and Molecular Toxicology, 2021, 35, e22896.	1.4	13
2	Calycosin ameliorates doxorubicinâ€induced cardiotoxicity by suppressing oxidative stress and inflammation via the sirtuin 1–NODâ€ike receptor protein 3 pathway. Phytotherapy Research, 2020, 34, 649-659.	2.8	59
3	XingNaoJing injection ameliorates cerebral ischaemia/reperfusion injury via SIRT1-mediated inflammatory response inhibition. Pharmaceutical Biology, 2020, 58, 16-24.	1.3	31
4	Quercetin attenuates NLRP3 inflammasome activation and apoptosis to protect INH-induced liver injury via regulating SIRT1 pathway. International Immunopharmacology, 2020, 85, 106634.	1.7	25
5	Quercetin protected against isoniazideâ€induced HepG2 cell apoptosis by activating the SIRT1/ERK pathway. Journal of Biochemical and Molecular Toxicology, 2019, 33, e22369.	1.4	25
6	XingNaoJing injections protect against cerebral ischemia/reperfusion injury and alleviate blood-brain barrier disruption in rats, through an underlying mechanism of NLRP3 inflammasomes suppression. Chinese Journal of Natural Medicines, 2019, 17, 498-505.	0.7	22
7	Salvianolic Acid B Attenuates Apoptosis of HUVEC Cells Treated with High Glucose or High Fat via Sirt1 Activation. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-11.	0.5	12
8	Salvianolic acid inhibits the effects of high glucose on vascular endothelial dysfunction by modulating the Sirt1â€eNOS pathway. Journal of Biochemical and Molecular Toxicology, 2019, 33, e22245.	1.4	6
9	Xingnaojing Injection Protects against Cerebral Ischemia Reperfusion Injury via PI3K/Akt-Mediated eNOS Phosphorylation. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-13.	0.5	25
10	Dysregulation of BSEP and MRP2 May Play an Important Role in Isoniazid-Induced Liver Injury <i>via</i> the SIRT1/FXR Pathway in Rats and HepG2 Cells. Biological and Pharmaceutical Bulletin, 2018, 41, 1211-1218.	0.6	47