

J-M Gaulier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7713119/j-m-gaulier-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

2,874
citations

30
h-index

48
g-index

227
ext. papers

3,264
ext. citations

2.3
avg, IF

4.88
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 157 | Interpretation des concentrations post-mortem de paracétamol. <i>Revue De Medecine Legale</i> , 2022, 13, 30-30 | 0.2 | 0 |
| 156 | Acute cardiovascular disorders related to aphrodisiac honey ("Jaguar power") consumption: Warning of unintentional exposure to sildenafil.. <i>Revue De Medecine Interne</i> , 2022, 43, 68-69 | 0.1 | 0 |
| 155 | Hair analysis interpretation in post-mortem situations: Key considerations and proposals to overcome main hurdles.. <i>Legal Medicine</i> , 2022, 56, 102032 | 1.9 | 0 |
| 154 | Risque fatigant de la cocaïne ? Propos d'un cas. <i>Toxicologie Analytique Et Clinique</i> , 2022, 34, 46-51 | 0.4 | 0 |
| 153 | Analytical documentation of an Arabian horse fatality related to Oenanthe crocata poisoning.. <i>Toxicon</i> , 2022, 210, 39-43 | 2.8 | 0 |
| 152 | Place des analyses toxicologiques dans l'identification et la prise en charge des abus et risques en lien avec l'usage de drogues synthétiques de la cathinone. <i>Revue Francophone Des Laboratoires</i> , 2021, 2021, 20-30 | 0 | 0 |
| 151 | Intoxication subtile par cardiotropes avec suivi en temps réel des concentrations sanguines. <i>Toxicologie Analytique Et Clinique</i> , 2021, 33, 147-147 | 0.4 | 1 |
| 150 | Involuntary 5F-ADB-related intoxication following e-cigarette use. <i>International Journal of Legal Medicine</i> , 2021, 135, 1467-1470 | 3.1 | 2 |
| 149 | Exhumation of a Methamphetamine Body-Packer: Pitfalls of Hair Result Interpretation. <i>Journal of Analytical Toxicology</i> , 2021, | 2.9 | 1 |
| 148 | Allongement du QTc après consommation de NPS : propos d'un cas. <i>Toxicologie Analytique Et Clinique</i> , 2021, 33, 153-153 | 0.4 | 0 |
| 147 | Prevalence of New Psychoactive Substances in Oral Fluid Samples from French Drivers: A Longitudinal Survey (2016-2020). <i>Journal of Analytical Toxicology</i> , 2021, 45, e20-e21 | 2.9 | 3 |
| 146 | Long-Term Analgesia following a Single Application of Fentanyl Transdermal Solution in Pigs. <i>European Surgical Research</i> , 2021, 62, 115-120 | 1.1 | 1 |
| 145 | Takotsubo cardiomyopathy as a consequence of 4-fluoroamphetamine Mono-intoxication documented by toxicological analyses. <i>Clinical Toxicology</i> , 2021, 59, 73-74 | 2.9 | 2 |
| 144 | Hair analysis can support the follow-up addiction care after acute New Psychoactive Substances intoxication: Illustration by two cases. <i>Drug Testing and Analysis</i> , 2021, 13, 227-234 | 3.5 | 5 |
| 143 | In Heroin-Related Fatalities, Testing for 6-Acetylmorphine in Vitreous Humor Seems to Be of Higher Sensitivity than in Blood or Urine. <i>Journal of Analytical Toxicology</i> , 2021, 44, e9-e10 | 2.9 | 1 |
| 142 | Putatively lethal ingestion of isopropyl alcohol-related case: interpretation of post mortem isopropyl alcohol and acetone concentrations remains challenging. <i>International Journal of Legal Medicine</i> , 2021, 135, 175-182 | 3.1 | 1 |
| 141 | Comments on "Evaluation and review of ways to differentiate sources of ethanol in post-mortem blood". <i>International Journal of Legal Medicine</i> , 2021, 135, 1477-1479 | 3.1 | 0 |

| | | | |
|-----|---|-----|----|
| 140 | Fatal intoxication related to two new arylcyclohexylamine derivatives (2F-DCK and 3-MeO-PCE). <i>Forensic Science International</i> , 2021 , 324, 110852 | 2.6 | 6 |
| 139 | Déces en lien avec la propafhone illustrant certaines difficultés d'interprétation post-mortem. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, S14-S15 | 0.4 | |
| 138 | Consommation de MDMA dans un contexte de «binge drinking» : ^ propos d'un cas non mortel. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 226-233 | 0.4 | 1 |
| 137 | Évolution temporelle (2016-2020) du nombre et de la nature des NPS identifiés dans les fluides oraux de conducteurs soumis à un contrôle au bord de la route en métropole lilloise. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, S56-S57 | 0.4 | |
| 136 | Garorock, 2 ans après : comparaison des consommations de nouveaux produits de synthèse de conducteurs «festivaliers» dans le sud-ouest en 2017 et 2019. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, S33 | 0.4 | 1 |
| 135 | Metabolite elucidation of 2-fluoro-deschloroketamine (2F-DCK) using molecular networking across three complementary in vitro and in vivo models. <i>Drug Testing and Analysis</i> , 2021 , | 3.5 | 1 |
| 134 | Interprétation des cyanures dans le sang post-mortem : ^ propos d'un cas. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, S17-S18 | 0.4 | |
| 133 | Intérêt des dried blood spots pour stabiliser des analytes in vitro : exemple du phosphatidyléthanol 16:0/18:1. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, S27 | 0.4 | |
| 132 | Testing for SGT-151 (CUMYL-PEGACLONE) and its Metabolites in Blood and Urine after Surreptitious Administration. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 75-80 | 2.9 | 5 |
| 131 | Human Poisoning from Poisonous Higher Fungi: Focus on Analytical Toxicology and Case Reports in Forensic Toxicology. <i>Pharmaceuticals</i> , 2020 , 13, | 5.2 | 2 |
| 130 | Pitfalls of toxicological investigations in hair, bones, and nails in extensively decomposed bodies: illustration with two cases. <i>International Journal of Legal Medicine</i> , 2020 , 134, 1339-1344 | 3.1 | 13 |
| 129 | Management of pharmaceutical and recreational drug poisoning. <i>Annals of Intensive Care</i> , 2020 , 10, 157 | 8.9 | 15 |
| 128 | Interpretation of the toxicological findings in a probably Energy drink intake-related fatality. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 223-227 | 0.4 | |
| 127 | Substance abuse among children. <i>Archives De Pédiatrie</i> , 2020 , 27, 480-484 | 1.8 | 3 |
| 126 | Usage détourné de la prégabaline : ^ propos de trois cas de décès en région marseillaise. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, S33-S34 | 0.4 | 0 |
| 125 | Mad honey of Nepalese origin-related grayanotoxin intoxication. <i>Toxicon</i> , 2020 , 184, 202-203 | 2.8 | 3 |
| 124 | Accréditation du criblage toxicologique : recommandations du groupe SFBC ISFTA. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 12-17 | 0.4 | 1 |
| 123 | Identification and analytical characterization of seven NPS, by combination of H NMR spectroscopy, GC-MS and UPLC-MS/MS, to resolve a complex toxicological fatal case. <i>Forensic Science International</i> , 2019 , 298, 140-148 | 2.6 | 24 |

| | | | |
|-----|---|-----|----|
| 122 | New psychoactive substances in oral fluid of drivers around a music festival in south-west France in 2017. <i>Forensic Science International</i> , 2019, 297, 265-269 | 2.6 | 14 |
| 121 | Détection de la designer benzodiazepine flunitrazolam in urine and preliminary data on its metabolism. <i>Drug Testing and Analysis</i> , 2019, 11, 223-229 | 3.5 | 16 |
| 120 | Détection par rupture d'un sachet de cocaïne situé au niveau gastrique. <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, 189-193 | 0.4 | |
| 119 | Benzoylfentanyl and parafluorobutyrfentanyl: Some analytical and metabolism data. <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, 258-267 | 0.4 | 2 |
| 118 | Case report of a drug-related death following the use of cathinone derivatives (MPHP and 4-MEAP). <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, S43 | 0.4 | 1 |
| 117 | Recommandations de la SFTA pour la réalisation des analyses toxicologiques dans les cas de décès impliquant des NPS (version 2019). <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, 337-339 | 0.4 | 3 |
| 116 | MDMA-related deaths: About 3 cases. <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, S38 | 0.4 | |
| 115 | Données cliniques et analytiques d'une intoxication involontaire par un cannabinoïde de synthèse (5F-ADB, ou 5F-MDMB-PINACA) présent dans un e-liquide. <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, S50 | 0.4 | |
| 114 | A case report of carfentanil-related fatality in France. <i>Toxicologie Analytique Et Clinique</i> , 2019, 31, 323-331 | 1.4 | 11 |
| 113 | Prevalence of New Psychoactive Substances in Oral Fluid Specimens from French and Belgian Drivers: Comparison 2016/2017. <i>Journal of Analytical Toxicology</i> , 2019, 43, e9-e10 | 2.9 | 7 |
| 112 | Case report: relevance of metabolite identification to detect new synthetic opioid intoxications illustrated by U-47700. <i>International Journal of Legal Medicine</i> , 2019, 133, 133-142 | 3.1 | 26 |
| 111 | Lead: a hidden "untested" risk in neonatal blood transfusion. <i>Pediatric Research</i> , 2019, 85, 50-54 | 3.2 | 2 |
| 110 | Characterization of Flunitrazolam, a New Designer Benzodiazepine, in Oral Fluid After a Controlled Single Administration. <i>Journal of Analytical Toxicology</i> , 2018, 42, e58-e60 | 2.9 | 8 |
| 109 | New psychoactive substances in oral fluid of French and Belgian drivers in 2016. <i>International Journal of Drug Policy</i> , 2018, 57, 1-3 | 5.5 | 12 |
| 108 | Prevalence of new psychoactive substances and prescription drugs in the Belgian driving under the influence of drugs population. <i>Drug Testing and Analysis</i> , 2018, 10, 539-547 | 3.5 | 34 |
| 107 | Fatality involving fentanyl documented by identification of metabolites. <i>Drug Testing and Analysis</i> , 2018, 10, 995-1000 | 3.5 | 25 |
| 106 | Matrice osseuse en toxicologie médico-légale : propos d'un cas. <i>Toxicologie Analytique Et Clinique</i> , 2018, 30, S17 | 0.4 | |
| 105 | Importance de la recherche des métabolites des NPS, en particulier pour les NOSs : cas du U-47700. <i>Toxicologie Analytique Et Clinique</i> , 2018, 30, S32 | 0.4 | |

| | | | |
|-----|--|-----|----|
| 104 | Cardiomyopathie de Takotsubo chez un consommateur régulier de 4-fluoroamphétamine. <i>Toxicologie Analytique Et Clinique</i> , 2018, 30, S49 | 0.4 | |
| 103 | Concentrations post mortem de baclofène: présentation d'un cas et étude de la littérature. <i>Toxicologie Analytique Et Clinique</i> , 2018, 30, 136-141 | 0.4 | 2 |
| 102 | The comeback of Ecstasy: New designs and increased MDMA content. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, 144-145 | 0.4 | 2 |
| 101 | New psychoactive substances in a drugged driving population: Preliminary results. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, 41-46 | 0.4 | 2 |
| 100 | Unusual Case of Drug-Facilitated Sexual Assault using Chloroform. <i>Journal of Analytical Toxicology</i> , 2017, 41, 256-257 | 2.9 | 4 |
| 99 | Case reports: Four concomitant non-fatal intoxications with AB-FUBINACA and MDMA. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, 101-110 | 0.4 | 6 |
| 98 | CHEMSEX, NPS & risk reduction management: Preliminary results of a pilot study. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, 47-56 | 0.4 | 11 |
| 97 | Consommation de substances psychoactives pendant les «Feria» du Sud-Ouest: peut-on avancer sur la connaissance des substances en cause?. <i>Thérapie</i> , 2017, 72, 152-153 | 3.8 | 2 |
| 96 | Retrospective identification of 25I-NBOMe metabolites in an intoxication case. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, 71-81 | 0.4 | 5 |
| 95 | A Rare Case of Poisoning with a Volatile Substance: Quantitative Determination of n-Butane in Postmortem Tissue. <i>Journal of Forensic Sciences</i> , 2017, 62, 549-552 | 1.8 | 1 |
| 94 | LSD Detection and Interpretation in Hair. <i>Current Pharmaceutical Design</i> , 2017, 23, 5496-5501 | 3.3 | 2 |
| 93 | Trois laboratoires pour une substance. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, S40-S41 | 0.4 | |
| 92 | La soumission chimique dans le Nord-Pas-de-Calais: état des lieux des cas de 2011 ^ 2015. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, S54 | 0.4 | |
| 91 | Analyse qualitative de nouveaux produits de synthèse (NPS) vendus sur Internet. <i>Toxicologie Analytique Et Clinique</i> , 2017, 29, S22-S23 | 0.4 | |
| 90 | Detection of the designer benzodiazepine metizolam in urine and preliminary data on its metabolism. <i>Drug Testing and Analysis</i> , 2017, 9, 1026-1033 | 3.5 | 29 |
| 89 | In vitro Characterization of NPS Metabolites Produced by Human Liver Microsomes and the HepaRG Cell Line Using Liquid Chromatographyhigh Resolution Mass Spectrometry (LC-HRMS) Analysis: Application to Furanyl Fentanyl. <i>Current Pharmaceutical Biotechnology</i> , 2017, 18, 806-814 | 2.6 | 22 |
| 88 | QuEChERS sample preparation prior to LC-MS/MS determination of opiates, amphetamines, and cocaine metabolites in whole blood. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1467-74 | 4.4 | 34 |
| 87 | Sudden death following accidental ingestion of a button battery by a 17-month-old child: a case study. <i>International Journal of Legal Medicine</i> , 2016, 130, 1291-7 | 3.1 | 9 |

| | | |
|----|--|--------|
| 86 | Cannabis : les nouveaux défis du biologiste. <i>Revue Francophone Des Laboratoires</i> , 2016 , 2016, 43-50 | 0 |
| 85 | Intoxication fatale par ingestion d'un herbicide, le diméthamide-P. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 90-99 | 0.4 |
| 84 | Is it worth carrying out determination of N-butane in postmortem samples? A case report and a comprehensive review of the literature. <i>International Journal of Legal Medicine</i> , 2016 , 130, 1223-9 | 3.1 10 |
| 83 | Testing for Drugs in Exhaled Breath Collected With ExaBreath in a Drug Dependence Population: Comparison With Data Obtained in Urine After Liquid Chromatographic-Tandem Mass Spectrometric Analyses. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 135-9 | 3.2 17 |
| 82 | Intoxication grave au cannabis par ingestion accidentelle chez un nourrisson de 16 mois. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 129-133 | 0.4 1 |
| 81 | Testing for methadone and EDDP in exhaled breath collected with ExaBreath® : Comparison with oral fluid and urine. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 176-179 | 0.4 2 |
| 80 | Détermination quantitative d'her et de chloroforme dans les tissus prélevés lors d'autopsie : propos de deux cas de suicide par asphyxie avec un sac plastique. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 105-109 | 0.4 2 |
| 79 | Une colle pour revêtement de sol ramenée à la maison ou quand le détournement d'un produit professionnel devient fatal pour un enfant. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 8-13 | 0.4 |
| 78 | Déf et dispositifs transdermiques au fentanyl: 9 cas et revue de la littérature. <i>Revue De Médecine Légale</i> , 2015 , 6, 60-69 | 0.2 0 |
| 77 | Identification and quantification of 35 psychotropic drugs and metabolites in hair by LC-MS/MS: application in forensic toxicology. <i>International Journal of Legal Medicine</i> , 2015 , 129, 259-68 | 3.1 23 |
| 76 | Des difficultés à chaque étape d'un dossier de soumission chimique : propos d'un cas d'agression sexuelle sous lorazepam. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 110-116 | 0.4 1 |
| 75 | Case report of ivabradine intoxication. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 231-2 | 2.9 11 |
| 74 | Drugs Involved in Drug-Facilitated Crimes (DFC) 2014 , 181-222 | 9 |
| 73 | Unusual pattern in hair after prazepam exposure. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, 24-26 | 0.4 3 |
| 72 | Conflicting hair testing results can have an impact in courts: interpretation of single exposure to zolpidem. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 304-5 | 2.9 12 |
| 71 | Simultaneous determination of 9-tetrahydrocannabinol, cannabidiol, cannabinol and 11-nor-9-tetrahydrocannabinol-9-carboxylic acid in hair using liquid chromatography-tandem mass spectrometry. <i>Forensic Science International</i> , 2014 , 236, 151-6 | 2.6 34 |
| 70 | O21: Testing for 18 synthetic cannabinoids in hair using HPLC-MS/MS: Method development and validation, its application to authentic samples and preliminary results. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, S13 | 0.4 12 |
| 69 | Analytical findings of an acute intoxication after inhalation of methoxetamine. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 410-5 | 2.9 30 |

| | | | |
|----|---|-----|----|
| 68 | Development and validation of a single LC-MS/MS assay following SPE for simultaneous hair analysis of amphetamines, opiates, cocaine and metabolites. <i>Forensic Science International</i> , 2014 , 234, 132-8 | 2.6 | 60 |
| 67 | Fatal anoxia due to rachacha consumption: Two cases reported. <i>Forensic Science International</i> , 2014 , 245, e1-5 | 2.6 | 52 |
| 66 | Improved liquid chromatography-tandem mass spectrometric method for the determination of ethyl glucuronide concentrations in hair: applications to forensic cases. <i>International Journal of Legal Medicine</i> , 2014 , 128, 53-8 | 3.1 | 11 |
| 65 | Empoisonnement à l'Aldicarbe : symptomatologie des intoxications aux inhibiteurs de l'Acetylcholinestérase de type carbamate. <i>Annales Francaises De Medecine D'Urgence</i> , 2013 , 3, 31-34 | 0.2 | 1 |
| 64 | Urinary determination of 2-isopropyl-4-methyl-6-hydroxypyrimidine in case of non fatal poisoning with diazinon. <i>Forensic Science International</i> , 2013 , 228, e20-4 | 2.6 | 3 |
| 63 | Determination of glyphosate and AMPA in blood and urine from humans: about 13 cases of acute intoxication. <i>Forensic Science International</i> , 2013 , 226, e20-5 | 2.6 | 76 |
| 62 | Involvement of UDP-glucuronosyltransferases UGT1A9 and UGT2B7 in ethanol glucuronidation, and interactions with common drugs of abuse. <i>Drug Metabolism and Disposition</i> , 2013 , 41, 568-74 | 4 | 58 |
| 61 | Mise en évidence de prazepam dans du sang post-mortem après intoxication par le paracétamol, le dextropropoxyphène et le prazepam. <i>Toxicologie Analytique Et Clinique</i> , 2013 , 25, 75-78 | 0.4 | 2 |
| 60 | Undiagnosed, untreated acute promyelocytic leukemia presenting as a suspicious sudden death. <i>Journal of Forensic Sciences</i> , 2012 , 57, 829-31 | 1.8 | 3 |
| 59 | Fatal overdose after ingestion of a transdermal fentanyl patch in two non-human primates. <i>Veterinary Anaesthesia and Analgesia</i> , 2012 , 39, 653-6 | 1.3 | 13 |
| 58 | Simultaneous determination of five synthetic pyrethroid metabolites in urine by liquid chromatography-tandem mass spectrometry: application to 39 persons without known exposure to pyrethroids. <i>Toxicology Letters</i> , 2012 , 210, 248-53 | 4.4 | 40 |
| 57 | On-line liquid chromatography/tandem mass spectrometry simultaneous determination of opiates, cocaine and amphetamines in dried blood spots. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 885-886, 1-7 | 3.2 | 57 |
| 56 | Suicidal sodium azide intoxication: An analytical challenge based on a rare case. <i>Forensic Science International</i> , 2012 , 221, e17-20 | 2.6 | 10 |
| 55 | LSD in pubic hair in a fatality. <i>Forensic Science International</i> , 2012 , 218, 25-7 | 2.6 | 11 |
| 54 | Intoxications par l'ézide de sodium : propos de 2 cas. <i>Toxicologie Analytique Et Clinique</i> , 2012 , 24, 17-22 | 0.4 | 3 |
| 53 | Surprising hair analysis results following acute carbofuran intoxication. <i>Forensic Science International</i> , 2011 , 212, e10-4 | 2.6 | 4 |
| 52 | Isopropyl alcohol concentrations in postmortem tissues to document fatal intoxication. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 254-5 | 2.9 | 4 |
| 51 | Acute toxic herbal intake in a suicide attempt and fatal refractory ventricular arrhythmia. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2010 , 107, 698-9 | 3.1 | 16 |

| | | | |
|----|---|-----|----|
| 50 | Contribution of the different UDP-glucuronosyltransferase (UGT) isoforms to buprenorphine and norbuprenorphine metabolism and relationship with the main UGT polymorphisms in a bank of human liver microsomes. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 40-5 | 4 | 75 |
| 49 | Screening of pesticides in blood with liquid chromatography-linear ion trap mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 2235-49 | 4.4 | 35 |
| 48 | Buprenorphine-related deaths: unusual forensic situations. <i>International Journal of Legal Medicine</i> , 2010 , 124, 647-51 | 3.1 | 19 |
| 47 | General unknown screening procedure for the characterization of human drug metabolites in forensic toxicology: applications and constraints. <i>Journal of Separation Science</i> , 2009 , 32, 3074-83 | 3.4 | 40 |
| 46 | Chemical submission: results of 4-year French inquiry. <i>International Journal of Legal Medicine</i> , 2009 , 123, 213-9 | 3.1 | 42 |
| 45 | Determination of ethyl-glucuronide in hair for heavy drinking detection using liquid chromatography-tandem mass spectrometry following solid-phase extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 394, 1895-901 | 4.4 | 39 |
| 44 | Pitfalls and prevention strategies for liquid chromatography-tandem mass spectrometry in the selected reaction-monitoring mode for drug analysis. <i>Clinical Chemistry</i> , 2008 , 54, 1519-27 | 5.5 | 91 |
| 43 | Hair analysis to document non-fatal pesticide intoxication cases. <i>Forensic Science International</i> , 2008 , 176, 72-5 | 2.6 | 13 |
| 42 | Quality of antiepileptic drugs in Vietnam. <i>Epilepsy Research</i> , 2008 , 80, 77-82 | 3 | 10 |
| 41 | Identification of acepromazine in hair: an illustration of the difficulties encountered in investigating drug-facilitated crimes. <i>Journal of Forensic Sciences</i> , 2008 , 53, 755-9 | 1.8 | 20 |
| 40 | Lethal paradoxical cerebral vein thrombosis due to suspicious anticoagulant rodenticide intoxication with chlorophacinone. <i>Forensic Science International</i> , 2007 , 166, 85-90 | 2.6 | 17 |
| 39 | Availability and costs of antiepileptic drugs and quality of phenobarbital in Vientiane municipality, Lao PDR. <i>Neuroepidemiology</i> , 2007 , 28, 169-74 | 5.4 | 24 |
| 38 | Voriconazole concentrations in synovial fluid and bone tissues. <i>Journal of Antimicrobial Chemotherapy</i> , 2007 , 59, 818-9 | 5.1 | 33 |
| 37 | Multi-center evaluation of analytical performance of the microparticle enzyme immunoassay for sirolimus. <i>Clinical Biochemistry</i> , 2006 , 39, 378-86 | 3.5 | 31 |
| 36 | TRAITEMENT DES DEMANDES DE DOSAGES DE PESTICIDES DANS LES MILIEUX BIOLOGIQUES : QUELQUES PROBLÈMES FRÉQUEMMENT RENCONTRÉS. <i>Acta Clinica Belgica</i> , 2006 , 61, 69-74 | 1.8 | 28 |
| 35 | Albumin dialysis: a new therapeutic alternative for severe diltiazem intoxication. <i>Clinical Toxicology</i> , 2006 , 44, 195-6 | 2.9 | 22 |
| 34 | Liquid chromatography-tandem mass spectrometry for detection of low concentrations of 21 benzodiazepines, metabolites, and analogs in urine: method with forensic applications. <i>Clinical Chemistry</i> , 2006 , 52, 1346-55 | 5.5 | 56 |
| 33 | Insecticides. <i>EMC - Biologie Médicale</i> , 2006 , 1, 1-3 | | |

| | | | |
|----|---|------|-----|
| 32 | A fully automated turbulent-flow liquid chromatography-tandem mass spectrometry technique for monitoring antidepressants in human serum. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 123-30 | 3.2 | 94 |
| 31 | Use of drugs of abuse in less than 30-year-old drivers killed in a road crash in France: a spectacular increase for cannabis, cocaine and amphetamines. <i>Forensic Science International</i> , 2006 , 160, 168-72 | 2.6 | 68 |
| 30 | Post-mortem redistribution of three beta-blockers in the rabbit. <i>International Journal of Legal Medicine</i> , 2006 , 120, 226-32 | 3.1 | 27 |
| 29 | Major discrepancy between digoxin immunoassay results in a context of acute overdose: a case report. <i>Clinica Chimica Acta</i> , 2005 , 354, 201-3 | 6.2 | 4 |
| 28 | Quality of phenobarbital solid-dosage forms in the urban community of Nouakchott (Mauritania). <i>Epilepsia</i> , 2005 , 46, 1293-6 | 6.4 | 31 |
| 27 | Identification and quantitation of six non-depolarizing neuromuscular blocking agents by LC-MS in biological fluids. <i>Journal of Analytical Toxicology</i> , 2004 , 28, 105-10 | 2.9 | 24 |
| 26 | Determination of three beta-blockers in biofluids and solid tissues by liquid chromatography-electrospray-mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2004 , 28, 674-9 | 2.9 | 22 |
| 25 | Pharmacokinetics of voriconazole in the cerebrospinal fluid of an immunocompromised patient with a brain abscess due to Aspergillus fumigatus. <i>Clinical Infectious Diseases</i> , 2004 , 39, 603-4 | 11.6 | 15 |
| 24 | Ingestion of high-dose buprenorphine by a 4 year-old child. <i>Journal of Toxicology: Clinical Toxicology</i> , 2004 , 42, 993-5 | | 11 |
| 23 | Comparison of the prevalence of alcohol, cannabis and other drugs between 900 injured drivers and 900 control subjects: results of a French collaborative study. <i>Forensic Science International</i> , 2003 , 133, 79-85 | 2.6 | 218 |
| 22 | Effect of fenfluramine on caloric intake and macronutrient selection in Lou/c rats during aging. <i>Neurobiology of Aging</i> , 2003 , 24, 67-76 | 5.6 | 27 |
| 21 | Mechanisms underlying postmortem redistribution of drugs: a review. <i>Journal of Analytical Toxicology</i> , 2003 , 27, 533-44 | 2.9 | 199 |
| 20 | Analytical Aspects of Volatile Substance Abuse (VSA). <i>Journal of Forensic Sciences</i> , 2003 , 48, 2002376 | 1.8 | 11 |
| 19 | Analytical aspects of volatile substance abuse (VSA). <i>Journal of Forensic Sciences</i> , 2003 , 48, 880-2 | 1.8 | 3 |
| 18 | Impact of ageing on the antinociceptive effect of reference analgesics in the Lou/c rat. <i>British Journal of Pharmacology</i> , 2002 , 137, 813-20 | 8.6 | 28 |
| 17 | Nouvelles drogues de « rave-parties » : ketamine et prolintane. <i>Acta Clinica Belgica</i> , 2002 , 57 Suppl 1, 41-6 | 1.8 | 4 |
| 16 | Multiresidue determination method for organophosphorus pesticides in serum and whole blood by gas chromatography-mass-selective detection. <i>Biomedical Applications</i> , 2001 , 759, 109-16 | | 30 |
| 15 | Sensitive and specific multiresidue methods for the determination of pesticides of various classes in clinical and forensic toxicology. <i>Forensic Science International</i> , 2001 , 121, 116-25 | 2.6 | 62 |

| | | | |
|----|--|-----|----|
| 14 | Heptaminol Interferes in the AxSYM FPIA Amphetamine/Methamphetamine II Assay. <i>Clinical Chemistry</i> , 2001 , 47, 1499-1500 | 5.5 | 3 |
| 13 | Fatal Intoxications with Chloral Hydrate. <i>Journal of Forensic Sciences</i> , 2001 , 46, 15181J | 1.8 | 3 |
| 12 | Mécanismes de la redistribution post-mortem des xénoxytiques : le point sur l'état actuel des connaissances. <i>Toxicologie Analytique Et Clinique</i> , 2001 , 13, 1-17 | 0.4 | 7 |
| 11 | High-performance liquid chromatographic determination of tianeptine in plasma applied to pharmacokinetic studies. <i>Biomedical Applications</i> , 2000 , 748, 407-14 | 13 | |
| 10 | Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography-electrospray mass spectrometry. <i>Biomedical Applications</i> , 2000 , 738, 281-91 | 82 | |
| 9 | Methods for the determination of seven selective serotonin reuptake inhibitors and three active metabolites in human serum using high-performance liquid chromatography and gas chromatography. <i>Biomedical Applications</i> , 2000 , 742, 229-38 | 104 | |
| 8 | A Non-fatal Case of Intoxication with Foxglove, Documented by Means of Liquid Chromatography-Electrospray-Mass Spectrometry. <i>Journal of Forensic Sciences</i> , 2000 , 45, 14845J | 1.8 | 30 |
| 7 | Exploration analytique des intoxications par les pesticides. <i>Toxicologie Analytique Et Clinique</i> , 2000 , 12, 315-324 | 0.4 | 2 |
| 6 | Sensitive and specific determination of midazolam and 1-hydroxymidazolam in human serum by liquid chromatography-electrospray mass spectrometry. <i>Biomedical Applications</i> , 1999 , 734, 137-44 | 23 | |
| 5 | Sensitive determination of irinotecan (CPT-11) and its active metabolite SN-38 in human serum using liquid chromatography-electrospray mass spectrometry. <i>Biomedical Applications</i> , 1999 , 736, 175-84 | 42 | |
| 4 | Combined liver-kidney transplantation in primary hyperoxaluria type 1. <i>European Journal of Pediatrics</i> , 1999 , 158 Suppl 2, S75-80 | 4.1 | 50 |
| 3 | Evaluation of a bayesian pharmacokinetic program for phenytoin concentration predictions in outpatient population. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 1998 , 23, 295-300 | 2.7 | 3 |
| 2 | Predictions of carbamazepine concentrations using a Bayesian program (PKS System, Abbott): a retrospective evaluation in an outpatient population. <i>Journal of Pharmacy and Pharmacology</i> , 1997 , 49, 734-6 | 4.8 | 10 |
| 1 | Serum oxalate microassay using chemiluminescence detection. <i>Kidney International</i> , 1997 , 52, 1700-3 | 9.9 | 10 |