## Nina C Weber

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7713332/nina-c-weber-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 1,862 4.7 4.38 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
67	Class effects of SGLT2 inhibitors in mouse cardiomyocytes and hearts: inhibition of Na/H exchanger, lowering of cytosolic Na and vasodilation. <i>Diabetologia</i> , <b>2018</b> , 61, 722-726	10.3	241
66	The noble gas xenon induces pharmacological preconditioning in the rat heart in vivo via induction of PKC-epsilon and p38 MAPK. <i>British Journal of Pharmacology</i> , <b>2005</b> , 144, 123-32	8.6	118
65	Direct Cardiac Actions of Sodium Glucose Cotransporter 2 Inhibitors Target Pathogenic Mechanisms Underlying Heart Failure in Diabetic Patients. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 1575	4.6	76
64	Helium-induced preconditioning in young and old rat heart: impact of mitochondrial Ca(2+) -sensitive potassium channel activation. <i>Anesthesiology</i> , <b>2008</b> , 109, 830-6	4.3	71
63	Empagliflozin and Dapagliflozin Reduce ROS Generation and Restore NO Bioavailability in Tumor Necrosis Factor Estimulated Human Coronary Arterial Endothelial Cells. <i>Cellular Physiology and</i> Biochemistry, <b>2019</b> , 53, 865-886	3.9	69
62	Impact of preconditioning protocol on anesthetic-induced cardioprotection in patients having coronary artery bypass surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2009</b> , 137, 1436-42, 144	2.e1-2	60
61	Delayed ischaemic contracture onset by empagliflozin associates with NHE1 inhibition and is dependent on insulin in isolated mouse hearts. <i>Cardiovascular Research</i> , <b>2019</b> , 115, 1533-1545	9.9	48
60	Nlrp3 plays no role in acute cardiac infarction due to low cardiac expression. <i>International Journal of Cardiology</i> , <b>2014</b> , 177, 41-3	3.2	42
59	Cellular effects of helium in different organs. <i>Anesthesiology</i> , <b>2010</b> , 112, 1503-10	4.3	38
58	Xenon induces late cardiac preconditioning in vivo: a role for cyclooxygenase 2?. <i>Anesthesia and Analgesia</i> , <b>2008</b> , 107, 1807-13	3.9	37
57	Hydrogen sulfide donor NaHS reduces organ injury in a rat model of pneumococcal pneumosepsis, associated with improved bio-energetic status. <i>PLoS ONE</i> , <b>2013</b> , 8, e63497	3.7	35
56	Age-related loss of cardiac preconditioning: impact of protein kinase A. <i>Experimental Gerontology</i> , <b>2012</b> , 47, 116-21	4.5	33
55	Sevoflurane-induced preconditioning: impact of protocol and aprotinin administration on infarct size and endothelial nitric-oxide synthase phosphorylation in the rat heart in vivo. <i>Anesthesiology</i> , <b>2010</b> , 113, 1289-98	4.3	33
54	Hypoxia-inducible factor 1 and related gene products in anaesthetic-induced preconditioning. <i>European Journal of Anaesthesiology</i> , <b>2009</b> , 26, 201-6	2.3	30
53	Helium-induced cardioprotection of healthy and hypertensive rat myocardium in vivo. <i>European Journal of Pharmacology</i> , <b>2012</b> , 684, 125-31	5.3	27
52	Effect of Xenon Anesthesia Compared to Sevoflurane and Total Intravenous Anesthesia for Coronary Artery Bypass Graft Surgery on Postoperative Cardiac Troponin Release: An International, Multicenter, Phase 3, Single-blinded, Randomized Noninferiority Trial. <i>Anesthesiology</i> , <b>2017</b> , 127, 918-9	4.3 <b>33</b>	27
51	Intermitted pharmacologic pretreatment by xenon, isoflurane, nitrous oxide, and the opioid morphine prevents tumor necrosis factor alpha-induced adhesion molecule expression in human umbilical vein endothelial cells. <i>Anesthesiology</i> , <b>2008</b> , 108, 199-207	4.3	24

50	Helium induces preconditioning in human endothelium in vivo. <i>Anesthesiology</i> , <b>2013</b> , 118, 95-104	4.3	23
49	Postconditioning by xenon and hypothermia in the rat heart in vivo. <i>European Journal of Anaesthesiology</i> , <b>2010</b> , 27, 734-9	2.3	21
48	Plasma from human volunteers subjected to remote ischemic preconditioning protects human endothelial cells from hypoxia-induced cell damage. <i>Basic Research in Cardiology</i> , <b>2015</b> , 110, 17	11.8	20
47	Noble gases as cardioprotectants - translatability and mechanism. <i>British Journal of Pharmacology</i> , <b>2015</b> , 172, 2062-73	8.6	20
46	Morphine induces preconditioning via activation of mitochondrial K(Ca) channels. <i>Canadian Journal of Anaesthesia</i> , <b>2010</b> , 57, 767-73	3	19
45	The regulation of mitochondrial respiration by opening of mKCa channels is age-dependent. <i>European Journal of Pharmacology</i> , <b>2008</b> , 578, 108-13	5.3	16
44	Novel Anti-inflammatory Effects of Canagliflozin Involving Hexokinase II in Lipopolysaccharide-Stimulated Human Coronary Artery Endothelial Cells. <i>Cardiovascular Drugs and Therapy</i> , <b>2021</b> , 35, 1083-1094	3.9	16
43	Effect of remote ischemic conditioning on atrial fibrillation and outcome after coronary artery bypass grafting (RICO-trial). <i>BMC Anesthesiology</i> , <b>2011</b> , 11, 11	2.4	15
42	Hypoxia induces late preconditioning in the rat heart in vivo. <i>Anesthesiology</i> , <b>2010</b> , 113, 1351-60	4.3	15
41	Helium postconditioning regulates expression of caveolin-1 and -3 and induces RISK pathway activation after ischaemia/reperfusion in cardiac tissue of rats. <i>European Journal of Pharmacology</i> , <b>2016</b> , 791, 718-725	5.3	13
40	Reducing mitochondrial bound hexokinase II mediates transition from non-injurious into injurious ischemia/reperfusion of the intact heart. <i>Journal of Physiology and Biochemistry</i> , <b>2016</b> , 73, 323-333	5	13
39	Reduction of cardiac cell death after helium postconditioning in rats: transcriptional analysis of cell death and survival pathways. <i>Molecular Medicine</i> , <b>2015</b> , 20, 516-26	6.2	13
38	The effect of standard chow and reduced hexokinase II on growth, cardiac and skeletal muscle hexokinase and low-flow cardiac ischaemia-reperfusion injury. <i>Laboratory Animals</i> , <b>2011</b> , 45, 160-6	2.6	13
37	Blockade of anaesthetic-induced preconditioning in the hyperglycaemic myocardium: the regulation of different mitogen-activated protein kinases. <i>European Journal of Pharmacology</i> , <b>2008</b> , 592, 48-54	5.3	13
36	Empagliflozin Decreases Lactate Generation in an NHE-1 Dependent Fashion and Increases EKetoglutarate Synthesis From Palmitate in Type II Diabetic Mouse Hearts. <i>Frontiers in Cardiovascular Medicine</i> , <b>2020</b> , 7, 592233	5.4	12
35	Remote Ischemic Preconditioning Does Not Affect the Release of Humoral Factors in Propofol-Anesthetized Cardiac Surgery Patients: A Secondary Analysis of the RIPHeart Study. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	11
34	Sodium Glucose Co-Transporter 2 Inhibitors Ameliorate Endothelium Barrier Dysfunction Induced by Cyclic Stretch through Inhibition of Reactive Oxygen Species. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	11
33	A randomized trial of remote ischemic preconditioning and control treatment for cardioprotection in sevoflurane-anesthetized CABG patients. <i>BMC Anesthesiology</i> , <b>2017</b> , 17, 51	2.4	10

32	Effects of helium on inflammatory and oxidative stress-induced endothelial cell damage. Experimental Cell Research, <b>2015</b> , 337, 37-43	4.2	10
31	Cardioprotective efficacy depends critically on pharmacological dose, duration of ischaemia, health status of animals and choice of anaesthetic regimen: a case study with folic acid. <i>Journal of Translational Medicine</i> , <b>2014</b> , 12, 325	8.5	10
30	Targets Involved in Cardioprotection by the Non-Anesthetic Noble Gas Helium. <i>Current Drug Targets</i> , <b>2015</b> , 16, 786-92	3	10
29	Helium-Induced Changes in Circulating Caveolin in Mice Suggest a Novel Mechanism of Cardiac Protection. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	9
28	Perioperative Cardioprotection: General Mechanisms and Pharmacological Approaches. <i>Anesthesia and Analgesia</i> , <b>2020</b> , 131, 1765-1780	3.9	9
27	Role of Endogenous Opioid System in Ischemic-Induced Late Preconditioning. <i>PLoS ONE</i> , <b>2015</b> , 10, e01	342/83	9
26	Gaseous mediators: an updated review on the effects of helium beyond blowing up balloons. <i>Intensive Care Medicine Experimental</i> , <b>2019</b> , 7, 73	3.7	9
25	Effect of helium pre- or postconditioning on signal transduction kinases in patients undergoing coronary artery bypass graft surgery. <i>Journal of Translational Medicine</i> , <b>2016</b> , 14, 294	8.5	9
24	Empagliflozin reduces oxidative stress through inhibition of the novel inflammation/NHE/[Na]/ROS-pathway in human endothelial cells <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 146, 112515	7.5	8
23	Helium alters the cytoskeleton and decreases permeability in endothelial cells cultured in vitro through a pathway involving Caveolin-1. <i>Scientific Reports</i> , <b>2018</b> , 8, 4768	4.9	7
22	In vivo desflurane preconditioning evokes dynamic alterations of metabolic proteins in the heartproteomic insights strengthen the link between bioenergetics and cardioprotection. <i>Cellular Physiology and Biochemistry</i> , <b>2014</b> , 33, 967-81	3.9	6
21	Pharmacological Conditioning of the Heart: An Update on Experimental Developments and Clinical Implications. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	6
20	Assessment of intensive care unit-acquired weakness in young and old mice: An E. coli septic peritonitis model. <i>Muscle and Nerve</i> , <b>2016</b> , 53, 127-33	3.4	6
19	Cyclophilin D ablation is associated with increased end-ischemic mitochondrial hexokinase activity. <i>Scientific Reports</i> , <b>2017</b> , 7, 12749	4.9	5
18	Plasma from Volunteers Breathing Helium Reduces Hypoxia-Induced Cell Damage in Human Endothelial Cells-Mechanisms of Remote Protection Against Hypoxia by Helium. <i>Cardiovascular Drugs and Therapy</i> , <b>2019</b> , 33, 297-306	3.9	5
17	Prolonged helium postconditioning protocols during early reperfusion do not induce cardioprotection in the rat heart in vivo: role of inflammatory cytokines. <i>Journal of Immunology Research</i> , <b>2015</b> , 2015, 216798	4.5	5
16	Physiological levels of glutamine prevent morphine-induced preconditioning in the isolated rat heart. <i>European Journal of Pharmacology</i> , <b>2008</b> , 595, 58-64	5.3	5
15	NLRX1 Deletion Increases Ischemia-Reperfusion Damage and Activates Glucose Metabolism in Mouse Heart. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 591815	8.4	5

## LIST OF PUBLICATIONS

14	Direct cardiac effects of SGLT2 inhibitors Cardiovascular Diabetology, 2022, 21, 45	8.7	5
13	Effects of helium and air inhalation on the innate and early adaptive immune system in healthy volunteers ex vivo. <i>Journal of Translational Medicine</i> , <b>2012</b> , 10, 201	8.5	4
12	Effects of Hyperglycemia and Diabetes Mellitus on Coagulation and Hemostasis. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	4
11	Cardiac mechanisms of the beneficial effects of SGLT2 inhibitors in heart failure: Evidence for potential off-target effects <i>Journal of Molecular and Cellular Cardiology</i> , <b>2022</b> , 167, 17-31	5.8	4
10	Red-blood-cell manufacturing methods and storage solutions differentially induce pulmonary cell activation. <i>Vox Sanguinis</i> , <b>2020</b> , 115, 395-404	3.1	2
9	Molecular biology in cardiovascular anaesthesia. Current Opinion in Anaesthesiology, 2008, 21, 71-7	2.9	2
8	Helium inhalation induces caveolin secretion to blood. FASEB Journal, 2013, 27, 1089.3	0.9	2
	Administration of SGLT2 inhibitor empagliflozin against TNF-IInduced endothelial dysfunction in		
7	human venous and arterial endothelial cells <i>FASEB Journal</i> , <b>2018</b> , 32, 569.4	0.9	1
6		3.7	1
	human venous and arterial endothelial cells <i>FASEB Journal</i> , <b>2018</b> , 32, 569.4  Intravenous S-ketamine does not inhibit alveolar fluid clearance in a septic rat model. <i>PLoS ONE</i> ,		
6	human venous and arterial endothelial cells <i>FASEB Journal</i> , <b>2018</b> , 32, 569.4  Intravenous S-ketamine does not inhibit alveolar fluid clearance in a septic rat model. <i>PLoS ONE</i> , <b>2014</b> , 9, e112622  Transcriptional regulation of cardiac cell death and survival signaling by helium postconditioning in	3.7	1
6 5	human venous and arterial endothelial cells <i>FASEB Journal</i> , <b>2018</b> , 32, 569.4  Intravenous S-ketamine does not inhibit alveolar fluid clearance in a septic rat model. <i>PLoS ONE</i> , <b>2014</b> , 9, e112622  Transcriptional regulation of cardiac cell death and survival signaling by helium postconditioning in a rat model of regional cardiac ischemia/reperfusion. <i>FASEB Journal</i> , <b>2013</b> , 27, lb623  The Redox Modulating Sonlicromanol Active Metabolite KH176m and the Antioxidant MPG Protect Against Short-Duration Cardiac Ischemia-Reperfusion Injury. <i>Cardiovascular Drugs and Therapy</i> ,	3.7	1
<ul><li>6</li><li>5</li><li>4</li></ul>	Intravenous S-ketamine does not inhibit alveolar fluid clearance in a septic rat model. <i>PLoS ONE</i> , <b>2014</b> , 9, e112622  Transcriptional regulation of cardiac cell death and survival signaling by helium postconditioning in a rat model of regional cardiac ischemia/reperfusion. <i>FASEB Journal</i> , <b>2013</b> , 27, lb623  The Redox Modulating Sonlicromanol Active Metabolite KH176m and the Antioxidant MPG Protect Against Short-Duration Cardiac Ischemia-Reperfusion Injury. <i>Cardiovascular Drugs and Therapy</i> , <b>2021</b> , 35, 745-758	3.7 0.9 3.9	1