

Svetlana Gelperina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7714102/publications.pdf>

Version: 2024-02-01

46

papers

5,199

citations

172457

29

h-index

233421

45

g-index

47

all docs

47

docs citations

47

times ranked

6179

citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative analysis of palladacycle-tagged PLGA nanoparticle biodistribution in rat organs by means of atomic absorption spectrometry and inductively coupled plasma mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 2423-2430.	3.0	5
2	Comparative morphological and biochemical characteristics of the toxic effects of doxorubicin and nanosomal PLGA-doxorubicin form in the experimental glioblastoma treatment. <i>Clinical and Experimental Morphology</i> , 2021, 10, 58-65.	0.2	1
3	Exploring the Interplay between Drug Release and Targeting of Lipid-Like Polymer Nanoparticles Loaded with Doxorubicin. <i>Molecules</i> , 2021, 26, 831.	3.8	17
4	Fluorescently Labeled PLGA Nanoparticles for Visualization In Vitro and In Vivo: The Importance of Dye Properties. <i>Pharmaceutics</i> , 2021, 13, 1145.	4.5	12
5	Exploring the systemic delivery of a poorly water-soluble model drug to the retina using PLGA nanoparticles. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 164, 105905.	4.0	1
6	Injectable drug delivery systems of doxorubicin revisited: In vitro-in vivo relationships using human clinical data. <i>International Journal of Pharmaceutics</i> , 2021, 608, 121073.	5.2	15
7	Release kinetics of fluorescent dyes from PLGA nanoparticles in retinal blood vessels: In vivo monitoring and ex vivo localization. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2020, 150, 131-142.	4.3	17
8	How subtle differences in polymer molecular weight affect doxorubicin-loaded PLGA nanoparticles degradation and drug release. <i>Journal of Microencapsulation</i> , 2020, 37, 283-295.	2.8	23
9	Optimization of Methods for Determination of the Encapsulation Efficiency of Doxorubicin in the Nanoparticles Based on Poly(lactic-co-glycolic acid) (PLGA). <i>Drug Development and Registration</i> , 2020, 9, 113-118.	0.6	0
10	CYTOTOXICITY AND HEMOCOMPATIBILITY OF DOXORUBICIN-LOADED PLGA NANOPARTICLES. , 2020, 19, 71-80.	0.3	0
11	Doxorubicin-loaded PLGA nanoparticles for the chemotherapy of glioblastoma: Towards the pharmaceutical development. <i>International Journal of Pharmaceutics</i> , 2019, 572, 118733.	5.2	74
12	The bloodâ€“brain barrier and beyond: Nano-based neuropharmacology and the role of extracellular matrix. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019, 17, 359-379.	3.3	41
13	Toxicological study of doxorubicin-loaded PLGA nanoparticles for the treatment of glioblastoma. <i>International Journal of Pharmaceutics</i> , 2019, 554, 161-178.	5.2	52
14	Nanoparticle-based delivery of carbamazepine: A promising approach for the treatment of refractory epilepsy. <i>International Journal of Pharmaceutics</i> , 2018, 547, 10-23.	5.2	31
15	Potential of surfactant-coated nanoparticles to improve brain delivery of arylsulfatase A. <i>Journal of Controlled Release</i> , 2017, 253, 1-10.	9.9	29
16	Delivery of doxorubicin-loaded PLGA nanoparticles into U87 human glioblastoma cells. <i>International Journal of Pharmaceutics</i> , 2017, 524, 77-90.	5.2	122
17	A phase I study of safety and pharmacokinetics of NanoBB-1-Dox in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2017, 35, e13537-e13537.	1.6	13
18	Detection of hepatocellular carcinoma in transgenic mice by Gd-DTPA- and rhodamine 123-conjugated human serum albumin nanoparticles in T1 magnetic resonance imaging. <i>Journal of Controlled Release</i> , 2015, 199, 63-71.	9.9	29

#	ARTICLE	IF	CITATIONS
19	Biodegradable human serum albumin nanoparticles as contrast agents for the detection of hepatocellular carcinoma by magnetic resonance imaging. European Journal of Pharmaceutics and Biopharmaceutics, 2014, 87, 132-141.	4.3	33
20	Transferrin-Coated Gadolinium Nanoparticles as MRI Contrast Agent. Molecular Imaging and Biology, 2013, 15, 148-154.	2.6	48
21	Adsorption of plasma proteins on uncoated PLGA nanoparticles. European Journal of Pharmaceutics and Biopharmaceutics, 2013, 85, 53-60.	4.3	75
22	Contrast Enhancement of the Brain by Folate-Conjugated Gadolinium-Diethylenetriaminepentaacetic Acid-Human Serum Albumin Nanoparticles by Magnetic Resonance Imaging. Molecular Imaging, 2012, 11, 7290.2011.00047.	1.4	8
23	Transport of drugs across the blood-brain barrier by nanoparticles. Journal of Controlled Release, 2012, 161, 264-273.	9.9	584
24	Kinetics of transport of doxorubicin bound to nanoparticles across the blood-brain barrier. Journal of Controlled Release, 2011, 154, 103-107.	9.9	91
25	Efficient Chemotherapy of Rat Glioblastoma Using Doxorubicin-Loaded PLGA Nanoparticles with Different Stabilizers. PLoS ONE, 2011, 6, e19121.	2.5	138
26	Drug delivery to the brain using surfactant-coated poly(lactide-co-glycolide) nanoparticles: Influence of the formulation parameters. European Journal of Pharmaceutics and Biopharmaceutics, 2010, 74, 157-163.	4.3	260
27	Brain targeting of nerve growth factor using poly(butyl cyanoacrylate) nanoparticles. Journal of Drug Targeting, 2009, 17, 564-574.	4.4	198
28	Encapsulation of Water-Insoluble Drugs in Poly(butyl cyanoacrylate) Nanoparticles. Journal of Nanoscience and Nanotechnology, 2009, 9, 5091-5098.	0.9	16
29	Increased Numbers of Injections of Doxorubicin Bound to Nanoparticles Lead to Enhanced Efficacy Against Rat Glioblastoma 101/8. Journal of Nanoneuroscience, 2009, 1, 144-151.	0.5	10
30	Radiation sterilisation of doxorubicin bound to poly(butyl cyanoacrylate) nanoparticles. International Journal of Pharmaceutics, 2008, 356, 325-332.	5.2	40
31	Intravenous tolerance of a nanoparticle-based formulation of doxorubicin in healthy rats. Toxicology Letters, 2008, 178, 9-19.	0.8	42
32	Use of Nanoparticles for Cerebral Cancer. Tumori, 2008, 94, 271-277.	1.1	111
33	Use of nanoparticles for cerebral cancer. Tumori, 2008, 94, 271-7.	1.1	34
34	Influence of the formulation on the tolerance profile of nanoparticle-bound doxorubicin in healthy rats: Focus on cardio- and testicular toxicity. International Journal of Pharmaceutics, 2007, 337, 346-356.	5.2	66
35	Encapsulation of moxifloxacin within poly(butyl cyanoacrylate) nanoparticles enhances efficacy against intracellular Mycobacterium tuberculosis. International Journal of Pharmaceutics, 2007, 345, 154-162.	5.2	114
36	Covalent attachment of apolipoprotein A-I and apolipoprotein B-100 to albumin nanoparticles enables drug transport into the brain. Journal of Controlled Release, 2007, 118, 54-58.	9.9	247

#	ARTICLE	IF	CITATIONS
37	Chemotherapy of brain tumour using doxorubicin bound to surfactant-coated poly(butyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 117, 51-58.	9.9	287
38	Cytotoxicity of doxorubicin bound to poly(butyl cyanoacrylate) nanoparticles in rat glioma cell lines using different assays. Journal of Drug Targeting, 2006, 14, 614-622.	4.4	47
39	Biodistribution of polysorbate 80-coated doxorubicin-loaded [14C]-poly(butyl cyanoacrylate) nanoparticles after intravenous administration to glioblastoma-bearing rats. Journal of Drug Targeting, 2006, 14, 97-105.	4.4	122
40	Influence of surfactants, polymer and doxorubicin loading on the anti-tumour effect of poly(butyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2.8	92	
41	Brain Delivery by Nanoparticles. Drugs and the Pharmaceutical Sciences, 2006, , .	0.1	2
42	The Potential Advantages of Nanoparticle Drug Delivery Systems in Chemotherapy of Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2005, 172, 1487-1490.	5.6	579
43	Chemotherapy of glioblastoma in rats using doxorubicin-loaded nanoparticles. International Journal of Cancer, 2004, 109, 759-767.	5.1	414
44	Direct evidence that polysorbate-80-coated poly(butylcyanoacrylate) nanoparticles deliver drugs to the CNS via specific mechanisms requiring prior binding of drug to the nanoparticles. Pharmaceutical Research, 2003, 20, 409-416.	3.5	404
45	Toxicological studies of doxorubicin bound to polysorbate 80-coated poly(butyl cyanoacrylate) nanoparticles in healthy rats and rats with intracranial glioblastoma. Toxicology Letters, 2002, 126, 131-141.	0.8	186
46	Significant transport of doxorubicin into the brain with polysorbate 80-coated nanoparticles. Pharmaceutical Research, 1999, 16, 1564-1569.	3.5	468