

Vladimir V Pravosudov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7716040/vladimir-v-pravosudov-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

3,430
citations

36
h-index

55
g-index

113
ext. papers

3,833
ext. citations

3.5
avg, IF

5.64
L-index

#	Paper	IF	Citations
99	Food-hoarding and nest-building propensities are associated in a cavity-nesting bird. <i>Behavioral Ecology and Sociobiology</i> , 2022 , 76, 1	2.5	0
98	Cognitive ecology in the wild: Advances and challenges in avian cognition research. <i>Current Opinion in Behavioral Sciences</i> , 2022 , 45, 101138	4	
97	The genetic basis of spatial cognitive variation in a food-caching bird. <i>Current Biology</i> , 2021 ,	6.3	5
96	Social dominance has limited effects on spatial cognition in a wild food-caching bird. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021 , 288, 20211784	4.4	0
95	Information maintenance of food sources is associated with environment, spatial cognition and age in a food-caching bird. <i>Animal Behaviour</i> , 2021 , 182, 153-172	2.8	0
94	Specialized spatial cognition is associated with reduced cognitive senescence in a food-caching bird. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021 , 288, 20203180	4.4	5
93	Food discovery is associated with different reliance on social learning and lower cognitive flexibility across environments in a food-caching bird. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021 , 288, 20202843	4.4	3
92	Reproduction is affected by individual breeding experience but not pair longevity in a socially monogamous bird. <i>Behavioral Ecology and Sociobiology</i> , 2021 , 75, 1	2.5	2
91	Animal culture: Newcomers help adopt more efficient behaviors. <i>Current Biology</i> , 2021 , 31, R736-R738	6.3	
90	Variation in song structure along an elevation gradient in a resident songbird. <i>Behavioral Ecology and Sociobiology</i> , 2020 , 74, 1	2.5	3
89	Testing the greater male variability phenomenon: male mountain chickadees exhibit larger variation in reversal learning performance compared with females. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20200895	4.4	8
88	Smart is the new sexy: female mountain chickadees increase reproductive investment when mated to males with better spatial cognition. <i>Ecology Letters</i> , 2019 , 22, 897-903	10	26
87	Natural Selection and Spatial Cognition in Wild Food-Caching Mountain Chickadees. <i>Current Biology</i> , 2019 , 29, 670-676.e3	6.3	59
86	An Arduino-Based RFID Platform for Animal Research. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	25
85	Memory, Learning, Hormones and Behavior 2019 , 625-634		
84	Elevation-related differences in the age structure of breeding birds suggest stronger selection at harsher elevations. <i>Behavioral Ecology and Sociobiology</i> , 2019 , 73, 1	2.5	8
83	Spatial memory and cognitive flexibility trade-offs: to be or not to be flexible, that is the question. <i>Animal Behaviour</i> , 2019 , 147, 129-136	2.8	44

82	Memory in wild mountain chickadees from different elevations: comparing first-year birds with older survivors. <i>Animal Behaviour</i> , 2018 , 137, 149-160	2.8	26
81	Fluctuations in annual climatic extremes are associated with reproductive variation in resident mountain chickadees. <i>Royal Society Open Science</i> , 2018 , 5, 171604	3.3	15
80	What makes specialized food-caching mountain chickadees successful city slickers?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4	23
79	Absence of population structure across elevational gradients despite large phenotypic variation in mountain chickadees (). <i>Royal Society Open Science</i> , 2017 , 4, 170057	3.3	16
78	Predictably harsh environment is associated with reduced cognitive flexibility in wild food-caching mountain chickadees. <i>Animal Behaviour</i> , 2017 , 123, 139-149	2.8	39
77	Increased Testosterone Decreases Medial Cortical Volume and Neurogenesis in Territorial Side-Blotched Lizards (). <i>Frontiers in Neuroscience</i> , 2017 , 11, 97	5.1	1
76	Environmental experiences influence cortical volume in territorial and nonterritorial side-blotched lizards, <i>Uta stansburiana</i> . <i>Animal Behaviour</i> , 2016 , 115, 11-18	2.8	7
75	Mountain chickadees return to their post-natal dispersal settlements following long-term captivity. <i>Behaviour</i> , 2016 , 153, 551-567	1.4	5
74	Do Male Mountain Chickadees Discriminate between Local and Non-Local Elevation Intruders?. <i>Ethology</i> , 2016 , 122, 376-388	1.7	2
73	Problem-solving ability and response to novelty in mountain chickadees (<i>Poecile gambeli</i>) from different elevations. <i>Behavioral Ecology and Sociobiology</i> , 2015 , 69, 635-643	2.5	33
72	Elevation-related differences in female mate preference in mountain chickadees: are smart chickadees choosier?. <i>Animal Behaviour</i> , 2015 , 99, 89-94	2.8	12
71	Elevation-Related Differences in Parental Risk-Taking Behavior are Associated with Cognitive Variation in Mountain Chickadees. <i>Ethology</i> , 2015 , 121, 383-394	1.7	8
70	Potential Mechanisms Driving Population Variation in Spatial Memory and the Hippocampus in Food-caching Chickadees. <i>Integrative and Comparative Biology</i> , 2015 , 55, 354-71	2.8	18
69	Environmental Influences on Spatial Memory and the Hippocampus in Food-Caching Chickadees. <i>Comparative Cognition and Behavior Reviews</i> , 2015 , 10, 25-43		20
68	Mountain chickadees from different elevations sing different songs: acoustic adaptation, temporal drift or signal of local adaptation?. <i>Royal Society Open Science</i> , 2015 , 2, 150019	3.3	13
67	Elevation related variation in aggressive response to mirror image in mountain chickadees. <i>Behaviour</i> , 2015 , 152, 667-676	1.4	19
66	Elevation-related differences in novel environment exploration and social dominance in food-caching mountain chickadees. <i>Behavioral Ecology and Sociobiology</i> , 2014 , 68, 1871-1881	2.5	25
65	Chickadees with bigger brains have smaller digestive tracts: a multipopulation comparison. <i>Brain, Behavior and Evolution</i> , 2014 , 84, 172-80	1.5	7

64	Cognitive Ecology of Food Hoarding: The Evolution of Spatial Memory and the Hippocampus. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2013 , 44, 173-193	13.5	86
63	Variation in hippocampal glial cell numbers in food-caching birds from different climates. <i>Developmental Neurobiology</i> , 2013 , 73, 480-5	3.2	11
62	Differential hippocampal gene expression is associated with climate-related natural variation in memory and the hippocampus in food-caching chickadees. <i>Molecular Ecology</i> , 2013 , 22, 397-408	5.7	25
61	Condition dependence, developmental plasticity, and cognition: implications for ecology and evolution. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 290-6	10.9	91
60	Interaction between territoriality, spatial environment, and hippocampal neurogenesis in male side-blotched lizards. <i>Behavioral Neuroscience</i> , 2013 , 127, 555-65	2.1	18
59	Hippocampal neuron soma size is associated with population differences in winter climate severity in food-caching chickadees. <i>Functional Ecology</i> , 2013 , 27, 1341-1349	5.6	25
58	Evidence for long-term spatial memory in a parid. <i>Animal Cognition</i> , 2012 , 15, 149-54	3.1	14
57	Population genetic structure and its implications for adaptive variation in memory and the hippocampus on a continental scale in food-caching black-capped chickadees. <i>Molecular Ecology</i> , 2012 , 21, 4486-97	5.7	14
56	Elevation-related differences in memory and the hippocampus in mountain chickadees, <i>Poecile gambeli</i> . <i>Animal Behaviour</i> , 2012 , 84, 121-127	2.8	63
55	Variation in memory and the hippocampus across populations from different climates: a common garden approach. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 402-10	4.4	87
54	Variation in brain regions associated with fear and learning in contrasting climates. <i>Brain, Behavior and Evolution</i> , 2012 , 79, 181-90	1.5	9
53	Birds as a model to study adult neurogenesis: bridging evolutionary, comparative and neuroethological approaches. <i>European Journal of Neuroscience</i> , 2011 , 34, 884-907	3.5	86
52	Hippocampal memory consolidation during sleep: a comparison of mammals and birds. <i>Biological Reviews</i> , 2011 , 86, 658-91	13.5	87
51	The effect of environmental harshness on neurogenesis: a large-scale comparison. <i>Developmental Neurobiology</i> , 2011 , 71, 246-52	3.2	35
50	Hippocampal neurogenesis is associated with migratory behaviour in adult but not juvenile sparrows (<i>Zonotrichia leucophrys</i> ssp.). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011 , 278, 138-43	4.4	42
49	Variation in hippocampal morphology along an environmental gradient: controlling for the effects of day length. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011 , 278, 2662-7	4.4	25
48	Learning capabilities enhanced in harsh environments: a common garden approach. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 3187-93	4.4	84
47	Integrating ecology, psychology and neurobiology within a food-hoarding paradigm. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010 , 365, 859-67	5.8	46

46	Is bigger always better? A critical appraisal of the use of volumetric analysis in the study of the hippocampus. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010 , 365, 915-31	5.8	70
45	Ecologically relevant spatial memory use modulates hippocampal neurogenesis. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 1071-9	4.4	51
44	The ecological relevance of sleep: the trade-off between sleep, memory and energy conservation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2010 , 365, 945-59	5.8	48
43	Chickadees are selfish group members when it comes to food caching. <i>Animal Behaviour</i> , 2010 , 80, 175-188		7
42	No effect of social group composition or size on hippocampal formation morphology and neurogenesis in mountain chickadees (<i>Poecile gambeli</i>). <i>Developmental Neurobiology</i> , 2010 , 70, 538-47	3.2	11
41	Biases in measuring the brain: the trouble with the telencephalon. <i>Brain, Behavior and Evolution</i> , 2009 , 73, 253-8	1.5	8
40	Tough times call for bigger brains. <i>Communicative and Integrative Biology</i> , 2009 , 2, 236-8	1.7	2
39	Hippocampal volumes and neuron numbers increase along a gradient of environmental harshness: a large-scale comparison. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 401-5	4.4	109
38	Behavioral Profile Predicts Dominance Status in Mountain Chickadees. <i>Animal Behaviour</i> , 2009 , 77, 1441-1448	4.8	86
37	Dorsal cortex volume in male side-blotched lizards (<i>Uta stansburiana</i>) is associated with different space use strategies. <i>Animal Behaviour</i> , 2009 , 78, 91-96	2.8	38
36	Flexible cue use in food-caching birds. <i>Animal Cognition</i> , 2009 , 12, 419-26	3.1	23
35	Effects of captivity and memory-based experiences on the hippocampus in mountain chickadees. <i>Behavioral Neuroscience</i> , 2009 , 123, 284-91	2.1	49
34	Mountain chickadees discriminate between potential cache pilferers and non-pilferers. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008 , 275, 55-61	4.4	19
33	On the evolution of brain size in relation to migratory behaviour in birds. <i>Animal Behaviour</i> , 2007 , 73, 535-539	2.8	16
32	The relationship between environment, corticosterone, food caching, spatial memory, and the hippocampus in chickadees 2007 , 25-42		5
31	Effects of nutritional restrictions during post-hatching development on adrenocortical function in western scrub-jays (<i>Aphelocoma californica</i>). <i>General and Comparative Endocrinology</i> , 2006 , 145, 25-31	3	100
30	On seasonality in food-storing behaviour in parids: do we know the whole story?. <i>Animal Behaviour</i> , 2006 , 71, 1455-1460	2.8	43
29	The relationship between migratory behaviour, memory and the hippocampus: an intraspecific comparison. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 2641-9	4.4	74

28	Is the western scrub-jay (<i>Aphelocoma californica</i>) really an underdog among food-caching corvids when it comes to hippocampal volume and food caching propensity?. <i>Brain, Behavior and Evolution</i> , 2006 , 67, 1-9	1.5	28
27	Nutritional deficits during early development affect hippocampal structure and spatial memory later in life. <i>Behavioral Neuroscience</i> , 2005 , 119, 1368-74	2.1	88
26	Dominance-related changes in spatial memory are associated with changes in hippocampal cell proliferation rates in mountain chickadees. <i>Journal of Neurobiology</i> , 2005 , 62, 31-41		41
25	Prolonged moderate elevation of corticosterone does not affect hippocampal anatomy or cell proliferation rates in mountain chickadees (<i>Poecile gambeli</i>). <i>Journal of Neurobiology</i> , 2005 , 62, 82-91		27
24	No latitudinal differences in adrenocortical stress response in wintering black-capped chickadees (<i>Poecile atricapilla</i>). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004 , 137, 95-103	2.6	14
23	The relationship between dominance, corticosterone, memory, and food caching in mountain chickadees (<i>Poecile gambeli</i>). <i>Hormones and Behavior</i> , 2003 , 44, 93-102	3.7	65
22	Long-term moderate elevation of corticosterone facilitates avian food-caching behaviour and enhances spatial memory. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 2599-604	4.4	105
21	The effect of photoperiod on adrenocortical stress response in mountain chickadees (<i>Poecile gambeli</i>). <i>General and Comparative Endocrinology</i> , 2002 , 126, 242-8	3	17
20	A test of the adaptive specialization hypothesis: Population differences in caching, memory, and the hippocampus in black-capped chickadees (<i>Poecile atricapilla</i>).. <i>Behavioral Neuroscience</i> , 2002 , 116, 515-522	2.1	218
19	A test of the adaptive specialization hypothesis: population differences in caching, memory, and the hippocampus in black-capped chickadees (<i>Poecile atricapilla</i>). <i>Behavioral Neuroscience</i> , 2002 , 116, 515-22	2.1	63
18	Long-term unpredictable foraging conditions and physiological stress response in mountain chickadees (<i>Poecile gambeli</i>). <i>General and Comparative Endocrinology</i> , 2001 , 123, 324-31	3	97
17	A dynamic model of short-term energy management in small food-caching and non-caching birds. <i>Behavioral Ecology</i> , 2001 , 12, 207-218	2.3	50
16	Effects of demanding foraging conditions on cache retrieval accuracy in food-caching mountain chickadees (<i>Poecile gambeli</i>). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001 , 268, 363-8	4.4	51
15	Daily patterns of energy storage in food-caching birds under variable daily predation risk: a dynamic state variable model. <i>Behavioral Ecology and Sociobiology</i> , 2001 , 50, 239-250	2.5	21
14	The costs of being cool: a dynamic model of nocturnal hypothermia by small food-caching birds in winter. <i>Journal of Avian Biology</i> , 2000 , 31, 463-472	1.9	32
13	The effect of social dominance on fattening and food-caching behaviour in Carolina chickadees, <i>Poecile carolinensis</i> . <i>Animal Behaviour</i> , 2000 , 60, 483-493	2.8	39
12	Social Dominance and Energy Reserves in Wintering Woodland Birds. <i>Condor</i> , 1999 , 101, 880-884	2.1	36
11	Tits, Warblers, and Finches: Foliage-Gleaning Birds of Nearctic and Palearctic Boreal Forests. <i>Condor</i> , 1999 , 101, 299-310	2.1	8

10	Divergence in foraging behavior of foliage-gleaning birds of Canadian and Russian boreal forests. <i>Oecologia</i> , 1999 , 120, 451-462	2.9	6
9	Effects of Dominance on Vigilance in Avian Social Groups. <i>Auk</i> , 1999 , 116, 241-246	2.1	25
8	Management of fat reserves in tufted titmice <i>Baeolophus bicolor</i> in relation to risk of predation. <i>Animal Behaviour</i> , 1998 , 56, 49-54	2.8	42
7	Management of fat reserves in tufted titmice (<i>Parus bicolor</i>): evidence against a trade-off with food hoards. <i>Behavioral Ecology and Sociobiology</i> , 1998 , 42, 57-62	2.5	16
6	Body Mass, Ambient Temperature, Time of Day, and Vigilance in Tufted Titmice. <i>Auk</i> , 1998 , 115, 221-223	2.1	13
5	Social influences on food caching in willow tits: a field experiment. <i>Behavioral Ecology</i> , 1998 , 9, 122-129	2.3	42
4	Energy Management in Passerine Birds during the Nonbreeding Season 1997 , 189-234		68
3	Management of fat reserves and food caches in tufted titmice (<i>Parus bicolor</i>) in relation to unpredictable food supply. <i>Behavioral Ecology</i> , 1997 , 8, 332-339	2.3	93
2	Toward a General Theory of Energy Management in Wintering Birds. <i>Journal of Avian Biology</i> , 1994 , 25, 255	1.9	34
1	Development of Spatial Memory and the Hippocampus under Nutritional Stress 88-110		6