

Jiguo Tu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7716517/jiguo-tu-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,791
citations

28
h-index

50
g-index

93
ext. papers

3,407
ext. citations

8.9
avg, IF

5.67
L-index

#	Paper	IF	Citations
92	A Novel Aluminum-Ion Battery: Al/AlCl ₃ -[EMIm]Cl/Ni ₃ S ₂ @Graphene. <i>Advanced Energy Materials</i> , 2016 , 6, 1600137	21.8	306
91	A new cathode material for super-valent battery based on aluminium ion intercalation and deintercalation. <i>Scientific Reports</i> , 2013 , 3, 3383	4.9	252
90	Flexible Stable Solid-State Al-Ion Batteries. <i>Advanced Functional Materials</i> , 2019 , 29, 1806799	15.6	126
89	A rechargeable Al-ion battery: Al/molten AlCl-urea/graphite. <i>Chemical Communications</i> , 2017 , 53, 2331-2334	3.84	125
88	Rechargeable ultrahigh-capacity tellurium/aluminum batteries. <i>Energy and Environmental Science</i> , 2019 , 12, 1918-1927	35.4	124
87	A long-life rechargeable Al ion battery based on molten salts. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1282-1291	13	121
86	An industrialized prototype of the rechargeable Al/AlCl ₃ -[EMIm]Cl/graphite battery and recycling of the graphitic cathode into graphene. <i>Carbon</i> , 2016 , 109, 276-281	10.4	105
85	Straightforward Approach toward SiO ₂ Nanospheres and Their Superior Lithium Storage Performance. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 7357-7362	3.8	81
84	Flower-like Vanadium Sulfide/Reduced Graphene Oxide Composite: An Energy Storage Material for Aluminum-Ion Batteries. <i>ChemSusChem</i> , 2018 , 11, 709-715	8.3	79
83	A Novel Ultrafast Rechargeable Multi-Ions Battery. <i>Advanced Materials</i> , 2017 , 29, 1606349	24	74
82	In situ electrochemical polymerization of a nanorod-PANI-Graphene composite in a reverse micelle electrolyte and its application in a supercapacitor. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 15652-63.6	3.6	71
81	Ordered WO nanorods: facile synthesis and their electrochemical properties for aluminum-ion batteries. <i>Chemical Communications</i> , 2018 , 54, 1343-1346	5.8	69
80	A novel dual-graphite aluminum-ion battery. <i>Energy Storage Materials</i> , 2018 , 12, 119-127	19.4	61
79	Cu ₃ P as a novel cathode material for rechargeable aluminum-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 8368-8375	13	52
78	Electrochemically assembling of a porous nano-polyaniline network in a reverse micelle and its application in a supercapacitor. <i>Journal of Materials Chemistry</i> , 2011 , 21, 9027		52
77	Mg ²⁺ /Ti co-doping behavior of porous LiFePO ₄ microspheres for high-rate lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 17021-17028	13	49
76	Nickel Phosphide Nanosheets Supported on Reduced Graphene Oxide for Enhanced Aluminum-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 6004-6012	8.3	40

75	Exfoliation Mechanism of Graphite Cathode in Ionic Liquids. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 36702-36707	9.5	37
74	Rechargeable Nickel Telluride/Aluminum Batteries with High Capacity and Enhanced Cycling Performance. <i>ACS Nano</i> , 2020 , 14, 3469-3476	16.7	36
73	Sodium modified molybdenum sulfide via molten salt electrolysis as an anode material for high performance sodium-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 3204-13	3.6	36
72	Electrochemically assembling of polythiophene film in ionic liquids (ILs) microemulsions and its application in an electrochemical capacitor. <i>Electrochimica Acta</i> , 2014 , 120, 122-127	6.7	36
71	High-efficiency transformation of amorphous carbon into graphite nanoflakes for stable aluminum-ion battery cathodes. <i>Nanoscale</i> , 2019 , 11, 12537-12546	7.7	34
70	Nonaqueous Rechargeable Aluminum Batteries: Progresses, Challenges, and Perspectives. <i>Chemical Reviews</i> , 2021 , 121, 4903-4961	68.1	34
69	Metal-Organic Framework-Derived Co ₃ O ₄ @MWCNTs Polyhedron as Cathode Material for a High-Performance Aluminum-Ion Battery. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 16200-16208	8.3	32
68	The electrochemical behavior of an aluminum alloy anode for rechargeable Al-ion batteries using an AlCl ₃ -urea liquid electrolyte. <i>RSC Advances</i> , 2017 , 7, 32288-32293	3.7	29
67	Ternary AlCl ₃ -Urea-[EMIm]Cl Ionic Liquid Electrolyte for Rechargeable Aluminum-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A3093-A3100	3.9	29
66	Room temperature solid state dual-ion batteries based on gel electrolytes. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4313-4323	13	29
65	Gel electrolytes with a wide potential window for high-rate Al-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 20348-20356	13	29
64	Self-supporting and high-loading hierarchically porous Co-P cathode for advanced Al-ion battery. <i>Chemical Engineering Journal</i> , 2020 , 389, 124370	14.7	28
63	Facile synthesis of Ni(HPO)(OH)/rGO nanorods with enhanced electrochemical performance for aluminum-ion batteries. <i>Nanoscale</i> , 2018 , 10, 21284-21291	7.7	27
62	Selection of Carbon Sources for Enhancing 3D Conductivity in the Secondary Structure of LiFePO ₄ /C Cathode. <i>Electrochimica Acta</i> , 2016 , 193, 206-215	6.7	26
61	Aluminum-Ion Asymmetric Supercapacitor Incorporating Carbon Nanotubes and an Ionic Liquid Electrolyte: Al/AlCl ₃ -[EMIm]Cl/CNTs. <i>Energy Technology</i> , 2016 , 4, 1112-1118	3.5	25
60	SbSe nanorods with N-doped reduced graphene oxide hybrids as high-capacity positive electrode materials for rechargeable aluminum batteries. <i>Nanoscale</i> , 2019 , 11, 16437-16444	7.7	24
59	A green electrochemical transformation of inferior coals to crystalline graphite for stable Li-ion storage. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7533-7540	13	22
58	The Effects of Anions Behaviors on Electrochemical Properties of Al/Graphite Rechargeable Aluminum-Ion Battery via Molten AlCl ₃ -NaCl Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A3292-A3302	3.9	20

57	Preparation of porous nanorod polyaniline film and its high electrochemical capacitance performance. <i>Synthetic Metals</i> , 2011 , 161, 1255-1258	3.6	19
56	Self-assembled amorphous manganese oxide/hydroxide spheres via multi-phase electrochemical interactions in reverse micelle electrolytes and their capacitive behavior. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 5136	13	18
55	The potential application of black and blue phosphorene as cathode materials in rechargeable aluminum batteries: a first-principles study. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 7021-7028	3.6	16
54	A nitrogen-doped graphene cathode for high-capacitance aluminum-ion hybrid supercapacitors. <i>New Journal of Chemistry</i> , 2018 , 42, 15684-15691	3.6	16
53	In-Situ Synthesis of Silicon/Polyaniline Core/Shell and Its Electrochemical Performance for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2013 , 160, A1916-A1921	3.9	16
52	Modified separators for rechargeable high-capacity selenium-aluminium batteries. <i>Chemical Engineering Journal</i> , 2020 , 385, 123452	14.7	16
51	NiCo ₂ S ₄ Nanosheet with Hexagonal Architectures as an Advanced Cathode for Al-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2018 , 165, A3504-A3509	3.9	16
50	Hierarchical Flower-Like MoS ₂ Microspheres and Their Efficient Al Storage Properties. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 26794-26802	3.8	15
49	Electrochemical graphitization conversion of CO ₂ through soluble NaVO ₃ homogeneous catalyst in carbonate molten salt. <i>Electrochimica Acta</i> , 2020 , 331, 135461	6.7	15
48	Active cyano groups to coordinate AlCl ₂ ⁺ cation for rechargeable aluminum batteries. <i>Energy Storage Materials</i> , 2020 , 33, 250-257	19.4	15
47	Production of AlCrNbTaTi High Entropy Alloy via Electro-Deoxidation of Metal Oxides. <i>Journal of the Electrochemical Society</i> , 2018 , 165, D574-D579	3.9	15
46	The molten chlorides for aluminum-graphite rechargeable batteries. <i>Journal of Alloys and Compounds</i> , 2020 , 821, 153285	5.7	14
45	The effect of graphitization degree of carbonaceous material on the electrochemical performance for aluminum-ion batteries.. <i>RSC Advances</i> , 2019 , 9, 38990-38997	3.7	14
44	3D skeleton nanostructured Ni ₃ S ₂ /Ni foam@RGO composite anode for high-performance dual-ion battery. <i>Journal of Energy Chemistry</i> , 2019 , 28, 144-150	12	13
43	Nanostructured Li ₄ Ti ₅ O ₁₂ synthesized in a reverse micelle: A bridge between pseudocapacitor and lithium ion battery. <i>Electrochimica Acta</i> , 2012 , 68, 254-259	6.7	13
42	Liquid gallium as long cycle life and recyclable negative electrode for Al-ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 391, 123594	14.7	13
41	Direct Production of Fe and Fe-Ni Alloy via Molten Oxides Electrolysis. <i>Journal of the Electrochemical Society</i> , 2017 , 164, E113-E116	3.9	12
40	Single-crystal and hierarchical VSe ₂ as an aluminum-ion battery cathode. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 2717-2724	5.8	12

39	Coral-Like TeO ₂ Microwires for Rechargeable Aluminum Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 2416-2422	8.3	12
38	Cu-Al Composite as the Negative Electrode for Long-life Al-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A3539-A3545	3.9	11
37	A Rechargeable Al/Graphite Battery Based on AlCl ₃ /1-butyl-3-methylimidazolium Chloride Ionic Liquid Electrolyte. <i>ChemistrySelect</i> , 2019 , 4, 3018-3024	1.8	11
36	Cellulose-derived flake graphite as positive electrodes for Al-ion batteries. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 3561-3568	5.8	11
35	Coordination interaction boosts energy storage in rechargeable Al battery with a positive electrode material of CuSe. <i>Chemical Engineering Journal</i> , 2021 , 421, 127792	14.7	11
34	Hierarchical N-doped porous carbon hosts for stabilizing tellurium in promoting Al-Te batteries. <i>Journal of Energy Chemistry</i> , 2021 , 57, 378-385	12	10
33	Green and sustainable molten salt electrochemistry for the conversion of secondary carbon pollutants to advanced carbon materials. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 14119-14146	13	8
32	Production of Ti-Fe alloys molten oxide electrolysis at a liquid iron cathode.. <i>RSC Advances</i> , 2018 , 8, 17575-17581	5.7	8
31	A novel ordered SiO _x C _y film anode fabricated via electrodeposition in air for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2467	13	7
30	Electrochemical performance of Si@TiN composite anode synthesized in a liquid ammonia for lithium-ion batteries. <i>Materials Chemistry and Physics</i> , 2012 , 136, 863-867	4.4	7
29	Rapid Electrodeposition of Ti on a Liquid Zn Cathode from a Consumable Casting Ti _{0.5} O _{0.5} Anode. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 123502	3.9	7
28	Surface treatment functionalization of sodium hydroxide onto 3D printed porous Ti6Al4V for improved biological activities and osteogenic potencies. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 13661-13670	5.5	6
27	Controllable Cu ₂ O@TiO ₂ nanoparticle electrodeposition onto carbon paper and its superior photoelectrochemical performance. <i>RSC Advances</i> , 2014 , 4, 16380	3.7	6
26	High Specific Capacitance Based on N-Doped Microporous Carbon in [EMIm]AlxCl _y Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A3319-A3325	3.9	6
25	Al homogeneous deposition induced by N-containing functional groups for enhanced cycling stability of Al-ion battery negative electrode. <i>Nano Research</i> , 2021 , 14, 646-653	10	6
24	Depolarization Behavior of Ti Deposition at Liquid Metal Cathodes in a NaCl-KCl-KF Melt. <i>Journal of the Electrochemical Society</i> , 2019 , 166, E401-E406	3.9	5
23	Electrochemically Exfoliating Graphite Cathode to N-Doped Graphene Analogue and Its Excellent Al Storage Performance. <i>Journal of the Electrochemical Society</i> , 2019 , 166, A1738-A1744	3.9	5
22	Rechargeable High-Capacity Antimony-Aluminum Batteries. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 080541	3.9	5

21	Stable Interface between a NaCl-AlCl Melt and a Liquid Ga Negative Electrode for a Long-Life Stationary Al-Ion Energy Storage Battery. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15063-15070 ^{9.5}	5
20	Core-shell Si-N-doped C assembled via an oxidative template for lithium-ion anodes. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 18549-54	3.6 5
19	3D structure through planting core-shell Si@TiN into an amorphous carbon slag: improved capacity of lithium-ion anodes. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 10472-6	3.6 5
18	A strategy for massively suppressing the shuttle effect in rechargeable Al ⁺ batteries. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 4000-4009	6.8 5
17	Enhanced intercalation behaviors of edge-rich flakes-stacked graphite for Al-graphite dual-ion battery. <i>Journal of Power Sources</i> , 2021 , 492, 229674	8.9 5
16	A Review of Integrated Systems Based on Perovskite Solar Cells and Energy Storage Units: Fundamental, Progresses, Challenges, and Perspectives. <i>Advanced Science</i> , 2021 , 8, 2100552	13.6 5
15	Electrochemical behavior of NiCl ₂ /Ni in acidic AlCl ₃ -based ionic liquid electrolyte. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 1909-1917	6.8 4
14	Photo-electrochemical enhanced mechanism enables a fast-charging and high-energy aqueous Al/MnO ₂ battery. <i>Energy Storage Materials</i> , 2022 , 45, 586-594	19.4 4
13	A dual-protection strategy using CMK-3 coated selenium and modified separators for high-energy Al ⁺ batteries. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 1030-1038	6.8 4
12	Nanosheet-stacked flake graphite for high-performance Al storage in inorganic molten AlCl ₃ -NaCl salt. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2020 , 27, 1711-1722	3.1 3
11	An investigation into the anodic behavior of TiB ₂ in a CaCl ₂ -based molten salt. <i>Corrosion Science</i> , 2021 , 178, 109089	6.8 3
10	Facile Electrochemical Preparation of Al-Sm Alloys in Molten Calcium Chloride. <i>Journal of the Electrochemical Society</i> , 2018 , 165, E616-E621	3.9 3
9	Preparation of petaloid graphite nanoflakes in molten salt for high-performance lithium-ion batteries. <i>Ionics</i> , 2020 , 26, 3351-3358	2.7 2
8	Sb ₂ Te ₃ Hexagonal Nanosheets as High-Capacity Positive Materials for Rechargeable Aluminum Batteries. <i>ACS Applied Energy Materials</i> , 2020 , 3, 12635-12643	6.1 2
7	A cobalt-based metal-organic framework and its derived material as sulfur hosts for aluminum-sulfur batteries with the chemical anchoring effect. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 10326-10334	3.6 2
6	Green preparation of vanadium carbide through one-step molten salt electrolysis. <i>Ceramics International</i> , 2021 , 47, 28203-28209	5.1 2
5	Stable and low-voltage-hysteresis zinc negative electrode promoting aluminum dual-ion batteries. <i>Chemical Engineering Journal</i> , 2021 , 132743	14.7 1
4	Design Strategies of High-Performance Positive Materials for Nonaqueous Rechargeable Aluminum Batteries: From Crystal Control to Battery Configuration. <i>Small</i> , 2201362	11 1

- 3 Enhanced storage behavior of quasi-solid-state aluminum-selenium battery.. *RSC Advances*, **2021**, 11, 39484-39492 3.7 0
- 2 Cyclability Study of Si/TiN/C Composite Anode with High Rate Capability for Lithium-Ion Batteries 773-779
- 1 Effect of Laser Remelting on Microstructure, Residual Stress, and Mechanical Property of Selective Laser Melting-Processed Ti-6Al-4V Alloy. *Minerals, Metals and Materials Series*, **2021**, 92-99 0.3