Magdalena Maria Staniszewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7716734/publications.pdf

Version: 2024-02-01

686830 525886 36 765 13 27 g-index citations h-index papers 37 37 37 1338 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	NMNAT1 mutations cause Leber congenital amaurosis. Nature Genetics, 2012, 44, 1040-1045.	9.4	171
2	Indoleamine 2,3-dioxygenase and 3-hydroxykynurenine modifications are found in the neuropathology of Alzheimer's disease. Redox Report, 2010, 15, 161-168.	1.4	103
3	Chromatographic analysis of tryptophan metabolites. Journal of Separation Science, 2017, 40, 3020-3045.	1.3	63
4	Mouse Models of NMNAT1-Leber Congenital Amaurosis (LCA9) Recapitulate Key Features of the Human Disease. American Journal of Pathology, 2016, 186, 1925-1938.	1.9	61
5	The validated and sensitive HPLC-DAD method for determination of patulin in strawberries. Food Chemistry, 2018, 245, 364-370.	4.2	55
6	Developments in the Monitoring of Patulin in Fruits Using Liquid Chromatography: an Overview. Food Analytical Methods, 2019, 12, 76-93.	1.3	37
7	Simultaneous voltammetric analysis of tryptophan and kynurenine in culture medium from human cancer cells. Talanta, 2020, 209, 120574.	2.9	26
8	Methylglyoxal inhibits glycation-mediated loss in chaperone function and synthesis of pentosidine in \hat{l}_{\pm} -crystallin. Experimental Eye Research, 2007, 84, 914-921.	1.2	25
9	Detection of kynurenine modifications in proteins using a monoclonal antibody. Journal of Immunological Methods, 2007, 324, 63-73.	0.6	18
10	Inhibition of human muscle-specific enolase by methylglyoxal and irreversible formation of advanced glycation end products. Journal of Enzyme Inhibition and Medicinal Chemistry, 2009, 24, 356-364.	2.5	18
11	Application of the optimized and validated LC–MS method for simultaneous quantification of tryptophan metabolites in culture medium from cancer cells. Journal of Pharmaceutical and Biomedical Analysis, 2019, 176, 112805.	1.4	17
12	The melibiose-derived glycation product mimics a unique epitope present in human and animal tissues. Scientific Reports, 2021, 11, 2940.	1.6	15
13	UHPLC-ESI-MS/MS Quantification of Relevant Substrates and Metabolites of the Kynurenine Pathway Present in Serum and Peritoneal Fluid from Gastric Cancer Patients—Method Development and Validation. International Journal of Molecular Sciences, 2021, 22, 6972.	1.8	15
14	Evaluation of lipid peroxidation and antioxidant defense mechanisms in the bone of rats in conditions of separate and combined administration of vanadium (V) and magnesium (Mg). Chemico-Biological Interactions, 2018, 284, 112-125.	1.7	13
15	Dual-core all-fiber integrated immunosensor for detection of protein antigens. Biosensors and Bioelectronics, 2018, 114, 22-29.	5 . 3	12
16	Enterobacterial 38-kDa outer membrane protein is an age-dependent molecular marker of innate immunity and immunoglobulin deficiency as results from its reactivity with IgG and IgA antibody. FEMS Immunology and Medical Microbiology, 2006, 48, 205-214.	2.7	9
17	Re-classification within the serogroups O3 and O8 of Citrobacter strains. BMC Microbiology, 2017, 17, 169.	1.3	9
18	Determination of ellagic acid in rose matrix by spectrofluorimetry. Journal of Food Composition and Analysis, 2019, 78, 91-100.	1.9	9

#	Article	IF	Citations
19	Electrochemical Determination of Kynurenine Pathway Metabolitesâ€"Challenges and Perspectives. Sensors, 2021, 21, 7152.	2.1	9
20	The Kynurenine Pathway in Obese Middle-Aged Women with Normoglycemia and Type 2 Diabetes. Metabolites, 2022, 12, 492.	1.3	8
21	Structure of the O-polysaccharide of Citrobacter youngae O1 containing an α-d-ribofuranosyl group. Carbohydrate Research, 2004, 339, 321-325.	1.1	7
22	Major structural proteins of type 1 and type 3Klebsiellafimbriae are effective protein carriers and immunogens in conjugates as revealed from their immunochemical characterization. FEMS Immunology and Medical Microbiology, 2005, 45, 221-230.	2.7	7
23	Modulation of advanced glycation endproduct synthesis by kynurenines in human lens proteins. Biochimica Et Biophysica Acta - Proteins and Proteomics, 2010, 1804, 829-838.	1.1	6
24	A Comprehensive Analysis Using Colorimetry, Liquid Chromatography-Tandem Mass Spectrometry and Bioassays for the Assessment of Indole Related Compounds Produced by Endophytes of Selected Wheat Cultivars. Molecules, 2021, 26, 1394.	1.7	6
25	Advanced glycation end-products prepared in solution under high pressure contain epitopes distinct from those formed in the dry reaction at high temperature. Archivum Immunologiae Et Therapiae Experimentalis, 2005, 53, 71-8.	1.0	6
26	The Genotoxic and Pro-Apoptotic Activities of Advanced Glycation End-Products (MAGE) Measured with Micronuclei Assay Are Inhibited by Their Low Molecular Mass Counterparts. Genes, 2021, 12, 729.	1.0	5
27	Proteins in human body fluids contain in vivo antigen analog of the melibiose-derived glycation product: MAGE. Scientific Reports, 2022, 12, 7520.	1.6	5
28	A Phage Display-Based Approach to Investigate Abnormal Neovessels of the Retina., 2012, 53, 4371.		4
29	Improved Voltammetric Determination of Kynurenine at the Nafion Covered Glassy Carbon Electrode – Application in Samples Delivered from Human Cancer Cells. International Journal of Tryptophan Research, 2021, 14, 117864692110234.	1.0	4
30	Reliable chromatographic assay for measuring of indoleamine 2,3-dioxygenase 1 (IDO1) activity in human cancer cells. Journal of Enzyme Inhibition and Medicinal Chemistry, 2021, 36, 581-592.	2.5	4
31	Kynurenine and Anthranilic Acid in the Peritoneum Correlate With the Stage of Gastric Cancer Disease. International Journal of Tryptophan Research, 2022, 15, 117864692110656.	1.0	4
32	PREPARATION OF BOVINE SERUM ALBUMIN MONOMER FOR CONJUGATION EXPERIMENTS BY USING DIFFERENT TYPES OF CHROMATOGRAPHY MEDIA. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 658-670.	0.5	3
33	Immunomodulatory Factors in Primary Endometrial Cell Cultures Isolated from Cancer and Noncancerous Human Tissue–Focus on RAGE and IDO1. Cells, 2021, 10, 1013.	1.8	3
34	Simultaneous Quantification of Selected Kynurenines Analyzed by Liquid Chromatography-Mass Spectrometry in Medium Collected from Cancer Cell Cultures. Journal of Visualized Experiments, 2020, , .	0.2	3
35	Quantification of nicotinic acid, kynurenine, and kynurenine acid in poultry meat by validated liquid chromatography-single quadrupole mass spectrometry method. LWT - Food Science and Technology, 2022, 163, 113582.	2.5	3
36	Effect of Various Surface Treatments on Wettability and Morphological Properties of Titanium Oxide Thin Films. Materials, 2022, 15, 4113.	1.3	2