

Joris de Wit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7717128/publications.pdf>

Version: 2024-02-01

52
papers

4,485
citations

172207

29
h-index

205818

48
g-index

60
all docs

60
docs citations

60
times ranked

6443
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterotypic Amyloid β^2 interactions facilitate amyloid assembly and modify amyloid structure. EMBO Journal, 2022, 41, e108591.	3.5	19
2	MDGAs are fast-diffusing molecules that delay excitatory synapse development by altering neuroligin behavior. ELife, 2022, 11, .	2.8	9
3	Lowering Synaptogyrin-3 expression rescues Tau-induced memory defects and synaptic loss in the presence of microglial activation. Neuron, 2021, 109, 767-777.e5.	3.8	41
4	Role of regulatory C-terminal motifs in synaptic confinement of LRRTM2. Biology of the Cell, 2021, 113, 492-506.	0.7	1
5	Synaptogenic activity of the axon guidance molecule Robo2 underlies hippocampal circuit function. Cell Reports, 2021, 37, 109828.	2.9	18
6	Contribution of GABAergic interneurons to amyloid- β^2 plaque pathology in an APP knock-in mouse model. Molecular Neurodegeneration, 2020, 15, 3.	4.4	26
7	Synapse type-specific proteomic dissection identifies IgSF8 as a hippocampal CA3 microcircuit organizer. Nature Communications, 2020, 11, 5171.	5.8	35
8	SorCS1-mediated sorting in dendrites maintains neuroligin axonal surface polarization required for synaptic function. PLoS Biology, 2019, 17, e3000466.	2.6	38
9	Compartmentalized distributions of neuronal and glial cell-surface proteins pattern the synaptic network. Current Opinion in Neurobiology, 2019, 57, 126-133.	2.0	18
10	Nuclear import of the DSCAM cytoplasmic domain drives signaling capable of inhibiting synapse formation. EMBO Journal, 2019, 38, .	3.5	37
11	Secreted amyloid- β^2 precursor protein functions as a GABA B R1a ligand to modulate synaptic transmission. Science, 2019, 363, .	6.0	205
12	Title is missing!. , 2019, 17, e3000466.		0
13	Title is missing!. , 2019, 17, e3000466.		0
14	Title is missing!. , 2019, 17, e3000466.		0
15	Title is missing!. , 2019, 17, e3000466.		0
16	Trafficking mechanisms of synaptogenic cell adhesion molecules. Molecular and Cellular Neurosciences, 2018, 91, 34-47.	1.0	15
17	Synaptogyrin-3 Mediates Presynaptic Dysfunction Induced by Tau. Neuron, 2018, 97, 823-835.e8.	3.8	151
18	An Input-Specific Orphan Receptor GPR158-HSPG Interaction Organizes Hippocampal Mossy Fiber-CA3 Synapses. Neuron, 2018, 100, 201-215.e9.	3.8	60

#	ARTICLE	IF	CITATIONS
19	Transsynaptic Binding of Orphan Receptor GPR179 to Dystroglycan-Pikachurin Complex Is Essential for the Synaptic Organization of Photoreceptors. <i>Cell Reports</i> , 2018, 25, 130-145.e5.	2.9	53
20	A20 critically controls microglia activation and inhibits inflammasome-dependent neuroinflammation. <i>Nature Communications</i> , 2018, 9, 2036.	5.8	152
21	A Modular Organization of LRR Protein-Mediated Synaptic Adhesion Defines Synapse Identity. <i>Neuron</i> , 2018, 99, 329-344.e7.	3.8	57
22	Heparan Sulfate Proteoglycans as Emerging Players in Synaptic Specificity. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 14.	1.4	78
23	Leucine-rich repeat-containing synaptic adhesion molecules as organizers of synaptic specificity and diversity. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-9.	3.2	29
24	Neuronal Polarity: MAP2 Shifts Secretory Vesicles into High Gear for Long-Haul Transport down the Axon. <i>Neuron</i> , 2017, 94, 223-225.	3.8	7
25	Tau association with synaptic vesicles causes presynaptic dysfunction. <i>Nature Communications</i> , 2017, 8, 15295.	5.8	289
26	Synapse biology in the “circuit-age” paths toward molecular connectomics. <i>Current Opinion in Neurobiology</i> , 2017, 42, 102-110.	2.0	32
27	Structural Mechanism for Modulation of Synaptic Neuroligin-Neurexin Signaling by MDGA Proteins. <i>Neuron</i> , 2017, 95, 896-913.e10.	3.8	55
28	Astrocytes Supply Presynaptic Terminals with a Sweet Incentive to Make Connections. <i>Developmental Cell</i> , 2017, 43, 261-263.	3.1	0
29	Specification of synaptic connectivity by cell surface interactions. <i>Nature Reviews Neuroscience</i> , 2016, 17, 4-4.	4.9	274
30	Synaptic Contacts Enhance Cell-to-Cell Tau Pathology Propagation. <i>Cell Reports</i> , 2015, 11, 1176-1183.	2.9	206
31	PTP ^σ functions as a presynaptic receptor for the glypican-4/LRRTM4 complex and is essential for excitatory synaptic transmission. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1874-1879.	3.3	86
32	The Sorting Receptor SorCS1 Regulates Trafficking of Neurexin and AMPA Receptors. <i>Neuron</i> , 2015, 87, 764-780.	3.8	71
33	Control of neural circuit formation by leucine-rich repeat proteins. <i>Trends in Neurosciences</i> , 2014, 37, 539-550.	4.2	78
34	Ecto-Fc MS identifies ligand-receptor interactions through extracellular domain Fc fusion protein baits and shotgun proteomic analysis. <i>Nature Protocols</i> , 2014, 9, 2061-2074.	5.5	21
35	Unbiased Discovery of Glypican as a Receptor for LRRTM4 in Regulating Excitatory Synapse Development. <i>Neuron</i> , 2013, 79, 696-711.	3.8	134
36	FLRT Proteins Are Endogenous Latrophilin Ligands and Regulate Excitatory Synapse Development. <i>Neuron</i> , 2012, 73, 903-910.	3.8	221

#	ARTICLE	IF	CITATIONS
37	NGL-2 Regulates Input-Specific Synapse Development in CA1 Pyramidal Neurons. <i>Neuron</i> , 2012, 76, 762-775.	3.8	63
38	Role of Leucine-Rich Repeat Proteins in the Development and Function of Neural Circuits. <i>Annual Review of Cell and Developmental Biology</i> , 2011, 27, 697-729.	4.0	133
39	Molecular Mechanisms of Synaptic Specificity in Developing Neural Circuits. <i>Neuron</i> , 2010, 68, 9-18.	3.8	154
40	LRRTM2 Interacts with Neurexin1 and Regulates Excitatory Synapse Formation. <i>Neuron</i> , 2009, 64, 799-806.	3.8	338
41	Matrix-Dependent Local Retention of Secretory Vesicle Cargo in Cortical Neurons. <i>Journal of Neuroscience</i> , 2009, 29, 23-37.	1.7	58
42	Use of GFP to Analyze Morphology, Connectivity, and Function of Cells in the Central Nervous System. <i>Methods in Molecular Biology</i> , 2009, 515, 63-95.	0.4	10
43	Proteoglycans as Modulators of Axon Guidance Cue Function. <i>Advances in Experimental Medicine and Biology</i> , 2007, 600, 73-89.	0.8	47
44	Overexpression of a truncated TrkB isoform increases the proliferation of neural progenitors. <i>European Journal of Neuroscience</i> , 2006, 24, 1277-1285.	1.2	40
45	Vesicular Trafficking of Semaphorin 3A is Activity-Dependent and Differs Between Axons and Dendrites. <i>Traffic</i> , 2006, 7, 1060-1077.	1.3	67
46	Long-Term Adeno-Associated Viral Vector-Mediated Expression of Truncated TrkB in the Adult Rat Facial Nucleus Results in Motor Neuron Degeneration. <i>Journal of Neuroscience</i> , 2006, 26, 1516-1530.	1.7	23
47	Semaphorin 3A displays a punctate distribution on the surface of neuronal cells and interacts with proteoglycans in the extracellular matrix. <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 40-55.	1.0	122
48	Brain-derived neurotrophic factor in the ventral midbrain nucleus accumbens pathway: a role in depression. <i>Biological Psychiatry</i> , 2003, 54, 994-1005.	0.7	375
49	Role of semaphorins in the adult nervous system. <i>Progress in Neurobiology</i> , 2003, 71, 249-267.	2.8	125
50	Transient downregulation of sema3a mRNA in a rat model for temporal lobe epilepsy: A novel molecular event potentially contributing to mossy fiber sprouting. <i>Experimental Neurology</i> , 2003, 182, 142-150.	2.0	86
51	Semaphorins: contributors to structural stability of hippocampal networks?. <i>Progress in Brain Research</i> , 2002, 138, 17-38.	0.9	16
52	Expression of the Gene Encoding the Chemorepellent Semaphorin III Is Induced in the Fibroblast Component of Neural Scar Tissue Formed Following Injuries of Adult But Not Neonatal CNS. <i>Molecular and Cellular Neurosciences</i> , 1999, 13, 143-166.	1.0	290