## **Gail Davies**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7717401/publications.pdf

Version: 2024-02-01

57758 60623 15,506 76 44 81 citations h-index g-index papers 86 86 86 21647 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genetic variants associated with longitudinal changes in brain structure across the lifespan. Nature Neuroscience, 2022, 25, 421-432.	14.8	75
2	Markers of kidney function, genetic variation related to cognitive function, and cognitive performance in the UK Biobank. BMC Nephrology, 2022, 23, 159.	1.8	2
3	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. Molecular Psychiatry, 2021, 26, 4344-4354.	7.9	10
4	The influence of X chromosome variants on trait neuroticism. Molecular Psychiatry, 2021, 26, 483-491.	7.9	17
5	Genome-wide association study identifies 48 common genetic variants associated with handedness. Nature Human Behaviour, 2021, 5, 59-70.	12.0	79
6	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. Neuropsychopharmacology, 2021, 46, 1788-1801.	5.4	12
7	Genome-wide association studies identify 137 genetic loci for DNA methylation biomarkers of aging. Genome Biology, 2021, 22, 194.	8.8	90
8	Genome-wide analysis of gene dosage in 24,092 individuals estimates that 10,000 genes modulate cognitive ability. Molecular Psychiatry, 2021, 26, 2663-2676.	7.9	33
9	Association of low-frequency and rare coding variants with information processing speed. Translational Psychiatry, 2021, 11, 613.	4.8	2
10	Polygenic predictors of age-related decline in cognitive ability. Molecular Psychiatry, 2020, 25, 2584-2598.	7.9	38
11	Genetic contributions to two special factors of neuroticism are associated with affluence, higher intelligence, better health, and longer life. Molecular Psychiatry, 2020, 25, 3034-3052.	7.9	60
12	Genetic stratification of depression by neuroticism: revisiting a diagnostic tradition. Psychological Medicine, 2020, 50, 2526-2535.	<b>4.</b> 5	27
13	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. American Journal of Human Genetics, 2019, 105, 334-350.	6.2	86
14	Predicting incident dementia 3â€8 years after brief cognitive tests in the UK Biobank prospective study of 500,000 people. Alzheimer's and Dementia, 2019, 15, 1546-1557.	0.8	28
15	Genetic Contributions to Health Literacy. Twin Research and Human Genetics, 2019, 22, 131-139.	0.6	O
16	Sex-specific moderation by lifestyle and psychosocial factors on the genetic contributions to adiposity in 112,151 individuals from UK Biobank. Scientific Reports, 2019, 9, 363.	3.3	6
17	Sleep and cognitive aging in the eighth decade of life. Sleep, 2019, 42, .	1.1	32
18	Impact of Polygenic Risk for Schizophrenia on Cortical Structure in UK Biobank. Biological Psychiatry, 2019, 86, 536-544.	1.3	62

#	Article	IF	CITATIONS
19	Genome-wide analysis identifies molecular systems and 149 genetic loci associated with income. Nature Communications, 2019, 10, 5741.	12.8	110
20	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. American Journal of Human Genetics, 2019, 104, 112-138.	6.2	106
21	Genome-Wide Association Study Meta-Analysis of the Alcohol Use Disorders Identification Test (AUDIT) in Two Population-Based Cohorts. American Journal of Psychiatry, 2019, 176, 107-118.	7.2	326
22	Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions. Nature Neuroscience, 2019, 22, 343-352.	14.8	1,589
23	Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. Nature Communications, 2018, 9, 1470.	12.8	415
24	Association analysis in over 329,000 individuals identifies 116 independent variants influencing neuroticism. Nature Genetics, 2018, 50, 6-11.	21.4	327
25	Genome-wide meta-analyses of stratified depression in Generation Scotland and UK Biobank. Translational Psychiatry, 2018, 8, 9.	4.8	66
26	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
27	Identification of a novel locus on chromosome 2q13, which predisposes to clinical vertebral fractures independently of bone density. Annals of the Rheumatic Diseases, 2018, 77, 378-385.	0.9	21
28	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. Nature Genetics, 2018, 50, 1412-1425.	21.4	924
29	Enrichment of genetic markers of recent human evolution in educational and cognitive traits. Scientific Reports, 2018, 8, 12585.	3.3	9
30	Addendum: Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. Nature Communications, 2018, 9, 3578.	12.8	16
31	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. Nature Communications, 2018, 9, 2098.	12.8	484
32	GWAS on family history of Alzheimer's disease. Translational Psychiatry, 2018, 8, 99.	4.8	406
33	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. Nature Genetics, 2018, 50, 912-919.	21.4	893
34	DNA sequence-level analyses reveal potential phenotypic modifiers in a large family with psychiatric disorders. Molecular Psychiatry, 2018, 23, 2254-2265.	7.9	19
35	Meta-analysis of exome array data identifies six novel genetic loci for lung function. Wellcome Open Research, 2018, 3, 4.	1.8	19
36	Molecular genetic contributions to self-rated health. International Journal of Epidemiology, 2017, 46, dyw219.	1.9	39

#	Article	IF	Citations
37	Rare and low-frequency coding variants alter human adult height. Nature, 2017, 542, 186-190.	27.8	544
38	Exome-wide association study of plasma lipids in >300,000 individuals. Nature Genetics, 2017, 49, 1758-1766.	21.4	470
39	Identification of Genetic Loci Jointly Influencing Schizophrenia Risk and the Cognitive Traits of Verbal-Numerical Reasoning, Reaction Time, and General Cognitive Function. JAMA Psychiatry, 2017, 74, 1065.	11.0	123
40	Single Nucleotide Polymorphisms Associated with Reading Ability Show Connection to Socio-Economic Outcomes. Behavior Genetics, 2017, 47, 469-479.	2.1	13
41	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. Cell Reports, 2017, 21, 2597-2613.	6.4	103
42	Genetic prediction of male pattern baldness. PLoS Genetics, 2017, 13, e1006594.	3.5	89
43	The complex genetics of gait speed: genome-wide meta-analysis approach. Aging, 2017, 9, 209-246.	3.1	21
44	Personality Polygenes, Positive Affect, and Life Satisfaction. Twin Research and Human Genetics, 2016, 19, 407-417.	0.6	16
45	Ageing and brain white matter structure in 3,513 UK Biobank participants. Nature Communications, 2016, 7, 13629.	12.8	373
46	Genetic variants associated with subjective well-being, depressive symptoms, and neuroticism identified through genome-wide analyses. Nature Genetics, 2016, 48, 624-633.	21.4	870
47	Alzheimer disease genetic risk factor <i>APOE</i> e4 and cognitive abilities in 111,739 UK Biobank participants. Age and Ageing, 2016, 45, 511-517.	1.6	45
48	Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 2016, 533, 539-542.	27.8	1,204
49	<scp>GWAS</scp> analysis of handgrip and lower body strength in older adults in the <scp>CHARGE</scp> consortium. Aging Cell, 2016, 15, 792-800.	6.7	51
50	Molecular Genetic Contributions to Social Deprivation and Household Income in UK Biobank. Current Biology, 2016, 26, 3083-3089.	3.9	177
51	Genome-wide analysis identifies 12 loci influencing human reproductive behavior. Nature Genetics, 2016, 48, 1462-1472.	21.4	284
52	Genetic variants linked to education predict longevity. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13366-13371.	7.1	110
53	Polygenic risk for coronary artery disease is associated with cognitive ability in older adults. International Journal of Epidemiology, 2016, 45, 433-440.	1.9	16
54	Systems genetics identifies a convergent gene network for cognition and neurodevelopmental disease. Nature Neuroscience, 2016, 19, 223-232.	14.8	131

#	Article	IF	CITATIONS
55	Age-Dependent Pleiotropy Between General Cognitive Function and Major Psychiatric Disorders. Biological Psychiatry, 2016, 80, 266-273.	1.3	71
56	Meta-analysis of Genome-Wide Association Studies for Extraversion: Findings from the Genetics of Personality Consortium. Behavior Genetics, 2016, 46, 170-182.	2.1	178
57	Genome-wide association studies identify genetic loci for low von Willebrand factor levels. European Journal of Human Genetics, 2016, 24, 1035-1040.	2.8	45
58	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. PLoS Medicine, 2016, 13, e1002090.	8.4	60
59	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. Npj Aging and Mechanisms of Disease, 2015, 1, 15011.	4.5	8
60	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 363-373.	1.7	25
61	Meta-analysis of Genome-wide Association Studies for Neuroticism, and the Polygenic Association With Major Depressive Disorder. JAMA Psychiatry, 2015, 72, 642.	11.0	289
62	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293.	21.4	294
63	Genome-wide Studies of Verbal Declarative Memory in Nondemented Older People: The Cohorts for Heart and Aging Research in Genomic Epidemiology Consortium. Biological Psychiatry, 2015, 77, 749-763.	1.3	67
64	Modulation of Genetic Associations with Serum Urate Levels by Body-Mass-Index in Humans. PLoS ONE, 2015, 10, e0119752.	2.5	64
65	Genetic Basis of a Cognitive Complexity Metric. PLoS ONE, 2015, 10, e0123886.	2.5	22
66	Large-Scale Genome-Wide Association Studies and Meta-Analyses of Longitudinal Change in Adult Lung Function. PLoS ONE, 2014, 9, e100776.	2.5	52
67	No Evidence for Genome-Wide Interactions on Plasma Fibrinogen by Smoking, Alcohol Consumption and Body Mass Index: Results from Meta-Analyses of 80,607 Subjects. PLoS ONE, 2014, 9, e111156.	2.5	8
68	Polygenic Risk for Alzheimer's Disease is not Associated with Cognitive Ability or Cognitive Aging in Non-Demented Older People. Journal of Alzheimer's Disease, 2014, 39, 565-574.	2.6	63
69	Common genetic variants associated with cognitive performance identified using the proxy-phenotype method. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 13790-13794.	7.1	244
70	Genetic diversity is a predictor of mortality in humans. BMC Genetics, 2014, 15, 159.	2.7	12
71	Association of Low-Frequency and Rare Coding-Sequence Variants with Blood Lipids and Coronary Heart Disease in 56,000 Whites and Blacks. American Journal of Human Genetics, 2014, 94, 223-232.	6.2	287
72	Genome-wide association analysis identifies six new loci associated with forced vital capacity. Nature Genetics, 2014, 46, 669-677.	21.4	131

#	Article	IF	CITATIONS
73	Molecular genetic contributions to socioeconomic status and intelligence. Intelligence, 2014, 44, 26-32.	3.0	156
74	Functional Gene Group Analysis Indicates No Role for Heterotrimeric G Proteins in Cognitive Ability. PLoS ONE, 2014, 9, e91690.	2.5	3
75	Complex Variation in Measures of General Intelligence and Cognitive Change. PLoS ONE, 2013, 8, e81189.	2.5	7
76	Whole genome association scan for genetic polymorphisms influencing information processing speed. Biological Psychology, 2011, 86, 193-202.	2.2	70