

# Reza Akramipour

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7717577/publications.pdf>

Version: 2024-02-01

20  
papers

492  
citations

840119

11  
h-index

794141

19  
g-index

20  
all docs

20  
docs citations

20  
times ranked

578  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sensitive determination of deferasirox in blood of patients with thalassemia using dispersive liquid-liquid microextraction based on solidification of floating organic drop followed by HPLC-UV. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 193, 113735.	1.4	15
2	Sensitive determination of methotrexate in plasma of children with acute leukemia using double-solvent supramolecular systems as a novel extractant for dispersive liquid-liquid microextraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1171, 122628.	1.2	12
3	Monitoring of blood lead level in young children using new mode of liquid phase microextraction and graphite furnace atomic absorption spectrometry. <i>Toxin Reviews</i> , 2020, 39, 180-187.	1.5	2
4	Extraction and determination of heavy metals in soil and vegetables irrigated with treated municipal wastewater using new mode of dispersive liquid-liquid microextraction based on the solidified deep eutectic solvent followed by GFAAS. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 656-665.	1.7	96
5	Optimization of a methodology for speciation of arsenic, selenium and mercury in blood samples based on the deep eutectic solvent. <i>MethodsX</i> , 2019, 6, 2141-2147.	0.7	4
6	Development of an efficient sample preparation method for the speciation of Se(IV) and total inorganic selenium in blood of children with acute leukemia. <i>New Journal of Chemistry</i> , 2019, 43, 6951-6958.	1.4	41
7	Speciation of organic/inorganic mercury and total mercury in blood samples using vortex assisted dispersive liquid-liquid microextraction based on the freezing of deep eutectic solvent followed by GFAAS. <i>Talanta</i> , 2018, 186, 17-23.	2.9	112
8	Optimization of a new methodology for trace determination of elements in biological fluids: Application for speciation of inorganic selenium in children's blood. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 140, 155-161.	1.4	12
9	Hepatitis B, Hepatitis C, and Human Immunodeficiency Virus Infection in Multi-Transfused Thalassemic Patients, Kermanshah, Iran, 2015. <i>Jundishapur Journal of Microbiology</i> , 2017, 10, .	0.2	2
10	Assessment of Triazine Herbicides Residual in Fruit and Vegetables Using Ultrasound Assisted Extraction-Dispersive Liquid-Liquid Microextraction with Solidification of Floating Organic Drop. <i>Journal of the Brazilian Chemical Society</i> , 2016, .	0.6	1
11	Combination of counter current salting-out homogenous liquid-liquid extraction and dispersive liquid-liquid microextraction as a novel microextraction of drugs in urine samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1012-1013, 162-168.	1.2	47
12	Lack of Association Between MTHFR C677T and A1298C Polymorphisms and Risk of Childhood Acute Lymphoblastic Leukemia in the Kurdish Population from Western Iran. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 198-202.	0.3	17
13	Thymidylate synthase and methionine synthase polymorphisms are not associated with susceptibility to childhood acute lymphoblastic leukemia in Kurdish population from Western Iran. <i>Molecular Biology Reports</i> , 2012, 39, 2195-2200.	1.0	14
14	Plasma lipids and lipoproteins in children and young adults with major $\beta^2$ -thalassemia from western Iran: influence of genotype. <i>Molecular Biology Reports</i> , 2011, 38, 2573-2578.	1.0	11
15	Haplotype analysis of beta thalassemia patients in Western Iran. <i>Blood Cells, Molecules, and Diseases</i> , 2009, 42, 140-143.	0.6	24
16	Infant With Concomitant Presence of Hernia/Hydrocele and Primary Paratesticular Neuroblastoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2009, 31, 349.	0.3	6
17	Prevalence of iron deficiency anemia among adolescent schoolgirls from Kermanshah, Western Iran. <i>Hematology</i> , 2008, 13, 352-355.	0.7	40
18	An Iranian Child With HbQ-Iran [ $\beta^{75}$ (EF4) Asp $\rightarrow$ His]/ $\alpha^{3.7}$ (IVSII.1 G $\rightarrow$ A). <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 649-651.	0.3	5

#	ARTICLE	IF	CITATIONS
19	The $\beta^2$ -Globin Gene Haplotypes Associated With Hb D-Los Angeles [ $\beta^2121(\text{GH4})\text{Glu}\rightarrow\text{Gln}$ ] in Western Iran. Hemoglobin, 2006, 30, 39-44.	0.4	24
20	Hb D-Punjab [ $\beta^2 121 (\text{GH4}) \text{Glu}\rightarrow\text{Gln}$ ]/ $\beta^0$ -thalassemia [IVSII.1(G $\rightarrow$ A)] in two cases from an Iranian family: First report. American Journal of Hematology, 2006, 81, 302-303.	2.0	7